| Business Requirement ID | Business Requirement Description | System Component | Test Case Reference Number |
|-------------------------------|---|---|----------------------------------|
| CCS-100 | The coffee cart owner must be able to add VIP customers to the system. | (UI) Customers —> Add New CustomerAddOrUpd ate.java | TC 5.1 Add/Edit Customer |
| CCS-101 | The system needs to know name, phone number, birth date, and assigned VIP card number of the customer. | CustomerAddOrUpd ate.java uses createCustomer() Customer.class uses setCardNumber(), setCustName(), setPhoneNumber(), setBirthdate() | TC 5.1 Add/Edit Customer |
| CCS-102 | Each customer can have only one VIP card | CustomerAddORUp date.java uses custFoundDialog() | TC 1.4 |
| CCS-200 | The coffee cart owner must be able to remove VIP customers from the system. When a customer is removed, all data is permanently deleted. | (UI) Customers —> <click customer="" on=""> —> Edit Customer —> Delete Customer CustomerAddOrUpd ate.java uses deleteCustomer()</click> | TC 5.2 Delete Customer |
| CCS-300 | The coffee cart owner must be able to edit the information stored in the system for a VIP customer, such as change his or her phone number. | (UI) Customers —> <click customer="" on=""> —> Edit Customer CustomerAddOrUpd ate.java uses setCustName(), setPhoneNumber(), setBirthday(), setCardNumber()</click> | TC 5.1 Add/Edit Customer |
| CCS-400 | The coffee cart owner must be able to add VIP customer purchases. | (UI) Customers —> <click customer="" on=""> —> New Purchase —> <click item="" on=""> —> <click buy="" item="" on=""> PurchaseAdd.java</click></click></click> | TC 1.1 TC 1.2 TC 1.3 |

| Business Requirement ID | Business Requirement Description | System Component | Test Case Reference Number |
|-------------------------------|---|--|----------------------------------|
| CCS-401 | VIP customers are awarded 1 VIP point for each dollar spent if they show their card when making a purchase. Partial dollars spent are rounded up (.5 is rounded up) or down to the closest integer when computing points for a purchase. | (UI) Customers —> <click customer="" on=""> —> New Purchase —> <click item="" on=""> PurchaseAdd.java uses updateTotals()</click></click> | TC 2.1 |
| CCS-500 | At any time, the coffee cart system should be able to calculate the items that a given VIP customer has purchased. | (UI) Customers —> <click customer="" on=""> —> View Report —> View Purchase History PurchaseHistory.jav a</click> | TC 4.1 |
| CCS-501 | At any time, the coffee cart system should be able to calculate the points a VIP customer has earned in the last 30 days and in total (i.e., since becoming a member). | (UI) Customers -> <click customer="" on=""> -> View Report CustomerInfo.java uses getGoldMember(), get30DayPointsTotal() , getPointsTotal()</click> | TC 2.1 |
| CCS-600 | VIP customers can also pre-order desserts as early as a month in advance unless the pre-order slots for the order pickup day are filled. | (UI) Customers —> <click customer="" on=""> —> New Preorder PreOrder.java PreOrderAdd.java PreOrderAddDate.ja va uses findOpenPreorderDat es()</click> | TC 3.1 TC 3.2 TC 3.3 |
| CCS-601 | Each type of dessert has 5 daily pre-order slots, except for bestsellers, which have only 3 daily pre-order slots. | PreOrder.java PreOrderAddDate.ja va uses findOpenPreorderDat es(), findByDate() | TC 3.1 TC 3.2 TC 3.3 |

| Business Requirement ID | Business Requirement Description | System Component | Test Case Reference Number |
|-------------------------------|---|--|----------------------------------|
| CCS-700 | A customer who earns more than 500 VIP points in 30 days is upgraded to GOLD level and remains at that level until the number of points go below 500 in the last 30 days. | Customer.java uses isGoldMember() getGoldMember() get30DayPointsTotal() getPointsTotal() | TC 2.2 |
| CCS-701 | A customer who earns a total of 5000 VIP points is permanently upgraded to GOLD level. | Customer.java uses isGoldMember() getGoldMember() get30DayPointsTotal() getPointsTotal() | TC 2.3 |
| CCS-702 | Having GOLD level allows the VIP customer to get an unlimited number of refills on purchased coffee. | PurchaseAdd.java Item.java uses isGoldMember() | TC 1.3 |
| CCS-703 | VIP customers without GOLD level can have their coffee cup refilled at half price. | PurchaseAdd.java Item.java uses isGoldMember() | TC 1.2 |
| CCS-800 | The coffee cart owner can generate a daily report of the items purchased by VIP members on the current day. | (UI) View Sales —> <select date=""> —> <select #="" and="" customer="" or="" sales=""> SalesViewByDate.jav a, SalesList.java, SalesViewLineItems. java</select></select> | TC 4.1 |
| CCS-801 | The coffee cart owner can generate a daily report of the items pre-ordered by VIP members on the current day. | (UI) View Preorders -> <select date=""> PreorderViewByDate .java PreordersList.java Preorder.java</select> | TC 4.2 |
| CCS-900 | The user interface (UI) of the app must be intuitive and responsive. | all xml files in layout | TC 6.1 |