

Aerynza AI — Capability Pamphlet

Total capabilities: 640

Summary by Shell

- lifeos: 262 capabilities
- ap: 201 capabilities
- core: 120 capabilities
- nexus_home: 40 capabilities
- nexus_family: 17 capabilities

Surface / Shell Gap Analysis

The current UI shell selector supports: ap, lifeos, nexus_home, nexus_family, core.

Executor tags in the registry (these are the runtime surfaces; some are not explicit shell tabs):

- creation: 67 capabilities (e.g., ascension_creative, ascension_music, ascension_art)
- business: 64 capabilities (e.g., business_growth, ascension_startup, ascension_business_plan)
- finance: 59 capabilities (e.g., ascension_finance, ascension_trading, ascension_prediction_markets)
- wellness: 59 capabilities (e.g., ascension_yoga, ascension_running, ascension_swimming)
- home: 40 capabilities (e.g., ascension_home, ascension_travel, ascension_realestate)
- intelligence: 36 capabilities (e.g., intelligence_sweep, context_memory, proactive_intelligence)
- entertainment: 30 capabilities (e.g., ascension_movies, ascension_books, ascension_sports)
- knowledge: 28 capabilities (e.g., ascension_philosophy, ascension_history, ascension_science)
- engineering: 24 capabilities (e.g., ascension_devops, ascension_cloud, ascension_databases)
- spirituality: 19 capabilities (e.g., ascension_spirituality, ascension_mindfulness, ascension_meditation)
- work: 16 capabilities (e.g., ascension_project, ascension_task, ascension_remote)
- relationships: 13 capabilities (e.g., ascension_relationships, ascension_dating, ascension_social)
- style: 12 capabilities (e.g., ascension_tattoo, ascension_piercing, ascension_perfume)
- cooking: 11 capabilities (e.g., ascension_smoking, ascension_bbq, ascension_grilling)
- life_events: 10 capabilities (e.g., ascension_wedding, ascension_birthday, ascension_party)
- education: 10 capabilities (e.g., ascension_homework, ascension_tutor, ascension_school)
- legal: 10 capabilities (e.g., ascension_will, ascension_trust, ascension_prenup)
- sports: 10 capabilities (e.g., ascension_cricket, ascension_basketball, ascension_football)
- spatial: 10 capabilities (e.g., ar_assistant, ar_environment_scan, ar_object_recognition)
- code: 8 capabilities (e.g., code_generation, code_review, code_debugging)
- psychology: 8 capabilities (e.g., ascension_psychology, ascension_mental_health, ascension_communication)
- lifestyle: 8 capabilities (e.g., ascension_fashion, ascension_shopping, ascension_auction)
- nutrition: 8 capabilities (e.g., ascension_meal_prep, ascension_batch_cooking, ascension_freezer_meals)
- automotive: 7 capabilities (e.g., ascension_car_buying, ascension_car_maintenance, ascension_motorcycle)
- audio: 6 capabilities (e.g., text_to_speech, speech_to_text, music_generation_suno)
- health: 6 capabilities (e.g., emotional_intelligence, ascension_health, ascension_nutrition)
- image: 5 capabilities (e.g., image_generation_dalle, image_generation_midjourney, image_generation_stable)
- video: 5 capabilities (e.g., video_generation_runway, video_generation_pika, video_generation_luma)
- productivity: 5 capabilities (e.g., ascension_meetings, ascension_time, ascension_focus)
- chat: 4 capabilities (e.g., chat_gpt4, chat_claude, chat_gemini)
- writing: 4 capabilities (e.g., writing_marketing, writing_document, writing_email)
- social: 4 capabilities (e.g., relationship_graph, ascension_facebook, ascension_reddit)
- family: 4 capabilities (e.g., ascension_family, ascension_family_sync, ascension_family_abroad)
- career: 4 capabilities (e.g., ascension_career, ascension_professional_network, ascension_mentors)
- travel: 4 capabilities (e.g., ascension_public_transit, ascension_rideshare, ascension_flight)
- research: 3 capabilities (e.g., ascension_research, ascension_news, ascension_reviews)

- web: 2 capabilities (e.g., web_search, web_browsing)
- environment: 2 capabilities (e.g., ascension_weather, ascension_environment)
- human_life: 2 capabilities (e.g., ascension_human_life, ascension_grief)
- community: 2 capabilities (e.g., ascension_volunteering, ascension_activism)
- fitness: 2 capabilities (e.g., ascension_pre_workout, ascension_post_workout)
- translation: 1 capabilities (e.g., translation)
- design: 1 capabilities (e.g., design_generation)
- data: 1 capabilities (e.g., file_analysis)
- sprout: 1 capabilities (e.g., ascension_sprout)
- vision: 1 capabilities (e.g., ascension_vision)
- documents: 1 capabilities (e.g., ascension_legal)
- learning: 1 capabilities (e.g., ascension_learning)
- voice: 1 capabilities (e.g., ascension_voice)
- security: 1 capabilities (e.g., ascension_security)

External / fallback providers not routed through Aerynza-Native

- openai: 13 capabilities (e.g., chat_gpt4, writing_marketing, writing_email)
- custom: 6 capabilities (e.g., intelligence_sweep, context_memory, proactive_intelligence)
- anthropic: 4 capabilities (e.g., chat_claude, writing_document, writing_script)
- google: 2 capabilities (e.g., chat_gemini, translation)
- stability: 2 capabilities (e.g., image_generation_stable, video_generation_stable)
- elevenlabs: 2 capabilities (e.g., text_to_speech, voice_cloning)
- runway: 2 capabilities (e.g., video_generation_runway, video_editing)
- local: 1 capabilities (e.g., code_execution)
- midjourney: 1 capabilities (e.g., image_generation_midjourney)
- adobe: 1 capabilities (e.g., image_generation_adobe)
- canva: 1 capabilities (e.g., design_generation)
- placeholder: 1 capabilities (e.g., speech_to_text)
- suno: 1 capabilities (e.g., music_generation_suno)
- udio: 1 capabilities (e.g., music_generation_udio)
- pika: 1 capabilities (e.g., video_generation_pika)
- luma: 1 capabilities (e.g., video_generation_luma)
- perplexity: 1 capabilities (e.g., web_search)

Suggested new shells / surfaces to add

- Creation Studio (creation) — covers art, music, video, design, writing, streaming, etc.
- Finance & Trading (finance) — budgeting, investing, crypto, taxes, trading, prediction markets.
- Health & Wellness (health) — fitness, nutrition, mental health, chronic care, sleep.
- Home & LifeOS (home) — already partially covered by NexusHome/LifeOS, but household, cooking, travel, automotive, and real-estate could be a distinct tab.
- Knowledge & Research (knowledge) — research, debate, science, history, language, learning.
- Social & Relationships (social) — dating, networking, family sync, community, communication.
- Spirituality (spirituality) — meditation, astrology, religions, mindfulness.
- Engineering & Devices (engineering) — code, cloud, hardware, phone drivers, OS installs.

Shell: lifeos (262)

business (64)

Aerynza Affiliate (ascension_affiliate)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native

- Description: Affiliate marketing, links, and commissions
- When to use: Triggers: user asks about Affiliate, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Affiliate Automation (ascension_affiliate_automation)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: Automate affiliate program discovery, application, and revenue tracking
- When to use: Triggers: user asks about Affiliate Automation, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Amazon (ascension_amazon)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: Amazon selling, FBA, and listings
- When to use: Triggers: user asks about Amazon, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Benefits (ascension_benefits)

- Category: business | Executor: business | Tier: business | Default provider: ascension-native
- Description: Employee benefits packages and selection
- When to use: Triggers: user asks about Benefits, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Brand (ascension_brand)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: Brand positioning, voice, and identity
- When to use: Triggers: user asks about Brand, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Business Manager (ascension_business_manager)

- Category: business | Executor: business | Tier: business | Default provider: ascension-native
- Description: Track leads, revenue, tasks, and operations across businesses and side projects
- When to use: Triggers: user asks about Business Manager, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Business Plan (ascension_business_plan)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: Business plan drafting and review
- When to use: Triggers: user asks about Business Plan, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_marketing, ascension_sales, ascension_brand. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Business Studio (ascension_business_studio)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native

- Description: Think like a founder: model, revenue, CAC, retention, operations, funding
- When to use: Triggers: user asks about Business Studio, starts a business-domain quest, or needs a decision in this area.
Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Channel Types (ascension_channel_types)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: Recommend channel types and services for any audience, income, and cash situation
- When to use: Triggers: user asks about Channel Types, starts a business-domain quest, or needs a decision in this area.
Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Chatbot (ascension_chatbot)

- Category: business | Executor: business | Tier: business | Default provider: ascension-native
- Description: Chatbot design, flows, and fallback
- When to use: Triggers: user asks about Chatbot, starts a business-domain quest, or needs a decision in this area.
Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Churn (ascension_churn)

- Category: business | Executor: business | Tier: business | Default provider: ascension-native
- Description: Churn analysis and prevention
- When to use: Triggers: user asks about Churn, starts a business-domain quest, or needs a decision in this area.
Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Compliance (ascension_compliance)

- Category: business | Executor: business | Tier: business | Default provider: ascension-native
- Description: Regulatory compliance, policies, and controls
- When to use: Triggers: user asks about Compliance, starts a business-domain quest, or needs a decision in this area.
Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Content Analytics (ascension_content_analytics)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: Wire analytics for content, streams, and social accounts to track performance
- When to use: Triggers: user asks about Content Analytics, starts a business-domain quest, or needs a decision in this area.
Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Content Calendar (ascension_content_calendar)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: Plan and schedule content releases, streams, and campaigns across platforms
- When to use: Triggers: user asks about Content Calendar, starts a business-domain quest, or needs a decision in this area.
Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Content Workspace (ascension_content_workspace)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native

- Description: Create and organize workspaces for content projects, channels, and campaigns
- When to use: Triggers: user asks about Content Workspace, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Cross Sell (ascension_cross_sell)

- Category: business | Executor: business | Tier: business | Default provider: ascension-native
- Description: Cross-sell pairing and messaging
- When to use: Triggers: user asks about Cross Sell, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Crowdfunding (ascension_crowdfunding)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: Crowdfunding campaigns, rewards, and promotion
- When to use: Triggers: user asks about Crowdfunding, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Crowdfunding Product (ascension_crowdfunding_product)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: Plan and run crowdfunding campaigns for inventions and products
- When to use: Triggers: user asks about Crowdfunding Product, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Customer Service (ascension_customer_service)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: Customer service, support, and retention
- When to use: Triggers: user asks about Customer Service, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Customer Support (ascension_customer_support)

- Category: business | Executor: business | Tier: business | Default provider: ascension-native
- Description: Customer support, tickets, and responses
- When to use: Triggers: user asks about Customer Support, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Dropshipping (ascension_dropshipping)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: Dropshipping suppliers, products, and risks
- When to use: Triggers: user asks about Dropshipping, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Ecommerce (ascension_ecommerce)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native

- Description: Ecommerce strategy, platforms, and operations
- When to use: Triggers: user asks about Ecommerce, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Etsy (ascension_etsy)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: Etsy listings, SEO, and shop management
- When to use: Triggers: user asks about Etsy, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Export (ascension_export)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: Exporting goods, compliance, and markets
- When to use: Triggers: user asks about Export, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza FAQ (ascension_faq)

- Category: business | Executor: business | Tier: business | Default provider: ascension-native
- Description: FAQ generation, maintenance, and answers
- When to use: Triggers: user asks about FAQ, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Fulfillment (ascension_fulfillment)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: Order fulfillment, 3PL, and warehousing
- When to use: Triggers: user asks about Fulfillment, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Fundraising (ascension_fundraising)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: Fundraising, investors, and grant seeking
- When to use: Triggers: user asks about Fundraising, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Grants (ascension_grants)

- Category: business | Executor: business | Tier: business | Default provider: ascension-native
- Description: Grant research, applications, and reporting
- When to use: Triggers: user asks about Grants, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Growth Tracker (ascension_growth_tracker)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native

- Description: Track followers, views, subscribers, and growth metrics across platforms
- When to use: Triggers: user asks about Growth Tracker, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza HR (ascension_hr)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: Hiring, onboarding, and employee relations
- When to use: Triggers: user asks about HR, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Helpdesk (ascension_helpdesk)

- Category: business | Executor: business | Tier: business | Default provider: ascension-native
- Description: Helpdesk organization, priorities, and SLAs
- When to use: Triggers: user asks about Helpdesk, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Import (ascension_import)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: Importing goods, suppliers, and customs
- When to use: Triggers: user asks about Import, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Influence (ascension_influence)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: Track thought leadership, audience, and influence growth
- When to use: Triggers: user asks about Influence, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Inventory (ascension_inventory)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: Inventory tracking, forecasting, and management
- When to use: Triggers: user asks about Inventory, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Knowledge Base (ascension_knowledge_base)

- Category: business | Executor: business | Tier: business | Default provider: ascension-native
- Description: Knowledge base articles, search, and updates
- When to use: Triggers: user asks about Knowledge Base, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Live Chat (ascension_live_chat)

- Category: business | Executor: business | Tier: business | Default provider: ascension-native

- Description: Live chat scripts, routing, and handoff
- When to use: Triggers: user asks about Live Chat, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Loyalty (ascension_loyalty)

- Category: business | Executor: business | Tier: business | Default provider: ascension-native
- Description: Loyalty programs, points, and rewards
- When to use: Triggers: user asks about Loyalty, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Marketing (ascension_marketing)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: Marketing strategy, channels, and campaigns
- When to use: Triggers: user asks about Marketing, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_sales, ascension_brand. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Merchandise (ascension_merchandise)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: Merch design, production, and sales
- When to use: Triggers: user asks about Merchandise, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Micro Launch (ascension_micro_launch)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: Launch a product, channel, or service with a tiny budget and fast feedback loop
- When to use: Triggers: user asks about Micro Launch, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Onboarding (ascension_onboarding)

- Category: business | Executor: business | Tier: business | Default provider: ascension-native
- Description: Customer and employee onboarding flows
- When to use: Triggers: user asks about Onboarding, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Open Enrollment (ascension_open_enrollment)

- Category: business | Executor: business | Tier: business | Default provider: ascension-native
- Description: Open enrollment choices and deadlines
- When to use: Triggers: user asks about Open Enrollment, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza POS (ascension_pos)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native

- Description: Point of sale systems and setup
- When to use: Triggers: user asks about POS, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Partnerships (ascension_partnerships)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: Partnership, alliance, and deal strategy
- When to use: Triggers: user asks about Partnerships, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Patreon (ascension_patreon)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: Patreon tiers, rewards, and growth
- When to use: Triggers: user asks about Patreon, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Pitch (ascension_pitch)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: Pitch deck and investor presentation practice
- When to use: Triggers: user asks about Pitch, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Print On Demand (ascension_print_on_demand)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: Print on demand products and suppliers
- When to use: Triggers: user asks about Print On Demand, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Referral (ascension_referral)

- Category: business | Executor: business | Tier: business | Default provider: ascension-native
- Description: Referral program design and tracking
- When to use: Triggers: user asks about Referral, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Reputation (ascension_reputation)

- Category: business | Executor: business | Tier: business | Default provider: ascension-native
- Description: Online reputation monitoring and response
- When to use: Triggers: user asks about Reputation, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Retention (ascension_retention)

- Category: business | Executor: business | Tier: business | Default provider: ascension-native

- Description: Customer retention strategies and signals
- When to use: Triggers: user asks about Retention, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Sales (ascension_sales)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: Sales process, outreach, and closing
- When to use: Triggers: user asks about Sales, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_brand. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Scorecards (ascension_scorecards)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: Idea maturity, execution momentum, validation, launch, and risk scorecards
- When to use: Triggers: user asks about Scorecards, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Service Designer (ascension_service_designer)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: Design a service offering, pricing, and delivery path for any skill or audience
- When to use: Triggers: user asks about Service Designer, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Shipping (ascension_shipping)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: Shipping carriers, rates, and packaging
- When to use: Triggers: user asks about Shipping, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Shopify (ascension_shopify)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: Shopify store setup, apps, and optimization
- When to use: Triggers: user asks about Shopify, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Sponsorships (ascension_sponsorships)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: Sponsorship outreach and deal terms
- When to use: Triggers: user asks about Sponsorships, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Startup (ascension_startup)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native

- Description: Startup ideation, validation, and early operations
- When to use: Triggers: user asks about Startup, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_business_plan, ascension_marketing, ascension_sales, ascension_brand. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Tariffs (ascension_tariffs)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: Tariffs, duties, and trade compliance
- When to use: Triggers: user asks about Tariffs, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Ticketing (ascension_ticketing)

- Category: business | Executor: business | Tier: business | Default provider: ascension-native
- Description: Ticket creation, routing, and resolution
- When to use: Triggers: user asks about Ticketing, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Upsell (ascension_upsell)

- Category: business | Executor: business | Tier: business | Default provider: ascension-native
- Description: Upsell recommendations and timing
- When to use: Triggers: user asks about Upsell, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza WooCommerce (ascension_woocommerce)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: WooCommerce setup, plugins, and payments
- When to use: Triggers: user asks about WooCommerce, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Workers Comp (ascension_workers_comp)

- Category: business | Executor: business | Tier: business | Default provider: ascension-native
- Description: Workers compensation basics and claims
- When to use: Triggers: user asks about Workers Comp, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza eBay (ascension_ebay)

- Category: business | Executor: business | Tier: individual | Default provider: ascension-native
- Description: eBay selling, auctions, and shipping
- When to use: Triggers: user asks about eBay, starts a business-domain quest, or needs a decision in this area. Cross-references: business_growth, ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Business Growth (business_growth)

- Category: business | Executor: business | Tier: individual | Default provider: custom

- Description: Business growth strategies and intelligence
- When to use: Triggers: user asks about Business Growth, starts a business-domain quest, or needs a decision in this area. Cross-references: ascension_startup, ascension_business_plan, ascension_marketing, ascension_sales, ascension_brand. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

finance (59)

Aerynza 72h Sprint (ascension_72h_sprint)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Design a high-activity 72-hour income or growth sprint with realistic targets and legal methods
- When to use: Triggers: user asks about 72h Sprint, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Accounting (ascension_accounting)

- Category: finance | Executor: finance | Tier: business | Default provider: ascension-native
- Description: Accounting principles, bookkeeping, and reports
- When to use: Triggers: user asks about Accounting, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Airdrop (ascension_airdrop)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Airdrop farming, safety, and taxes
- When to use: Triggers: user asks about Airdrop, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Assets (ascension_assets)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Track real estate, vehicles, collectibles, and illiquid assets
- When to use: Triggers: user asks about Assets, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Audit (ascension_audit)

- Category: finance | Executor: finance | Tier: business | Default provider: ascension-native
- Description: Audit preparation, documentation, and response
- When to use: Triggers: user asks about Audit, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Bookkeeping (ascension_bookkeeping)

- Category: finance | Executor: finance | Tier: business | Default provider: ascension-native
- Description: Bookkeeping entries, ledgers, and reconciliation
- When to use: Triggers: user asks about Bookkeeping, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Budgeting (ascension_budgeting)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Budget creation, tracking, and variance
- When to use: Triggers: user asks about Budgeting, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Business Taxes (ascension_business_taxes)

- Category: finance | Executor: finance | Tier: business | Default provider: ascension-native
- Description: Business tax planning, deductions, and filing
- When to use: Triggers: user asks about Business Taxes, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Cash Strategy (ascension_cash_strategy)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Invent cash solutions for any budget, timeline, and risk level
- When to use: Triggers: user asks about Cash Strategy, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Compound Engine (ascension_compound_engine)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Build a reinvestment and compounding plan for any small starting amount and time horizon with explicit risk warnings
- When to use: Triggers: user asks about Compound Engine, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Credit (ascension_credit)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Credit cards, lines, and management
- When to use: Triggers: user asks about Credit, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Credit Score (ascension_credit_score)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Credit score building and repair
- When to use: Triggers: user asks about Credit Score, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Crypto (ascension_crypto)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Cryptocurrency basics, custody, and safety
- When to use: Triggers: user asks about Crypto, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Crypto Intelligence (ascension_crypto_intelligence)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Track wallets, exchanges, staking, DeFi, and tax events
- When to use: Triggers: user asks about Crypto Intelligence, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza DAO (ascension_dao)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: DAO governance and participation
- When to use: Triggers: user asks about DAO, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Day Trading (ascension_daytrading)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Day trading strategy, risk, and psychology
- When to use: Triggers: user asks about Day Trading, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza DeFi (ascension_defi)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: DeFi protocols, yields, and risks
- When to use: Triggers: user asks about DeFi, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Debt (ascension_debt)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Debt payoff, consolidation, and strategy
- When to use: Triggers: user asks about Debt, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Deductible (ascension_deductible)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Deductible strategy and tradeoffs
- When to use: Triggers: user asks about Deductible, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Dream Fund (ascension_dream_fund)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Track aspirations and dream board goals with automated savings and milestone planning
- When to use: Triggers: user asks about Dream Fund, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Earthquake Insurance (ascension_earthquake_insurance)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Earthquake coverage and risk
- When to use: Triggers: user asks about Earthquake Insurance, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Expenses (ascension_expenses)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Expense tracking, reimbursement, and policies
- When to use: Triggers: user asks about Expenses, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza FSA (ascension_fsa)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Flexible Spending Accounts and planning
- When to use: Triggers: user asks about FSA, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Fast Turn (ascension_fast_turn)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Fast capital multiplication strategies with explicit risk warnings
- When to use: Triggers: user asks about Fast Turn, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Financial Intelligence (ascension_finance)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Financial analysis, planning, and opportunity finding
- When to use: Triggers: user asks about Financial Intelligence, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_trading, ascension_investing, ascension_taxes, ascension_insurance, ascension_daytrading. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Flood Insurance (ascension_flood_insurance)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Flood insurance, zones, and claims
- When to use: Triggers: user asks about Flood Insurance, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Forex (ascension_forex)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Forex basics, pairs, and risk
- When to use: Triggers: user asks about Forex, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Gig Sprint (ascension_gig_sprint)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Map the fastest gig and task income for a small amount in a short window
- When to use: Triggers: user asks about Gig Sprint, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Global Economics (ascension_global_economics)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Track macro signals: inflation, rates, employment, commodities, government incentives
- When to use: Triggers: user asks about Global Economics, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza HSA (ascension_hsa)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Health Savings Accounts and strategy
- When to use: Triggers: user asks about HSA, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Income Split (ascension_income_split)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Split direct deposits into spending, savings, bills, quick investment, long-term investment, and dream board buckets
- When to use: Triggers: user asks about Income Split, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Insurance (ascension_insurance)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Insurance review, comparison, and gap analysis
- When to use: Triggers: user asks about Insurance, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_daytrading. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Insurance Review (ascension_insurance_review)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Insurance policy review and coverage gaps
- When to use: Triggers: user asks about Insurance Review, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Investing (ascension_investing)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Portfolio thinking, asset allocation, and long-term investing
- When to use: Triggers: user asks about Investing, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_taxes, ascension_insurance, ascension_daytrading. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Investment Intelligence (ascension_investment_intelligence)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Infer risk, diversification, contribution discipline, and retirement readiness
- When to use: Triggers: user asks about Investment Intelligence, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Invoicing (ascension_invoicing)

- Category: finance | Executor: finance | Tier: business | Default provider: ascension-native
- Description: Invoice creation, terms, and collection
- When to use: Triggers: user asks about Invoicing, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Liability Insurance (ascension_liability_insurance)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Liability insurance types and limits
- When to use: Triggers: user asks about Liability Insurance, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Loans (ascension_loans)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Loan types, terms, and applications
- When to use: Triggers: user asks about Loans, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Money Flip (ascension_money_flip)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Plug in any amount and get a custom flip plan with realistic target, timeline, and risk warning
- When to use: Triggers: user asks about Money Flip, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Mortgage (ascension_mortgage)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Mortgage types, rates, and refinancing
- When to use: Triggers: user asks about Mortgage, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza NFTs (ascension_nfts)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: NFTs, marketplaces, and valuation
- When to use: Triggers: user asks about NFTs, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Opportunity Finance (ascension_opportunity_finance)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Find grants, scholarships, tax credits, refinancing, and rebates
- When to use: Triggers: user asks about Opportunity Finance, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Payroll (ascension_payroll)

- Category: finance | Executor: finance | Tier: business | Default provider: ascension-native
- Description: Payroll processing, taxes, and compliance
- When to use: Triggers: user asks about Payroll, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Pet Insurance (ascension_pet_insurance)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Pet insurance plans and claims
- When to use: Triggers: user asks about Pet Insurance, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Plaid Intelligence (ascension_plaid_intelligence)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Infer financial behavior, stress spending, and cash flow patterns from Plaid
- When to use: Triggers: user asks about Plaid Intelligence, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Policy Review (ascension_policy_review)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Policy terms, exclusions, and renewals
- When to use: Triggers: user asks about Policy Review, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Prediction Market Intelligence (ascension_prediction_markets)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Research live prediction markets, compare implied odds with sourced evidence, and prepare risk-bounded paper positions
- When to use: Triggers: user asks about Polymarket, prediction markets, market odds, or event probabilities. Compare current market-implied probability with reputable supporting and contrary evidence, resolution rules, time, and liquidity. Express a probability range and uncertainty. Research and paper planning are allowed; no guarantee or real order without jurisdiction checks, explicit approval, wallet signature, and a provider receipt.
- Runtime gates: per-capability True | execution True

Aerynza Premium (ascension_premium)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Premium pricing, payment, and discounts
- When to use: Triggers: user asks about Premium, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Presale (ascension_presale)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Presale research, red flags, and allocation
- When to use: Triggers: user asks about Presale, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Revenue Tracker (ascension_revenue_tracker)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Track ad, affiliate, sponsorship, and product revenue from content and streams
- When to use: Triggers: user asks about Revenue Tracker, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Risk Budget (ascension_risk_budget)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Set a risk budget for fast-turn experiments so survival money is never at risk
- When to use: Triggers: user asks about Risk Budget, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Staking (ascension_staking)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Staking, yields, and validator selection
- When to use: Triggers: user asks about Staking, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Swing Trading (ascension_swingtrading)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Swing trading setups and position management
- When to use: Triggers: user asks about Swing Trading, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Taxes (ascension_taxes)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Tax organization, deduction discovery, and preparer coordination
- When to use: Triggers: user asks about Taxes, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_insurance, ascension_daytrading. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Trading Intelligence (ascension_trading)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Multi-market analysis, backtesting, and paper trading
- When to use: Triggers: user asks about Trading Intelligence, starts a finance-domain quest, or needs a decision in this area. Cross-references: ascension_finance, ascension_investing, ascension_taxes, ascension_insurance, ascension_daytrading. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Umbrella Insurance (ascension_umbrella_insurance)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Umbrella policy limits and use cases
- When to use: Triggers: user asks about Umbrella Insurance, starts a finance-domain quest, or needs a decision in this area.
Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Wallet Automation (ascension_wallet_automation)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Connect a wallet and run automated financial strategies
- When to use: Triggers: user asks about Wallet Automation, starts a finance-domain quest, or needs a decision in this area.
Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Whitelist (ascension_whitelist)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Whitelist registration and security
- When to use: Triggers: user asks about Whitelist, starts a finance-domain quest, or needs a decision in this area.
Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Zero Capital (ascension_zero_capital)

- Category: finance | Executor: finance | Tier: individual | Default provider: ascension-native
- Description: Build income and solutions when starting with no money
- When to use: Triggers: user asks about Zero Capital, starts a finance-domain quest, or needs a decision in this area.
Cross-references: ascension_finance, ascension_trading, ascension_investing, ascension_taxes, ascension_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

wellness (59)

Aerynza Affirmations (ascension_affirmations)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
- Description: Affirmations, wording, and practice
- When to use: Triggers: user asks about Affirmations, starts a wellness-domain quest, or needs a decision in this area.
Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Allergies (ascension_allergies)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
- Description: Allergy awareness, triggers, and management
- When to use: Triggers: user asks about Allergies, starts a wellness-domain quest, or needs a decision in this area.
Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Archery (ascension_archery)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
- Description: Archery technique, gear, and practice
- When to use: Triggers: user asks about Archery, starts a wellness-domain quest, or needs a decision in this area.

Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Body Profile (ascension_body_profile)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
 - Description: Track body data, photos, weight, BMR, and TDEE
 - When to use: Triggers: user asks about Body Profile, starts a wellness-domain quest, or needs a decision in this area.
- Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Boxing (ascension_boxing)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
 - Description: Boxing technique, training, and conditioning
 - When to use: Triggers: user asks about Boxing, starts a wellness-domain quest, or needs a decision in this area.
- Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Breathing (ascension_breathing)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
 - Description: Breathing exercises and techniques
 - When to use: Triggers: user asks about Breathing, starts a wellness-domain quest, or needs a decision in this area.
- Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Camping (ascension_camping)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
 - Description: Camping gear, sites, and outdoor skills
 - When to use: Triggers: user asks about Camping, starts a wellness-domain quest, or needs a decision in this area.
- Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Childbirth (ascension_childbirth)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
 - Description: Childbirth preparation and birth plan support
 - When to use: Triggers: user asks about Childbirth, starts a wellness-domain quest, or needs a decision in this area.
- Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Chronic (ascension_chronic)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
 - Description: Chronic condition support and self-management guidance
 - When to use: Triggers: user asks about Chronic, starts a wellness-domain quest, or needs a decision in this area.
- Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Circadian (ascension_circadian)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
- Description: Circadian rhythm, light, and schedule
- When to use: Triggers: user asks about Circadian, starts a wellness-domain quest, or needs a decision in this area.

Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Climbing (ascension_climbing)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
 - Description: Climbing technique, training, and safety
 - When to use: Triggers: user asks about Climbing, starts a wellness-domain quest, or needs a decision in this area.
- Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Cold Exposure (ascension_cold_exposure)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
 - Description: Cold exposure, showers, and safety
 - When to use: Triggers: user asks about Cold Exposure, starts a wellness-domain quest, or needs a decision in this area.
- Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Confidence Building (ascension_confidence_building)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
 - Description: Confidence building and self-efficacy
 - When to use: Triggers: user asks about Confidence Building, starts a wellness-domain quest, or needs a decision in this area.
- Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Cycling (ascension_cycling)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
 - Description: Cycling routes, training, and equipment
 - When to use: Triggers: user asks about Cycling, starts a wellness-domain quest, or needs a decision in this area.
- Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_hiking, ascension_climbing. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Disability (ascension_disability)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
 - Description: Disability support, accommodations, and resources
 - When to use: Triggers: user asks about Disability, starts a wellness-domain quest, or needs a decision in this area.
- Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Ergonomics (ascension_ergonomics)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
 - Description: Desk, posture, and workspace ergonomics
 - When to use: Triggers: user asks about Ergonomics, starts a wellness-domain quest, or needs a decision in this area.
- Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Fencing (ascension_fencing)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
- Description: Fencing styles, gear, and training
- When to use: Triggers: user asks about Fencing, starts a wellness-domain quest, or needs a decision in this area.

Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza First Aid (ascension_firstaid)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native

- Description: First aid guidance and when to seek care

- When to use: Triggers: user asks about First Aid, starts a wellness-domain quest, or needs a decision in this area.

Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Fishing (ascension_fishing)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native

- Description: Fishing techniques, gear, and locations

- When to use: Triggers: user asks about Fishing, starts a wellness-domain quest, or needs a decision in this area.

Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Goals (ascension_goals)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native

- Description: Set, track, and break down goals across every life domain with milestones and reviews

- When to use: Triggers: user asks about Goals, starts a wellness-domain quest, or needs a decision in this area. Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Gratitude (ascension_gratitude)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native

- Description: Gratitude practice and reflection

- When to use: Triggers: user asks about Gratitude, starts a wellness-domain quest, or needs a decision in this area.

Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Growth Mindset (ascension_growth_mindset)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native

- Description: Growth mindset and learning attitude

- When to use: Triggers: user asks about Growth Mindset, starts a wellness-domain quest, or needs a decision in this area.

Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Gymnastics (ascension_gymnastics)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native

- Description: Gymnastics skills, training, and safety

- When to use: Triggers: user asks about Gymnastics, starts a wellness-domain quest, or needs a decision in this area.

Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Health Intelligence (ascension_health_intelligence)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native

- Description: Read HRV, sleep, recovery, and burnout signals from wearables

- When to use: Triggers: user asks about Health Intelligence, starts a wellness-domain quest, or needs a decision in this area.

Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Heat Exposure (ascension_heat_exposure)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native

- Description: Sauna, hot bath, and heat safety

- When to use: Triggers: user asks about Heat Exposure, starts a wellness-domain quest, or needs a decision in this area.

Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Hiking (ascension_hiking)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native

- Description: Hiking preparation, trails, and safety

- When to use: Triggers: user asks about Hiking, starts a wellness-domain quest, or needs a decision in this area.

Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_climbing. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Hunting (ascension_hunting)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native

- Description: Hunting safety, gear, and ethics

- When to use: Triggers: user asks about Hunting, starts a wellness-domain quest, or needs a decision in this area.

Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Ice Bath (ascension_ice_bath)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native

- Description: Ice bath setup, duration, and safety

- When to use: Triggers: user asks about Ice Bath, starts a wellness-domain quest, or needs a decision in this area.

Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Ice Skating (ascension_ice_skating)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native

- Description: Ice skating technique, gear, and rinks

- When to use: Triggers: user asks about Ice Skating, starts a wellness-domain quest, or needs a decision in this area.

Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Journaling (ascension_journaling)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native

- Description: Journaling prompts, habits, and review

- When to use: Triggers: user asks about Journaling, starts a wellness-domain quest, or needs a decision in this area.

Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Martial Arts (ascension_martialarts)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native

- Description: Martial arts style guidance, drills, and conditioning

- When to use: Triggers: user asks about Martial Arts, starts a wellness-domain quest, or needs a decision in this area.

Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Meditation Guided (ascension_meditation_guided)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
 - Description: Guided meditation and relaxation
 - When to use: Triggers: user asks about Meditation Guided, starts a wellness-domain quest, or needs a decision in this area.
- Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Milestones (ascension_milestones)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
 - Description: Track milestones, celebrations, and progress across personal and family life
 - When to use: Triggers: user asks about Milestones, starts a wellness-domain quest, or needs a decision in this area.
- Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Mindset (ascension_mindset)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
 - Description: Mindset coaching and reframes
 - When to use: Triggers: user asks about Mindset, starts a wellness-domain quest, or needs a decision in this area.
- Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Nap (ascension_nap)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
 - Description: Nap length, timing, and recovery
 - When to use: Triggers: user asks about Nap, starts a wellness-domain quest, or needs a decision in this area.
- Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Postpartum (ascension_postpartum)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
 - Description: Postpartum support, recovery, and newborn adjustment
 - When to use: Triggers: user asks about Postpartum, starts a wellness-domain quest, or needs a decision in this area.
- Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Pregnancy (ascension_pregnancy)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
 - Description: Pregnancy planning, questions, and resource guidance
 - When to use: Triggers: user asks about Pregnancy, starts a wellness-domain quest, or needs a decision in this area.
- Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Recovery (ascension_recovery)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
- Description: Rest, recovery, and regeneration planning
- When to use: Triggers: user asks about Recovery, starts a wellness-domain quest, or needs a decision in this area.

Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Resilience (ascension_resilience)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
 - Description: Resilience building and stress recovery
 - When to use: Triggers: user asks about Resilience, starts a wellness-domain quest, or needs a decision in this area.
- Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Roller Skating (ascension_roller_skating)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
 - Description: Roller skating technique, gear, and spots
 - When to use: Triggers: user asks about Roller Skating, starts a wellness-domain quest, or needs a decision in this area.
- Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Running (ascension_running)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
 - Description: Running plans, form, and training progression
 - When to use: Triggers: user asks about Running, starts a wellness-domain quest, or needs a decision in this area.
- Cross-references: ascension_yoga, ascension_swimming, ascension_cycling, ascension_hiking, ascension_climbing. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Sauna (ascension_sauna)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
 - Description: Sauna protocols, hydration, and safety
 - When to use: Triggers: user asks about Sauna, starts a wellness-domain quest, or needs a decision in this area.
- Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Shooting (ascension_shooting)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
 - Description: Firearm safety, range practice, and training
 - When to use: Triggers: user asks about Shooting, starts a wellness-domain quest, or needs a decision in this area.
- Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Skateboarding (ascension_skateboarding)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
 - Description: Skateboarding tricks, gear, and spots
 - When to use: Triggers: user asks about Skateboarding, starts a wellness-domain quest, or needs a decision in this area.
- Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Skiing (ascension_skiing)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
- Description: Skiing technique, gear, and resorts
- When to use: Triggers: user asks about Skiing, starts a wellness-domain quest, or needs a decision in this area. Cross-references:

ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Skincare (ascension_skincare)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
- Description: Skincare routines, ingredients, and concerns
- When to use: Triggers: user asks about Skincare, starts a wellness-domain quest, or needs a decision in this area. Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Sleep Hygiene (ascension_sleep_hygiene)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
- Description: Sleep routines, environment, and habits
- When to use: Triggers: user asks about Sleep Hygiene, starts a wellness-domain quest, or needs a decision in this area. Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Snowboarding (ascension_snowboarding)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
- Description: Snowboarding technique, gear, and resorts
- When to use: Triggers: user asks about Snowboarding, starts a wellness-domain quest, or needs a decision in this area. Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Spotify Intelligence (ascension_spotify_intelligence)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
- Description: Infer mood, energy, work style, and stress management from music
- When to use: Triggers: user asks about Spotify Intelligence, starts a wellness-domain quest, or needs a decision in this area. Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Stoicism (ascension_stoicism)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
- Description: Stoic principles and daily practice
- When to use: Triggers: user asks about Stoicism, starts a wellness-domain quest, or needs a decision in this area. Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Stretching (ascension_stretching)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
- Description: Stretching routines, mobility, and flexibility
- When to use: Triggers: user asks about Stretching, starts a wellness-domain quest, or needs a decision in this area. Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Supplements (ascension_supplements)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
- Description: Supplement information and when to consult a clinician
- When to use: Triggers: user asks about Supplements, starts a wellness-domain quest, or needs a decision in this area.

Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Surfing (ascension_surfing)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
 - Description: Surfing technique, waves, and board selection
 - When to use: Triggers: user asks about Surfing, starts a wellness-domain quest, or needs a decision in this area.
- Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Swimming (ascension_swimming)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
 - Description: Swim technique, workouts, and training
 - When to use: Triggers: user asks about Swimming, starts a wellness-domain quest, or needs a decision in this area.
- Cross-references: ascension_yoga, ascension_running, ascension_cycling, ascension_hiking, ascension_climbing. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Visualization (ascension_visualization)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
 - Description: Visualization techniques and mental rehearsal
 - When to use: Triggers: user asks about Visualization, starts a wellness-domain quest, or needs a decision in this area.
- Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Walking (ascension_walking)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
 - Description: Walking plans, routes, and fitness integration
 - When to use: Triggers: user asks about Walking, starts a wellness-domain quest, or needs a decision in this area.
- Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Workout (ascension_workout)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
 - Description: Plan and adapt exercise routines and physical training
 - When to use: Triggers: user asks about Workout, starts a wellness-domain quest, or needs a decision in this area.
- Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Wrestling (ascension_wrestling)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
 - Description: Wrestling styles, training, and technique
 - When to use: Triggers: user asks about Wrestling, starts a wellness-domain quest, or needs a decision in this area.
- Cross-references: ascension_yoga, ascension_running, ascension_swimming, ascension_cycling, ascension_hiking. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Yoga (ascension_yoga)

- Category: wellness | Executor: wellness | Tier: individual | Default provider: ascension-native
- Description: Yoga poses, sequences, and practice guidance
- When to use: Triggers: user asks about Yoga, starts a wellness-domain quest, or needs a decision in this area. Cross-references:

ascension_running, ascension_swimming, ascension_cycling, ascension_hiking, ascension_climbing. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

work (16)

Aerynza Feedback (ascension_feedback)

- Category: work | Executor: work | Tier: individual | Default provider: ascension-native
- Description: Giving and receiving feedback effectively
- When to use: Triggers: user asks about Feedback, starts a work-domain quest, or needs a decision in this area. Cross-references: ascension_project, ascension_task, ascension_remote, ascension_interview, ascension_resume. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Interview (ascension_interview)

- Category: work | Executor: work | Tier: individual | Default provider: ascension-native
- Description: Interview preparation and practice
- When to use: Triggers: user asks about Interview, starts a work-domain quest, or needs a decision in this area. Cross-references: ascension_project, ascension_task, ascension_remote, ascension_resume, ascension_negotiation. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Leadership (ascension_leadership)

- Category: work | Executor: work | Tier: individual | Default provider: ascension-native
- Description: Leadership, management, and team guidance
- When to use: Triggers: user asks about Leadership, starts a work-domain quest, or needs a decision in this area. Cross-references: ascension_project, ascension_task, ascension_remote, ascension_interview, ascension_resume. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza LinkedIn (ascension_linkedin)

- Category: work | Executor: work | Tier: individual | Default provider: ascension-native
- Description: LinkedIn profile, content, and networking
- When to use: Triggers: user asks about LinkedIn, starts a work-domain quest, or needs a decision in this area. Cross-references: ascension_project, ascension_task, ascension_remote, ascension_interview, ascension_resume. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Meet (ascension_meet)

- Category: work | Executor: work | Tier: individual | Default provider: ascension-native
- Description: Google Meet calls and settings
- When to use: Triggers: user asks about Meet, starts a work-domain quest, or needs a decision in this area. Cross-references: ascension_project, ascension_task, ascension_remote, ascension_interview, ascension_resume. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Negotiation (ascension_negotiation)

- Category: work | Executor: work | Tier: individual | Default provider: ascension-native
- Description: Salary, contract, and negotiation strategy
- When to use: Triggers: user asks about Negotiation, starts a work-domain quest, or needs a decision in this area. Cross-references: ascension_project, ascension_task, ascension_remote, ascension_interview, ascension_resume. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Networking (ascension_networking)

- Category: work | Executor: work | Tier: individual | Default provider: ascension-native

- Description: Professional networking and relationship building
- When to use: Triggers: user asks about Networking, starts a work-domain quest, or needs a decision in this area. Cross-references: ascension_project, ascension_task, ascension_remote, ascension_interview, ascension_resume. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Project (ascension_project)

- Category: work | Executor: work | Tier: individual | Default provider: ascension-native
- Description: Project planning, milestones, and delivery tracking
- When to use: Triggers: user asks about Project, starts a work-domain quest, or needs a decision in this area. Cross-references: ascension_task, ascension_remote, ascension_interview, ascension_resume, ascension_negotiation. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Remote (ascension_remote)

- Category: work | Executor: work | Tier: individual | Default provider: ascension-native
- Description: Remote work setup, routines, and collaboration
- When to use: Triggers: user asks about Remote, starts a work-domain quest, or needs a decision in this area. Cross-references: ascension_project, ascension_task, ascension_interview, ascension_resume, ascension_negotiation. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Resume (ascension_resume)

- Category: work | Executor: work | Tier: individual | Default provider: ascension-native
- Description: Resume and cover letter review
- When to use: Triggers: user asks about Resume, starts a work-domain quest, or needs a decision in this area. Cross-references: ascension_project, ascension_task, ascension_remote, ascension_interview, ascension_negotiation. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Slack (ascension_slack)

- Category: work | Executor: work | Tier: individual | Default provider: ascension-native
- Description: Slack workspace, channels, and bots
- When to use: Triggers: user asks about Slack, starts a work-domain quest, or needs a decision in this area. Cross-references: ascension_project, ascension_task, ascension_remote, ascension_interview, ascension_resume. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Task (ascension_task)

- Category: work | Executor: work | Tier: individual | Default provider: ascension-native
- Description: Task breakdown, prioritization, and execution support
- When to use: Triggers: user asks about Task, starts a work-domain quest, or needs a decision in this area. Cross-references: ascension_project, ascension_remote, ascension_interview, ascension_resume, ascension_negotiation. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Team (ascension_team)

- Category: work | Executor: work | Tier: individual | Default provider: ascension-native
- Description: Team dynamics, conflict, and collaboration
- When to use: Triggers: user asks about Team, starts a work-domain quest, or needs a decision in this area. Cross-references: ascension_project, ascension_task, ascension_remote, ascension_interview, ascension_resume. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Teams (ascension_teams)

- Category: work | Executor: work | Tier: individual | Default provider: ascension-native

- Description: Microsoft Teams meetings and collaboration
- When to use: Triggers: user asks about Teams, starts a work-domain quest, or needs a decision in this area. Cross-references: ascension_project, ascension_task, ascension_remote, ascension_interview, ascension_resume. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Webex (ascension_webex)

- Category: work | Executor: work | Tier: individual | Default provider: ascension-native
- Description: Webex meetings and setup
- When to use: Triggers: user asks about Webex, starts a work-domain quest, or needs a decision in this area. Cross-references: ascension_project, ascension_task, ascension_remote, ascension_interview, ascension_resume. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Zoom (ascension_zoom)

- Category: work | Executor: work | Tier: individual | Default provider: ascension-native
- Description: Zoom meetings, webinars, and setup
- When to use: Triggers: user asks about Zoom, starts a work-domain quest, or needs a decision in this area. Cross-references: ascension_project, ascension_task, ascension_remote, ascension_interview, ascension_resume. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

cooking (11)

Aerynza Air Fryer (ascension_air_fryer)

- Category: cooking | Executor: cooking | Tier: individual | Default provider: ascension-native
- Description: Air fryer recipes, timing, and conversions
- When to use: Triggers: user asks about Air Fryer, starts a cooking-domain quest, or needs a decision in this area. Cross-references: ascension_smoking, ascension_bbq, ascension_grilling, ascension_pizza, ascension_bread_making. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza BBQ (ascension_bbq)

- Category: cooking | Executor: cooking | Tier: individual | Default provider: ascension-native
- Description: BBQ styles, rubs, and techniques
- When to use: Triggers: user asks about BBQ, starts a cooking-domain quest, or needs a decision in this area. Cross-references: ascension_smoking, ascension_grilling, ascension_pizza, ascension_bread_making, ascension_sourdough. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Bread Making (ascension_bread_making)

- Category: cooking | Executor: cooking | Tier: individual | Default provider: ascension-native
- Description: Bread formulas, kneading, and baking
- When to use: Triggers: user asks about Bread Making, starts a cooking-domain quest, or needs a decision in this area. Cross-references: ascension_smoking, ascension_bbq, ascension_grilling, ascension_pizza, ascension_sourdough. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Dehydrator (ascension_dehydrator)

- Category: cooking | Executor: cooking | Tier: individual | Default provider: ascension-native
- Description: Dehydrator recipes and storage
- When to use: Triggers: user asks about Dehydrator, starts a cooking-domain quest, or needs a decision in this area. Cross-references: ascension_smoking, ascension_bbq, ascension_grilling, ascension_pizza, ascension_bread_making. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Grilling (ascension_grilling)

- Category: cooking | Executor: cooking | Tier: individual | Default provider: ascension-native
- Description: Grilling techniques, heat, and timing
- When to use: Triggers: user asks about Grilling, starts a cooking-domain quest, or needs a decision in this area. Cross-references: ascension_smoking, ascension_bbq, ascension_pizza, ascension_bread_making, ascension_sourdough. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Pizza (ascension_pizza)

- Category: cooking | Executor: cooking | Tier: individual | Default provider: ascension-native
- Description: Pizza dough, sauce, and oven setup
- When to use: Triggers: user asks about Pizza, starts a cooking-domain quest, or needs a decision in this area. Cross-references: ascension_smoking, ascension_bbq, ascension_grilling, ascension_bread_making, ascension_sourdough. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Pressure Cooker (ascension_pressure_cooker)

- Category: cooking | Executor: cooking | Tier: individual | Default provider: ascension-native
- Description: Pressure cooker safety and recipes
- When to use: Triggers: user asks about Pressure Cooker, starts a cooking-domain quest, or needs a decision in this area. Cross-references: ascension_smoking, ascension_bbq, ascension_grilling, ascension_pizza, ascension_bread_making. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Slow Cooker (ascension_slow_cooker)

- Category: cooking | Executor: cooking | Tier: individual | Default provider: ascension-native
- Description: Slow cooker recipes and timing
- When to use: Triggers: user asks about Slow Cooker, starts a cooking-domain quest, or needs a decision in this area. Cross-references: ascension_smoking, ascension_bbq, ascension_grilling, ascension_pizza, ascension_bread_making. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Smoking (ascension_smoking)

- Category: cooking | Executor: cooking | Tier: individual | Default provider: ascension-native
- Description: Smoking meats, woods, and temperatures
- When to use: Triggers: user asks about Smoking, starts a cooking-domain quest, or needs a decision in this area. Cross-references: ascension_bbq, ascension_grilling, ascension_pizza, ascension_bread_making, ascension_sourdough. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Sourdough (ascension_sourdough)

- Category: cooking | Executor: cooking | Tier: individual | Default provider: ascension-native
- Description: Sourdough starter, fermentation, and baking
- When to use: Triggers: user asks about Sourdough, starts a cooking-domain quest, or needs a decision in this area. Cross-references: ascension_smoking, ascension_bbq, ascension_grilling, ascension_pizza, ascension_bread_making. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Sous Vide (ascension_sous_vide)

- Category: cooking | Executor: cooking | Tier: individual | Default provider: ascension-native
- Description: Sous vide temperatures, times, and searing
- When to use: Triggers: user asks about Sous Vide, starts a cooking-domain quest, or needs a decision in this area. Cross-references: ascension_smoking, ascension_bbq, ascension_grilling, ascension_pizza, ascension_bread_making. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

life_events (10)

Aerynza Anniversary (ascension_anniversary)

- Category: life_events | Executor: life_events | Tier: individual | Default provider: ascension-native
- Description: Anniversary celebration and gift ideas
- When to use: Triggers: user asks about Anniversary, starts a life_events-domain quest, or needs a decision in this area. Cross-references: ascension_wedding, ascension_birthday, ascension_party, ascension_holiday, ascension_gift. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Baby Shower (ascension_babyshower)

- Category: life_events | Executor: life_events | Tier: individual | Default provider: ascension-native
- Description: Baby shower planning and registry guidance
- When to use: Triggers: user asks about Baby Shower, starts a life_events-domain quest, or needs a decision in this area. Cross-references: ascension_wedding, ascension_birthday, ascension_party, ascension_holiday, ascension_gift. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Birthday (ascension_birthday)

- Category: life_events | Executor: life_events | Tier: individual | Default provider: ascension-native
- Description: Birthday planning, themes, and gift ideas
- When to use: Triggers: user asks about Birthday, starts a life_events-domain quest, or needs a decision in this area. Cross-references: ascension_wedding, ascension_party, ascension_holiday, ascension_gift, ascension_funeral. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Funeral (ascension_funeral)

- Category: life_events | Executor: life_events | Tier: individual | Default provider: ascension-native
- Description: Funeral planning, grief, and memorial support
- When to use: Triggers: user asks about Funeral, starts a life_events-domain quest, or needs a decision in this area. Cross-references: ascension_wedding, ascension_birthday, ascension_party, ascension_holiday, ascension_gift. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Gift (ascension_gift)

- Category: life_events | Executor: life_events | Tier: individual | Default provider: ascension-native
- Description: Gift ideas, wrapping, and giving guidance
- When to use: Triggers: user asks about Gift, starts a life_events-domain quest, or needs a decision in this area. Cross-references: ascension_wedding, ascension_birthday, ascension_party, ascension_holiday, ascension_funeral. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Graduation (ascension_graduation)

- Category: life_events | Executor: life_events | Tier: individual | Default provider: ascension-native
- Description: Graduation planning, gifts, and next steps
- When to use: Triggers: user asks about Graduation, starts a life_events-domain quest, or needs a decision in this area. Cross-references: ascension_wedding, ascension_birthday, ascension_party, ascension_holiday, ascension_gift. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Holiday (ascension_holiday)

- Category: life_events | Executor: life_events | Tier: individual | Default provider: ascension-native
- Description: Holiday planning, traditions, and travel
- When to use: Triggers: user asks about Holiday, starts a life_events-domain quest, or needs a decision in this area. Cross-references: ascension_wedding, ascension_birthday, ascension_party, ascension_gift, ascension_funeral. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Party (ascension_party)

- Category: life_events | Executor: life_events | Tier: individual | Default provider: ascension-native
- Description: Party planning, guest lists, and logistics
- When to use: Triggers: user asks about Party, starts a life_events-domain quest, or needs a decision in this area. Cross-references: ascension_wedding, ascension_birthday, ascension_holiday, ascension_gift, ascension_funeral. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Retirement (ascension_retirement)

- Category: life_events | Executor: life_events | Tier: individual | Default provider: ascension-native
- Description: Retirement planning, lifestyle, and transitions
- When to use: Triggers: user asks about Retirement, starts a life_events-domain quest, or needs a decision in this area. Cross-references: ascension_wedding, ascension_birthday, ascension_party, ascension_holiday, ascension_gift. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Wedding (ascension_wedding)

- Category: life_events | Executor: life_events | Tier: individual | Default provider: ascension-native
- Description: Wedding planning, timeline, and etiquette
- When to use: Triggers: user asks about Wedding, starts a life_events-domain quest, or needs a decision in this area. Cross-references: ascension_birthday, ascension_party, ascension_holiday, ascension_gift, ascension_funeral. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

psychology (8)

Aerynza Addiction (ascension_addiction)

- Category: psychology | Executor: psychology | Tier: individual | Default provider: ascension-native
- Description: Substance and behavioral addiction support, recovery, and professional referrals
- When to use: Triggers: user asks about Addiction, starts a psychology-domain quest, or needs a decision in this area. Cross-references: ascension_psychology, ascension_mental_health, ascension_communication, ascension_habits, ascension_stress. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Communication (ascension_communication)

- Category: psychology | Executor: psychology | Tier: individual | Default provider: ascension-native
- Description: Difficult conversations, feedback, listening, and conflict resolution
- When to use: Triggers: user asks about Communication, starts a psychology-domain quest, or needs a decision in this area. Cross-references: ascension_psychology, ascension_mental_health, ascension_habits, ascension_stress, ascension_confidence. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Confidence (ascension_confidence)

- Category: psychology | Executor: psychology | Tier: individual | Default provider: ascension-native
- Description: Self-efficacy, confidence building, and self-doubt navigation
- When to use: Triggers: user asks about Confidence, starts a psychology-domain quest, or needs a decision in this area. Cross-references: ascension_psychology, ascension_mental_health, ascension_communication, ascension_habits, ascension_stress. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Conflict (ascension_conflict)

- Category: psychology | Executor: psychology | Tier: individual | Default provider: ascension-native
- Description: Dispute resolution, de-escalation, and repair strategies
- When to use: Triggers: user asks about Conflict, starts a psychology-domain quest, or needs a decision in this area.

Cross-references: ascension_psychology, ascension_mental_health, ascension_communication, ascension_habits, ascension_stress. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Habits (ascension_habits)

- Category: psychology | Executor: psychology | Tier: individual | Default provider: ascension-native
- Description: Habit formation, behavior change, cue-routine-reward loops, and identity-based change
- When to use: Triggers: user asks about Habits, starts a psychology-domain quest, or needs a decision in this area.

Cross-references: ascension_psychology, ascension_mental_health, ascension_communication, ascension_stress, ascension_confidence. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Mental Health (ascension_mental_health)

- Category: psychology | Executor: psychology | Tier: individual | Default provider: ascension-native
- Description: Stress, anxiety, mood, therapy navigation, and emotional regulation
- When to use: Triggers: user asks about Mental Health, starts a psychology-domain quest, or needs a decision in this area.

Cross-references: ascension_psychology, ascension_communication, ascension_habits, ascension_stress, ascension_confidence. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Psychology (ascension_psychology)

- Category: psychology | Executor: psychology | Tier: individual | Default provider: ascension-native
- Description: Human behavior, emotion, motivation, cognition, and mental health guidance
- When to use: Triggers: user asks about Psychology, starts a psychology-domain quest, or needs a decision in this area.

Cross-references: ascension_mental_health, ascension_communication, ascension_habits, ascension_stress, ascension_confidence. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Stress (ascension_stress)

- Category: psychology | Executor: psychology | Tier: individual | Default provider: ascension-native
- Description: Stress recognition, regulation, recovery, and burnout prevention
- When to use: Triggers: user asks about Stress, starts a psychology-domain quest, or needs a decision in this area.

Cross-references: ascension_psychology, ascension_mental_health, ascension_communication, ascension_habits, ascension_confidence. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

lifestyle (8)

Aerynza Antiques (ascension_antiques)

- Category: lifestyle | Executor: lifestyle | Tier: individual | Default provider: ascension-native
- Description: Antique identification, value, and care
- When to use: Triggers: user asks about Antiques, starts a lifestyle-domain quest, or needs a decision in this area.

Cross-references: ascension_fashion, ascension_shopping, ascension_auction, ascension_collector, ascension_stamps. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Auction (ascension_auction)

- Category: lifestyle | Executor: lifestyle | Tier: individual | Default provider: ascension-native
- Description: Auction bidding, valuation, and strategy
- When to use: Triggers: user asks about Auction, starts a lifestyle-domain quest, or needs a decision in this area.

Cross-references: ascension_fashion, ascension_shopping, ascension_collector, ascension_antiques, ascension_stamps. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Coins (ascension_coins)

- Category: lifestyle | Executor: lifestyle | Tier: individual | Default provider: ascension-native

- Description: Coin collecting and numismatics
- When to use: Triggers: user asks about Coins, starts a lifestyle-domain quest, or needs a decision in this area. Cross-references: ascension_fashion, ascension_shopping, ascension_auction, ascension_collector, ascension_antiques. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Collector (ascension_collector)

- Category: lifestyle | Executor: lifestyle | Tier: individual | Default provider: ascension-native
- Description: Collecting strategy, valuation, and curation
- When to use: Triggers: user asks about Collector, starts a lifestyle-domain quest, or needs a decision in this area. Cross-references: ascension_fashion, ascension_shopping, ascension_auction, ascension_antiques, ascension_stamps. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Fashion (ascension_fashion)

- Category: lifestyle | Executor: lifestyle | Tier: individual | Default provider: ascension-native
- Description: Style, wardrobe, and occasion-appropriate dressing
- When to use: Triggers: user asks about Fashion, starts a lifestyle-domain quest, or needs a decision in this area. Cross-references: ascension_shopping, ascension_auction, ascension_collector, ascension_antiques, ascension_stamps. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Shopping (ascension_shopping)

- Category: lifestyle | Executor: lifestyle | Tier: individual | Default provider: ascension-native
- Description: Product research, comparison, and value-based buying
- When to use: Triggers: user asks about Shopping, starts a lifestyle-domain quest, or needs a decision in this area. Cross-references: ascension_fashion, ascension_auction, ascension_collector, ascension_antiques, ascension_stamps. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Stamps (ascension_stamps)

- Category: lifestyle | Executor: lifestyle | Tier: individual | Default provider: ascension-native
- Description: Stamp collecting and valuation
- When to use: Triggers: user asks about Stamps, starts a lifestyle-domain quest, or needs a decision in this area. Cross-references: ascension_fashion, ascension_shopping, ascension_auction, ascension_collector, ascension_antiques. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Vinyl (ascension_vinyl)

- Category: lifestyle | Executor: lifestyle | Tier: individual | Default provider: ascension-native
- Description: Vinyl records, collecting, and care
- When to use: Triggers: user asks about Vinyl, starts a lifestyle-domain quest, or needs a decision in this area. Cross-references: ascension_fashion, ascension_shopping, ascension_auction, ascension_collector, ascension_antiques. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

nutrition (8)

Aerynza Batch Cooking (ascension_batch_cooking)

- Category: nutrition | Executor: nutrition | Tier: individual | Default provider: ascension-native
- Description: Batch cooking plans and reheating
- When to use: Triggers: user asks about Batch Cooking, starts a nutrition-domain quest, or needs a decision in this area. Cross-references: ascension_meal_prep, ascension_freezer_meals, ascension_juicing, ascension_smoothies, ascension_protein. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Freezer Meals (ascension_freezer_meals)

- Category: nutrition | Executor: nutrition | Tier: individual | Default provider: ascension-native
- Description: Freezer meal recipes and storage
- When to use: Triggers: user asks about Freezer Meals, starts a nutrition-domain quest, or needs a decision in this area.
Cross-references: ascension_meal_prep, ascension_batch_cooking, ascension_juicing, ascension_smoothies, ascension_protein.
Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Juicing (ascension_juicing)

- Category: nutrition | Executor: nutrition | Tier: individual | Default provider: ascension-native
- Description: Juicing recipes, produce, and cleanup
- When to use: Triggers: user asks about Juicing, starts a nutrition-domain quest, or needs a decision in this area.
Cross-references: ascension_meal_prep, ascension_batch_cooking, ascension_freezer_meals, ascension_smoothies, ascension_protein. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Meal Planning (ascension_meal_planning)

- Category: nutrition | Executor: nutrition | Tier: individual | Default provider: ascension-native
- Description: Weekly meal plans, balance, and shopping
- When to use: Triggers: user asks about Meal Planning, starts a nutrition-domain quest, or needs a decision in this area.
Cross-references: ascension_meal_prep, ascension_batch_cooking, ascension_freezer_meals, ascension_juicing, ascension_smoothies. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Meal Prep (ascension_meal_prep)

- Category: nutrition | Executor: nutrition | Tier: individual | Default provider: ascension-native
- Description: Meal prep, containers, and storage
- When to use: Triggers: user asks about Meal Prep, starts a nutrition-domain quest, or needs a decision in this area.
Cross-references: ascension_batch_cooking, ascension_freezer_meals, ascension_juicing, ascension_smoothies, ascension_protein. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Protein (ascension_protein)

- Category: nutrition | Executor: nutrition | Tier: individual | Default provider: ascension-native
- Description: Protein sources, timing, and targets
- When to use: Triggers: user asks about Protein, starts a nutrition-domain quest, or needs a decision in this area.
Cross-references: ascension_meal_prep, ascension_batch_cooking, ascension_freezer_meals, ascension_juicing, ascension_smoothies. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Smoothies (ascension_smoothies)

- Category: nutrition | Executor: nutrition | Tier: individual | Default provider: ascension-native
- Description: Smoothie blends, protein, and macros
- When to use: Triggers: user asks about Smoothies, starts a nutrition-domain quest, or needs a decision in this area.
Cross-references: ascension_meal_prep, ascension_batch_cooking, ascension_freezer_meals, ascension_juicing, ascension_protein. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Supplements Stack (ascension_supplements_stack)

- Category: nutrition | Executor: nutrition | Tier: individual | Default provider: ascension-native
- Description: Supplement stacking, timing, and safety
- When to use: Triggers: user asks about Supplements Stack, starts a nutrition-domain quest, or needs a decision in this area.
Cross-references: ascension_meal_prep, ascension_batch_cooking, ascension_freezer_meals, ascension_juicing, ascension_smoothies. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

health (6)

Aerynza Aging (ascension_aging)

- Category: health | Executor: health | Tier: individual | Default provider: ascension-native
- Description: Healthy aging, longevity, and life-stage adaptation
- When to use: Triggers: user asks about Aging, starts a health-domain quest, or needs a decision in this area. Cross-references: emotional_intelligence, ascension_health, ascension_nutrition, ascension_fitness, ascension_sleep. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Fitness (ascension_fitness)

- Category: health | Executor: health | Tier: individual | Default provider: ascension-native
- Description: Workout plans, form guidance, and progress tracking
- When to use: Triggers: user asks about Fitness, starts a health-domain quest, or needs a decision in this area. Cross-references: emotional_intelligence, ascension_health, ascension_nutrition, ascension_sleep, ascension_aging. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Health (ascension_health)

- Category: health | Executor: health | Tier: individual | Default provider: ascension-native
- Description: Health, wellness, and symptom guidance
- When to use: Triggers: user asks about Health, starts a health-domain quest, or needs a decision in this area. Cross-references: emotional_intelligence, ascension_nutrition, ascension_fitness, ascension_sleep, ascension_aging. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Nutrition (ascension_nutrition)

- Category: health | Executor: health | Tier: individual | Default provider: ascension-native
- Description: Meal planning, nutrition analysis, and dietary guidance
- When to use: Triggers: user asks about Nutrition, starts a health-domain quest, or needs a decision in this area. Cross-references: emotional_intelligence, ascension_health, ascension_fitness, ascension_sleep, ascension_aging. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Sleep (ascension_sleep)

- Category: health | Executor: health | Tier: individual | Default provider: ascension-native
- Description: Sleep hygiene, circadian rhythm, and recovery planning
- When to use: Triggers: user asks about Sleep, starts a health-domain quest, or needs a decision in this area. Cross-references: emotional_intelligence, ascension_health, ascension_nutrition, ascension_fitness, ascension_aging. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Emotional Intelligence (emotional_intelligence)

- Category: health | Executor: health | Tier: individual | Default provider: custom
- Description: Emotional intelligence and tracking
- When to use: Triggers: user asks about Emotional Intelligence, starts a health-domain quest, or needs a decision in this area. Cross-references: ascension_health, ascension_nutrition, ascension_fitness, ascension_sleep, ascension_aging. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

productivity (5)

Aerynza Calendar Intelligence (ascension_calendar_intelligence)

- Category: productivity | Executor: productivity | Tier: individual | Default provider: ascension-native
- Description: Infer productivity windows, meeting density, key relationships, and burnout from calendar
- When to use: Triggers: user asks about Calendar Intelligence, starts a productivity-domain quest, or needs a decision in this area.

Cross-references: ascension_meetings, ascension_time, ascension_focus, ascension_email_intelligence. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Email Intelligence (ascension_email_intelligence)

- Category: productivity | Executor: productivity | Tier: individual | Default provider: ascension-native
- Description: Infer communication network, opportunity signals, and subscription creep from email
- When to use: Triggers: user asks about Email Intelligence, starts a productivity-domain quest, or needs a decision in this area.

Cross-references: ascension_meetings, ascension_time, ascension_focus, ascension_calendar_intelligence. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Focus (ascension_focus)

- Category: productivity | Executor: productivity | Tier: individual | Default provider: ascension-native
- Description: Deep work, attention management, and distraction reduction
- When to use: Triggers: user asks about Focus, starts a productivity-domain quest, or needs a decision in this area.

Cross-references: ascension_meetings, ascension_time, ascension_calendar_intelligence, ascension_email_intelligence. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Meetings (ascension_meetings)

- Category: productivity | Executor: productivity | Tier: individual | Default provider: ascension-native
- Description: Meeting transcription, summaries, and action-item extraction
- When to use: Triggers: user asks about Meetings, starts a productivity-domain quest, or needs a decision in this area.

Cross-references: ascension_time, ascension_focus, ascension_calendar_intelligence, ascension_email_intelligence. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Time (ascension_time)

- Category: productivity | Executor: productivity | Tier: individual | Default provider: ascension-native
- Description: Time management, energy mapping, priorities, and anti-procrastination
- When to use: Triggers: user asks about Time, starts a productivity-domain quest, or needs a decision in this area.

Cross-references: ascension_meetings, ascension_focus, ascension_calendar_intelligence, ascension_email_intelligence. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

career (4)

Aerynza Career (ascension_career)

- Category: career | Executor: career | Tier: individual | Default provider: ascension-native
- Description: Resume review, job matching, and career planning
- When to use: Triggers: user asks about Career, starts a career-domain quest, or needs a decision in this area. Cross-references: ascension_professional_network, ascension_mentors, ascension_linkedin_intelligence. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza LinkedIn Intelligence (ascension_linkedin_intelligence)

- Category: career | Executor: career | Tier: individual | Default provider: ascension-native
- Description: Infer career velocity, recruiter activity, and professional influence
- When to use: Triggers: user asks about LinkedIn Intelligence, starts a career-domain quest, or needs a decision in this area. Cross-references: ascension_career, ascension_professional_network, ascension_mentors. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Mentors (ascension_mentors)

- Category: career | Executor: career | Tier: individual | Default provider: ascension-native

- Description: Track mentors, coaches, advisors, and guidance relationships
- When to use: Triggers: user asks about Mentors, starts a career-domain quest, or needs a decision in this area. Cross-references: ascension_career, ascension_professional_network, ascension_linkedin_intelligence. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Professional Network (ascension_professional_network)

- Category: career | Executor: career | Tier: individual | Default provider: ascension-native
- Description: Track mentors, recruiters, collaborators, and career relationships
- When to use: Triggers: user asks about Professional Network, starts a career-domain quest, or needs a decision in this area. Cross-references: ascension_career, ascension_mentors, ascension_linkedin_intelligence. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

human_life (2)

Aerynza Grief (ascension_grief)

- Category: human_life | Executor: human_life | Tier: individual | Default provider: ascension-native
- Description: Loss, bereavement, transition, and emotional support
- When to use: Triggers: user asks about Grief, starts a human_life-domain quest, or needs a decision in this area. Cross-references: ascension_human_life. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Human Life (ascension_human_life)

- Category: human_life | Executor: human_life | Tier: individual | Default provider: ascension-native
- Description: Comprehensive guidance across identity, health, money, relationships, home, time, learning, creativity, meaning, and transitions
- When to use: Triggers: user asks about Human Life, starts a human_life-domain quest, or needs a decision in this area. Cross-references: ascension_grief. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

fitness (2)

Aerynza Post Workout (ascension_post_workout)

- Category: fitness | Executor: fitness | Tier: individual | Default provider: ascension-native
- Description: Post-workout nutrition and recovery
- When to use: Triggers: user asks about Post Workout, starts a fitness-domain quest, or needs a decision in this area. Cross-references: ascension_pre_workout. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Pre Workout (ascension_pre_workout)

- Category: fitness | Executor: fitness | Tier: individual | Default provider: ascension-native
- Description: Pre-workout nutrition, timing, and ingredients
- When to use: Triggers: user asks about Pre Workout, starts a fitness-domain quest, or needs a decision in this area. Cross-references: ascension_post_workout. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Shell: ap (201)

creation (67)

Aerynza 3D Printing (ascension_3d_printing)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: 3D printing, slicing, and materials

- When to use: Triggers: user asks about 3D Printing, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza AMSR Studio (ascension_amstr_studio)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Create and automate AMSR content, videos, and channel growth
- When to use: Triggers: user asks about AMSR Studio, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Arduino (ascension_arduino)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Arduino projects, sensors, and code
- When to use: Triggers: user asks about Arduino, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Art (ascension_art)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Art techniques, critiques, and creative direction
- When to use: Triggers: user asks about Art, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_writing, ascension_dance, ascension_photography. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Branding (ascension_branding)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Brand identity, voice, and assets
- When to use: Triggers: user asks about Branding, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Build Path (ascension_build_path)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Generate a step-by-step build path for any invention, project, or channel
- When to use: Triggers: user asks about Build Path, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza CNC (ascension_cnc)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: CNC machining, tooling, and safety
- When to use: Triggers: user asks about CNC, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Color Grading (ascension_color_grading)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Color grading, LUTs, and look development

- When to use: Triggers: user asks about Color Grading, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Craft (ascension_craft)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Crafts, DIY, and maker project guidance
- When to use: Triggers: user asks about Craft, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Creation Auditor (ascension_creation_auditor)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Continuous health audit for any project or studio
- When to use: Triggers: user asks about Creation Auditor, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Creation Intelligence (ascension_creation_intelligence)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Accelerate creation across business, media, product, software, knowledge, and creative studios
- When to use: Triggers: user asks about Creation Intelligence, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Creation Transformation (ascension_creation_transformation)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Dream-to-reality transformation loop: observe, design, build, launch, scale
- When to use: Triggers: user asks about Creation Transformation, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Creative (ascension_creative)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Writing, music, art, and content generation planning
- When to use: Triggers: user asks about Creative, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_music, ascension_art, ascension_writing, ascension_dance, ascension_photography. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Creative Manager (ascension_creative_manager)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Track projects, ideas, assets, and releases across all creative pursuits
- When to use: Triggers: user asks about Creative Manager, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Creative Studio (ascension_creative_studio)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Think like an art director, creative coach, and portfolio strategist

- When to use: Triggers: user asks about Creative Studio, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Dance (ascension_dance)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Dance styles, choreography, and practice
- When to use: Triggers: user asks about Dance, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_photography. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Design (ascension_design)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Graphic, UX, and visual design guidance
- When to use: Triggers: user asks about Design, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Design Assistant (ascension_design_assistant)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Best design assistant for products, experiences, and interfaces
- When to use: Triggers: user asks about Design Assistant, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Drones (ascension_drones)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Drones, flying, regulations, and repairs
- When to use: Triggers: user asks about Drones, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Electronics (ascension_electronics)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Electronics basics, circuits, and components
- When to use: Triggers: user asks about Electronics, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Fanfiction (ascension_fanfiction)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Fanfiction writing, tropes, and platforms
- When to use: Triggers: user asks about Fanfiction, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Filmmaking (ascension_filmmaking)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Film, video, and content production guidance

- When to use: Triggers: user asks about Filmmaking, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza GitHub Intelligence (ascension_github_intelligence)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Infer coding consistency, technical growth, and architecture maturity
- When to use: Triggers: user asks about GitHub Intelligence, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Ham Radio (ascension_ham_radio)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Ham radio, licensing, and operation
- When to use: Triggers: user asks about Ham Radio, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Hardware Prototyping (ascension_hardware_prototyping)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Step-by-step hardware build plans, materials, models, and cost-efficient methods
- When to use: Triggers: user asks about Hardware Prototyping, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Instagram (ascension_instagram)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Instagram content, reels, and growth
- When to use: Triggers: user asks about Instagram, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Invention Engine (ascension_invention_engine)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Invent products, services, and experiences from scratch with materials, cost, and steps
- When to use: Triggers: user asks about Invention Engine, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Inventor Lab (ascension_inventor_lab)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Co-inventor and lab partner for product design, prototyping, and experiments
- When to use: Triggers: user asks about Inventor Lab, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Laser Cutting (ascension_laser_cutting)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Laser cutting, engraving, and design

- When to use: Triggers: user asks about Laser Cutting, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Lyrics (ascension_lyrics)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Lyric writing, rhyme, and song structure
- When to use: Triggers: user asks about Lyrics, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Mastering (ascension_mastering)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Audio mastering, loudness, and delivery
- When to use: Triggers: user asks about Mastering, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Media Studio (ascension_media_studio)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Think like a publisher: consistency, audience, engagement, monetization
- When to use: Triggers: user asks about Media Studio, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Metalworking (ascension_metalworking)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Metalworking tools, forging, and finishing
- When to use: Triggers: user asks about Metalworking, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Mixing (ascension_mixing)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Audio mixing, levels, and balance
- When to use: Triggers: user asks about Mixing, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Music (ascension_music)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Music theory, composition, practice, and listening guidance
- When to use: Triggers: user asks about Music, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_art, ascension_writing, ascension_dance, ascension_photography. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza OBS (ascension_obs)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: OBS Studio setup, scenes, and streaming

- When to use: Triggers: user asks about OBS, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Overlay Design (ascension_overlay_design)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Design cool overlays, alerts, and scenes for live streams
- When to use: Triggers: user asks about Overlay Design, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Photography (ascension_photography)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Photography technique, composition, and editing guidance
- When to use: Triggers: user asks about Photography, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Photography Gear (ascension_photography_gear)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Cameras, lenses, and photography equipment
- When to use: Triggers: user asks about Photography Gear, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Podcast (ascension_podcast)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Podcast planning, production, and distribution guidance
- When to use: Triggers: user asks about Podcast, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Podcast Production (ascension_podcast_production)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Podcast production, editing, and publishing
- When to use: Triggers: user asks about Podcast Production, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Poetry (ascension_poetry)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Poetry forms, technique, and writing
- When to use: Triggers: user asks about Poetry, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Product Studio (ascension_product_studio)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Think like an industrial designer and manufacturing advisor

- When to use: Triggers: user asks about Product Studio, starts a creation-domain quest, or needs a decision in this area.
Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Raspberry Pi (ascension_raspberry_pi)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Raspberry Pi projects, OS, and hardware
- When to use: Triggers: user asks about Raspberry Pi, starts a creation-domain quest, or needs a decision in this area.
Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Roadmap Engine (ascension_roadmap_engine)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Build and track project roadmaps, milestones, and dependencies
- When to use: Triggers: user asks about Roadmap Engine, starts a creation-domain quest, or needs a decision in this area.
Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Robotics (ascension_robotics)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Robotics kits, programming, and projects
- When to use: Triggers: user asks about Robotics, starts a creation-domain quest, or needs a decision in this area.
Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Software Studio (ascension_software_studio)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Think like a software architect: architecture, tech debt, testing, deployment, security
- When to use: Triggers: user asks about Software Studio, starts a creation-domain quest, or needs a decision in this area.
Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Soldering (ascension_soldering)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Soldering, desoldering, and circuit repair
- When to use: Triggers: user asks about Soldering, starts a creation-domain quest, or needs a decision in this area.
Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Sound Design (ascension_sound_design)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Sound design, Foley, and audio libraries
- When to use: Triggers: user asks about Sound Design, starts a creation-domain quest, or needs a decision in this area.
Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Storytelling (ascension_storytelling)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Story structure, narrative, and oral telling

- When to use: Triggers: user asks about Storytelling, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Streaming (ascension_streaming)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Live streaming setup, platforms, and growth
- When to use: Triggers: user asks about Streaming, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution False

Aerynza Streaming Channel (ascension_streaming_channel)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Build a live streaming channel, schedule, overlays, and audience growth
- When to use: Triggers: user asks about Streaming Channel, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Streaming Moderator (ascension_streaming_moderator)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Live moderation, chat engagement, and safety for streaming sessions
- When to use: Triggers: user asks about Streaming Moderator, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Thumbnail (ascension_thumbnail)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Thumbnail design, text, and contrast
- When to use: Triggers: user asks about Thumbnail, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza TikTok (ascension_tiktok)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: TikTok content, trends, and strategy
- When to use: Triggers: user asks about TikTok, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza TikTok Automation (ascension_tiktok_automation)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Build and automate a TikTok account including uploads, trends, and monetization
- When to use: Triggers: user asks about TikTok Automation, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza TikTok Intelligence (ascension_tiktok_intelligence)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Infer creator momentum, content discipline, and trend awareness

- When to use: Triggers: user asks about TikTok Intelligence, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Twitter (ascension_twitter)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Twitter/X content, threads, and engagement
- When to use: Triggers: user asks about Twitter, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Video Editing (ascension_video_editing)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Video editing, software, and workflow
- When to use: Triggers: user asks about Video Editing, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Video Types (ascension_video_types)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Recommend the right video formats for any channel, niche, and monetization goal
- When to use: Triggers: user asks about Video Types, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Voiceover (ascension_voiceover)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Voiceover recording, performance, and equipment
- When to use: Triggers: user asks about Voiceover, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Welding (ascension_welding)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Welding processes, safety, and certification
- When to use: Triggers: user asks about Welding, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Woodworking (ascension_woodworking)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Woodworking projects, tools, and joinery
- When to use: Triggers: user asks about Woodworking, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Writing (ascension_writing)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Writing craft, editing, voice, and storytelling

- When to use: Triggers: user asks about Writing, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_dance, ascension_photography. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza YouTube (ascension_youtube)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: YouTube content, SEO, and channel growth
- When to use: Triggers: user asks about YouTube, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza YouTube Automation (ascension_youtube_automation)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: Build and automate a YouTube channel including uploads, SEO, and monetization
- When to use: Triggers: user asks about YouTube Automation, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza YouTube SEO (ascension_youtube_seo)

- Category: creation | Executor: creation | Tier: individual | Default provider: ascension-native
- Description: YouTube SEO, titles, and thumbnails
- When to use: Triggers: user asks about YouTube SEO, starts a creation-domain quest, or needs a decision in this area. Cross-references: ascension_creative, ascension_music, ascension_art, ascension_writing, ascension_dance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

intelligence (36)

Aerynza AGE (ascension_age)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: ascension-native
- Description: Aerynza Guide Engine: onboarding, feature unlocking, and readiness scoring
- When to use: Triggers: user asks about AGE, starts a intelligence-domain quest, or needs a decision in this area. Cross-references: intelligence_sweep, context_memory, proactive_intelligence, ascension_second_brain, ascension_life_orchestrator. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Adaptive Quest (ascension_adaptive_quest)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: ascension-native
- Description: Calibrate quest difficulty and selection based on tri-baseline, life flow, and behavior
- When to use: Triggers: user asks about Adaptive Quest, starts a intelligence-domain quest, or needs a decision in this area. Cross-references: intelligence_sweep, context_memory, proactive_intelligence, ascension_second_brain, ascension_life_orchestrator. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Astrology Intelligence (ascension_astrology_intelligence)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: ascension-native
- Description: Symbolic astrological context as a supplement, never a deterministic prediction
- When to use: Triggers: user asks about Astrology Intelligence, starts a intelligence-domain quest, or needs a decision in this area. Cross-references: intelligence_sweep, context_memory, proactive_intelligence, ascension_second_brain, ascension_life_orchestrator. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Behavioral Intelligence (ascension_behavioral_intelligence)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: ascension-native
- Description: Model procrastination, consistency, risk tolerance, follow-through, and motivation patterns
- When to use: Triggers: user asks about Behavioral Intelligence, starts a intelligence-domain quest, or needs a decision in this area. Cross-references: intelligence_sweep, context_memory, proactive_intelligence, ascension_second_brain, ascension_life_orchestrator. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Biometric (ascension_biometric)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: ascension-native
- Description: Read and act on HRV, sleep, recovery, and wearable signals
- When to use: Triggers: user asks about Biometric, starts a intelligence-domain quest, or needs a decision in this area. Cross-references: intelligence_sweep, context_memory, proactive_intelligence, ascension_second_brain, ascension_life_orchestrator. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza CIE (ascension_cie)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: ascension-native
- Description: Conversation Intelligence Engine: score and gate all proactive AP messages
- When to use: Triggers: user asks about CIE, starts a intelligence-domain quest, or needs a decision in this area. Cross-references: intelligence_sweep, context_memory, proactive_intelligence, ascension_second_brain, ascension_life_orchestrator. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Context Engine (ascension_context_engine)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: ascension-native
- Description: Share permissioned context across AP, Nexus, HomeOS, and Sprout shells
- When to use: Triggers: user asks about Context Engine, starts a intelligence-domain quest, or needs a decision in this area. Cross-references: intelligence_sweep, context_memory, proactive_intelligence, ascension_second_brain, ascension_life_orchestrator. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Contribution (ascension_contribution)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: ascension-native
- Description: Track giving, mentorship, community impact, and contribution goals
- When to use: Triggers: user asks about Contribution, starts a intelligence-domain quest, or needs a decision in this area. Cross-references: intelligence_sweep, context_memory, proactive_intelligence, ascension_second_brain, ascension_life_orchestrator. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Decision Physics (ascension_decision_physics)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: ascension-native
- Description: Observe, predict, simulate, decide, explain, and learn from outcomes
- When to use: Triggers: user asks about Decision Physics, starts a intelligence-domain quest, or needs a decision in this area. Cross-references: intelligence_sweep, context_memory, proactive_intelligence, ascension_second_brain, ascension_life_orchestrator. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Family Profile (ascension_family_profile)

- Category: intelligence | Executor: intelligence | Tier: family | Default provider: ascension-native
- Description: Maintain a living profile of the household and extended family with permission boundaries
- When to use: Triggers: user asks about Family Profile, starts a intelligence-domain quest, or needs a decision in this area. Cross-references: intelligence_sweep, context_memory, proactive_intelligence, ascension_second_brain, ascension_life_orchestrator. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Human Intelligence (ascension_human_intelligence)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: ascension-native
 - Description: Understand the human completely: identity, emotion, life flow, biometric, voice, behavior
 - When to use: Triggers: user asks about Human Intelligence, starts a intelligence-domain quest, or needs a decision in this area.
- Cross-references: intelligence_sweep, context_memory, proactive_intelligence, ascension_second_brain, ascension_life_orchestrator. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Identity (ascension_identity)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: ascension-native
 - Description: Track and evolve the user
 - When to use: Triggers: user asks about Identity, starts a intelligence-domain quest, or needs a decision in this area.
- Cross-references: intelligence_sweep, context_memory, proactive_intelligence, ascension_second_brain, ascension_life_orchestrator. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Knowledge Graph (ascension_knowledge_graph)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: ascension-native
 - Description: Connect people, places, projects, goals, and events into a queryable knowledge graph
 - When to use: Triggers: user asks about Knowledge Graph, starts a intelligence-domain quest, or needs a decision in this area.
- Cross-references: intelligence_sweep, context_memory, proactive_intelligence, ascension_second_brain, ascension_life_orchestrator. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Legacy (ascension_legacy)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: ascension-native
 - Description: Plan contribution, generational impact, and long-term life legacy
 - When to use: Triggers: user asks about Legacy, starts a intelligence-domain quest, or needs a decision in this area.
- Cross-references: intelligence_sweep, context_memory, proactive_intelligence, ascension_second_brain, ascension_life_orchestrator. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Life Flow (ascension_life_flow)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: ascension-native
 - Description: Model energy, schedule, recovery, and optimal execution windows
 - When to use: Triggers: user asks about Life Flow, starts a intelligence-domain quest, or needs a decision in this area.
- Cross-references: intelligence_sweep, context_memory, proactive_intelligence, ascension_second_brain, ascension_life_orchestrator. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Life Orchestrator (ascension_life_orchestrator)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: ascension-native
 - Description: Coordinate the full stack of life domains: work, family, health, home, finance, and creativity
 - When to use: Triggers: user asks about Life Orchestrator, starts a intelligence-domain quest, or needs a decision in this area.
- Cross-references: intelligence_sweep, context_memory, proactive_intelligence, ascension_second_brain, ascension_user_profile. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Living Context (ascension_living_context)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: ascension-native
 - Description: Weekly pre-computed working memory snapshot for fast AP responses
 - When to use: Triggers: user asks about Living Context, starts a intelligence-domain quest, or needs a decision in this area.
- Cross-references: intelligence_sweep, context_memory, proactive_intelligence, ascension_second_brain, ascension_life_orchestrator. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Living Memory (ascension_living_memory)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: ascension-native
 - Description: Active cognition: current goals, patterns, and recent interactions
 - When to use: Triggers: user asks about Living Memory, starts a intelligence-domain quest, or needs a decision in this area.
- Cross-references: intelligence_sweep, context_memory, proactive_intelligence, ascension_second_brain, ascension_life_orchestrator. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Opportunity Intelligence (ascension_opportunity_intelligence)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: ascension-native
 - Description: Synthesize all engines to find and prioritize opportunities
 - When to use: Triggers: user asks about Opportunity Intelligence, starts a intelligence-domain quest, or needs a decision in this area.
- Cross-references: intelligence_sweep, context_memory, proactive_intelligence, ascension_second_brain, ascension_life_orchestrator. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Personal Vortex (ascension_personal_vortex)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: ascension-native
 - Description: Everything about the user: identity, goals, behavior, history, preferences
 - When to use: Triggers: user asks about Personal Vortex, starts a intelligence-domain quest, or needs a decision in this area.
- Cross-references: intelligence_sweep, context_memory, proactive_intelligence, ascension_second_brain, ascension_life_orchestrator. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Personality (ascension_personality)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: ascension-native
 - Description: Track personality layers, preferences, and decision style
 - When to use: Triggers: user asks about Personality, starts a intelligence-domain quest, or needs a decision in this area.
- Cross-references: intelligence_sweep, context_memory, proactive_intelligence, ascension_second_brain, ascension_life_orchestrator. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Proactive Engine (ascension_proactive_engine)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: ascension-native
 - Description: Surface reminders, opportunities, and next steps before the user asks
 - When to use: Triggers: user asks about Proactive Engine, starts a intelligence-domain quest, or needs a decision in this area.
- Cross-references: intelligence_sweep, context_memory, proactive_intelligence, ascension_second_brain, ascension_life_orchestrator. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Proactivity (ascension_proactivity)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: ascension-native
 - Description: Configure silent to always-on reaction levels
 - When to use: Triggers: user asks about Proactivity, starts a intelligence-domain quest, or needs a decision in this area.
- Cross-references: intelligence_sweep, context_memory, proactive_intelligence, ascension_second_brain, ascension_life_orchestrator. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Question Engine (ascension_question_engine)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: ascension-native
 - Description: Ask one question at a time, track state, and adapt follow-ups
 - When to use: Triggers: user asks about Question Engine, starts a intelligence-domain quest, or needs a decision in this area.
- Cross-references: intelligence_sweep, context_memory, proactive_intelligence, ascension_second_brain, ascension_life_orchestrator. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Resource Intelligence (ascension_resource_intelligence)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: ascension-native
- Description: Manage all resources: money, time, energy, skills, assets, credit, investments
- When to use: Triggers: user asks about Resource Intelligence, starts a intelligence-domain quest, or needs a decision in this area.
- Cross-references: intelligence_sweep, context_memory, proactive_intelligence, ascension_second_brain, ascension_life_orchestrator. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Second Brain (ascension_second_brain)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: ascension-native
- Description: Personal knowledge engine that captures, connects, and retrieves everything the user shares
- When to use: Triggers: user asks about Second Brain, starts a intelligence-domain quest, or needs a decision in this area.
- Cross-references: intelligence_sweep, context_memory, proactive_intelligence, ascension_life_orchestrator, ascension_user_profile. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Shell Orchestrator (ascension_shell_orchestrator)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: ascension-native
- Description: Route tasks and insights between AP, Nexus, HomeOS, Sprout, and product shells
- When to use: Triggers: user asks about Shell Orchestrator, starts a intelligence-domain quest, or needs a decision in this area.
- Cross-references: intelligence_sweep, context_memory, proactive_intelligence, ascension_second_brain, ascension_life_orchestrator. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Unified Vortex (ascension_unified_vortex)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: ascension-native
- Description: Synthesize Personal, World, and Network Vortex into composite insights
- When to use: Triggers: user asks about Unified Vortex, starts a intelligence-domain quest, or needs a decision in this area.
- Cross-references: intelligence_sweep, context_memory, proactive_intelligence, ascension_second_brain, ascension_life_orchestrator. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza User Profile (ascension_user_profile)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: ascension-native
- Description: Maintain a living profile of the user: goals, skills, schedule, people, and preferences
- When to use: Triggers: user asks about User Profile, starts a intelligence-domain quest, or needs a decision in this area.
- Cross-references: intelligence_sweep, context_memory, proactive_intelligence, ascension_second_brain, ascension_life_orchestrator. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Vault (ascension_vault)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: ascension-native
- Description: Permanent digital estate: AP can read, never write or delete
- When to use: Triggers: user asks about Vault, starts a intelligence-domain quest, or needs a decision in this area.
- Cross-references: intelligence_sweep, context_memory, proactive_intelligence, ascension_second_brain, ascension_life_orchestrator. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Voice Intelligence (ascension_voice_intelligence)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: ascension-native
- Description: Voice-based interaction, tone, and voiceprint identity signals
- When to use: Triggers: user asks about Voice Intelligence, starts a intelligence-domain quest, or needs a decision in this area.
- Cross-references: intelligence_sweep, context_memory, proactive_intelligence, ascension_second_brain, ascension_life_orchestrator. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Vortex Signals (ascension_vortex_signals)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: ascension-native
 - Description: Store and reason over signals from every engine and connected API
 - When to use: Triggers: user asks about Vortex Signals, starts a intelligence-domain quest, or needs a decision in this area.
- Cross-references: intelligence_sweep, context_memory, proactive_intelligence, ascension_second_brain, ascension_life_orchestrator. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza World Vortex (ascension_world_vortex)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: ascension-native
 - Description: Everything external: markets, science, tech, politics, weather, news
 - When to use: Triggers: user asks about World Vortex, starts a intelligence-domain quest, or needs a decision in this area.
- Cross-references: intelligence_sweep, context_memory, proactive_intelligence, ascension_second_brain, ascension_life_orchestrator. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Context Memory (context_memory)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: custom
 - Description: Context-aware memory (characters, arcs, themes)
 - When to use: Triggers: user asks about Context Memory, starts a intelligence-domain quest, or needs a decision in this area.
- Cross-references: intelligence_sweep, proactive_intelligence, ascension_second_brain, ascension_life_orchestrator, ascension_user_profile. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Intelligence Sweep (intelligence_sweep)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: custom
 - Description: Intelligence sweep across 10 domains
 - When to use: Triggers: user asks about Intelligence Sweep, starts a intelligence-domain quest, or needs a decision in this area.
- Cross-references: context_memory, proactive_intelligence, ascension_second_brain, ascension_life_orchestrator, ascension_user_profile. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Proactive Intelligence (proactive_intelligence)

- Category: intelligence | Executor: intelligence | Tier: individual | Default provider: custom
 - Description: Proactive AP behavior with push notifications
 - When to use: Triggers: user asks about Proactive Intelligence, starts a intelligence-domain quest, or needs a decision in this area.
- Cross-references: intelligence_sweep, context_memory, ascension_second_brain, ascension_life_orchestrator, ascension_user_profile. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

knowledge (28)

Aerynza Argumentation (ascension_argumentation)

- Category: knowledge | Executor: knowledge | Tier: individual | Default provider: ascension-native
 - Description: Argument structure and evidence
 - When to use: Triggers: user asks about Argumentation, starts a knowledge-domain quest, or needs a decision in this area.
- Cross-references: ascension_philosophy, ascension_history, ascension_science, ascension_math, ascension_language. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Astronomy (ascension_astronomy)

- Category: knowledge | Executor: knowledge | Tier: individual | Default provider: ascension-native
 - Description: Astronomy, stargazing, and equipment
 - When to use: Triggers: user asks about Astronomy, starts a knowledge-domain quest, or needs a decision in this area.
- Cross-references: ascension_philosophy, ascension_history, ascension_science, ascension_math, ascension_language. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Critical Thinking (ascension_critical_thinking)

- Category: knowledge | Executor: knowledge | Tier: individual | Default provider: ascension-native
- Description: Critical thinking and evaluation
- When to use: Triggers: user asks about Critical Thinking, starts a knowledge-domain quest, or needs a decision in this area. Cross-references: ascension_philosophy, ascension_history, ascension_science, ascension_math, ascension_language. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Culture (ascension_culture)

- Category: knowledge | Executor: knowledge | Tier: individual | Default provider: ascension-native
- Description: Cultural understanding, etiquette, and context
- When to use: Triggers: user asks about Culture, starts a knowledge-domain quest, or needs a decision in this area. Cross-references: ascension_philosophy, ascension_history, ascension_science, ascension_math, ascension_language. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Debate (ascension_debate)

- Category: knowledge | Executor: knowledge | Tier: individual | Default provider: ascension-native
- Description: Debate formats, prep, and rebuttal
- When to use: Triggers: user asks about Debate, starts a knowledge-domain quest, or needs a decision in this area. Cross-references: ascension_philosophy, ascension_history, ascension_science, ascension_math, ascension_language. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Document Intelligence (ascension_document_intelligence)

- Category: knowledge | Executor: knowledge | Tier: individual | Default provider: ascension-native
- Description: OCR, classify, extract, and persist structured data from uploaded documents
- When to use: Triggers: user asks about Document Intelligence, starts a knowledge-domain quest, or needs a decision in this area. Cross-references: ascension_philosophy, ascension_history, ascension_science, ascension_math, ascension_language. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Environmental (ascension_environmental)

- Category: knowledge | Executor: knowledge | Tier: individual | Default provider: ascension-native
- Description: Track environmental, weather, pollen, AQI, and climate factors
- When to use: Triggers: user asks about Environmental, starts a knowledge-domain quest, or needs a decision in this area. Cross-references: ascension_philosophy, ascension_history, ascension_science, ascension_math, ascension_language. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Ethics (ascension_ethics)

- Category: knowledge | Executor: knowledge | Tier: individual | Default provider: ascension-native
- Description: Moral reasoning, dilemma navigation, and values clarification
- When to use: Triggers: user asks about Ethics, starts a knowledge-domain quest, or needs a decision in this area. Cross-references: ascension_philosophy, ascension_history, ascension_science, ascension_math, ascension_language. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Etiquette (ascension_etiquette)

- Category: knowledge | Executor: knowledge | Tier: individual | Default provider: ascension-native
- Description: Etiquette, manners, and social situation guidance
- When to use: Triggers: user asks about Etiquette, starts a knowledge-domain quest, or needs a decision in this area. Cross-references: ascension_philosophy, ascension_history, ascension_science, ascension_math, ascension_language. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Fallacies (ascension_fallacies)

- Category: knowledge | Executor: knowledge | Tier: individual | Default provider: ascension-native
- Description: Logical fallacies and spotting them
- When to use: Triggers: user asks about Fallacies, starts a knowledge-domain quest, or needs a decision in this area. Cross-references: ascension_philosophy, ascension_history, ascension_science, ascension_math, ascension_language. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Government (ascension_government)

- Category: knowledge | Executor: knowledge | Tier: individual | Default provider: ascension-native
- Description: Track government programs, policy, and regulatory impact
- When to use: Triggers: user asks about Government, starts a knowledge-domain quest, or needs a decision in this area. Cross-references: ascension_philosophy, ascension_history, ascension_science, ascension_math, ascension_language. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza History (ascension_history)

- Category: knowledge | Executor: knowledge | Tier: individual | Default provider: ascension-native
- Description: Historical context, events, and lessons
- When to use: Triggers: user asks about History, starts a knowledge-domain quest, or needs a decision in this area. Cross-references: ascension_philosophy, ascension_science, ascension_math, ascension_language, ascension_culture. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Idea Validator (ascension_idea_validator)

- Category: knowledge | Executor: knowledge | Tier: individual | Default provider: ascension-native
- Description: Quickly validate an idea, market, and first move before building
- When to use: Triggers: user asks about Idea Validator, starts a knowledge-domain quest, or needs a decision in this area. Cross-references: ascension_philosophy, ascension_history, ascension_science, ascension_math, ascension_language. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Knowledge Studio (ascension_knowledge_studio)

- Category: knowledge | Executor: knowledge | Tier: individual | Default provider: ascension-native
- Description: Think like an educator, researcher, and author
- When to use: Triggers: user asks about Knowledge Studio, starts a knowledge-domain quest, or needs a decision in this area. Cross-references: ascension_philosophy, ascension_history, ascension_science, ascension_math, ascension_language. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Language (ascension_language)

- Category: knowledge | Executor: knowledge | Tier: individual | Default provider: ascension-native
- Description: Language learning, translation, and conversation practice
- When to use: Triggers: user asks about Language, starts a knowledge-domain quest, or needs a decision in this area. Cross-references: ascension_philosophy, ascension_history, ascension_science, ascension_math, ascension_culture. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Location Intelligence (ascension_location_intelligence)

- Category: knowledge | Executor: knowledge | Tier: individual | Default provider: ascension-native
- Description: Infer routines, gym attendance, nature exposure, and home-away ratio
- When to use: Triggers: user asks about Location Intelligence, starts a knowledge-domain quest, or needs a decision in this area. Cross-references: ascension_philosophy, ascension_history, ascension_science, ascension_math, ascension_language. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Logic (ascension_logic)

- Category: knowledge | Executor: knowledge | Tier: individual | Default provider: ascension-native
- Description: Logic, reasoning, and fallacies
- When to use: Triggers: user asks about Logic, starts a knowledge-domain quest, or needs a decision in this area. Cross-references: ascension_philosophy, ascension_history, ascension_science, ascension_math, ascension_language. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Math (ascension_math)

- Category: knowledge | Executor: knowledge | Tier: individual | Default provider: ascension-native
- Description: Math explanation, problem-solving, and tutoring
- When to use: Triggers: user asks about Math, starts a knowledge-domain quest, or needs a decision in this area. Cross-references: ascension_philosophy, ascension_history, ascension_science, ascension_language, ascension_culture. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza News Intelligence (ascension_news_intelligence)

- Category: knowledge | Executor: knowledge | Tier: individual | Default provider: ascension-native
- Description: Infer industry opportunity, economic context, and regulatory impact
- When to use: Triggers: user asks about News Intelligence, starts a knowledge-domain quest, or needs a decision in this area. Cross-references: ascension_philosophy, ascension_history, ascension_science, ascension_math, ascension_language. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Persuasion (ascension_persuasion)

- Category: knowledge | Executor: knowledge | Tier: individual | Default provider: ascension-native
- Description: Persuasion principles and ethics
- When to use: Triggers: user asks about Persuasion, starts a knowledge-domain quest, or needs a decision in this area. Cross-references: ascension_philosophy, ascension_history, ascension_science, ascension_math, ascension_language. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Philosophy (ascension_philosophy)

- Category: knowledge | Executor: knowledge | Tier: individual | Default provider: ascension-native
- Description: Philosophical questions, schools of thought, and ethical reasoning
- When to use: Triggers: user asks about Philosophy, starts a knowledge-domain quest, or needs a decision in this area. Cross-references: ascension_history, ascension_science, ascension_math, ascension_language, ascension_culture. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Politics (ascension_politics)

- Category: knowledge | Executor: knowledge | Tier: individual | Default provider: ascension-native
- Description: Track political context and civic opportunities
- When to use: Triggers: user asks about Politics, starts a knowledge-domain quest, or needs a decision in this area. Cross-references: ascension_philosophy, ascension_history, ascension_science, ascension_math, ascension_language. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Research Assistant (ascension_research_assistant)

- Category: knowledge | Executor: knowledge | Tier: individual | Default provider: ascension-native
- Description: Best research and design assistant on the planet for facts, patents, and experiments
- When to use: Triggers: user asks about Research Assistant, starts a knowledge-domain quest, or needs a decision in this area. Cross-references: ascension_philosophy, ascension_history, ascension_science, ascension_math, ascension_language. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Science (ascension_science)

- Category: knowledge | Executor: knowledge | Tier: individual | Default provider: ascension-native
- Description: Scientific concepts, literacy, and exploration
- When to use: Triggers: user asks about Science, starts a knowledge-domain quest, or needs a decision in this area. Cross-references: ascension_philosophy, ascension_history, ascension_math, ascension_language, ascension_culture. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Solution Engine (ascension_solution_engine)

- Category: knowledge | Executor: knowledge | Tier: individual | Default provider: ascension-native
- Description: Invent custom solutions for any goal with constraints, permissions, and a build path
- When to use: Triggers: user asks about Solution Engine, starts a knowledge-domain quest, or needs a decision in this area. Cross-references: ascension_philosophy, ascension_history, ascension_science, ascension_math, ascension_language. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Weather Intelligence (ascension_weather_intelligence)

- Category: knowledge | Executor: knowledge | Tier: individual | Default provider: ascension-native
- Description: Infer mood/energy correlation and activity suitability from weather
- When to use: Triggers: user asks about Weather Intelligence, starts a knowledge-domain quest, or needs a decision in this area. Cross-references: ascension_philosophy, ascension_history, ascension_science, ascension_math, ascension_language. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza World Intelligence (ascension_world_intelligence)

- Category: knowledge | Executor: knowledge | Tier: individual | Default provider: ascension-native
- Description: Understand the external world: environment, markets, government, science, tech
- When to use: Triggers: user asks about World Intelligence, starts a knowledge-domain quest, or needs a decision in this area. Cross-references: ascension_philosophy, ascension_history, ascension_science, ascension_math, ascension_language. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza YouTube Intelligence (ascension_youtube_intelligence)

- Category: knowledge | Executor: knowledge | Tier: individual | Default provider: ascension-native
- Description: Infer learning investment, topic depth, and research patterns
- When to use: Triggers: user asks about YouTube Intelligence, starts a knowledge-domain quest, or needs a decision in this area. Cross-references: ascension_philosophy, ascension_history, ascension_science, ascension_math, ascension_language. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

engineering (24)

Aerynza API (ascension_api)

- Category: engineering | Executor: engineering | Tier: individual | Default provider: ascension-native
- Description: API design, versioning, and documentation
- When to use: Triggers: user asks about API, starts a engineering-domain quest, or needs a decision in this area. Cross-references: ascension_devops, ascension_cloud, ascension_databases, ascension_security_tech, ascension_testing. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Blockchain (ascension_blockchain)

- Category: engineering | Executor: engineering | Tier: individual | Default provider: ascension-native
- Description: Blockchain concepts, smart contracts, and crypto basics
- When to use: Triggers: user asks about Blockchain, starts a engineering-domain quest, or needs a decision in this area.

Cross-references: ascension_devops, ascension_cloud, ascension_databases, ascension_security_tech, ascension_testing. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza CI/CD (ascension_cicd)

- Category: engineering | Executor: engineering | Tier: individual | Default provider: ascension-native
 - Description: Continuous integration and delivery guidance
 - When to use: Triggers: user asks about CI/CD, starts a engineering-domain quest, or needs a decision in this area.
- Cross-references: ascension_devops, ascension_cloud, ascension_databases, ascension_security_tech, ascension_testing. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Cloud (ascension_cloud)

- Category: engineering | Executor: engineering | Tier: individual | Default provider: ascension-native
 - Description: Cloud architecture, services, and cost guidance
 - When to use: Triggers: user asks about Cloud, starts a engineering-domain quest, or needs a decision in this area.
- Cross-references: ascension_devops, ascension_databases, ascension_security_tech, ascension_testing, ascension_cicd. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Databases (ascension_databases)

- Category: engineering | Executor: engineering | Tier: individual | Default provider: ascension-native
 - Description: Database design, queries, and optimization
 - When to use: Triggers: user asks about Databases, starts a engineering-domain quest, or needs a decision in this area.
- Cross-references: ascension_devops, ascension_cloud, ascension_security_tech, ascension_testing, ascension_cicd. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza DevOps (ascension_devops)

- Category: engineering | Executor: engineering | Tier: individual | Default provider: ascension-native
 - Description: DevOps practices, pipelines, and infrastructure
 - When to use: Triggers: user asks about DevOps, starts a engineering-domain quest, or needs a decision in this area.
- Cross-references: ascension_cloud, ascension_databases, ascension_security_tech, ascension_testing, ascension_cicd. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Microservices (ascension_microservices)

- Category: engineering | Executor: engineering | Tier: individual | Default provider: ascension-native
 - Description: Microservices architecture and tradeoffs
 - When to use: Triggers: user asks about Microservices, starts a engineering-domain quest, or needs a decision in this area.
- Cross-references: ascension_devops, ascension_cloud, ascension_databases, ascension_security_tech, ascension_testing. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Mining (ascension_mining)

- Category: engineering | Executor: engineering | Tier: individual | Default provider: ascension-native
 - Description: Crypto mining hardware and profitability
 - When to use: Triggers: user asks about Mining, starts a engineering-domain quest, or needs a decision in this area.
- Cross-references: ascension_devops, ascension_cloud, ascension_databases, ascension_security_tech, ascension_testing. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Monitoring (ascension_monitoring)

- Category: engineering | Executor: engineering | Tier: individual | Default provider: ascension-native
- Description: Observability, logging, and alerting
- When to use: Triggers: user asks about Monitoring, starts a engineering-domain quest, or needs a decision in this area.

Cross-references: ascension_devops, ascension_cloud, ascension_databases, ascension_security_tech, ascension_testing. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Nodes (ascension_nodes)

- Category: engineering | Executor: engineering | Tier: individual | Default provider: ascension-native
 - Description: Blockchain nodes, setup, and maintenance
 - When to use: Triggers: user asks about Nodes, starts a engineering-domain quest, or needs a decision in this area.
- Cross-references: ascension_devops, ascension_cloud, ascension_databases, ascension_security_tech, ascension_testing. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Security Tech (ascension_security_tech)

- Category: engineering | Executor: engineering | Tier: individual | Default provider: ascension-native
 - Description: Application and infrastructure security guidance
 - When to use: Triggers: user asks about Security Tech, starts a engineering-domain quest, or needs a decision in this area.
- Cross-references: ascension_devops, ascension_cloud, ascension_databases, ascension_testing, ascension_cicd. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Testing (ascension_testing)

- Category: engineering | Executor: engineering | Tier: individual | Default provider: ascension-native
 - Description: Test strategy, automation, and quality assurance
 - When to use: Triggers: user asks about Testing, starts a engineering-domain quest, or needs a decision in this area.
- Cross-references: ascension_devops, ascension_cloud, ascension_databases, ascension_security_tech, ascension_cicd. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Code Guardian (code_guardian)

- Category: engineering | Executor: engineering | Tier: individual | Default provider: ascension-native
 - Description: Audit, sign, encrypt, and vault Aerynza source code and artifacts to prevent unauthorized exfiltration or tampering
 - When to use: Triggers: user asks about source code vault, code signing, encryption, or leak prevention for proprietary code.
- Cross-references: ip_guard, universal_os, ascension_second_brain, ascension_knowledge_vault. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Desktop OS (desktop_os)

- Category: engineering | Executor: engineering | Tier: individual | Default provider: ascension-native
 - Description: Port or build the universal OS for desktop towers and all-in-ones: multi-monitor, GPU, peripherals, storage, and networking
 - When to use: Triggers: user asks about a desktop OS, tower OS, or running Aerynza OS on a desktop. Cross-references: universal_os, laptop_os, device_drivers, device_flash, ip_guard. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

IP Guard (ip_guard)

- Category: engineering | Executor: engineering | Tier: individual | Default provider: ascension-native
 - Description: Protect Aerynza intellectual property in source code, models, designs, and binaries through licensing, watermarking, and access control
 - When to use: Triggers: user asks about protecting IP, licensing an OS, watermarking binaries, or access control for proprietary source. Cross-references: universal_os, device_drivers, device_flash, code_guardian. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Laptop OS (laptop_os)

- Category: engineering | Executor: engineering | Tier: individual | Default provider: ascension-native
- Description: Port or build the universal OS for laptop form factors: x86/ARM64, power management, keyboard, trackpad, display,

and docking

- When to use: Triggers: user asks about a laptop OS, notebook OS, or running Aerynza OS on a laptop. Cross-references: universal_os, device_drivers, device_flash, ip_guard. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Phone Driver Layer (phone_drivers)

- Category: engineering | Executor: engineering | Tier: individual | Default provider: ascension-native
- Description: Generate, wire, and validate USB, fastboot, ADB, display, touch, radio, and SoC drivers for a phone OS
- When to use: Triggers: user needs phone drivers, USB stack, touch/screen drivers, radio drivers, or SoC support. Cross-references: phone_os, phone_flash, phone_recovery, ascension_build_path, ascension_code_generator, ascension_hardware_interface. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Phone Flash (phone_flash)

- Category: engineering | Executor: engineering | Tier: individual | Default provider: ascension-native
- Description: Prepare a flashable OS image, verify compatibility, and flash it to a phone connected over USB
- When to use: Triggers: user asks to flash an OS to a phone over USB, rewrite phone firmware, or install a custom ROM. Cross-references: phone_os, phone_drivers, phone_recovery, ascension_build_path, ascension_device_control, ascension_risk_budget. Requires explicit device.flash permission and a receipt before writing anything to the device.
- Runtime gates: per-capability True | execution True

Phone OS (phone_os)

- Category: engineering | Executor: engineering | Tier: individual | Default provider: ascension-native
- Description: Design, scaffold, and build a custom mobile operating system for ARM or x86 phone hardware
- When to use: Triggers: user asks about building a phone OS, replacing Android/iOS, or creating a custom mobile operating system. Cross-references: phone_drivers, phone_flash, phone_recovery, ascension_build_path, ascension_solution_engine, ascension_invention_engine, ascension_second_brain. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Phone Recovery (phone_recovery)

- Category: engineering | Executor: engineering | Tier: individual | Default provider: ascension-native
- Description: Design recovery, bootloader, and fail-safe images for phone OS updates and brick recovery
- When to use: Triggers: user asks about recovery mode, bootloader, brick recovery, or safe images for phone OS. Cross-references: phone_os, phone_drivers, phone_flash, ascension_build_path, ascension_experiment_design, ascension_risk_budget. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Smart Device OS (smart_device_os)

- Category: engineering | Executor: engineering | Tier: individual | Default provider: ascension-native
- Description: Port or build the universal OS for smart home, wearables, IoT, and embedded devices
- When to use: Triggers: user asks about smart home OS, wearable OS, IoT OS, or embedded device OS. Cross-references: universal_os, device_drivers, device_flash, ip_guard. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Universal Device Drivers (device_drivers)

- Category: engineering | Executor: engineering | Tier: individual | Default provider: ascension-native
- Description: Generate and organize a shared driver layer that works across phones, laptops, desktops, and smart devices
- When to use: Triggers: user asks about drivers for multiple device types, shared HAL, or universal device support. Cross-references: universal_os, phone_drivers, phone_os, laptop_os, desktop_os, smart_device_os, ip_guard. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Universal Device Flash (device_flash)

- Category: engineering | Executor: engineering | Tier: individual | Default provider: ascension-native
- Description: Prepare and flash the universal OS onto any connected phone, laptop, desktop, or smart device over USB or network
- When to use: Triggers: user asks to flash an OS to a laptop, desktop, smart device, or any hardware. Cross-references:

universal_os, laptop_os, desktop_os, smart_device_os, phone_flash, ip_guard. Requires explicit device.flash permission and a verified receipt before writing to any device.

- Runtime gates: per-capability True | execution True

Universal OS (universal_os)

- Category: engineering | Executor: engineering | Tier: individual | Default provider: ascension-native
- Description: Design a unified operating system that can target phones, laptops, desktops, and smart devices from one code base
- When to use: Triggers: user asks about a universal OS, one OS for every device, or building an operating system for laptops, desktops, phones, and smart devices. Cross-references: phone_os, laptop_os, desktop_os, smart_device_os, device_drivers, device_flash, ip_guard. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

education (10)

Aerynza College (ascension_college)

- Category: education | Executor: education | Tier: individual | Default provider: ascension-native
- Description: College search, applications, and planning
- When to use: Triggers: user asks about College, starts a education-domain quest, or needs a decision in this area. Cross-references: ascension_homework, ascension_tutor, ascension_school, ascension_scholarship, ascension_exam. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Exam (ascension_exam)

- Category: education | Executor: education | Tier: individual | Default provider: ascension-native
- Description: Exam preparation, strategy, and practice
- When to use: Triggers: user asks about Exam, starts a education-domain quest, or needs a decision in this area. Cross-references: ascension_homework, ascension_tutor, ascension_school, ascension_college, ascension_scholarship. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Homework (ascension_homework)

- Category: education | Executor: education | Tier: individual | Default provider: ascension-native
- Description: Homework help, explanation, and study guidance
- When to use: Triggers: user asks about Homework, starts a education-domain quest, or needs a decision in this area. Cross-references: ascension_tutor, ascension_school, ascension_college, ascension_scholarship, ascension_exam. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Memorization (ascension_memorization)

- Category: education | Executor: education | Tier: individual | Default provider: ascension-native
- Description: Memory techniques and spaced repetition
- When to use: Triggers: user asks about Memorization, starts a education-domain quest, or needs a decision in this area. Cross-references: ascension_homework, ascension_tutor, ascension_school, ascension_college, ascension_scholarship. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Presentation (ascension_presentation)

- Category: education | Executor: education | Tier: individual | Default provider: ascension-native
- Description: Presentations, slides, and public speaking
- When to use: Triggers: user asks about Presentation, starts a education-domain quest, or needs a decision in this area. Cross-references: ascension_homework, ascension_tutor, ascension_school, ascension_college, ascension_scholarship. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Scholarship (ascension_scholarship)

- Category: education | Executor: education | Tier: individual | Default provider: ascension-native

- Description: Scholarship search and application support
- When to use: Triggers: user asks about Scholarship, starts a education-domain quest, or needs a decision in this area. Cross-references: ascension_homework, ascension_tutor, ascension_school, ascension_college, ascension_exam. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza School (ascension_school)

- Category: education | Executor: education | Tier: individual | Default provider: ascension-native
- Description: School selection, applications, and planning
- When to use: Triggers: user asks about School, starts a education-domain quest, or needs a decision in this area. Cross-references: ascension_homework, ascension_tutor, ascension_college, ascension_scholarship, ascension_exam. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Study Skills (ascension_studyskills)

- Category: education | Executor: education | Tier: individual | Default provider: ascension-native
- Description: Study habits, note-taking, and retention
- When to use: Triggers: user asks about Study Skills, starts a education-domain quest, or needs a decision in this area. Cross-references: ascension_homework, ascension_tutor, ascension_school, ascension_college, ascension_scholarship. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Teaching (ascension_teaching)

- Category: education | Executor: education | Tier: individual | Default provider: ascension-native
- Description: Teaching methods, lesson planning, and assessment
- When to use: Triggers: user asks about Teaching, starts a education-domain quest, or needs a decision in this area. Cross-references: ascension_homework, ascension_tutor, ascension_school, ascension_college, ascension_scholarship. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Tutor (ascension_tutor)

- Category: education | Executor: education | Tier: individual | Default provider: ascension-native
- Description: One-on-one tutoring across subjects
- When to use: Triggers: user asks about Tutor, starts a education-domain quest, or needs a decision in this area. Cross-references: ascension_homework, ascension_school, ascension_college, ascension_scholarship, ascension_exam. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

legal (10)

Aerynza Adoption (ascension_adoption)

- Category: legal | Executor: legal | Tier: individual | Default provider: ascension-native
- Description: Adoption information, steps, and resources
- When to use: Triggers: user asks about Adoption, starts a legal-domain quest, or needs a decision in this area. Cross-references: ascension_will, ascension_trust, ascension_prenup, ascension_divorce, ascension_custody. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Contracts (ascension_contracts)

- Category: legal | Executor: legal | Tier: individual | Default provider: ascension-native
- Description: Contract review preparation and plain-language explanations
- When to use: Triggers: user asks about Contracts, starts a legal-domain quest, or needs a decision in this area. Cross-references: ascension_will, ascension_trust, ascension_prenup, ascension_divorce, ascension_custody. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Custody (ascension_custody)

- Category: legal | Executor: legal | Tier: individual | Default provider: ascension-native
- Description: Child custody information and co-parenting resources
- When to use: Triggers: user asks about Custody, starts a legal-domain quest, or needs a decision in this area. Cross-references: ascension_will, ascension_trust, ascension_prenup, ascension_divorce, ascension_adoption. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Divorce (ascension_divorce)

- Category: legal | Executor: legal | Tier: individual | Default provider: ascension-native
- Description: Divorce information and resource guidance
- When to use: Triggers: user asks about Divorce, starts a legal-domain quest, or needs a decision in this area. Cross-references: ascension_will, ascension_trust, ascension_prenup, ascension_custody, ascension_adoption. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Immigration (ascension_immigration)

- Category: legal | Executor: legal | Tier: individual | Default provider: ascension-native
- Description: Immigration path overview and document organization
- When to use: Triggers: user asks about Immigration, starts a legal-domain quest, or needs a decision in this area. Cross-references: ascension_will, ascension_trust, ascension_prenup, ascension_divorce, ascension_custody. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Landlord (ascension_landlord)

- Category: legal | Executor: legal | Tier: individual | Default provider: ascension-native
- Description: Landlord responsibilities, leases, and tenant issues
- When to use: Triggers: user asks about Landlord, starts a legal-domain quest, or needs a decision in this area. Cross-references: ascension_will, ascension_trust, ascension_prenup, ascension_divorce, ascension_custody. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Prenup (ascension_prenup)

- Category: legal | Executor: legal | Tier: individual | Default provider: ascension-native
- Description: Prenuptial agreement information and attorney referral
- When to use: Triggers: user asks about Prenup, starts a legal-domain quest, or needs a decision in this area. Cross-references: ascension_will, ascension_trust, ascension_divorce, ascension_custody, ascension_adoption. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Tenant (ascension_tenant)

- Category: legal | Executor: legal | Tier: individual | Default provider: ascension-native
- Description: Tenant rights, leases, and rental issues
- When to use: Triggers: user asks about Tenant, starts a legal-domain quest, or needs a decision in this area. Cross-references: ascension_will, ascension_trust, ascension_prenup, ascension_divorce, ascension_custody. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Trust (ascension_trust)

- Category: legal | Executor: legal | Tier: individual | Default provider: ascension-native
- Description: Trust basics and estate planning guidance
- When to use: Triggers: user asks about Trust, starts a legal-domain quest, or needs a decision in this area. Cross-references: ascension_will, ascension_prenup, ascension_divorce, ascension_custody, ascension_adoption. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Will (ascension_will)

- Category: legal | Executor: legal | Tier: individual | Default provider: ascension-native
- Description: Will planning and estate introduction
- When to use: Triggers: user asks about Will, starts a legal-domain quest, or needs a decision in this area. Cross-references: ascension_trust, ascension_prenup, ascension_divorce, ascension_custody, ascension_adoption. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

text (9)**Aerynza Native Chat (ascension_chat)**

- Category: text | Executor: chat | Tier: individual | Default provider: ascension-native
- Description: General chat powered by native Aerynza AI core
- When to use: Triggers: user asks about Native Chat, starts a text-domain quest, or needs a decision in this area. Cross-references: chat_gpt4, chat_claude, chat_gemini, writing_marketing, writing_document. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Chat Claude (chat_claude)

- Category: text | Executor: chat | Tier: individual | Default provider: anthropic
- Description: Advanced AI chat with Claude 3.5
- When to use: Triggers: user asks about Chat Claude, starts a text-domain quest, or needs a decision in this area. Cross-references: chat_gpt4, chat_gemini, writing_marketing, writing_document, writing_email. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Chat GPT-4 (chat_gpt4)

- Category: text | Executor: chat | Tier: individual | Default provider: openai
- Description: Advanced AI chat with GPT-4
- When to use: Triggers: user asks about Chat GPT-4, starts a text-domain quest, or needs a decision in this area. Cross-references: chat_claude, chat_gemini, writing_marketing, writing_document, writing_email. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Chat Gemini (chat_gemini)

- Category: text | Executor: chat | Tier: individual | Default provider: google
- Description: Advanced AI chat with Gemini Pro
- When to use: Triggers: user asks about Chat Gemini, starts a text-domain quest, or needs a decision in this area. Cross-references: chat_gpt4, chat_claude, writing_marketing, writing_document, writing_email. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Document Writing (writing_document)

- Category: text | Executor: writing | Tier: individual | Default provider: anthropic
- Description: Write documents, reports, articles
- When to use: Triggers: user asks about Document Writing, starts a text-domain quest, or needs a decision in this area. Cross-references: chat_gpt4, chat_claude, chat_gemini, writing_marketing, writing_email. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Email Writing (writing_email)

- Category: text | Executor: writing | Tier: individual | Default provider: openai
- Description: Write professional emails
- When to use: Triggers: user asks about Email Writing, starts a text-domain quest, or needs a decision in this area. Cross-references: chat_gpt4, chat_claude, chat_gemini, writing_marketing, writing_document. Use with permission-scoped context

and a receipt for any action.

- Runtime gates: per-capability True | execution True

Marketing Copy (writing_marketing)

- Category: text | Executor: writing | Tier: individual | Default provider: openai
- Description: Generate marketing copy in brand voice
- When to use: Triggers: user asks about Marketing Copy, starts a text-domain quest, or needs a decision in this area. Cross-references: chat_gpt4, chat_claude, chat_gemini, writing_document, writing_email. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Script Writing (writing_script)

- Category: text | Executor: writing | Tier: individual | Default provider: anthropic
- Description: Write video scripts, screenplays
- When to use: Triggers: user asks about Script Writing, starts a text-domain quest, or needs a decision in this area. Cross-references: chat_gpt4, chat_claude, chat_gemini, writing_marketing, writing_document. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Translation (translation)

- Category: text | Executor: translation | Tier: individual | Default provider: google
- Description: Translate text between 100+ languages
- When to use: Triggers: user asks about Translation, starts a text-domain quest, or needs a decision in this area. Cross-references: chat_gpt4, chat_claude, chat_gemini, writing_marketing, writing_document. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

code (8)

Aerynza Code (ascension_code)

- Category: code | Executor: code | Tier: individual | Default provider: ascension-native
- Description: Code generation, review, debugging, and architecture planning
- When to use: Triggers: user asks about Code, starts a code-domain quest, or needs a decision in this area. Cross-references: code_generation, code_review, code_debugging, code_execution, code_completion. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Code Completion (code_completion)

- Category: code | Executor: code | Tier: individual | Default provider: openai
- Description: Real-time code completion
- When to use: Triggers: user asks about Code Completion, starts a code-domain quest, or needs a decision in this area. Cross-references: code_generation, code_review, code_debugging, code_execution, test_generation. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Code Debugging (code_debugging)

- Category: code | Executor: code | Tier: individual | Default provider: openai
- Description: Debug and fix code errors
- When to use: Triggers: user asks about Code Debugging, starts a code-domain quest, or needs a decision in this area. Cross-references: code_generation, code_review, code_execution, code_completion, test_generation. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Code Execution (code_execution)

- Category: code | Executor: code | Tier: individual | Default provider: local
- Description: Execute code in sandboxed environment

- When to use: Triggers: user asks about Code Execution, starts a code-domain quest, or needs a decision in this area. Cross-references: `code_generation`, `code_review`, `code_debugging`, `code_completion`, `test_generation`. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Code Generation (`code_generation`)

- Category: code | Executor: code | Tier: individual | Default provider: openai
- Description: Generate code in any programming language
- When to use: Triggers: user asks about Code Generation, starts a code-domain quest, or needs a decision in this area. Cross-references: `code_review`, `code_debugging`, `code_execution`, `code_completion`, `test_generation`. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Code Review (`code_review`)

- Category: code | Executor: code | Tier: individual | Default provider: anthropic
- Description: Review code for bugs, security, best practices
- When to use: Triggers: user asks about Code Review, starts a code-domain quest, or needs a decision in this area. Cross-references: `code_generation`, `code_debugging`, `code_execution`, `code_completion`, `test_generation`. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Documentation Generation (`documentation_generation`)

- Category: code | Executor: code | Tier: individual | Default provider: openai
- Description: Generate code documentation
- When to use: Triggers: user asks about Documentation Generation, starts a code-domain quest, or needs a decision in this area. Cross-references: `code_generation`, `code_review`, `code_debugging`, `code_execution`, `code_completion`. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Test Generation (`test_generation`)

- Category: code | Executor: code | Tier: individual | Default provider: openai
- Description: Generate unit tests for code
- When to use: Triggers: user asks about Test Generation, starts a code-domain quest, or needs a decision in this area. Cross-references: `code_generation`, `code_review`, `code_debugging`, `code_execution`, `code_completion`. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

research (3)

Aerynza News (`ascension_news`)

- Category: research | Executor: research | Tier: individual | Default provider: ascension-native
- Description: News curation, bias awareness, and summary synthesis
- When to use: Triggers: user asks about News, starts a research-domain quest, or needs a decision in this area. Cross-references: `ascension_research`, `ascension_reviews`. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Research (`ascension_research`)

- Category: research | Executor: research | Tier: individual | Default provider: ascension-native
- Description: Deep research with source comparison and citation preparation
- When to use: Triggers: user asks about Research, starts a research-domain quest, or needs a decision in this area. Cross-references: `ascension_news`, `ascension_reviews`. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Reviews (`ascension_reviews`)

- Category: research | Executor: research | Tier: individual | Default provider: ascension-native
- Description: Product, media, and service review writing

- When to use: Triggers: user asks about Reviews, starts a research-domain quest, or needs a decision in this area.
Cross-references: ascension_research, ascension_news. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

web (2)

Web Browsing (web_browsing)

- Category: web | Executor: web | Tier: individual | Default provider: openai
- Description: Browse the web autonomously
- When to use: Triggers: user asks about Web Browsing, starts a web-domain quest, or needs a decision in this area.
Cross-references: web_search. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Web Search (web_search)

- Category: web | Executor: web | Tier: individual | Default provider: perplexity
- Description: Search the web with citations
- When to use: Triggers: user asks about Web Search, starts a web-domain quest, or needs a decision in this area.
Cross-references: web_browsing. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

data (1)

File Analysis (file_analysis)

- Category: data | Executor: data | Tier: individual | Default provider: openai
- Description: Analyze files (PDF, DOCX, images, etc.)
- When to use: Triggers: user asks about File Analysis, starts a data-domain quest, or needs a decision in this area.
Cross-references: ascension_chat. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

documents (1)

Aerynza Legal Assistant (ascension_legal)

- Category: documents | Executor: documents | Tier: individual | Default provider: ascension-native
- Description: Document review, contract analysis, and legal guidance flags
- When to use: Triggers: user asks about Legal Assistant, starts a documents-domain quest, or needs a decision in this area.
Cross-references: ascension_chat. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

learning (1)

Aerynza Learning (ascension_learning)

- Category: learning | Executor: learning | Tier: individual | Default provider: ascension-native
- Description: Adaptive skill paths, practice generation, and concept explanation
- When to use: Triggers: user asks about Learning, starts a learning-domain quest, or needs a decision in this area.
Cross-references: ascension_chat. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

security (1)

Aerynza Security (ascension_security)

- Category: security | Executor: security | Tier: individual | Default provider: ascension-native
- Description: Security analysis, threat flags, and privacy guidance
- When to use: Triggers: user asks about Security, starts a security-domain quest, or needs a decision in this area.
Cross-references: ascension_chat. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Shell: core (120)

entertainment (30)

Aerynza Astrology (ascension_astrology)

- Category: entertainment | Executor: entertainment | Tier: individual | Default provider: ascension-native
- Description: Astrology chart basics and sign compatibility
- When to use: Triggers: user asks about Astrology, starts a entertainment-domain quest, or needs a decision in this area.
Cross-references: ascension_movies, ascension_books, ascension_sports, ascension_games, ascension_horoscope. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Betting (ascension_betting)

- Category: entertainment | Executor: entertainment | Tier: individual | Default provider: ascension-native
- Description: Sports betting, odds, and risk management
- When to use: Triggers: user asks about Betting, starts a entertainment-domain quest, or needs a decision in this area.
Cross-references: ascension_movies, ascension_books, ascension_sports, ascension_games, ascension_horoscope. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Blackjack (ascension_blackjack)

- Category: entertainment | Executor: entertainment | Tier: individual | Default provider: ascension-native
- Description: Blackjack strategy and odds
- When to use: Triggers: user asks about Blackjack, starts a entertainment-domain quest, or needs a decision in this area.
Cross-references: ascension_movies, ascension_books, ascension_sports, ascension_games, ascension_horoscope. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Board Games (ascension_boardgames)

- Category: entertainment | Executor: entertainment | Tier: individual | Default provider: ascension-native
- Description: Board game rules, strategy, and recommendations
- When to use: Triggers: user asks about Board Games, starts a entertainment-domain quest, or needs a decision in this area.
Cross-references: ascension_movies, ascension_books, ascension_sports, ascension_games, ascension_horoscope. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Books (ascension_books)

- Category: entertainment | Executor: entertainment | Tier: individual | Default provider: ascension-native
- Description: Book recommendations, analysis, and reading planning
- When to use: Triggers: user asks about Books, starts a entertainment-domain quest, or needs a decision in this area.
Cross-references: ascension_movies, ascension_sports, ascension_games, ascension_horoscope, ascension_astrology. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Casino (ascension_casino)

- Category: entertainment | Executor: entertainment | Tier: individual | Default provider: ascension-native
- Description: Casino game odds, strategy, and risk awareness
- When to use: Triggers: user asks about Casino, starts a entertainment-domain quest, or needs a decision in this area.
Cross-references: ascension_movies, ascension_books, ascension_sports, ascension_games, ascension_horoscope. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Chess (ascension_chess)

- Category: entertainment | Executor: entertainment | Tier: individual | Default provider: ascension-native
- Description: Chess openings, tactics, and strategy

- When to use: Triggers: user asks about Chess, starts a entertainment-domain quest, or needs a decision in this area. Cross-references: ascension_movies, ascension_books, ascension_sports, ascension_games, ascension_horoscope. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Comedy (ascension_comedy)

- Category: entertainment | Executor: entertainment | Tier: individual | Default provider: ascension-native
- Description: Comedy writing, timing, and performance
- When to use: Triggers: user asks about Comedy, starts a entertainment-domain quest, or needs a decision in this area. Cross-references: ascension_movies, ascension_books, ascension_sports, ascension_games, ascension_horoscope. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Comics (ascension_comics)

- Category: entertainment | Executor: entertainment | Tier: individual | Default provider: ascension-native
- Description: Comic books, grading, and collecting
- When to use: Triggers: user asks about Comics, starts a entertainment-domain quest, or needs a decision in this area. Cross-references: ascension_movies, ascension_books, ascension_sports, ascension_games, ascension_horoscope. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Concerts (ascension_concerts)

- Category: entertainment | Executor: entertainment | Tier: individual | Default provider: ascension-native
- Description: Concert planning, tickets, and etiquette
- When to use: Triggers: user asks about Concerts, starts a entertainment-domain quest, or needs a decision in this area. Cross-references: ascension_movies, ascension_books, ascension_sports, ascension_games, ascension_horoscope. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Cosplay (ascension_cosplay)

- Category: entertainment | Executor: entertainment | Tier: individual | Default provider: ascension-native
- Description: Cosplay design, construction, and events
- When to use: Triggers: user asks about Cosplay, starts a entertainment-domain quest, or needs a decision in this area. Cross-references: ascension_movies, ascension_books, ascension_sports, ascension_games, ascension_horoscope. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Festivals (ascension_festivals)

- Category: entertainment | Executor: entertainment | Tier: individual | Default provider: ascension-native
- Description: Festival planning, packing, and safety
- When to use: Triggers: user asks about Festivals, starts a entertainment-domain quest, or needs a decision in this area. Cross-references: ascension_movies, ascension_books, ascension_sports, ascension_games, ascension_horoscope. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Games (ascension_games)

- Category: entertainment | Executor: entertainment | Tier: individual | Default provider: ascension-native
- Description: Game recommendations, strategy, and design discussion
- When to use: Triggers: user asks about Games, starts a entertainment-domain quest, or needs a decision in this area. Cross-references: ascension_movies, ascension_books, ascension_sports, ascension_horoscope, ascension_astrology. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Horoscope (ascension_horoscope)

- Category: entertainment | Executor: entertainment | Tier: individual | Default provider: ascension-native
- Description: Horoscope, astrology, and personal sign guidance

- When to use: Triggers: user asks about Horoscope, starts a entertainment-domain quest, or needs a decision in this area. Cross-references: ascension_movies, ascension_books, ascension_sports, ascension_games, ascension_astrology. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Jokes (ascension_jokes)

- Category: entertainment | Executor: entertainment | Tier: individual | Default provider: ascension-native
- Description: Joke writing, setups, and punchlines
- When to use: Triggers: user asks about Jokes, starts a entertainment-domain quest, or needs a decision in this area. Cross-references: ascension_movies, ascension_books, ascension_sports, ascension_games, ascension_horoscope. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Karaoke (ascension_karaoke)

- Category: entertainment | Executor: entertainment | Tier: individual | Default provider: ascension-native
- Description: Karaoke song choice, setup, and fun
- When to use: Triggers: user asks about Karaoke, starts a entertainment-domain quest, or needs a decision in this area. Cross-references: ascension_movies, ascension_books, ascension_sports, ascension_games, ascension_horoscope. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Lottery (ascension_lottery)

- Category: entertainment | Executor: entertainment | Tier: individual | Default provider: ascension-native
- Description: Lottery odds and expectation guidance
- When to use: Triggers: user asks about Lottery, starts a entertainment-domain quest, or needs a decision in this area. Cross-references: ascension_movies, ascension_books, ascension_sports, ascension_games, ascension_horoscope. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Magic (ascension_magic)

- Category: entertainment | Executor: entertainment | Tier: individual | Default provider: ascension-native
- Description: Magic tricks, sleight of hand, and performance
- When to use: Triggers: user asks about Magic, starts a entertainment-domain quest, or needs a decision in this area. Cross-references: ascension_movies, ascension_books, ascension_sports, ascension_games, ascension_horoscope. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Movies (ascension_movies)

- Category: entertainment | Executor: entertainment | Tier: individual | Default provider: ascension-native
- Description: Film and TV recommendations, analysis, and watch planning
- When to use: Triggers: user asks about Movies, starts a entertainment-domain quest, or needs a decision in this area. Cross-references: ascension_books, ascension_sports, ascension_games, ascension_horoscope, ascension_astrology. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Poker (ascension_poker)

- Category: entertainment | Executor: entertainment | Tier: individual | Default provider: ascension-native
- Description: Poker strategy, odds, and bankroll
- When to use: Triggers: user asks about Poker, starts a entertainment-domain quest, or needs a decision in this area. Cross-references: ascension_movies, ascension_books, ascension_sports, ascension_games, ascension_horoscope. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Puzzles (ascension_puzzles)

- Category: entertainment | Executor: entertainment | Tier: individual | Default provider: ascension-native
- Description: Puzzles, logic, and problem-solving games

- When to use: Triggers: user asks about Puzzles, starts a entertainment-domain quest, or needs a decision in this area. Cross-references: ascension_movies, ascension_books, ascension_sports, ascension_games, ascension_horoscope. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza RC (ascension_rc)

- Category: entertainment | Executor: entertainment | Tier: individual | Default provider: ascension-native
- Description: RC cars, planes, boats, and maintenance
- When to use: Triggers: user asks about RC, starts a entertainment-domain quest, or needs a decision in this area. Cross-references: ascension_movies, ascension_books, ascension_sports, ascension_games, ascension_horoscope. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Riddles (ascension_riddles)

- Category: entertainment | Executor: entertainment | Tier: individual | Default provider: ascension-native
- Description: Riddles, brain teasers, and lateral thinking
- When to use: Triggers: user asks about Riddles, starts a entertainment-domain quest, or needs a decision in this area. Cross-references: ascension_movies, ascension_books, ascension_sports, ascension_games, ascension_horoscope. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Roleplay (ascension_roleplay)

- Category: entertainment | Executor: entertainment | Tier: individual | Default provider: ascension-native
- Description: Roleplay genres, character creation, and safety
- When to use: Triggers: user asks about Roleplay, starts a entertainment-domain quest, or needs a decision in this area. Cross-references: ascension_movies, ascension_books, ascension_sports, ascension_games, ascension_horoscope. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Sports (ascension_sports)

- Category: entertainment | Executor: entertainment | Tier: individual | Default provider: ascension-native
- Description: Sports analysis, training, and fan engagement
- When to use: Triggers: user asks about Sports, starts a entertainment-domain quest, or needs a decision in this area. Cross-references: ascension_movies, ascension_books, ascension_games, ascension_horoscope, ascension_astrology. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Sports Betting (ascension_sports_betting)

- Category: entertainment | Executor: entertainment | Tier: individual | Default provider: ascension-native
- Description: Sports betting strategy and risk management
- When to use: Triggers: user asks about Sports Betting, starts a entertainment-domain quest, or needs a decision in this area. Cross-references: ascension_movies, ascension_books, ascension_sports, ascension_games, ascension_horoscope. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Standup (ascension_standup)

- Category: entertainment | Executor: entertainment | Tier: individual | Default provider: ascension-native
- Description: Stand-up comedy writing and performance
- When to use: Triggers: user asks about Standup, starts a entertainment-domain quest, or needs a decision in this area. Cross-references: ascension_movies, ascension_books, ascension_sports, ascension_games, ascension_horoscope. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Tarot (ascension_tarot)

- Category: entertainment | Executor: entertainment | Tier: individual | Default provider: ascension-native
- Description: Tarot card meanings and reflective readings

- When to use: Triggers: user asks about Tarot, starts a entertainment-domain quest, or needs a decision in this area. Cross-references: ascension_movies, ascension_books, ascension_sports, ascension_games, ascension_horoscope. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Trading Cards (ascension_trading_cards)

- Category: entertainment | Executor: entertainment | Tier: individual | Default provider: ascension-native
- Description: Trading cards, value, and protection
- When to use: Triggers: user asks about Trading Cards, starts a entertainment-domain quest, or needs a decision in this area. Cross-references: ascension_movies, ascension_books, ascension_sports, ascension_games, ascension_horoscope. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Trivia (ascension_trivia)

- Category: entertainment | Executor: entertainment | Tier: individual | Default provider: ascension-native
- Description: Trivia facts, hosting, and categories
- When to use: Triggers: user asks about Trivia, starts a entertainment-domain quest, or needs a decision in this area. Cross-references: ascension_movies, ascension_books, ascension_sports, ascension_games, ascension_horoscope. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

spirituality (19)

Aerynza Baha i (ascension_bahai)

- Category: spirituality | Executor: spirituality | Tier: individual | Default provider: ascension-native
- Description: Baha i principles and practice
- When to use: Triggers: user asks about Baha i, starts a spirituality-domain quest, or needs a decision in this area. Cross-references: ascension_spirituality, ascension_mindfulness, ascension_meditation, ascension_buddhism, ascension_hinduism. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Buddhism (ascension_buddhism)

- Category: spirituality | Executor: spirituality | Tier: individual | Default provider: ascension-native
- Description: Buddhist concepts, practice, and meditation
- When to use: Triggers: user asks about Buddhism, starts a spirituality-domain quest, or needs a decision in this area. Cross-references: ascension_spirituality, ascension_mindfulness, ascension_meditation, ascension_hinduism, ascension_christianity. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Christianity (ascension_christianity)

- Category: spirituality | Executor: spirituality | Tier: individual | Default provider: ascension-native
- Description: Christian beliefs, practice, and study
- When to use: Triggers: user asks about Christianity, starts a spirituality-domain quest, or needs a decision in this area. Cross-references: ascension_spirituality, ascension_mindfulness, ascension_meditation, ascension_buddhism, ascension_hinduism. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Confucianism (ascension_confucianism)

- Category: spirituality | Executor: spirituality | Tier: individual | Default provider: ascension-native
- Description: Confucian values and practice
- When to use: Triggers: user asks about Confucianism, starts a spirituality-domain quest, or needs a decision in this area. Cross-references: ascension_spirituality, ascension_mindfulness, ascension_meditation, ascension_buddhism, ascension_hinduism. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Druidry (ascension_druidry)

- Category: spirituality | Executor: spirituality | Tier: individual | Default provider: ascension-native
 - Description: Druidry, nature, and ritual
 - When to use: Triggers: user asks about Druidry, starts a spirituality-domain quest, or needs a decision in this area.
- Cross-references: ascension_spirituality, ascension_mindfulness, ascension_meditation, ascension_buddhism, ascension_hinduism. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Hinduism (ascension_hinduism)

- Category: spirituality | Executor: spirituality | Tier: individual | Default provider: ascension-native
 - Description: Hindu philosophy, texts, and practice
 - When to use: Triggers: user asks about Hinduism, starts a spirituality-domain quest, or needs a decision in this area.
- Cross-references: ascension_spirituality, ascension_mindfulness, ascension_meditation, ascension_buddhism, ascension_christianity. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Islam (ascension_islam)

- Category: spirituality | Executor: spirituality | Tier: individual | Default provider: ascension-native
 - Description: Islamic beliefs, practice, and study
 - When to use: Triggers: user asks about Islam, starts a spirituality-domain quest, or needs a decision in this area.
- Cross-references: ascension_spirituality, ascension_mindfulness, ascension_meditation, ascension_buddhism, ascension_hinduism. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Jainism (ascension_jainism)

- Category: spirituality | Executor: spirituality | Tier: individual | Default provider: ascension-native
 - Description: Jain beliefs and practice
 - When to use: Triggers: user asks about Jainism, starts a spirituality-domain quest, or needs a decision in this area.
- Cross-references: ascension_spirituality, ascension_mindfulness, ascension_meditation, ascension_buddhism, ascension_hinduism. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Judaism (ascension_judaism)

- Category: spirituality | Executor: spirituality | Tier: individual | Default provider: ascension-native
 - Description: Jewish beliefs, practice, and study
 - When to use: Triggers: user asks about Judaism, starts a spirituality-domain quest, or needs a decision in this area.
- Cross-references: ascension_spirituality, ascension_mindfulness, ascension_meditation, ascension_buddhism, ascension_hinduism. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Meditation (ascension_meditation)

- Category: spirituality | Executor: spirituality | Tier: individual | Default provider: ascension-native
 - Description: Guided meditation, body scans, and contemplative practices
 - When to use: Triggers: user asks about Meditation, starts a spirituality-domain quest, or needs a decision in this area.
- Cross-references: ascension_spirituality, ascension_mindfulness, ascension_buddhism, ascension_hinduism, ascension_christianity. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Mindfulness (ascension_mindfulness)

- Category: spirituality | Executor: spirituality | Tier: individual | Default provider: ascension-native
 - Description: Presence, meditation, breathing, and attention training
 - When to use: Triggers: user asks about Mindfulness, starts a spirituality-domain quest, or needs a decision in this area.
- Cross-references: ascension_spirituality, ascension_meditation, ascension_buddhism, ascension_hinduism, ascension_christianity. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Native Spirituality (ascension_native_spirituality)

- Category: spirituality | Executor: spirituality | Tier: individual | Default provider: ascension-native
 - Description: Indigenous spiritual practices and respect
 - When to use: Triggers: user asks about Native Spirituality, starts a spirituality-domain quest, or needs a decision in this area.
- Cross-references: ascension_spirituality, ascension_mindfulness, ascension_meditation, ascension_buddhism, ascension_hinduism. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Paganism (ascension_paganism)

- Category: spirituality | Executor: spirituality | Tier: individual | Default provider: ascension-native
 - Description: Pagan paths, seasons, and practice
 - When to use: Triggers: user asks about Paganism, starts a spirituality-domain quest, or needs a decision in this area.
- Cross-references: ascension_spirituality, ascension_mindfulness, ascension_meditation, ascension_buddhism, ascension_hinduism. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Shamanism (ascension_shamanism)

- Category: spirituality | Executor: spirituality | Tier: individual | Default provider: ascension-native
 - Description: Shamanic journeying and practice
 - When to use: Triggers: user asks about Shamanism, starts a spirituality-domain quest, or needs a decision in this area.
- Cross-references: ascension_spirituality, ascension_mindfulness, ascension_meditation, ascension_buddhism, ascension_hinduism. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Shinto (ascension_shinto)

- Category: spirituality | Executor: spirituality | Tier: individual | Default provider: ascension-native
 - Description: Shinto practice, kami, and shrines
 - When to use: Triggers: user asks about Shinto, starts a spirituality-domain quest, or needs a decision in this area.
- Cross-references: ascension_spirituality, ascension_mindfulness, ascension_meditation, ascension_buddhism, ascension_hinduism. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Sikhism (ascension_sikhism)

- Category: spirituality | Executor: spirituality | Tier: individual | Default provider: ascension-native
 - Description: Sikh beliefs, practice, and study
 - When to use: Triggers: user asks about Sikhism, starts a spirituality-domain quest, or needs a decision in this area.
- Cross-references: ascension_spirituality, ascension_mindfulness, ascension_meditation, ascension_buddhism, ascension_hinduism. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Spirituality (ascension_spirituality)

- Category: spirituality | Executor: spirituality | Tier: individual | Default provider: ascension-native
 - Description: Faith, meaning, meditation, ritual, nature, legacy, and existential exploration
 - When to use: Triggers: user asks about Spirituality, starts a spirituality-domain quest, or needs a decision in this area.
- Cross-references: ascension_mindfulness, ascension_meditation, ascension_buddhism, ascension_hinduism, ascension_christianity. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Taoism (ascension_taoism)

- Category: spirituality | Executor: spirituality | Tier: individual | Default provider: ascension-native
 - Description: Taoist philosophy and practice
 - When to use: Triggers: user asks about Taoism, starts a spirituality-domain quest, or needs a decision in this area.
- Cross-references: ascension_spirituality, ascension_mindfulness, ascension_meditation, ascension_buddhism, ascension_hinduism. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Wicca (ascension_wicca)

- Category: spirituality | Executor: spirituality | Tier: individual | Default provider: ascension-native
- Description: Wiccan practice, sabbats, and ethics
- When to use: Triggers: user asks about Wicca, starts a spirituality-domain quest, or needs a decision in this area. Cross-references: ascension_spirituality, ascension_mindfulness, ascension_meditation, ascension_buddhism, ascension_hinduism. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

style (12)

Aerynza Bag (ascension_bag)

- Category: style | Executor: style | Tier: individual | Default provider: ascension-native
- Description: Bag and luggage selection and care
- When to use: Triggers: user asks about Bag, starts a style-domain quest, or needs a decision in this area. Cross-references: ascension_tattoo, ascension_piercing, ascension_perfume, ascension_jewelry, ascension_watch. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Beard (ascension_beard)

- Category: style | Executor: style | Tier: individual | Default provider: ascension-native
- Description: Beard styles, growth, and grooming
- When to use: Triggers: user asks about Beard, starts a style-domain quest, or needs a decision in this area. Cross-references: ascension_tattoo, ascension_piercing, ascension_perfume, ascension_jewelry, ascension_watch. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Haircut (ascension_haircut)

- Category: style | Executor: style | Tier: individual | Default provider: ascension-native
- Description: Haircut styles, face shape, and maintenance
- When to use: Triggers: user asks about Haircut, starts a style-domain quest, or needs a decision in this area. Cross-references: ascension_tattoo, ascension_piercing, ascension_perfume, ascension_jewelry, ascension_watch. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Jewelry (ascension_jewelry)

- Category: style | Executor: style | Tier: individual | Default provider: ascension-native
- Description: Jewelry selection, care, and occasion matching
- When to use: Triggers: user asks about Jewelry, starts a style-domain quest, or needs a decision in this area. Cross-references: ascension_tattoo, ascension_piercing, ascension_perfume, ascension_watch, ascension_shoes. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Makeup (ascension_makeup)

- Category: style | Executor: style | Tier: individual | Default provider: ascension-native
- Description: Makeup techniques, products, and looks
- When to use: Triggers: user asks about Makeup, starts a style-domain quest, or needs a decision in this area. Cross-references: ascension_tattoo, ascension_piercing, ascension_perfume, ascension_jewelry, ascension_watch. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Perfume (ascension_perfume)

- Category: style | Executor: style | Tier: individual | Default provider: ascension-native
- Description: Fragrance, perfume, and scent guidance
- When to use: Triggers: user asks about Perfume, starts a style-domain quest, or needs a decision in this area. Cross-references: ascension_tattoo, ascension_piercing, ascension_jewelry, ascension_watch, ascension_shoes. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Piercing (ascension_piercing)

- Category: style | Executor: style | Tier: individual | Default provider: ascension-native
- Description: Piercing types, care, and safety
- When to use: Triggers: user asks about Piercing, starts a style-domain quest, or needs a decision in this area. Cross-references: ascension_tattoo, ascension_perfume, ascension_jewelry, ascension_watch, ascension_shoes. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Shoes (ascension_shoes)

- Category: style | Executor: style | Tier: individual | Default provider: ascension-native
- Description: Shoe selection, fit, and care
- When to use: Triggers: user asks about Shoes, starts a style-domain quest, or needs a decision in this area. Cross-references: ascension_tattoo, ascension_piercing, ascension_perfume, ascension_jewelry, ascension_watch. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Sunglasses (ascension_sunglasses)

- Category: style | Executor: style | Tier: individual | Default provider: ascension-native
- Description: Sunglasses, UV protection, and style
- When to use: Triggers: user asks about Sunglasses, starts a style-domain quest, or needs a decision in this area. Cross-references: ascension_tattoo, ascension_piercing, ascension_perfume, ascension_jewelry, ascension_watch. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Tattoo (ascension_tattoo)

- Category: style | Executor: style | Tier: individual | Default provider: ascension-native
- Description: Tattoo ideas, styles, and aftercare
- When to use: Triggers: user asks about Tattoo, starts a style-domain quest, or needs a decision in this area. Cross-references: ascension_piercing, ascension_perfume, ascension_jewelry, ascension_watch, ascension_shoes. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Wallet (ascension_wallet)

- Category: style | Executor: style | Tier: individual | Default provider: ascension-native
- Description: Wallet selection and organization
- When to use: Triggers: user asks about Wallet, starts a style-domain quest, or needs a decision in this area. Cross-references: ascension_tattoo, ascension_piercing, ascension_perfume, ascension_jewelry, ascension_watch. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Watch (ascension_watch)

- Category: style | Executor: style | Tier: individual | Default provider: ascension-native
- Description: Watch selection, care, and collection guidance
- When to use: Triggers: user asks about Watch, starts a style-domain quest, or needs a decision in this area. Cross-references: ascension_tattoo, ascension_piercing, ascension_perfume, ascension_jewelry, ascension_shoes. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

sports (10)

Aerynza Baseball (ascension_baseball)

- Category: sports | Executor: sports | Tier: individual | Default provider: ascension-native
- Description: Baseball rules, strategy, and analysis
- When to use: Triggers: user asks about Baseball, starts a sports-domain quest, or needs a decision in this area. Cross-references:

ascension_cricket, ascension_basketball, ascension_football, ascension_soccer, ascension_tennis. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Basketball (ascension_basketball)

- Category: sports | Executor: sports | Tier: individual | Default provider: ascension-native
- Description: Basketball strategy, training, and analysis
- When to use: Triggers: user asks about Basketball, starts a sports-domain quest, or needs a decision in this area. Cross-references: ascension_cricket, ascension_football, ascension_baseball, ascension_soccer, ascension_tennis. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Cricket (ascension_cricket)

- Category: sports | Executor: sports | Tier: individual | Default provider: ascension-native
- Description: Cricket rules, strategy, and fan questions
- When to use: Triggers: user asks about Cricket, starts a sports-domain quest, or needs a decision in this area. Cross-references: ascension_basketball, ascension_football, ascension_baseball, ascension_soccer, ascension_tennis. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Esports (ascension_esports)

- Category: sports | Executor: sports | Tier: individual | Default provider: ascension-native
- Description: Esports games, teams, and strategy
- When to use: Triggers: user asks about Esports, starts a sports-domain quest, or needs a decision in this area. Cross-references: ascension_cricket, ascension_basketball, ascension_football, ascension_baseball, ascension_soccer. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Fantasy (ascension_fantasy)

- Category: sports | Executor: sports | Tier: individual | Default provider: ascension-native
- Description: Fantasy sports draft, lineup, and strategy
- When to use: Triggers: user asks about Fantasy, starts a sports-domain quest, or needs a decision in this area. Cross-references: ascension_cricket, ascension_basketball, ascension_football, ascension_baseball, ascension_soccer. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Football (ascension_football)

- Category: sports | Executor: sports | Tier: individual | Default provider: ascension-native
- Description: Football strategy, training, and analysis
- When to use: Triggers: user asks about Football, starts a sports-domain quest, or needs a decision in this area. Cross-references: ascension_cricket, ascension_basketball, ascension_baseball, ascension_soccer, ascension_tennis. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Golf (ascension_golf)

- Category: sports | Executor: sports | Tier: individual | Default provider: ascension-native
- Description: Golf swing, course strategy, and equipment
- When to use: Triggers: user asks about Golf, starts a sports-domain quest, or needs a decision in this area. Cross-references: ascension_cricket, ascension_basketball, ascension_football, ascension_baseball, ascension_soccer. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Hockey (ascension_hockey)

- Category: sports | Executor: sports | Tier: individual | Default provider: ascension-native
- Description: Hockey rules, strategy, and training
- When to use: Triggers: user asks about Hockey, starts a sports-domain quest, or needs a decision in this area. Cross-references:

ascension_cricket, ascension_basketball, ascension_football, ascension_baseball, ascension_soccer. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Soccer (ascension_soccer)

- Category: sports | Executor: sports | Tier: individual | Default provider: ascension-native
- Description: Soccer tactics, training, and fan questions
- When to use: Triggers: user asks about Soccer, starts a sports-domain quest, or needs a decision in this area. Cross-references: ascension_cricket, ascension_basketball, ascension_football, ascension_baseball, ascension_tennis. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Tennis (ascension_tennis)

- Category: sports | Executor: sports | Tier: individual | Default provider: ascension-native
- Description: Tennis technique, training, and matches
- When to use: Triggers: user asks about Tennis, starts a sports-domain quest, or needs a decision in this area. Cross-references: ascension_cricket, ascension_basketball, ascension_football, ascension_baseball, ascension_soccer. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

spatial (10)

AR Assistant (ar_assistant)

- Category: spatial | Executor: spatial | Tier: individual | Default provider: ascension-native
- Description: A Jarvis-level AR companion that walks with the user in the real world, sees what they see, and gives context-aware guidance
- When to use: Triggers: user asks about AR glasses, walking AI, real-world assistant, spatial companion, or Jarvis in public. Cross-references: ar_environment_scan, ar_object_recognition, ar_navigation, ar_realtime_translate, ar_people_recognition, ar_context_feed, ar_proactive_data, ar_safety_alert, ar_memory_anchor. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

AR Context Feed (ar_context_feed)

- Category: spatial | Executor: spatial | Tier: individual | Default provider: ascension-native
- Description: Stream relevant, glanceable information to the user based on what they are looking at and where they are
- When to use: Triggers: user asks for heads-up display, AR overlay info, glanceable data, or context about a place. Cross-references: ar_assistant, ar_object_recognition, ar_navigation, ar_realtime_translate, ascension_living_context, ascension_proactive_engine. Requires camera.read, location.read, and ar.overlay permissions.
- Runtime gates: per-capability True | execution True

AR Environment Scan (ar_environment_scan)

- Category: spatial | Executor: spatial | Tier: individual | Default provider: ascension-native
- Description: Build and maintain a real-time 3D map of the user's surroundings for safe AR interaction
- When to use: Triggers: user asks about scanning a room, mapping surroundings, spatial mesh, or obstacle detection. Cross-references: ar_assistant, ar_object_recognition, ar_safety_alert, ar_memory_anchor, ascension_vision. Requires camera.read, location.read, and ar.read permissions.
- Runtime gates: per-capability True | execution True

AR Memory Anchor (ar_memory_anchor)

- Category: spatial | Executor: spatial | Tier: individual | Default provider: ascension-native
- Description: Tag places, objects, and moments in the real world so AP can recall context later
- When to use: Triggers: user asks to remember where something is, save a location, or anchor an object. Cross-references: ar_assistant, ar_environment_scan, ascension_second_brain, ascension_living_memory, ascension_living_context. Requires camera.read, location.read, and ar.write permissions. Stores anchors locally unless user opts into cloud backup.
- Runtime gates: per-capability True | execution True

AR Navigation (ar_navigation)

- Category: spatial | Executor: spatial | Tier: individual | Default provider: ascension-native
- Description: Overlay walking, driving, and indoor directions directly into the user's view
- When to use: Triggers: user asks for walking directions, indoor navigation, or AR arrows to a destination. Cross-references: ar_assistant, ar_environment_scan, ar_context_feed, ascension_location_intelligence, ascension_appointments. Requires location.read, camera.read, and ar.overlay permissions.
- Runtime gates: per-capability True | execution True

AR Object Recognition (ar_object_recognition)

- Category: spatial | Executor: spatial | Tier: individual | Default provider: ascension-native
- Description: Identify objects, labels, prices, ingredients, and hazards in the user's field of view
- When to use: Triggers: user asks what something is, read a label, identify an object, or scan ingredients. Cross-references: ar_assistant, ar_environment_scan, ar_context_feed, ar_proactive_data, ascension_vision. Requires camera.read and ar.read permissions.
- Runtime gates: per-capability True | execution True

AR People Recognition (ar_people_recognition)

- Category: spatial | Executor: spatial | Tier: individual | Default provider: ascension-native
- Description: Recognize known contacts, read name tags, and give social context about people in view
- When to use: Triggers: user asks who someone is, remember a face, or get context on a contact. Cross-references: ar_assistant, ar_context_feed, ascension_personal_vortex, ascension_network_vortex, ascension_identity. Requires ar.read and an explicit privacy setting. Does not identify strangers without consent.
- Runtime gates: per-capability True | execution True

AR Proactive Data (ar_proactive_data)

- Category: spatial | Executor: spatial | Tier: individual | Default provider: ascension-native
- Description: Anticipate what the user needs next and feed it without being asked while in AR mode
- When to use: Triggers: user enables proactive AR or asks AP to look ahead. Cross-references: ar_assistant, ar_context_feed, ar_safety_alert, ascension_proactive_engine, ascension_living_context. Requires explicit opt-in, camera.read, location.read, and ar.overlay permissions. Respects bystander privacy and never proactively identifies strangers.
- Runtime gates: per-capability True | execution True

AR Real-Time Translate (ar_realtime_translate)

- Category: spatial | Executor: spatial | Tier: individual | Default provider: ascension-native
- Description: Translate signs, menus, conversations, and text the user sees in real time through AR
- When to use: Triggers: user asks to translate a sign, menu, or conversation through AR glasses. Cross-references: ar_assistant, ar_object_recognition, ar_context_feed, translation, ascension_voice_intelligence. Requires camera.read, microphone.read, and ar.overlay permissions.
- Runtime gates: per-capability True | execution True

AR Safety Alert (ar_safety_alert)

- Category: spatial | Executor: spatial | Tier: individual | Default provider: ascension-native
- Description: Warn the user about physical hazards, traffic, obstacles, and unsafe conditions in AR
- When to use: Triggers: user asks for safety warnings, obstacle detection, traffic alerts, or hazard overlay. Cross-references: ar_assistant, ar_environment_scan, ar_object_recognition, ascension_health_intelligence, ascension_location_intelligence. Requires camera.read and ar.read permissions.
- Runtime gates: per-capability True | execution True

vision (7)**Aerynza Vision (ascension_vision)**

- Category: vision | Executor: vision | Tier: individual | Default provider: ascension-native
- Description: Camera and environmental understanding
- When to use: Triggers: user asks about Vision, starts a vision-domain quest, or needs a decision in this area. Cross-references: image_generation_dalle, image_generation_midjourney, image_generation_stable, image_editing, image_generation_adobe. Use

with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Design Generation (design_generation)

- Category: vision | Executor: design | Tier: professional | Default provider: canva
- Description: Generate designs, layouts, graphics
- When to use: Triggers: user asks about Design Generation, starts a vision-domain quest, or needs a decision in this area.
- Cross-references: image_generation_dalle, image_generation_midjourney, image_generation_stable, image_editing, image_generation_adobe. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Image Editing (image_editing)

- Category: vision | Executor: image | Tier: individual | Default provider: openai
- Description: Edit and manipulate images
- When to use: Triggers: user asks about Image Editing, starts a vision-domain quest, or needs a decision in this area.
- Cross-references: image_generation_dalle, image_generation_midjourney, image_generation_stable, image_generation_adobe, design_generation. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Image Generation (Adobe Firefly) (image_generation_adobe)

- Category: vision | Executor: image | Tier: professional | Default provider: adobe
- Description: Generate images with Adobe Firefly
- When to use: Triggers: user asks about Image Generation (Adobe Firefly), starts a vision-domain quest, or needs a decision in this area.
- Cross-references: image_generation_dalle, image_generation_midjourney, image_generation_stable, image_editing, design_generation. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Image Generation (DALL-E 3) (image_generation_dalle)

- Category: vision | Executor: image | Tier: individual | Default provider: openai
- Description: Generate images with DALL-E 3
- When to use: Triggers: user asks about Image Generation (DALL-E 3), starts a vision-domain quest, or needs a decision in this area.
- Cross-references: image_generation_midjourney, image_generation_stable, image_editing, image_generation_adobe, design_generation. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Image Generation (Midjourney) (image_generation_midjourney)

- Category: vision | Executor: image | Tier: individual | Default provider: midjourney
- Description: Generate photorealistic images with Midjourney
- When to use: Triggers: user asks about Image Generation (Midjourney), starts a vision-domain quest, or needs a decision in this area.
- Cross-references: image_generation_dalle, image_generation_stable, image_editing, image_generation_adobe, design_generation. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Image Generation (Stable Diffusion) (image_generation_stable)

- Category: vision | Executor: image | Tier: individual | Default provider: stability
- Description: Generate images with Stable Diffusion
- When to use: Triggers: user asks about Image Generation (Stable Diffusion), starts a vision-domain quest, or needs a decision in this area.
- Cross-references: image_generation_dalle, image_generation_midjourney, image_editing, image_generation_adobe, design_generation. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

automotive (7)

Aerynza Bicycle (ascension_bicycle)

- Category: automotive | Executor: automotive | Tier: individual | Default provider: ascension-native
- Description: Bicycle selection, maintenance, and riding

- When to use: Triggers: user asks about Bicycle, starts a automotive-domain quest, or needs a decision in this area. Cross-references: ascension_car_buying, ascension_car_maintenance, ascension_motorcycle, ascension_boat, ascension_rv. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Boat (ascension_boat)

- Category: automotive | Executor: automotive | Tier: individual | Default provider: ascension-native
- Description: Boating basics, safety, and maintenance
- When to use: Triggers: user asks about Boat, starts a automotive-domain quest, or needs a decision in this area. Cross-references: ascension_car_buying, ascension_car_maintenance, ascension_motorcycle, ascension_bicycle, ascension_rv. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Car Buying (ascension_car_buying)

- Category: automotive | Executor: automotive | Tier: individual | Default provider: ascension-native
- Description: Car buying, negotiation, and research
- When to use: Triggers: user asks about Car Buying, starts a automotive-domain quest, or needs a decision in this area. Cross-references: ascension_car_maintenance, ascension_motorcycle, ascension_bicycle, ascension_boat, ascension_rv. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Car Maintenance (ascension_car_maintenance)

- Category: automotive | Executor: automotive | Tier: individual | Default provider: ascension-native
- Description: Car maintenance, service schedules, and troubleshooting
- When to use: Triggers: user asks about Car Maintenance, starts a automotive-domain quest, or needs a decision in this area. Cross-references: ascension_car_buying, ascension_motorcycle, ascension_bicycle, ascension_boat, ascension_rv. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Electric Vehicle (ascension_electric_vehicle)

- Category: automotive | Executor: automotive | Tier: individual | Default provider: ascension-native
- Description: EV selection, charging, and ownership
- When to use: Triggers: user asks about Electric Vehicle, starts a automotive-domain quest, or needs a decision in this area. Cross-references: ascension_car_buying, ascension_car_maintenance, ascension_motorcycle, ascension_bicycle, ascension_boat. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Motorcycle (ascension_motorcycle)

- Category: automotive | Executor: automotive | Tier: individual | Default provider: ascension-native
- Description: Motorcycle riding, gear, and maintenance
- When to use: Triggers: user asks about Motorcycle, starts a automotive-domain quest, or needs a decision in this area. Cross-references: ascension_car_buying, ascension_car_maintenance, ascension_bicycle, ascension_boat, ascension_rv. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza RV (ascension_rv)

- Category: automotive | Executor: automotive | Tier: individual | Default provider: ascension-native
- Description: RV travel, maintenance, and trip planning
- When to use: Triggers: user asks about RV, starts a automotive-domain quest, or needs a decision in this area. Cross-references: ascension_car_buying, ascension_car_maintenance, ascension_motorcycle, ascension_bicycle, ascension_boat. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

audio (6)

Audio Editing (audio_editing)

- Category: audio | Executor: audio | Tier: individual | Default provider: openai
- Description: Edit and manipulate audio
- When to use: Triggers: user asks about Audio Editing, starts a audio-domain quest, or needs a decision in this area. Cross-references: text_to_speech, speech_to_text, music_generation_suno, music_generation_udio, voice_cloning. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Music Generation (Suno) (music_generation_suno)

- Category: audio | Executor: audio | Tier: individual | Default provider: suno
- Description: Generate music with Suno AI
- When to use: Triggers: user asks about Music Generation (Suno), starts a audio-domain quest, or needs a decision in this area. Cross-references: text_to_speech, speech_to_text, music_generation_udio, audio_editing, voice_cloning. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Music Generation (Udio) (music_generation_udio)

- Category: audio | Executor: audio | Tier: individual | Default provider: udio
- Description: Generate music with Udio
- When to use: Triggers: user asks about Music Generation (Udio), starts a audio-domain quest, or needs a decision in this area. Cross-references: text_to_speech, speech_to_text, music_generation_suno, audio_editing, voice_cloning. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Speech-to-Text (speech_to_text)

- Category: audio | Executor: audio | Tier: individual | Default provider: placeholder
- Description: Convert speech to text with Whisper
- When to use: Triggers: user asks about Speech-to-Text, starts a audio-domain quest, or needs a decision in this area. Cross-references: text_to_speech, music_generation_suno, music_generation_udio, audio_editing, voice_cloning. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Text-to-Speech (text_to_speech)

- Category: audio | Executor: audio | Tier: individual | Default provider: elevenlabs
- Description: Convert text to speech with ElevenLabs
- When to use: Triggers: user asks about Text-to-Speech, starts a audio-domain quest, or needs a decision in this area. Cross-references: speech_to_text, music_generation_suno, music_generation_udio, audio_editing, voice_cloning. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Voice Cloning (voice_cloning)

- Category: audio | Executor: audio | Tier: professional | Default provider: elevenlabs
- Description: Clone voices with ElevenLabs
- When to use: Triggers: user asks about Voice Cloning, starts a audio-domain quest, or needs a decision in this area. Cross-references: text_to_speech, speech_to_text, music_generation_suno, music_generation_udio, audio_editing. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

video (5)

Video Editing (video_editing)

- Category: video | Executor: video | Tier: professional | Default provider: runway
- Description: Edit and manipulate videos
- When to use: Triggers: user asks about Video Editing, starts a video-domain quest, or needs a decision in this area. Cross-references: video_generation_runway, video_generation_pika, video_generation_luma, video_generation_stable. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Video Generation (Luma Dream Machine) (video_generation_luma)

- Category: video | Executor: video | Tier: professional | Default provider: luma
- Description: Generate videos with Luma Dream Machine
- When to use: Triggers: user asks about Video Generation (Luma Dream Machine), starts a video-domain quest, or needs a decision in this area. Cross-references: video_generation_runway, video_generation_pika, video_generation_stable, video_editing. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Video Generation (Pika Labs) (video_generation_pika)

- Category: video | Executor: video | Tier: professional | Default provider: pika
- Description: Generate videos with Pika Labs
- When to use: Triggers: user asks about Video Generation (Pika Labs), starts a video-domain quest, or needs a decision in this area. Cross-references: video_generation_runway, video_generation_luma, video_generation_stable, video_editing. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Video Generation (Runway) (video_generation_runway)

- Category: video | Executor: video | Tier: professional | Default provider: runway
- Description: Generate videos with Runway ML
- When to use: Triggers: user asks about Video Generation (Runway), starts a video-domain quest, or needs a decision in this area. Cross-references: video_generation_pika, video_generation_luma, video_generation_stable, video_editing. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Video Generation (Stable Video) (video_generation_stable)

- Category: video | Executor: video | Tier: professional | Default provider: stability
- Description: Generate videos with Stable Video Diffusion
- When to use: Triggers: user asks about Video Generation (Stable Video), starts a video-domain quest, or needs a decision in this area. Cross-references: video_generation_runway, video_generation_pika, video_generation_luma, video_editing. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

social (4)

Aerynza Discord (ascension_discord)

- Category: social | Executor: social | Tier: individual | Default provider: ascension-native
- Description: Discord servers, roles, and moderation
- When to use: Triggers: user asks about Discord, starts a social-domain quest, or needs a decision in this area. Cross-references: relationship_graph, ascension_facebook, ascension_reddit. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Facebook (ascension_facebook)

- Category: social | Executor: social | Tier: individual | Default provider: ascension-native
- Description: Facebook groups, pages, and events
- When to use: Triggers: user asks about Facebook, starts a social-domain quest, or needs a decision in this area. Cross-references: relationship_graph, ascension_reddit, ascension_discord. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Reddit (ascension_reddit)

- Category: social | Executor: social | Tier: individual | Default provider: ascension-native
- Description: Reddit communities, posts, and etiquette
- When to use: Triggers: user asks about Reddit, starts a social-domain quest, or needs a decision in this area. Cross-references: relationship_graph, ascension_facebook, ascension_discord. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Relationship Graph (relationship_graph)

- Category: social | Executor: social | Tier: individual | Default provider: custom
- Description: Relationship graph engine
- When to use: Triggers: user asks about Relationship Graph, starts a social-domain quest, or needs a decision in this area. Cross-references: ascension_facebook, ascension_reddit, ascension_discord. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

travel (4)

Aerynza Flight (ascension_flight)

- Category: travel | Executor: travel | Tier: individual | Default provider: ascension-native
- Description: Flight booking, airports, and travel strategy
- When to use: Triggers: user asks about Flight, starts a travel-domain quest, or needs a decision in this area. Cross-references: ascension_public_transit, ascension_rideshare, ascension_travel_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Public Transit (ascension_public_transit)

- Category: travel | Executor: travel | Tier: individual | Default provider: ascension-native
- Description: Public transit navigation, schedules, and tips
- When to use: Triggers: user asks about Public Transit, starts a travel-domain quest, or needs a decision in this area. Cross-references: ascension_rideshare, ascension_flight, ascension_travel_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Rideshare (ascension_rideshare)

- Category: travel | Executor: travel | Tier: individual | Default provider: ascension-native
- Description: Rideshare, taxi, and driver guidance
- When to use: Triggers: user asks about Rideshare, starts a travel-domain quest, or needs a decision in this area. Cross-references: ascension_public_transit, ascension_flight, ascension_travel_insurance. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Travel Insurance (ascension_travel_insurance)

- Category: travel | Executor: travel | Tier: individual | Default provider: ascension-native
- Description: Travel insurance coverage and claims
- When to use: Triggers: user asks about Travel Insurance, starts a travel-domain quest, or needs a decision in this area. Cross-references: ascension_public_transit, ascension_rideshare, ascension_flight. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

environment (2)

Aerynza Environment (ascension_environment)

- Category: environment | Executor: environment | Tier: individual | Default provider: ascension-native
- Description: Sustainability, climate, and ecological action planning
- When to use: Triggers: user asks about Environment, starts a environment-domain quest, or needs a decision in this area. Cross-references: ascension_weather. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Weather (ascension_weather)

- Category: environment | Executor: environment | Tier: individual | Default provider: ascension-native
- Description: Weather-aware planning and safety recommendations

- When to use: Triggers: user asks about Weather, starts a environment-domain quest, or needs a decision in this area. Cross-references: ascension_environment. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

community (2)

Aerynza Activism (ascension_activism)

- Category: community | Executor: community | Tier: individual | Default provider: ascension-native
- Description: Civic action, advocacy, and community organizing
- When to use: Triggers: user asks about Activism, starts a community-domain quest, or needs a decision in this area. Cross-references: ascension_volunteering. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Volunteering (ascension_volunteering)

- Category: community | Executor: community | Tier: individual | Default provider: ascension-native
- Description: Service, volunteering, and community contribution matching
- When to use: Triggers: user asks about Volunteering, starts a community-domain quest, or needs a decision in this area. Cross-references: ascension_activism. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

sprout (1)

Aerynza Sprout (ascension_sprout)

- Category: sprout | Executor: sprout | Tier: individual | Default provider: ascension-native
- Description: Child development and learning paths
- When to use: Triggers: user asks about Sprout, starts a sprout-domain quest, or needs a decision in this area. Cross-references: ascension_chat. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

voice (1)

Aerynza Voice (ascension_voice)

- Category: voice | Executor: voice | Tier: individual | Default provider: ascension-native
- Description: Voice commands, transcription, and speech-driven control
- When to use: Triggers: user asks about Voice, starts a voice-domain quest, or needs a decision in this area. Cross-references: ascension_chat. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Shell: nexus_home (40)

home (40)

Aerynza Appointments (ascension_appointments)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
- Description: Track, schedule, and prepare for appointments across health, work, family, and services
- When to use: Triggers: user asks about Appointments, starts a home-domain quest, or needs a decision in this area. Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Aquaponics (ascension_aquaponics)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
- Description: Aquaponics systems, fish, and plants
- When to use: Triggers: user asks about Aquaponics, starts a home-domain quest, or needs a decision in this area.

Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Automotive (ascension_automotive)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
- Description: Vehicle maintenance, diagnostics, and buying guidance
- When to use: Triggers: user asks about Automotive, starts a home-domain quest, or needs a decision in this area. Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_pets. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Baking (ascension_baking)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
- Description: Baking recipes, technique, and troubleshooting
- When to use: Triggers: user asks about Baking, starts a home-domain quest, or needs a decision in this area. Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Balcony (ascension_balcony)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
- Description: Balcony, patio, and small outdoor space use
- When to use: Triggers: user asks about Balcony, starts a home-domain quest, or needs a decision in this area. Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Canning (ascension_canning)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
- Description: Canning methods, safety, and storage
- When to use: Triggers: user asks about Canning, starts a home-domain quest, or needs a decision in this area. Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Cleaning (ascension_cleaning)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
- Description: Cleaning routines, schedules, and product guidance
- When to use: Triggers: user asks about Cleaning, starts a home-domain quest, or needs a decision in this area. Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Commute (ascension_commute)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
- Description: Commute planning, routes, and optimization
- When to use: Triggers: user asks about Commute, starts a home-domain quest, or needs a decision in this area. Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Composting (ascension_composting)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
- Description: Composting methods, balance, and use
- When to use: Triggers: user asks about Composting, starts a home-domain quest, or needs a decision in this area.

Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Cooking (ascension_cooking)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
- Description: Meal planning, recipes, and kitchen guidance
- When to use: Triggers: user asks about Cooking, starts a home-domain quest, or needs a decision in this area. Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Decor (ascension_decor)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
- Description: Decor choices, themes, and styling
- When to use: Triggers: user asks about Decor, starts a home-domain quest, or needs a decision in this area. Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Events (ascension_events)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
- Description: Event planning, coordination, and logistics
- When to use: Triggers: user asks about Events, starts a home-domain quest, or needs a decision in this area. Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_automotive, ascension_pets. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Fermentation (ascension_fermentation)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
- Description: Fermentation, pickles, and safety
- When to use: Triggers: user asks about Fermentation, starts a home-domain quest, or needs a decision in this area. Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Garden (ascension_garden)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
- Description: Garden planning, plant care, and growing guidance
- When to use: Triggers: user asks about Garden, starts a home-domain quest, or needs a decision in this area. Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Gardening (ascension_gardening)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
- Description: Garden planning, planting, and care
- When to use: Triggers: user asks about Gardening, starts a home-domain quest, or needs a decision in this area. Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Grocery List (ascension_grocery_list)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
- Description: Grocery list creation, pantry check, and budget
- When to use: Triggers: user asks about Grocery List, starts a home-domain quest, or needs a decision in this area.

Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza HomeOS (ascension_home)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
 - Description: Household and co-parenting coordination
 - When to use: Triggers: user asks about HomeOS, starts a home-domain quest, or needs a decision in this area.
- Cross-references: ascension_travel, ascension_realestate, ascension_events, ascension_automotive, ascension_pets. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Household Sync (ascension_household_sync)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
 - Description: Sync chores, shopping, meals, and routines across the household
 - When to use: Triggers: user asks about Household Sync, starts a home-domain quest, or needs a decision in this area.
- Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Hydroponics (ascension_hydroponics)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
 - Description: Hydroponic systems, nutrients, and crops
 - When to use: Triggers: user asks about Hydroponics, starts a home-domain quest, or needs a decision in this area.
- Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Interior Design (ascension_interior_design)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
 - Description: Interior layout, color, and decor planning
 - When to use: Triggers: user asks about Interior Design, starts a home-domain quest, or needs a decision in this area.
- Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Landscaping (ascension_landscaping)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
 - Description: Landscape design, plants, and maintenance
 - When to use: Triggers: user asks about Landscaping, starts a home-domain quest, or needs a decision in this area.
- Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Laundry (ascension_laundry)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
 - Description: Laundry routines, stains, and care
 - When to use: Triggers: user asks about Laundry, starts a home-domain quest, or needs a decision in this area. Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Lawn Care (ascension_lawn_care)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
- Description: Lawn care, mowing, and fertilization
- When to use: Triggers: user asks about Lawn Care, starts a home-domain quest, or needs a decision in this area.

Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Life Admin (ascension_life_admin)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
- Description: Manage paperwork, renewals, deadlines, and bureaucratic tasks for the user and family
- When to use: Triggers: user asks about Life Admin, starts a home-domain quest, or needs a decision in this area. Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Lighting (ascension_lighting)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
- Description: Lighting design, bulbs, and ambiance
- When to use: Triggers: user asks about Lighting, starts a home-domain quest, or needs a decision in this area. Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Maintenance (ascension_maintenance)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
- Description: Track home, vehicle, health, and device maintenance schedules with reminders
- When to use: Triggers: user asks about Maintenance, starts a home-domain quest, or needs a decision in this area. Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Mixology (ascension_mixology)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
- Description: Cocktail, mocktail, and beverage guidance
- When to use: Triggers: user asks about Mixology, starts a home-domain quest, or needs a decision in this area. Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Moving (ascension_moving)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
- Description: Relocation planning, checklists, and logistics
- When to use: Triggers: user asks about Moving, starts a home-domain quest, or needs a decision in this area. Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Organizing (ascension_organizing)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
- Description: Organization systems and decluttering
- When to use: Triggers: user asks about Organizing, starts a home-domain quest, or needs a decision in this area. Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Packing (ascension_packing)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
- Description: Packing lists and travel preparation
- When to use: Triggers: user asks about Packing, starts a home-domain quest, or needs a decision in this area. Cross-references:

ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Parenting (ascension_parenting)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
- Description: Child development, discipline, co-parenting, and parent support
- When to use: Triggers: user asks about Parenting, starts a home-domain quest, or needs a decision in this area. Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Pets (ascension_pets)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
- Description: Pet care, health, training, and nutrition guidance
- When to use: Triggers: user asks about Pets, starts a home-domain quest, or needs a decision in this area. Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Preserving (ascension_preserving)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
- Description: Food preservation, canning, and drying
- When to use: Triggers: user asks about Preserving, starts a home-domain quest, or needs a decision in this area. Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Real Estate (ascension_realestate)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
- Description: Housing search, lease review, and property analysis
- When to use: Triggers: user asks about Real Estate, starts a home-domain quest, or needs a decision in this area. Cross-references: ascension_home, ascension_travel, ascension_events, ascension_automotive, ascension_pets. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Repair (ascension_repair)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
- Description: DIY repairs, maintenance, and when-to-call-a-pro guidance
- When to use: Triggers: user asks about Repair, starts a home-domain quest, or needs a decision in this area. Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Routine (ascension_routine)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
- Description: Design, sync, and adapt daily, weekly, and seasonal routines for the user and household
- When to use: Triggers: user asks about Routine, starts a home-domain quest, or needs a decision in this area. Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Smell (ascension_smell)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
- Description: Scent, air quality, and fragrance guidance
- When to use: Triggers: user asks about Smell, starts a home-domain quest, or needs a decision in this area. Cross-references:

ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.

- Runtime gates: per-capability True | execution True

Aerynza Sound (ascension_sound)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
- Description: Sound, acoustics, and noise management
- When to use: Triggers: user asks about Sound, starts a home-domain quest, or needs a decision in this area. Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Storage (ascension_storage)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
- Description: Storage solutions and space planning
- When to use: Triggers: user asks about Storage, starts a home-domain quest, or needs a decision in this area. Cross-references: ascension_home, ascension_travel, ascension_realestate, ascension_events, ascension_automotive. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Travel (ascension_travel)

- Category: home | Executor: home | Tier: individual | Default provider: ascension-native
- Description: Trip planning, flight search, and itinerary preparation
- When to use: Triggers: user asks about Travel, starts a home-domain quest, or needs a decision in this area. Cross-references: ascension_home, ascension_realestate, ascension_events, ascension_automotive, ascension_pets. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Shell: nexus_family (17)

relationships (13)

Aerynza Active Listening (ascension_active_listening)

- Category: relationships | Executor: relationships | Tier: individual | Default provider: ascension-native
- Description: Active listening and reflective response
- When to use: Triggers: user asks about Active Listening, starts a relationships-domain quest, or needs a decision in this area. Cross-references: ascension_relationships, ascension_dating, ascension_social, ascension_rapport, ascension_empathy. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Assertiveness (ascension_assertiveness)

- Category: relationships | Executor: relationships | Tier: individual | Default provider: ascension-native
- Description: Assertive communication and boundaries
- When to use: Triggers: user asks about Assertiveness, starts a relationships-domain quest, or needs a decision in this area. Cross-references: ascension_relationships, ascension_dating, ascension_social, ascension_rapport, ascension_empathy. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Boundaries (ascension_boundaries)

- Category: relationships | Executor: relationships | Tier: individual | Default provider: ascension-native
- Description: Personal boundaries and maintenance
- When to use: Triggers: user asks about Boundaries, starts a relationships-domain quest, or needs a decision in this area. Cross-references: ascension_relationships, ascension_dating, ascension_social, ascension_rapport, ascension_empathy. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Charisma (ascension_charisma)

- Category: relationships | Executor: relationships | Tier: individual | Default provider: ascension-native
- Description: Charisma, presence, and influence
- When to use: Triggers: user asks about Charisma, starts a relationships-domain quest, or needs a decision in this area.
Cross-references: ascension_relationships, ascension_dating, ascension_social, ascension_rapport, ascension_empathy. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Community (ascension_community)

- Category: relationships | Executor: relationships | Tier: individual | Default provider: ascension-native
- Description: Track communities, groups, and local/global causes
- When to use: Triggers: user asks about Community, starts a relationships-domain quest, or needs a decision in this area.
Cross-references: ascension_relationships, ascension_dating, ascension_social, ascension_rapport, ascension_empathy. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Conflict Resolution (ascension_conflict_resolution)

- Category: relationships | Executor: relationships | Tier: individual | Default provider: ascension-native
- Description: Conflict resolution and mediation
- When to use: Triggers: user asks about Conflict Resolution, starts a relationships-domain quest, or needs a decision in this area.
Cross-references: ascension_relationships, ascension_dating, ascension_social, ascension_rapport, ascension_empathy. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Dating (ascension_dating)

- Category: relationships | Executor: relationships | Tier: individual | Default provider: ascension-native
- Description: Dating strategy, safety, boundaries, and communication
- When to use: Triggers: user asks about Dating, starts a relationships-domain quest, or needs a decision in this area.
Cross-references: ascension_relationships, ascension_social, ascension_rapport, ascension_empathy, ascension_charisma. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Empathy (ascension_empathy)

- Category: relationships | Executor: relationships | Tier: individual | Default provider: ascension-native
- Description: Empathy, listening, and response
- When to use: Triggers: user asks about Empathy, starts a relationships-domain quest, or needs a decision in this area.
Cross-references: ascension_relationships, ascension_dating, ascension_social, ascension_rapport, ascension_charisma. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Network Vortex (ascension_network_vortex)

- Category: relationships | Executor: relationships | Tier: individual | Default provider: ascension-native
- Description: Maintain the people graph: relationships, organizations, and community
- When to use: Triggers: user asks about Network Vortex, starts a relationships-domain quest, or needs a decision in this area.
Cross-references: ascension_relationships, ascension_dating, ascension_social, ascension_rapport, ascension_empathy. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Rapport (ascension_rapport)

- Category: relationships | Executor: relationships | Tier: individual | Default provider: ascension-native
- Description: Building rapport and trust
- When to use: Triggers: user asks about Rapport, starts a relationships-domain quest, or needs a decision in this area.
Cross-references: ascension_relationships, ascension_dating, ascension_social, ascension_empathy, ascension_charisma. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Relationship Intelligence (ascension_relationship_intelligence)

- Category: relationships | Executor: relationships | Tier: individual | Default provider: ascension-native
- Description: Synthesize relationships, network, community, mentors, and influence
- When to use: Triggers: user asks about Relationship Intelligence, starts a relationships-domain quest, or needs a decision in this area. Cross-references: ascension_relationships, ascension_dating, ascension_social, ascension_rapport, ascension_empathy. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Relationships (ascension_relationships)

- Category: relationships | Executor: relationships | Tier: individual | Default provider: ascension-native
- Description: Communication support, follow-up prep, and relationship context
- When to use: Triggers: user asks about Relationships, starts a relationships-domain quest, or needs a decision in this area. Cross-references: ascension_dating, ascension_social, ascension_rapport, ascension_empathy, ascension_charisma. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Social (ascension_social)

- Category: relationships | Executor: relationships | Tier: individual | Default provider: ascension-native
- Description: Friendship, networking, social skills, and community
- When to use: Triggers: user asks about Social, starts a relationships-domain quest, or needs a decision in this area. Cross-references: ascension_relationships, ascension_dating, ascension_rapport, ascension_empathy, ascension_charisma. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

family (4)**Aerynza Child Development (ascension_child_development)**

- Category: family | Executor: family | Tier: family | Default provider: ascension-native
- Description: Track developmental milestones, learning, and activities for each child
- When to use: Triggers: user asks about Child Development, starts a family-domain quest, or needs a decision in this area. Cross-references: ascension_family, ascension_family_sync, ascension_family_abroad. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Family Abroad (ascension_family_abroad)

- Category: family | Executor: family | Tier: family | Default provider: ascension-native
- Description: Support coordination, calls, gifts, visits, and updates for family living abroad
- When to use: Triggers: user asks about Family Abroad, starts a family-domain quest, or needs a decision in this area. Cross-references: ascension_family, ascension_family_sync, ascension_child_development. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza Family Sync (ascension_family_sync)

- Category: family | Executor: family | Tier: family | Default provider: ascension-native
- Description: Sync schedules, tasks, and updates across household and extended family members
- When to use: Triggers: user asks about Family Sync, starts a family-domain quest, or needs a decision in this area. Cross-references: ascension_family, ascension_family_abroad, ascension_child_development. Use with permission-scoped context and a receipt for any action.
- Runtime gates: per-capability True | execution True

Aerynza FamilyOS (ascension_family)

- Category: family | Executor: family | Tier: individual | Default provider: ascension-native
- Description: Family enterprise, tree, and governance
- When to use: Triggers: user asks about FamilyOS, starts a family-domain quest, or needs a decision in this area. Cross-references: ascension_family_sync, ascension_family_abroad, ascension_child_development. Use with permission-scoped

context and a receipt for any action.

- Runtime gates: per-capability True | execution True