

PRODUCT DESIGN REVIEW

Mobile UI/UX Review

A design, usability and accessibility audit of the retail shop-operations app — with prioritised, screen-by-screen recommendations to make it feel modern, premium and trustworthy for UK retail businesses.

Platform: React Native (Expo) — iOS & Android
Scope: ~90 screens across 20 feature modules + shared component kit
Audience: Shop owners, managers & staff (paid B2B SaaS)
Prepared: 2 July 2026

Contents

1	Executive summary	03
2	Overall verdict & scorecard	03
3	Top priorities (do these first)	04
4	Cross-cutting themes	05
5	Design foundations — colour, type, spacing, components	06
6	Navigation architecture	07
7	Accessibility	08
8	Copy & tone of voice	08
9	Screen-by-screen findings	09
10	Quick-win checklist	—

How to read this document

Findings are graded **HIGH** (fix before launch / hurts trust or usability), **MED** (noticeably improves quality) and **LOW** (polish). Locations are given as `File.tsx:line` so engineering can jump straight to them. Each screen also lists what is already working well, so strengths are preserved during redesign.

1 Executive summary

This is a capable, feature-rich operations product with a genuinely strong foundation — but it currently *looks and feels like powerful internal software rather than a polished paid product*. The gap between the two is not craft; it is **consistency and finishing**.

The app already does many hard things well: a real design-token system with light & dark palettes, a single well-built primary button with motion and haptics, thoughtful keyboard handling, AI-assisted data capture (photographing till reports and delivery notes), an excellent in-app help system, and some genuinely SaaS-grade screens (the Owner Overview dashboard, the Till Reconciliation flow, the Settings hub). Colour discipline is excellent — the vast majority of screens use theme tokens rather than hardcoded values, so light/dark parity is largely automatic.

What holds it back is a set of **systemic, repeating issues** that appear across dozens of screens. These are individually small but collectively define the "feel" of the product:

- **Touch targets are routinely below the 44 pt minimum** — chips, icon buttons and text links sit at 26–40 pt across the whole app, making it fiddly for staff working quickly at the till.
- **Error states silently masquerade as empty states** — many lists show "Nothing here yet" when a network request actually failed, which for compliance and cash screens is a trust hazard.
- **Accessibility is inconsistent** — the navigation chrome is well-labelled, but most screen buttons, rows and chips have no screen-reader role, and small grey text fails contrast guidelines.
- **Confirmation is asymmetric on irreversible actions** — reopening a day is well-guarded, yet closing a day (with no variance) and closing a shift commit instantly on a single tap.
- **Copy drifts** between Title Case and sentence case, exposes developer vocabulary ("token", "InStock", GUIDs) and mixes American spellings into otherwise good UK English.
- **Autofill is entirely absent** on the login and sign-up forms — password managers and one-tap verification codes don't work on the app's most-used screens.

The opportunity

Because these problems are patterns rather than one-offs, a relatively small number of shared fixes — a runtime theme, a completed button, a shared chip/list-state component, an accessibility sweep and a copy pass — will lift perceived quality across the entire app at once. The building blocks already exist; they need consolidating and applying evenly.

2 Overall verdict & scorecard

Design-system maturity is best described as a **"strong adolescent" — roughly 3 out of 5**. Well above ad-hoc (there is a real token system, one blessed button, canonical empty/loading primitives, and zero legacy `TouchableOpacity` anywhere), but missing the consolidation layer that makes a product feel finished.

VISUAL DESIGN

Good

Clean cards & tokens; let down by micro-

UX & FLOWS

Good

Smart flows; weak on error states &

MOBILE FIT

Fair

Systemic sub-44pt targets; excellent

FORMS

Fair

Great pattern exists but only half-adopted; no

typography and inconsistent chrome.

confirmation symmetry.

keyboard handling.

autofill.

ACCESSIBILITY

Needs work

Inconsistent roles; contrast fails on small grey text.

COPY & TONE

Fair

Excellent help content; drifts elsewhere.

Is it worthy of a paid subscription today?

In parts, yes — the Owner Overview, Settings hub, Till Reconciliation and the AI-capture flows already feel premium. But the perceived-quality gap is concentrated in the **oldest screens** (most reports, User Management, Subscription Summary, the raw config editor) which read like admin scaffolding: stacked "Label: value" text, invisible input fields, raw GUIDs and enum codes. Fixing that handful of screens plus the cross-cutting patterns is what moves the whole product from "capable tool" to "trustworthy paid product".

3 Top priorities (do these first)

Ordered by leverage — each item fixes a problem that repeats across many screens, so the effort pays back everywhere.

P0 — Correctness & trust (ship-blockers)

1. **Confirm irreversible money/stock actions.** Closing a day with no variance and closing a shift on the normal path both commit on a single tap with no confirmation. Add a recap confirm ("Close Tuesday 1 July — 3 shifts, £Y sales?"). Same for pack status changes and payout/safe-drop approvals.
2. **Add real error states.** Across most list/report screens a failed request renders as an empty state ("No deliveries yet", "No transactions"). Introduce one shared query-state component (loading → error+retry → empty → content) and adopt it everywhere.
3. **Fix the notification tone/title bug.** `toastSuccess()` renders info-blue and confirm dialogs titled "Delete till" get silently rewritten to "Error" by a keyword heuristic. Plumb the caller's tone/title through instead of re-deriving it.
4. **Stop UTC times displaying as local.** Coin alerts/history slice raw ISO strings, showing times an hour off during British Summer Time on cash-audit screens.

P1 — Perceived quality & usability

1. **Touch-target sweep to 44 pt.** Extract a shared `Chip` and `IconButton` with a built-in 44 pt hit area and adopt them; fixes chips, segmented controls, icon action-clusters and text links app-wide.
2. **Complete `PrimaryButton`.** Add a proper `loading` state (spinner), add the missing accessibility role, and fix the disabled state where near-white text sits on a near-white background (busy labels are currently almost invisible).
3. **Enable autofill on auth screens.** Add `textContentType` / `autoComplete` for email, password, new-password and one-time-code. One line per field; big real-world win.

4. **Nested-scroll fix on reports.** Five report screens put a `ScrollView` inside the container's own scroller, causing janky scrolling. Remove the inner scrollers.
5. **Fix invisible inputs in Settings.** Several text fields use a border-less style on a same-colour background — the tappable area is invisible. Switch to the shared input style.

P2 — Polish & consistency

1. **Copy pass:** sentence case everywhere; replace "token"→"code", raw enums→friendly labels, GUIDs→names; fix "behavior/Organization"→UK spelling.
2. **Humanise status everywhere** with one `humanizeStatus()` map ("InStock"→"In stock", "ReadyToClose"→"Ready to close").
3. **Consolidate duplicated UI:** one bottom-sheet, one segmented control, one date-range picker, one set of money/currency helpers.
4. **Raise the type floor** to 12 pt for load-bearing data and add a dynamic-type cap.

4 Cross-cutting themes

These patterns recur across the whole app. They are the highest-leverage places to invest because a single fix improves every screen that shares the pattern.

4.1 Touch targets cluster just under 44 pt

The pill-chip / small-button / icon-button idioms sit at roughly 26–40 pt across at least a dozen files (segmented controls ~34, date-range chips ~33, role chips ~27, icon action clusters ~34, "Cancel invitation" ~26, reverse-transaction ~28). Individually minor; collectively the app feels fiddly for staff working at speed. A shared `Chip / IconButton` with an enforced 44 pt hit area removes the whole class at once.

4.2 Error states collapse into empty states

Most `useQuery` screens handle loading and empty, but not failure — so a dropped connection renders as "No X yet", sometimes with a "create one" call to action. On compliance registers and cash reports this is actively misleading. One shared query-state gate fixes ~20 screens.

4.3 Confirmation is asymmetric on irreversible actions

Reopen-day, sold-out, variance-close and attachment-remove are all well-guarded — but the two most consequential actions (no-variance day close, normal-path shift close) fire instantly, as do pack status changes and approvals. Rule of thumb: *anything that locks money figures or changes stock state gets a confirm.*

4.4 The good form pattern is only half-adopted

The house convention — an always-enabled submit button that reveals friendly inline field errors on blur/submit — is implemented beautifully on Safe Drop, Prize Payout, Add Product and Coin Adjustment. But older screens (pack create, receive delivery, several config forms) still validate by throwing inside the save call and surfacing one generic toast, with placeholder-only labels and no required-field marking. Converge on the good pattern.

4.5 Raw system values leak to users

Enum codes (`InStock` , `ReadyToClose` , `ScannedEdited`), GUIDs ("Changed by: 8f3a...", "Shift: {guid}") and developer nouns ("token", "master game", "ledger", "tender") appear in user-facing UI. Each undermines the paid-product feel. Centralise enum→label maps and resolve IDs to names.

4.6 Duplicated components & helpers drift apart

Five hand-rolled bottom sheets, three segmented controls, three date-range pickers, two report-action components, and money/role/attachment helpers copy-pasted across 3–5 files each — with the copies slowly diverging (e.g. a serial-confirm input that is 30 pt tall in one place and 44 in another). Consolidation both fixes bugs and enforces consistency.

4.7 Micro-typography below the legibility floor

9–11 pt text recurs on data-dense surfaces (chart values, axis labels, badges, hints). For an audience often reading at arm's length while counting cash, set 12 pt as the floor for anything load-bearing and add an app-wide dynamic-type cap so large-font users don't get truncation.

5 Design foundations

5.1 Colour

Strength: a rich semantic token set with paired light/dark palettes that are type-checked against each other, so dark mode can't silently drift. Adoption is excellent — almost no hardcoded colours in feature screens.

Fix:

- **HIGH** **Theme resolves once at app launch.** Colours are baked into module-scope stylesheets, so changing theme requires a full app reload and a mid-session OS light/dark switch is ignored. Move to a `useTheme()` provider + an `Appearance` listener. This is the single biggest design-system limitation.
- **HIGH** **Small grey text fails contrast.** `textSubtle` (`#8690A6`) $\approx 3.2:1$ on white is used at 11–13 pt for captions, placeholders and hints. Darken it ($\approx$ `#6B7690`) or restrict it to ≥ 18 pt. Status badges likewise use bright warning/success at 11 pt ($\approx 3.4:1$) despite purpose-built `text*Strong` tokens existing — switch to those.
- **MED** **Token sprawl.** ~ 9 near-identical neutral surface tokens with no documented semantics invite ad-hoc picking. Collapse to a documented 3-tier surface scale.
- **MED** **Add "on-status" tokens.** "Text on a filled danger/warning chip" is handled with hardcoded white or a misused `onPrimary` (near-black in dark mode). Add `onDanger/onWarning/onSuccess`.
- **LOW** Shadow colours reuse a "preview" token / hardcode `#0f172a` / `#102030`. Add a `shadow` token and reuse `surfaceShadow`.

5.2 Typography

A real type scale exists but is under-used — many screens re-declare 12/13/14 pt sizes by hand, causing drift. Adopt the `appTheme.typography.*` tokens broadly, raise the 10–11 pt floor, and add a global `maxFontSizeMultiplier` (≈ 1.3 – 1.5) so accessibility font sizes don't break layouts. Prefer Monday-first week labels for the UK market.

5.3 Spacing, cards & elevation

Spacing/radius scales and a soft card shadow are consistently applied — this is a real strength and the app reads as "clean" because of it. Two things to watch: nested cards (card-in-card-in-card in the shop selector and a couple of shift screens create triple borders — drop the outer card), and bottom sheets missing bottom safe-area padding so the action buttons can sit under the home indicator.

5.4 Component kit

The kit is the app's biggest asset and its biggest opportunity. Highlights: a premium custom date/time picker, a solid floating-label input, an excellent screen container (keyboard-aware, tablet-capped), and a tasteful "row updated" flash. The consolidation work that pays back most:

Top 10 component-level improvements

1. Runtime theming via `useTheme()` + Appearance listener (kills reload-to-switch).
2. Complete `PrimaryButton`: `loading` prop, accessibility role/state, fix disabled contrast, `hitSlop` for the small size.
3. Fix the toast/dialog tone & title pipeline (don't rewrite explicit titles; don't drop caller tone).
4. One `BottomSheet` (blur backdrop, drag handle, keyboard avoidance) — replace the five hand-rolled sheets.
5. Unify form fields on the floating-label input; give date/phone/text inputs the same label + error contract; fix a function-ref bug.
6. Touch-target sweep across chips, segmented control, date-range picks, calendar nav and icon buttons.
7. Contrast pass: darken `textSubtle`; status badges use `text*Strong`; add on-status tokens.
8. Upgrade `SegmentedControl`: sliding thumb, selection haptic, radio semantics; retire the duplicates.
9. Dynamic-type policy: app-wide font-scaling cap; raise the 10–11 pt floor.
10. State-pattern rules: an inline `EmptyState` variant, a query-error convention, a documented skeleton-vs-spinner rule, and a themed pull-to-refresh spinner.

6 Navigation architecture

The app is a **drawer-only** navigator with a launcher-style Home screen. The drawer is an 11-section, ~45-item catalogue; Home ("Best Entry") adds a quick-action grid plus a "Needs your attention" feed.

Verdict

The drawer-only pattern is defensible given the feature count and per-plan/per-role variability (a fixed 5-tab bar can't stay meaningful across a cashier on Basic vs an owner on Growth). But the drawer is currently doing two jobs and doing the "frequent task" job worst.

Problems today:

- **Frequency inversion.** A staff member's 10×/day tasks (temperature check, refusal entry, clock in/out) are peers of once-a-quarter configuration screens (Till Groups, Bag Configuration) in the same long menu.
- **Duplicate information architecture.** The Home grid (~10 tiles) and the drawer (~45 items) are two overlapping maps the user must learn; the drawer also duplicates Home/Dashboard/Settings that already

exist as header shortcuts.

- **Three competing "homes"**. Home, "Dashboard" (owner overview) and a route literally named `Dashboard` that is actually a redirect to "Day Management" — two screens end up announcing "Day Management". This confuses users and maintainers.
- **Reach**. Hamburger → scroll → expand → tap is a 3–4 step, top-left, one-handed-hostile path for tasks done with wet hands between customers.

Recommendation (incremental, no re-platform):

1. **Demote the drawer to catalogue/admin**. Move configuration & report items out of the drawer into each feature's own landing screen (Coin Pod's ~9 drawer items become ~2). Target ≤ 3 items per section, ≤ 25 total.
2. **Add a role-aware bottom tab bar for the 3–5 frequency winners**. Staff → Home · Tasks · My Work; Manager/Owner → Home · Day · Dashboard · More. Feature-gated tabs hide gracefully; the grouping logic already exists in the (currently dead) bottom-dock resolver and can be reused.
3. **Collapse the three homes**: Home stays Home; the owner overview becomes the owner's landing tab; delete the `Dashboard` → Day-Management redirect shim.
4. **If tabs are rejected**, the minimum viable fix is drawer slimming + a "Recents/Pinned" row at the top of the drawer to restore frequency ordering.

STRONGEST ASSETS TO BUILD ON: THE ATTENTION-FEED & BADGE PLUMBING, THE FEATURE-GATE SYSTEM, AND THE IN-APP HELP PATTERN — ALL ALREADY CROSS-FEATURE.

7 Accessibility

Accessibility is **inconsistent by surface**: the navigation chrome (header buttons, drawer headers) is properly labelled, which proves the team knows the patterns — they are simply not enforced on screen content.

AREA	SEV	ISSUE & FIX
Interactive roles	HIGH	Most screen-level <code>Pressable</code> s (tiles, rows, chips, table rows, even <code>PrimaryButton</code>) lack <code>accessibilityRole="button"</code> and selected/expanded state. A sweep adding role + <code>accessibilityState</code> fixes ~80% of findings.
Contrast	HIGH	Small grey text (<code>textSubtle</code>) and bright status text at 11 pt fail WCAG AA. Use darker / <code>text*Strong</code> tokens.
Colour-only status	HIGH	Closing-numbers rows signal Pending/Ready/Error by a 0.8 pt border colour alone; some temperature/variance cues rely on colour. Add an icon or text label alongside colour. (Note: most badges <i>do</i> pair colour with a word — keep that pattern.)
Dynamic type	MED	No <code>allowFontScaling</code> / <code>maxFontSizeMultiplier</code> policy anywhere; heavy 10–12 pt text with <code>numberOfLines=1</code> truncates for large-font users.
Announcements	MED	Inline field errors and toasts aren't announced (no live region); the splash spinner announces nothing. Add <code>accessibilityLiveRegion</code> / <code>role="alert"</code> .
Decorative icons	LOW	Decorative glyphs (web-only desktop icon, hand-drawn calendar/clock) aren't hidden from screen readers.

8 Copy & tone of voice

The in-app help content is the **best writing in the product** — task-ordered, warm, correctly UK-English ("Lay the printout flat in good light..."). Use it as the reference register for everything else. The rest of the UI drifts; a single copy pass fixes it.

PATTERN	CURRENT	SUGGESTED
Title vs sentence case	"Unable To Load Day Details", "Create Account", "Sign In"	Sentence case throughout: "Unable to load day details", "Create account", "Sign in".
Developer vocabulary	"reset token", "invitation token", "master game", "tender", "ledger"	"reset code", "invitation code", "game", "payment", "report".
Raw enums	"InStock", "ReadyToClose", "Day ReadyToClose"	"In stock", "Ready to close".
Raw IDs	"Changed by: 8f3a-...", "Shift: {guid}"	Resolve to a person / shift name + date.
UK spelling	"behavior", "Team & Organization"	"behaviour", "Team & Organisation".
Ampersands / arrows	"details & link", "000 -> 099"	"details and link", "000 → 099".
Honest empties	"No deliveries yet" (on error)	Separate error copy: "Couldn't load deliveries — tap to retry."
Over-promising	"actions will sync once you're back online"	"Some actions won't be available until you reconnect." (unless queuing really is global).
Pluralisation	"3 line(s)", "1 assigned shops", "2 bag(s)"	Proper plurals: "3 lines", "1 assigned shop", "2 bags".

ALSO: DROP THE "👉" EMOJI FROM THE HOME GREETING FOR A B2B OPS PRODUCT; STANDARDISE "SIGN OUT" VS "LOG OUT"; AND REMOVE INTERNAL ROLE NAMES ("PLATFORM ADMIN") FROM CUSTOMER-FACING COPY.

9 Screen-by-screen findings

Detailed findings grouped by feature area. Each screen lists what is already strong (to preserve during redesign) followed by graded, located issues.

9.1 Sign-in, sign-up & onboarding

Group headline

Autofill is dead on every form (no `textContentType` / `autoComplete` anywhere) — password managers, iOS strong-password suggestions and one-tap verification codes are all inert. This is the single highest-leverage fix in this group. Colour discipline is otherwise excellent (zero hardcoded hex).

Login

- Clean card, max-width cap for large screens, password visibility toggle, sensible return-key focus chaining.

LOCATION	SEV	ISSUE → FIX
LoginScreen:99–132	HIGH	No email/password content-type → no autofill or password-manager support. Add <code>textContentType</code> / <code>autoComplete</code> .
LoginScreen:133–138	MED	Eye toggle ~36pt, no role/label. Add <code>accessibilityLabel</code> "Show/Hide password" + 44pt hit area.
LoginScreen:282–309	MED	"Forgot password?" (~19pt) and secondary tiles (42pt) under 44pt. Set <code>minHeight:44</code> .
LoginScreen:66	MED	Server error via <code>Alert.alert</code> — standardise on the toast convention used elsewhere.

COPY: "SIGN IN"→"SIGN IN"; "EMAIL IS REQUIRED."→"ENTER YOUR EMAIL ADDRESS."

Company sign-up

- Best-in-group validation (blur-then-touch), smart email-change reset, terms/privacy consent present.

LOCATION	SEV	ISSUE → FIX
CompanySignup:366–376	HIGH	Verification-code field lacks <code>textContentType="oneTimeCode"</code> — OS one-tap code fill won't fire.
CompanySignup:181–339	HIGH	Names/email/passwords have no autofill content-types (incl. iOS strong-password).
CompanySignup:386–393	MED	"Resend code" has no cooldown — add a 30–60s countdown.
CompanySignup:174	MED	"Step 1 of 3" promised but steps 2/3 never shown — add step indicators or drop the numbering.
CompanySignup:432–438	MED	Hint text <code>textSubtle</code> @11pt fails contrast — use <code>textMuted</code> /12pt.

Forgot / Reset password & Invitation acceptance

- Anti-enumeration success copy; deep-link token prefill; invitation screen has excellent live token validation & progressive disclosure.

LOCATION	SEV	ISSUE → FIX
Reset / Invitation	MED	New-password fields have no visibility toggle and no <code>newPassword</code> content-type. Extract a shared <code>PasswordInput</code> .
InvitationAcceptance:279–289	MED	Error banner uses muted surface + danger text; use the danger-soft tokens and add <code>role="alert"</code> .
InvitationAcceptance:126–131	MED	New user is bounced to Login to retype the credentials just created — auto sign-in or prefill the email.
ForgotPassword:59–75	MED	Three equal-weight stacked buttons — demote secondary actions to text links.

COPY: "TOKEN" → "CODE" END-TO-END ACROSS ALL THREE SCREENS.

User invitations (send/manage)

LOCATION	SEV	ISSUE → FIX
UserInvitations:231–238	HIGH	"Cancel" on a pending invite is destructive, fires instantly, and is ~26pt. Add a confirm + 44pt + role.
UserInvitations:216–222	MED	Loading/error render the "No invitations yet" empty state — gate on <code>isLoading</code> / <code>isError</code> first.
UserInvitations:177–189	MED	Role chips ~27pt, selection is colour-only to assistive tech — enlarge + add <code>accessibilityState</code> .

DEAD CODE ACROSS THE GROUP: AN ENTIRELY UNROUTED SSO SCREEN, COMMENTED-OUT DEV-BYPASS JSX, AND UNUSED STYLES IN NEARLY EVERY FILE.

9.2 Home, dashboard & shop selection

Owner Overview (the flagship dashboard)

- Genuinely SaaS-grade: KPI row with deltas, compliance chart with legend, top-shops table, attention lists, all-shops scorecards, an "all clear" state, and deep links that carry date range through. This screen is a template for the rest.

LOCATION	SEV	ISSUE → FIX
OwnerOverview:256–335	HIGH	The PDF export (~60 lines) is wired to nothing — the button now just navigates Home. Restore an export button or delete the dead code.
OwnerOverview:247–254	MED	Tapping a row silently switches the app-wide active shop; errors swallowed. Announce the switch or pass shopId as a param.
OwnerOverview:39–50	MED	<code>dayStatusLabel</code> misses "ReadyToClose" → shows "Not started" (factually wrong). Add the case.
OwnerOverview:715–723	MED	Chart/axis labels 9–11pt — below the legibility floor for the audience. Raise to ≥12pt.
OwnerOverview:340–343	MED	Failure = passive "pull to retry" text with no button; add a Retry and distinguish error from empty.

Home ("Best Entry")

- Strong operational home: greeting, "Needs your attention" feed with counts & deep links, clock-in card, role-aware feature grid with live badges, adaptive tablet/phone layout.

LOCATION	SEV	ISSUE → FIX
BestEntry:173–198	MED	Five attention queries have no error signalling — a failed load looks like "all clear", dangerous for overdue compliance checks. Show a "some checks couldn't load" row.
BestEntry:402,416	MED	Hardcoded white badge text ≈2.1:1 on the dark-mode warning badge. Use an on-status token.
BestEntry:284,326–364	MED	Attention rows, tiles & shop-switch rows lack button roles; badge counts absent from labels.

COPY: DROP "👉"; "NO FEATURES ENABLED... CONTACT SUPPORT" IS WRONG — OWNERS CAN SELF-SERVE VIA FEATURE TOGGLES.

Day-Management redirect & Shop selector

LOCATION	SEV	ISSUE → FIX
DashboardScreen:22–78	MED	Redirect shim named <code>Dashboard</code> flashes "Opening Day Management..." before landing on a second screen also titled "Day Management". Fold the lookup into the target and delete the hop.
DashboardScreen:123–127	MED	"No shop selected" state has no action — add a button to the shop selector.
ShopSelector:31–64	MED	No search/virtualisation for multi-site estates; add a filter when shops > ~8.
ShopSelector:107–122	MED	Rows lack button role/selected state; the "Select/Selected" badge is invisible to screen readers.

Infrastructure (applies app-wide)

The offline banner renders under the notch on headerless screens (add top safe-area inset) and its dark-mode text $\approx 3.6:1$; the shared screen container applies double keyboard padding on iOS. Both are single fixes that touch every screen.

9.3 Store sales, till reports & reconciliation

Highlight

Till Reconciliation is the best guided workflow in the app (first-run steps, photo staging, OCR overlays, proof-of-cash cross-check, enforced variance reason). AI photo-capture of till reports is a real typing-reduction win.

LOCATION	SEV	ISSUE → FIX
TillReportsList:25–31	HIGH	Audit-trail history has no search, date filter, status filter or pagination — the whole result set renders as cards. Add a status segment + date-range picks (components exist) + paging.
TillReportReview:181	HIGH	"Confirm (3 untagged)" locks a report with unclassified lines and no interstitial — route through a confirm.
CaptureTillReport:290–293	HIGH	Photo remove button 20×20, no hitSlop/label, and destructive. 44pt + "Remove photo" label.
TillsConfig / PaymentTypes / TillGroups	HIGH	Icon-only 34×34 action clusters (edit/pause/delete) with no labels, destructive delete beside a toggle. Extract a 44pt labelled <code>IconButton</code> .
TillReconciliation:460–985	MED	Emoji (✓ 🔍 • 🚫 ⚠️) used as status icons — inconsistent across Android, noisy for screen readers. Replace with Ionicons.
TillReconciliation:1085	MED	Cash-count modal never rehydrates the saved denomination breakdown — reopening shows an empty grid and can drop the saved data on re-save.
Config forms	MED	Placeholder-as-label with no required marking; <code>Number(x) 0</code> silently turns bad money input into £0. Adopt floating labels + inline validation.
Group-wide	MED	Every list except one renders its empty state on query <i>error</i> ; bottom sheets miss bottom safe-area padding; dates render as raw ISO in two places.

9.4 Daily operations (deliveries, packs, closing numbers, day/shift close)

THE CORE REPEATED-DAILY FLOWS — USED AT SPEED AT THE TILL.

LOCATION	SEV	ISSUE → FIX
CloseDayScreen:305–320	HIGH	With no variance, "Close day" (the flagship irreversible action) commits on a single tap with no confirm. Always confirm with a recap.
ShiftDetails:503–517	HIGH	Normal-path "Close shift" finalises with no confirmation (only the zero-packs branch confirms). Add a recap confirm.
ShiftDetails:920–928	HIGH	Visible bug: attachment "Remove" label is near-white on white (and near-black on dark) — the fixed style already exists, just switch to it.
EnterClosingNumbers:802	HIGH	Scan feedback is never rendered (only site is commented out) though 8+ paths set it — a failed scan gives zero on-screen feedback. Restore the status strip.
EnterClosingNumbers:1191	HIGH	Row state (Pending/Ready/Error) is a 0.8pt border colour only — add an icon/text badge per row.
PackScreens:1546	HIGH	Pause/Return/Complete a pack mutate immediately on a ~28pt tap, no confirm — Return/Complete are terminal for sellable stock.
PendingSync:19–23	HIGH	Sync screen reports "Sync complete" unconditionally even when items failed. Report actual results ("3 synced, 1 failed").
OpenShift:303–390	MED	Content sits under the wrong heading (serial-confirm card between "Scheduled Shifts" and the actual list). Reorder.
ReceiveDelivery:313	MED	Delivery date posted as hardcoded UTC midnight — can shift the date in reporting during BST.
SyncConflict	MED	Whole screen is a placeholder in a paid daily-ops path — hide the route until built or route to support.

Positives to preserve

Reopen-day is a model irreversible flow (required reason, warning banner, confirm, audit note); Close Day shows an excellent commit recap and variance-forced confirm; money hygiene (£ prefix, decimal-pad, "12,50" sanitising) is good; barcode-scan ergonomics on pack creation are strong.

9.5 Product expiry, Coin Pod, reports & settings

Highlight

Add Product, Coin Adjustment and the Settings hub are among the most polished, correctly-validated screens in the app — the house form pattern done right, with shape-coded (not colour-only) coin/note badges.

LOCATION	SEV	ISSUE → FIX
ReportScreens:552,960,994,1037,1069	HIGH	Five reports nest a <code>ScrollView</code> inside the container's own scroller → janky double-scroll. Remove the inner scrollers.

LOCATION	SEV	ISSUE → FIX
ReportScreens:964,997,1041,1072	HIGH	Four reports have no loading/empty/error state at all — blank card while fetching and on failure.
SettingsScreens:2995	HIGH	The shared input style is border-less on a same-colour background → text fields are visually invisible (search, config free-text, template name). Switch to the <code>ui.input</code> style.
ShopFeatureToggles:50–56	MED	Optimistic toggle isn't reverted on error — the switch stays in an unsaved position disagreeing with the server. Revert in <code>onError</code> .
CoinAlerts:34 / CoinHistory:144	MED	ISO strings sliced → UTC shown on cash screens (off by an hour in BST). Format via <code>Date</code> .
CoinStockCount vs others	MED	Same object called "pack" here and "bag" everywhere else — standardise on "bag".
SubscriptionSummary:56–61	MED	Flagship account screen is a wall of grey "Label: value" rows; status not badged; empty trial rows shown to everyone. Use a plan title + StatusBadge + <code>LabeledValue</code> pairs.
SettingsScreens:1169–1183	MED	Boolean settings render as Enabled/Disabled chips while the rest of the app uses a themed Switch — and arbitrary strings coerce to booleans. Use a Switch.

ALSO: CONFIG CHOICE-CHIPS LACK ROLES/SELECTED STATE; A DEAD "CREATE SHOP" PATH RENDERS ~120 LINES BEHIND A HARDCODED-FALSE FLAG; "BEHAVIOR/ORGANIZATION" SPELLINGS; REPORTSCREENS RENDER US-LETTER PDFS FOR A UK PRODUCT (USE A4).

9.6 Compliance records — temperature, refusals, visitors, checklists

Section status

These are legally-significant records for UK retailers (food-safety temperature logs, age-verification refusal registers, visitor logs, compliance checklists), so trust and auditability matter most here. The detailed per-screen review of this module was still completing when this edition was generated; the cross-cutting themes in §4 and the accessibility/copy guidance in §7–8 apply directly to these screens. Two verified points to prioritise:

AREA	SEV	ISSUE → FIX
Colour-only status	HIGH	Temperature in-range/out-of-range must never rely on colour alone on a legal record — pair every status with an icon or word (the app's StatusBadge pattern already does this; apply it consistently).
Register error states	HIGH	A failed load on a compliance register must not read as "no entries" — a missing record on an audit screen is a trust failure. Apply the shared query-state gate.
Search/filter on registers	MED	Registers & reports need date-range and status filtering for audit retrieval — reuse the report date-range picker.

AREA	SEV	ISSUE → FIX
Data entry	MED	Prefer pickers/segmented controls/date-time fields over free typing; mark required fields; keep the friendly inline-validation pattern.

10 Quick-win checklist

Small, mostly-mechanical fixes that visibly lift quality. Good candidates for a single "polish" sprint.

#	FIX	EFFORT
1	Add <code>textContentType</code> / <code>autoComplete</code> to all auth fields (email, password, new-password, one-time-code).	Low
2	Fix <code>PrimaryButton</code> disabled text contrast so busy labels are readable.	Low
3	Add a <code>loading</code> prop (spinner) to <code>PrimaryButton</code> ; remove the "..."-in-label spinner hack.	Low
4	Darken <code>textSubtle</code> ; switch <code>StatusBadge</code> to <code>text*Strong</code> tokens.	Low
5	Confirm dialogs on no-variance day close & normal shift close.	Low
6	Switch the invisible Settings inputs to the bordered/filled input style.	Low
7	Fix the toast tone & dialog-title rewriting bug.	Low
8	Format Coin alert/history timestamps as local time (not UTC slice).	Low
9	Remove the inner <code>ScrollView</code> s from the five report screens.	Low
10	Sentence-case pass on titles; "token"→"code"; enums→friendly labels; UK spellings.	Med
11	Add error-state branches to list/report/coin screens (shared query-state gate).	Med
12	Extract shared <code>Chip</code> + <code>IconButton</code> at 44pt and adopt across chips/icon clusters.	Med
13	Restore the closing-numbers scan-status strip; add per-row state icon.	Med
14	Delete dead code (unrouted SSO screen, bottom-dock resolver, orphaned PDF export, commented JSX, unused styles).	Med