

The Bank AI Help Desk Playbook

How to turn staff requests into useful, reviewable work with clear ownership and controlled access

Clear requests. Accountable people. Useful work.

A practical operating model for a supervised internal AI service. Learn how to choose suitable requests, prepare assignments, review evidence, and return work without turning an assistant into a new source of authority.

01

Qualify the request

02

Prepare and review the work

03

Record the result and improve

For operations leaders, internal service teams, and AI coordinators

An educational playbook with two worked examples and short intake and review templates.

01 / THE OPERATING MODEL

A service for staff work, not a new authority.

An internal AI help desk gives employees a clear route to request assistance while keeping access, review, and decisions with the people responsible for them.

In this playbook, the help desk is a supervised operating arrangement. Staff submit a defined work request; a trained coordinator checks suitability, prepares the assignment in an approved environment, and routes the result to a qualified reviewer. The requester receives useful work only after the required checks. The bank chooses the people, controls, tools, and evidence appropriate to its scope.

Request → qualify → prepare → review → return → close.

A question or exception can send the request back for clarification at any stage.

Why start with one visible route?

A shared route can make recurring needs visible, reduce duplicated experimentation, and concentrate early learning with trained staff. It also lets the bank compare the effort needed to prepare and review similar requests. The route might use an existing approved service-management system; it does not require a new application merely to collect requests.

Central intake is not, by itself, a security control. The coordinator must not become a way to retrieve information that the requester cannot access. Permissions, processing boundaries, evidence quality, and recipient checks still need to hold for every assignment. A small team can become a bottleneck unless reviewer availability and backup coverage are planned.

This service can organize	It does not replace
Source-based preparation	The policy owner’s interpretation or the bank’s authority to decide.
Drafts and evidence packets	Accountable human review, official records, or a required approval.
A controlled request queue	Existing IT support, incident response, compliance escalation, or customer service.

A proposed operating model, not an announced product module.

The term “AI help desk” describes the process in this guide. It does not mean Providensi offers a ready-made staffed service, a new software module, or a replacement for bank systems. Any implementation, staffing, scope, and commitments require separate agreement.

Reading path: operating foundations, pages 2–8; worked examples, pages 9–10; exceptions and ongoing operation, pages 11–13; supporting templates, pages 14–15; sources, page 16. Page references follow the PDF; Word pagination may vary.

02 / A SMALL SERVICE MENU

Define what staff can request before opening the queue.

A useful service menu names the deliverable, the approved inputs, and the person who can judge whether the result is fit for its intended use.

Candidate service	Useful deliverable	Required boundary
Policy and procedure support	A draft explanation or comparison with specific passages, source status, and unresolved questions.	Approved source set; policy owner reviews interpretation. No new policy or exception approval.
Evidence-index preparation	A request-to-document index showing evidence present, missing, outdated, or awaiting confirmation.	Approved sample materials; evidence owner checks sufficiency. No regulatory submission.
Document comparison	A differences table with source locations, unmatched items, and calculations checked by a reliable method.	Agreed fields and versions; reviewer checks extraction. No writes to the system of record.

Write an acceptance rule for each service

For policy support, a suitable request has a specific question, a limited collection of approved documents, a recipient entitled to the information, and an available reviewer. “Read all our files and tell us what to change” is not the same service. Ask the requester to narrow the result before trying to automate it.

Separate excluded work from work awaiting clarification

The initial service allows read-only source access and draft creation. The assistant must not change originals, update authoritative records, send messages, or make submissions. People return reviewed work through approved channels. Credit decisions, customer identification decisions, payments, and other broader operations require a separately approved service scope, not an exception inside a ticket. Urgency does not change that boundary.

Customer Identification Program (CIP) evidence preparation is not a decision that identity requirements have been met, and neither is a cybersecurity assessment. If a future service includes either topic, name the specific preparation task and its specialist reviewer. Do not label one generic “CIP/cyber check” as a completed control.

Make the promise about process, not perfection.

Describe what the service will return, what it cannot establish, and which review is required. Do not promise a correct answer to every question, regulator acceptance, or a response time the team cannot support.

These are candidate services to evaluate, not a prescribed staffing model or a claim of compatibility with any bank’s applications.

03 / PEOPLE AND OWNERSHIP

Name the human decision at every handoff.

“Someone will check it” is not a review process. The reviewer needs expertise, source access, time, and the authority to return or reject the work.

Responsibility	What the person does	What does not transfer to AI
Business sponsor	Owns the service purpose, eligible work, resources, and decision to expand or pause.	Accountability for the operating arrangement.
Requester	Explains the business need, intended use, deadline, and authorized recipients.	Authority to obtain or share information.
Coordinator / operator	Qualifies the request, uses approved inputs and tools, prepares work, and records exceptions.	Permission to broaden access, approve policy, or waive controls.
Domain reviewer	Checks evidence, interpretation, completeness, and fitness for the stated purpose.	The judgment and required approval attached to the work.
Technology and security	Establish access, processing paths, recovery, logging, support, and incident routing.	Technical control ownership and security decisions.
Risk, compliance, and vendor management	Determine applicable reviews, challenge gaps, and assess service-specific evidence.	Required bank reviews and third-party oversight.

Staff the review, not just the tool

Reserve review capacity and name a backup. If the only qualified reviewer is unavailable, the task is waiting for review, not complete. Explain that state to the requester and use the established manual route when the business cannot wait. Let the reviewer see the original sources rather than only the assistant’s summary.

These are responsibilities, not necessarily six positions. One person may hold several roles if the bank’s arrangements allow it, but required separation, independence, and expertise must remain. AI checking its own output is not an independent reviewer. A coordinator may review only within the authority and qualifications already established for that task.

Review must allow disagreement.

Do not reward only fast acceptance. Give reviewers a way to identify a material error, request more evidence, or reject the deliverable without having to defend an artificially favorable productivity target.

NIST’s AI RMF describes the importance of clear roles in human-AI configurations. Its Generative AI Profile addresses automation bias and excessive reliance. Neither document mandates this staffing chart. [1, 2]

04 / A REQUEST THAT CAN BE WORKED

Intake should remove ambiguity, not collect everything.

The most useful intake question is “What usable result do you need?” It is not “What prompt would you like us to try?”

Use an approved request channel and collect enough information to qualify the work without unnecessarily copying sensitive material. A source reference in an authorized repository is often more appropriate than an attachment in a widely visible ticket. The ticket itself can contain sensitive context, so apply the bank’s access and retention rules to it too.

Ask for	What a usable answer contains
Desired result and intended use	The question, deliverable format, business owner, and decision or activity the work will support.
Sources and status	Document references, relevant versions, effective or draft status, source owner, and whether the approved environment can access them.
Information and permissions	Data classification, intended recipients, known restrictions, and any requested reading, drafting, writing, or sending.
Review and acceptance	A qualified reviewer, what the result must include, how uncertainty should be handled, and who accepts completion.
Timing and consequence	A needed date, reason for that date, impact of delay, and a manual alternative when the service is unsuitable.

Turn a vague request into a bounded assignment

Vague: “Can AI review our training policies?” Better: “Compare the required completion-record fields in effective Procedure T-04 and draft T-05. Return a differences table with source sections and unresolved approval questions for the training owner. Do not distribute the draft or update any records.” The second request defines both the useful work and its limits.

Do not ask staff to paste passwords, customer account information, or complete case files merely to describe a need. If a sensitive source is essential, qualify that need first and follow the specifically approved access path. A sensitive request may need a different queue or review, not a broader attachment field.

Confirm the scope back to the requester.

Summarize what the desk will prepare, which sources it will use, who will review it, what is excluded, and what information is still missing. This short confirmation prevents later confusion about whether a draft also authorized a send or a system update.

05 / QUALIFICATION AND ACCESS

Accept the work only when the boundaries are real.

A permitted business purpose does not settle who may retrieve the source, where it may be processed, or who may receive the resulting answer.

Check	Question to resolve	Evidence or action
Source and requester	Are the requester and intended recipients entitled to the underlying information?	Confirm source-owner and access rules; do not use the operator's wider privileges as a shortcut.
Processing path	Which environment, services, logs, indexes, or support paths will handle the information?	Use the approved configuration for this information class and operation.
Permitted operations	Does the task go beyond reading approved sources and creating a draft?	Keep the initial scope. Wider operations require a separately approved service.
Review and destination	Who can verify the result, and where may it be returned?	Name the reviewer and authorized destination. People return the reviewed work.
Evidence gaps	Does a missing item prevent authorized work, or is documenting it the task?	Hold blocking gaps. Otherwise record them within the accepted scope; never invent evidence.

Choose an explicit disposition

- Accept for preparation when the menu, access, environment, and review requirements are met. A scoped missing-evidence inventory can still contain unresolved items.
- Hold for clarification if a gap blocks authorization, agreed preparation, or review. Name the specific owner and decision needed.
- Route elsewhere when a specialist process or an excluded action is required.
- Stop and escalate when an apparent incident or unapproved access needs the bank's established response.

Read-only access can still expose restricted information in an answer. A summary inherits its content's sensitivity; changing the format does not grant sharing permission. A bank-hosted label also does not settle optional external processing. Verify the actual arrangement.

An instruction is not an access control.

Use tested permissions and tool restrictions, not merely an instruction to avoid a folder. Content inside a document is material to examine, not authority to change the assignment or contact someone. [2]

06 / PREPARE THE ASSIGNMENT

Translate the request into a repeatable job.

A clear assignment combines the deliverable, the source set, the permitted operations, the review evidence, and the stopping conditions.

Prepare the working context

Check that source links open for the approved identities, required pages are present, and version status is recorded. Use a separate working location for drafts without overwriting authoritative files. Name the request and output version consistently. Record the tool configuration or release relevant to reproduction and review, without placing credentials in the request log.

Example assignment pattern

Prepare [deliverable] for [purpose] using only [approved sources and versions]. Identify each material finding by source and location. Distinguish effective text from proposals, missing evidence, and uncertainty. Save a draft in [approved location]. Do not change originals, update bank records, contact recipients, or use other sources or services. If the scope cannot be completed within these boundaries, stop and report what is missing. Return the draft, source list, unresolved items, and completion state for [reviewer].

The pattern is a work instruction, not proof that the environment enforces it. Confirm controls before using it, and tailor the permitted draft location and tools to the approved setup. A task that needs an external search or a new data source must return for a scope decision rather than quietly adding that capability.

Check the result of the operation

After preparation, verify that the expected file exists, opens, and contains the requested work. A message saying “completed” is not evidence that the correct file was created. Check that source links point to the intended materials and that the output did not overwrite an original or include unrelated material.

Keep unknowns visible

An absent page stays absent. A draft does not become effective because its date is newer. An unreadable field stays unverified until a person checks it. For important numerical work, recompute using an appropriate deterministic tool and reconcile to the source. Fluent wording is not evidence of accurate extraction or calculation.

NIST identifies confidently false content, privacy exposure, and prompt injection among generative-AI risks. Source-based preparation and restricted scope help organize the work but do not eliminate those risks. [2]

07 / REVIEW AND HANDOFF

Return an evidence packet, not just an answer.

The reviewer should be able to trace the important findings, identify what remains unresolved, and decide whether the work meets the agreed purpose.

Packet component	What the reviewer needs
Request and scope	The question, intended use, source set, permitted operations, and changes agreed during the assignment.
Draft deliverable	The requested format, a visible draft state, and a version linked to the request.
Source register	Document name or identifier, version and status, relevant section or location, and an authorized source link.
Findings and uncertainty	Material conclusions linked to evidence, missing items, conflicts, and limits of the comparison.
Verification and completion	Checks actually performed, important limitations, what completed, what did not, and who prepared the packet.

Review the evidence, then the interpretation

Open the cited passages, verify the source’s status, and test whether each passage supports the conclusion for this situation. Check omitted context and required fields, not only the findings that were returned. When the scope requires complete reconciliation, sampling a few correct entries does not prove that the remaining entries are complete.

The reviewer records accepted, returned for correction, or rejected, with the affected version and a short reason. Corrections go back through the same evidence checks. If a substantive error is found after delivery, keep a record of the superseded version and follow the authorized correction route to affected recipients; do not silently replace a file and assume everyone has the revision.

Acceptance and distribution are separate decisions

An accepted draft can be returned to the approved requester in an authorized location. Acceptance does not grant permission to email a wider group, publish guidance, submit evidence, or alter a production record. Route those actions through the bank’s existing approvals and verified recipient controls.

Close against the agreed deliverable.

Record the review outcome, final version, authorized destination, requester acknowledgment or agreed completion rule, and unresolved follow-up. “Closed” means the service task was resolved, not that the bank approved every downstream use.

A human signature is not enough if the reviewer lacks time or evidence. NIST describes human-AI interaction as a configuration that must be designed and evaluated, not an automatic safeguard. [1, 2]

08 / WORKED EXAMPLE: PROCEDURE COMPARISON

Compare proposed changes without inventing approval.

Everything in this example is fictional: the request, documents, procedure wording, and response. It illustrates a handoff, not bank training requirements or measured product output.

A training owner requests a comparison of effective Procedure T-04 and draft T-05, then asks the desk to “send the new requirements to all branch managers.” The coordinator records the reviewer, approved processing, source-access checks, and requester entitlement. Recipient and destination authorization are checked separately. The desk accepts the comparison using synthetic files; the broadcast remains excluded and subject to the bank’s policy and communications approvals.

Synthetic source	What it establishes	What remains unproved
T-04, section 2; effective	The record includes a module identifier, completion date, and supervisor acknowledgment.	Whether other policies add requirements outside this comparison.
T-05, section 3; draft	The proposal keeps those fields and adds a refresher due date.	That the added field is approved or currently required.
T-05, section 6; draft	The author proposes an additional reviewer role for the record.	That the role or its authority has been adopted.

A useful draft finding

Comparison excerpt for the training owner

T-05 section 3 proposes one additional record field, a refresher due date, compared with T-04 section 2. T-05 section 6 also proposes an additional reviewer role. The supplied source register marks T-05 as draft and contains no approval record. These are proposed changes, not established current requirements. Confirm adoption and any applicable requirements outside these documents before preparing staff communications.

The packet includes the source references, status, differences, and limitations. In this fictional outcome, the training owner acts as the qualified reviewer, checks the passages and full comparison, accepts Comparison v1, and acknowledges its return to the approved workspace. The desk closes only the comparison. Policy adoption and wider distribution remain separate work; no broadcast or authoritative-record update occurred.

What the example teaches

A request can contain both suitable preparation and an excluded action. Split them explicitly rather than accepting the whole sentence as authority. The useful result is a traceable comparison and a clear approval question, not a confidently written announcement of a policy that has never taken effect.

09 / WORKED EXAMPLE: EVIDENCE PREPARATION

An organized index can still contain missing evidence.

This second example uses a fictional internal control-review request and synthetic files. An index helps people find and assess evidence; it does not establish that a control operated effectively.

An internal control owner requests a three-item evidence index from a procedure, review log, and exceptions register. The coordinator confirms requester and source access, approved processing, the qualified reviewer, and separately authorized recipients and destination. The accepted scope is to list present and missing evidence. It excludes creating approvals, closing exceptions, contacting staff, or submitting materials to an examiner.

Fictional request	Source inspected	Draft evidence status
E-01: Approved procedure	Sample Procedure P-12; content pages present, approval page absent.	Procedure located; approval evidence not supplied. Owner confirmation needed.
E-02: Review log	Sample Log L-02; required-period entries present in the supplied file.	Candidate record located; owner must check completeness and authenticity.
E-03: Exception closure	Sample Register R-03; one item is still marked open.	Closure not established. Keep the open status visible.

Define the status words before using them

“Located” means a candidate source was found. “Reviewed” means someone performed specified checks. “Sufficient” is a judgment by the authorized evidence owner against the review requirement. “Submitted” means a separate authorized delivery occurred. These words describe different events and should never be collapsed into a single green check mark.

In this fictional outcome, the evidence owner checks all three source locations and accepts Index v1 as a complete inventory, not a finding of evidence sufficiency. The coordinator records its return and the owner’s acknowledgment in the approved workspace. Familiar filenames alone are not evidence that the requested period, approval status, and content meet the underlying control-review need.

Close the indexing task without closing the gaps.

E-01 approval remains with the procedure owner; E-02 completeness and authenticity remain with the log owner; E-03 closure remains with the exception owner. Each has an open follow-up in the bank’s appropriate process. Closing the accepted inventory does not resolve those evidence issues.

No examination outcome, control effectiveness, or regulatory acceptance is implied. The example is a preparation method, not an official request list or a reported engagement.

10 / EXCEPTIONS AND INTERRUPTIONS

Make the next safe step obvious.

Most missing inputs need clarification. Apparent security incidents and unapproved actions need a different route. Do not treat every exception as another prompt to retry.

What happened	Immediate handling	Who resolves the next step
Source missing or status unclear	Hold if the gap blocks authorized work or review. Otherwise document it within the agreed missing-evidence task.	Requester or source owner supplies evidence; gaps remain open until resolved.
Material answer or extraction error	Do not release the affected draft. Record the correction and recheck related findings.	Domain reviewer decides whether revision or broader retesting is needed.
Unexpected access or suspected disclosure	Stop the affected processing and use the bank's incident route. Do not forward sensitive evidence broadly.	Security and relevant incident owners direct containment and follow-up.
Instructions hidden in source content	Treat them as untrusted content, not permission. Stop or isolate the affected workflow according to approved procedures.	Security and the service owner determine whether anything was attempted or affected.
Interrupted run or unknown completion	Record the last verified state and inspect actual outputs before resuming.	Operator and reviewer confirm what remains; system owners check any possible action.

An uncertain state is not a clean restart

If a run stops after producing a partial file, retain its draft status and identify which portions were checked. Do not describe the entire request as complete or run it repeatedly without inspecting the existing work. Outside this initial service, a separately approved action-capable workflow must reconcile uncertain sends or updates before retrying so an action is not duplicated.

Preserve relevant records through the approved incident or support process. Do not delete logs to tidy the queue, improvise a customer notice, or send confidential excerpts to a vendor without the required authority and channel. A non-sensitive ticket can reference a restricted incident record instead of reproducing it.

Explain the state without promising a result.

“The draft is on hold because the approval page is missing. The source owner is confirming it; no result has been distributed.” A status like this states the issue, owner, and consequence without implying that a delay was a successful completion.

Incident roles, response procedures, and after-action learning should connect to the bank's existing arrangements. NIST's Generative AI Profile discusses incident management and AI-specific risks; it does not supply a universal notification deadline for banks. [2]

11 / THE DAILY OPERATING RHYTHM

Run the queue as a service, not a collection of chats.

A small visible record of ownership, status, evidence, and next action makes the service easier to manage and harder to misunderstand.

Start with a clear queue

Use distinct states such as received, clarification needed, accepted for preparation, in preparation, awaiting review, returned for correction, delivered, and closed. Add routed, canceled, or stopped when appropriate. Each open request needs an owner and a next action. A status should reflect what has happened, not the state someone hopes to reach.

Operating responsibility	What to make visible
Prioritize work	Business consequence, legitimate deadlines, source readiness, and reviewer availability. Urgency never expands permission.
Manage capacity	Work already in progress, available operator and reviewer time, backup coverage, and a manual route for unsuitable or time-critical requests.
Communicate clearly	Acknowledge receipt separately from acceptance. Say what is missing and when the next status decision will be made.
Track service quality	Accepted deliverables, rework, fallback, unresolved issues, and meaningful elapsed turnaround. Retain the denominator and scope.
Review the work library	Current source owners, approved templates, known limits, retired versions, and changes requiring retesting.

Maintain procedures, not a pile of successful prompts

A reusable work instruction should have an owner, intended task, source dependencies, allowed tools, output example, review criteria, known limits, and a revision date. When a source or tool changes, determine which instructions are affected. Preserve the prior version as required for traceability and clearly retire it from ordinary use.

Retain request records, approved outputs, necessary evidence, and decisions according to the bank’s records program. That does not mean keeping every copied document or chat forever. Apply access, retention, legal-hold, and disposal requirements to prompts, derived files, logs, and backups as appropriate to the actual environment.

Measure the service rather than the volume of output.

A high number of drafts can hide repeated correction and a growing review queue. Compare accepted work, total staff effort, elapsed turnaround, quality, and useful capacity. The companion guide *Measuring the Value of AI in Your Bank* explains the financial distinctions in detail.

Third-party oversight continues after setup. Relevant service changes, performance, support, and exit arrangements belong in ongoing review. [3]

12 / LAUNCH AND IMPROVE

Start with one service that people can actually review.

An initial operating trial should test the entire path from request to accepted work, including the handoffs and exceptions that a polished demonstration leaves out.

1. Agree on the service charter

Name the sponsor, candidate service, intended users, approved information and environment, excluded actions, reviewer, backup, and manual alternative. Record required bank reviews and evidence gaps. Opening a ticket queue does not grant production access or create an exemption from applicable policies.

2. Rehearse with synthetic or specifically approved material

Practice routine requests, unclear instructions, missing sources, conflicting versions, and unsuitable tasks. Include a requester without access, a source containing an attempted redirection, an interruption, and an unavailable reviewer. Keep evaluation examples separate from those used to improve the instructions.

3. Make operator and reviewer competence observable

Have the operator demonstrate correct routing, source handling, scoped preparation, and accurate status reporting. Have the reviewer open source passages, reject a material error, and explain the difference between an accepted draft and an authorized action. Familiarity with chat is not the same as competence in the approved workflow.

4. Review the whole service result

Check output quality, information boundaries, attempted or completed effects, request and review effort, corrections, and the cost of keeping the service running. Count work routed or returned to the manual process. Decide what evidence would justify continuing, revising, or stopping before evaluating the results. [1, 2]

5. Expand only the conditions supported by evidence

A different source collection, user group, integration, or external action changes the operating arrangement. Revisit access, processing, review, support, and acceptance before adding it. A successful internal comparison does not demonstrate readiness for customer communications or changes to account records.

A concise launch decision

Record what may proceed, under which conditions, who owns it, what remains unresolved, how the manual route works, and what event triggers a pause or retest. Keep that decision separate from the assistant's statement that a task is finished.

This is a proposed evaluation sequence, not an official examination checklist, a required training duration, or evidence that a particular software deployment is ready.

13 / SUPPORTING TOOL: INTAKE CARD

Capture one request without collecting unnecessary data.

Use this card inside an approved request system or adapt it to an existing form. Reference restricted sources rather than copying their contents into a broader queue.

Request detail	Entry or approved reference
Request ID / requester / business owner	_____
Specific question and intended use	_____ _____
Deliverable and acceptance criteria	_____ _____
Source references, versions, and status	_____ _____
Source owner / information classification	_____
Approved environment and restrictions	_____
Qualified reviewer / backup	_____
Authorized recipients and destination	_____
Needed date / consequence of delay	_____
Manual or specialist alternative	_____

Coordinator qualification

- Confirm source and recipient access, permitted processing, the reviewer, and the useful deliverable.
- Initial scope: read approved sources and create drafts only. No assistant sends, submissions, or source or authoritative-record updates. People return reviewed work.
- Record exclusions and missing decisions: _____.
- Choose: accept for preparation / clarify / route elsewhere / stop and escalate.

Scope confirmation to the requester

We will prepare _____ from _____ for review by _____.

The assignment excludes _____. Before work can proceed, _____ must be resolved. The approved return location is _____.

Do not enter credentials or unapproved customer data here. Completion of this card does not grant access, approve a service, or authorize a downstream action. The Word edition is editable; the PDF supports printing or annotation.

14 / SUPPORTING TOOL: REVIEW AND CLOSEOUT

Make acceptance and unresolved work visible.

Use the same request ID across the packet, review record, final version, and any follow-up. Keep restricted evidence in its approved location.

Review record	Entry or approved reference
Request ID / draft version / operator	_____
Reviewer / date / scope checked	_____ _____
Sources and status confirmed	_____
Material findings and calculations checked	_____
Completeness and intended-use assessment	_____
Errors, limitations, and unresolved items	_____ _____
Review disposition and reason	Accepted / returned / rejected: _____
Authorized destination / final version	_____
Delivery evidence / completion condition	_____
Follow-up owner and next action	_____

Before returning the work

- The deliverable opens, matches the agreed scope, and points to verified source locations.
- Drafts, effective sources, unresolved questions, and actual completion are distinguished.
- Recipients and the return location are authorized; no wider send or update is implied.
- Any post-delivery correction has a version, an owner, and an approved notification route.

If the work stops or an incident is suspected

Record the last verified state and what remains unknown. Use the existing incident or specialist route, preserve required evidence securely, and name the next owner. Do not close an unresolved incident merely because the help-desk request has been routed.

Accepted work can contain explicitly acknowledged gaps when identifying them was part of the assignment. Those gaps remain open in the relevant process. This record documents a service outcome, not regulatory approval or permission for any other use.

NEXT STEP / SOURCES

Bring one service and its owners to the table.

A useful discussion starts with the recurring staff need, the information boundary, and the people who can verify the result.

For a scoping discussion with Providensi, bring a general service description, the requested deliverable, anticipated volume, an approved sample or synthetic example, and the business and review owners. Keep customer records and credentials out of the initial discussion. Confirm staffing, capabilities, configuration, pricing, and commitments separately rather than assuming the playbook is a packaged service.

Reading notes and authoritative references

References checked October 6, 2026. Citations support general governance, review, security, and third-party oversight principles. The service menu, workflows, examples, staffing responsibilities, and templates are Providensi's educational synthesis, not agency-issued procedures or observed customer results.

[1] AI Risk Management Framework (AI RMF 1.0)

NIST • January 26, 2023

A voluntary framework covering governance, mapping, measurement, and management of AI risks. Appendix C discusses human-AI configurations, roles, and the limits of oversight. It does not prescribe this help-desk model or a particular staffing chart.

[2] Artificial Intelligence Risk Management Framework: Generative Artificial Intelligence Profile

NIST AI 600-1 • July 26, 2024

See sections 2.2, 2.4, 2.7, and 2.9 for false content, privacy, human reliance, and information security. Suggested actions also address incident response and after-action learning. These are risk-management considerations, not certification of a product.

[3] Third-Party Risk Management: A Guide for Community Banks

Federal Reserve, FDIC, and OCC • May 2024

Explains continuing bank responsibility and the relationship life cycle, including planning, due diligence, contracting, ongoing monitoring, and termination. It is not a checklist, substitute for the underlying guidance, or regulatory safe harbor.

Use within the bank's approved arrangements

This playbook is educational, not legal advice, a security assessment, a compliance certification, or a guarantee of performance. The bank's responsible teams determine applicable obligations, required approvals, staffing, acceptable information use, records handling, and incident response for the actual deployment.

Companions in this series: A Bank Leader's Guide to Practical AI and Measuring the Value of AI in Your Bank. Use those guides for the broader pilot discussion and the distinction between staff capacity, service outcomes, and cash value.