```
-- Table: public."ServisZaliha"
                                            -- DROP TABLE public."ServisZaliha";
                                             CREATE TABLE public. "ServisZaliha"
                                               "ProizvodID" integer NOT NULL,
                                               "Naziv" text COLLATE pg_catalog."default" NOT NULL,
                                             "Opis" text COLLATE pg_catalog."default",
                                             "Cijena" real NOT NULL,
                                             "Količina" integer NOT NULL,
                                               CONSTRAINT "ServisZaliha_pkey" PRIMARY KEY ("ProizvodID
                                             )
                                             WITH (
                                             OIDS = FALSE
                                             TABLESPACE pg_default;
                                             ALTER TABLE public. "ServisZaliha"
                                               OWNER to postgres;
                                              -- Table: public."Feedback Servis"
                                             -- DROP TABLE public. "Feedback Servis";
                                             CREATE TABLE public. "Feedback Servis"
                                                "FeedbackID" integer NOT NULL,
                                                "KorisnikID" integer,
                                                "NaplataID" integer,
                                                 "Ocjena" text COLLATE pg_catalog."default",
                                                 "Opis" text COLLATE pg_catalog."default",
```

CONSTRAINT "Feedback Servis_pkey" PRIMARY KEY ("Feedback) ) NITH ( OIDS = FALSE ) TABLESPACE pg_default;  ALTER TABLE public."Feedback Servis" OWNER to postgres;  Table: public."Korisnički servis"  DROP TABLE public."Korisnički servis";  CREATE TABLE public."Korisnički servis";  (	
MITH (  ODS = FALSE )  TABLESPACE pg_default;  ALTER TABLE public."Feedback Servis"  OHNER to postgres;  OHNER to postgres;  Table: public."Korisnički servis"  DROP TABLE public."Korisnički servis";  (  CREATE TABLE public."Korisnički servis"  (  "Godine" integer,  "Ime" text COLLATE pg_catalog."default" NOT NULL,  "KorisnikID" integer NOT NULL,  "Prezime" text COLLATE pg_catalog."default",  "Adresa" text COLLATE pg_catalog."default" NOT NULL,  CONSTRAINT "Korisnički servis_pkey" PRIMARY KEY ("Koris) )  MITH (  OIDS = FALSE )  TABLESPACE pg_default;	CONSTRAINT "Feedback Servis_pkey" PRIMARY KEY ("Feedbac
OTDS = FALSE  )  TABLESPACE pg_default;  ALTER TABLE public."Feedback Servis"  OWNER to postgres;  Table: public."Korisnički servis"  DROP TABLE public."Korisnički servis";  (  CREATE TABLE public."Korisnički servis"  (  "Godine" integer,  "Ime" text COLLATE pg_catalog."default" NOT NULL,  "Korisnički" integer NOT NULL,  "Prezime" text COLLATE pg_catalog."default",  "Adress" text COLLATE pg_catalog."default" NOT NULL,  CONSTRAINT "Korisnički servis_pkey" PRIMARY KEY ("Koris)  )  WITH (  OTOS = FALSE  )  TABLESPACE pg_default;  ALTER TABLE public."Korisnički servis"	)
TABLESPACE pg_default;  ALTER TABLE public."Feedback Servis"  OWNER to postgres;  Table: public."Korisnički servis"  DROP TABLE public."Korisnički servis";  CREATE TABLE public."Korisnički servis";  (  "Godine" integer,  "Ime" text COLLATE pg_catalog."default" NOT NULL,  "Korisnički" integer NOT NULL,  "Prezime" text COLLATE pg_catalog."default",  "Addresa" text COLLATE pg_catalog."default" NOT NULL,  CONSTRAINT "Korisnički servis_pkey" PRIMARY KEY ("Koris )  WITH (  OIDS = FALSE )  TABLESPACE pg_default;  ALTER TABLE public."Korisnički servis"	WITH (
TABLESPACE pg_default;  ALTER TABLE public."Feedback Servis"  OWNER to postgres;  OWNER to postgres;  Table: public."Korisnički servis"  DROP TABLE public."Korisnički servis";  (  CREATE TABLE public."Korisnički servis"  (  "Godine" integer,  "Imm" text COLLATE pg_catalog."default" NOT NULL,  "KorisnikID" integer NOT NULL,  "Prezime" text COLLATE pg_catalog."default",  "Adresa" text COLLATE pg_catalog."default",  "CONSTRAINT "Korisnički servis_pkey" PRIMARY KEY ("Koris)  )  WITH (  OIDS = FALSE  )  TABLESPACE pg_default;  ALTER TABLE public."Korisnički servis"	OIDS = FALSE
ALTER TABLE public."Feedback Servis"  OMNER to postgres;  OMNER to postgres;  Table: public."Korisnički servis"  DROP TABLE public."Korisnički servis";  CREATE TABLE public."Korisnički servis";  (  "Godine" integer,  "Ime" text COLLATE pg_catalog."default" NOT NULL,  "KorisnikID" integer NOT NULL,  "Prezime" text COLLATE pg_catalog."default",  "Adresa" text COLLATE pg_catalog."default" NOT NULL,  CONSTRAINT "Korisnički servis_pkey" PRIMARY KEY ("Koris)  )  NITH (  OIDS = FALSE  )  TABLESPACE pg_default;  ALTER TABLE public."Korisnički servis"	)
OWNER to postgres;  Table: public."Korisnički servis"  DROP TABLE public."Korisnički servis";  CREATE TABLE public."Korisnički servis"  (	TABLESPACE pg_default;
OWNER to postgres;  Table: public."Korisnički servis"  DROP TABLE public."Korisnički servis";  CREATE TABLE public."Korisnički servis"  (	
OWNER to postgres;  Table: public."Korisnički servis"  DROP TABLE public."Korisnički servis";  CREATE TABLE public."Korisnički servis"  (	
Table: public. "Korisnički servis"  DROP TABLE public. "Korisnički servis";  CREATE TABLE public. "Korisnički servis"  (	ALTER TABLE public."Feedback Servis"
DROP TABLE public."Korisnički servis";  CREATE TABLE public."Korisnički servis"  (  "Godine" integer,  "Ime" text COLLATE pg_catalog."default" NOT NULL,  "KorisnikID" integer NOT NULL,  "Prezime" text COLLATE pg_catalog."default",  "Adresa" text COLLATE pg_catalog."default" NOT NULL,  CONSTRAINT "Korisnički servis_pkey" PRIMARY KEY ("Koris)  )  WITH (  OIDS = FALSE  )  TABLESPACE pg_default;  ALTER TABLE public."Korisnički servis"	OWNER to postgres;
DROP TABLE public. "Korisnički servis";  CREATE TABLE public. "Korisnički servis"  (  "Godine" integer,  "Ime" text COLLATE pg_catalog. "default" NOT NULL,  "KorisnikID" integer NOT NULL,  "Prezime" text COLLATE pg_catalog. "default",  "Adresa" text COLLATE pg_catalog. "default" NOT NULL,  CONSTRAINT "Korisnički servis_pkey" PRIMARY KEY ("Koris)  )  WITH (  OIDS = FALSE  )  TABLESPACE pg_default;  ALTER TABLE public. "Korisnički servis"	
DROP TABLE public."Korisnički servis";  CREATE TABLE public."Korisnički servis"  (  "Godine" integer,  "Ime" text COLLATE pg_catalog."default" NOT NULL,  "KorisnikID" integer NOT NULL,  "Prezime" text COLLATE pg_catalog."default",  "Adresa" text COLLATE pg_catalog."default" NOT NULL,  CONSTRAINT "Korisnički servis_pkey" PRIMARY KEY ("Koris)  )  WITH (  OIDS = FALSE  )  TABLESPACE pg_default;  ALTER TABLE public."Korisnički servis"	
DROP TABLE public."Korisnički servis";  CREATE TABLE public."Korisnički servis"  (  "Godine" integer,  "Ime" text COLLATE pg_catalog."default" NOT NULL,  "KorisnikID" integer NOT NULL,  "Prezime" text COLLATE pg_catalog."default",  "Adresa" text COLLATE pg_catalog."default" NOT NULL,  CONSTRAINT "Korisnički servis_pkey" PRIMARY KEY ("Koris)  )  WITH (  OIDS = FALSE  )  TABLESPACE pg_default;  ALTER TABLE public."Korisnički servis"	
DROP TABLE public."Korisnički servis";  CREATE TABLE public."Korisnički servis"  (  "Godine" integer,  "Ime" text COLLATE pg_catalog."default" NOT NULL,  "KorisnikID" integer NOT NULL,  "Prezime" text COLLATE pg_catalog."default",  "Adresa" text COLLATE pg_catalog."default" NOT NULL,  CONSTRAINT "Korisnički servis_pkey" PRIMARY KEY ("Koris)  )  WITH (  OIDS = FALSE  )  TABLESPACE pg_default;  ALTER TABLE public."Korisnički servis"	
DROP TABLE public. "Korisnički servis";  CREATE TABLE public. "Korisnički servis"  (  "Godine" integer,  "Ime" text COLLATE pg_catalog. "default" NOT NULL,  "KorisnikID" integer NOT NULL,  "Prezime" text COLLATE pg_catalog. "default",  "Adresa" text COLLATE pg_catalog. "default" NOT NULL,  CONSTRAINT "Korisnički servis_pkey" PRIMARY KEY ("Koris)  )  WITH (  OIDS = FALSE  )  TABLESPACE pg_default;  ALTER TABLE public. "Korisnički servis"	
DROP TABLE public. "Korisnički servis";  CREATE TABLE public. "Korisnički servis"  (  "Godine" integer,  "Ime" text COLLATE pg_catalog. "default" NOT NULL,  "KorisnikID" integer NOT NULL,  "Prezime" text COLLATE pg_catalog. "default",  "Adresa" text COLLATE pg_catalog. "default" NOT NULL,  CONSTRAINT "Korisnički servis_pkey" PRIMARY KEY ("Koris)  )  WITH (  OIDS = FALSE  )  TABLESPACE pg_default;  ALTER TABLE public. "Korisnički servis"	
DROP TABLE public."Korisnički servis";  CREATE TABLE public."Korisnički servis"  (  "Godine" integer,  "Ime" text COLLATE pg_catalog."default" NOT NULL,  "KorisnikID" integer NOT NULL,  "Prezime" text COLLATE pg_catalog."default",  "Adresa" text COLLATE pg_catalog."default" NOT NULL,  CONSTRAINT "Korisnički servis_pkey" PRIMARY KEY ("Koris)  )  WITH (  OIDS = FALSE  )  TABLESPACE pg_default;  ALTER TABLE public."Korisnički servis"	
DROP TABLE public."Korisnički servis";  CREATE TABLE public."Korisnički servis"  (  "Godine" integer,  "Ime" text COLLATE pg_catalog."default" NOT NULL,  "KorisnikID" integer NOT NULL,  "Prezime" text COLLATE pg_catalog."default",  "Adresa" text COLLATE pg_catalog."default" NOT NULL,  CONSTRAINT "Korisnički servis_pkey" PRIMARY KEY ("Koris)  )  WITH (  OIDS = FALSE  )  TABLESPACE pg_default;  ALTER TABLE public."Korisnički servis"	
DROP TABLE public."Korisnički servis";  CREATE TABLE public."Korisnički servis"  (  "Godine" integer,  "Ime" text COLLATE pg_catalog."default" NOT NULL,  "KorisnikID" integer NOT NULL,  "Prezime" text COLLATE pg_catalog."default",  "Adresa" text COLLATE pg_catalog."default" NOT NULL,  CONSTRAINT "Korisnički servis_pkey" PRIMARY KEY ("Koris)  )  WITH (  OIDS = FALSE  )  TABLESPACE pg_default;  ALTER TABLE public."Korisnički servis"	
DROP TABLE public."Korisnički servis";  CREATE TABLE public."Korisnički servis"  (  "Godine" integer,  "Ime" text COLLATE pg_catalog."default" NOT NULL,  "KorisnikID" integer NOT NULL,  "Prezime" text COLLATE pg_catalog."default",  "Adresa" text COLLATE pg_catalog."default" NOT NULL,  CONSTRAINT "Korisnički servis_pkey" PRIMARY KEY ("Koris)  )  WITH (  OIDS = FALSE  )  TABLESPACE pg_default;  ALTER TABLE public."Korisnički servis"	
CREATE TABLE public. "Korisnički servis"  (  "Godine" integer,  "Ime" text COLLATE pg_catalog. "default" NOT NULL,  "KorisnikID" integer NOT NULL,  "Prezime" text COLLATE pg_catalog. "default",  "Adresa" text COLLATE pg_catalog. "default" NOT NULL,  CONSTRAINT "Korisnički servis_pkey" PRIMARY KEY ("Koris)  )  WITH (  OIDS = FALSE )  TABLESPACE pg_default;  ALTER TABLE public. "Korisnički servis"	Table: public."Korisnički servis"
CREATE TABLE public. "Korisnički servis"  (  "Godine" integer,  "Ime" text COLLATE pg_catalog. "default" NOT NULL,  "KorisnikID" integer NOT NULL,  "Prezime" text COLLATE pg_catalog. "default",  "Adresa" text COLLATE pg_catalog. "default" NOT NULL,  CONSTRAINT "Korisnički servis_pkey" PRIMARY KEY ("Koris)  )  WITH (  OIDS = FALSE )  TABLESPACE pg_default;  ALTER TABLE public. "Korisnički servis"	
CREATE TABLE public. "Korisnički servis"  (  "Godine" integer,  "Ime" text COLLATE pg_catalog. "default" NOT NULL,  "KorisnikID" integer NOT NULL,  "Prezime" text COLLATE pg_catalog. "default",  "Adresa" text COLLATE pg_catalog. "default" NOT NULL,  CONSTRAINT "Korisnički servis_pkey" PRIMARY KEY ("Koris)  )  WITH (  OIDS = FALSE )  TABLESPACE pg_default;  ALTER TABLE public. "Korisnički servis"	
(  "Godine" integer,  "Ime" text COLLATE pg_catalog."default" NOT NULL,  "KorisnikID" integer NOT NULL,  "Prezime" text COLLATE pg_catalog."default",  "Adresa" text COLLATE pg_catalog."default" NOT NULL,  CONSTRAINT "Korisnički servis_pkey" PRIMARY KEY ("Korisnical))  WITH (  OIDS = FALSE  )  TABLESPACE pg_default;  ALTER TABLE public."Korisnički servis"	DROP TABLE public."Korisnički servis";
(  "Godine" integer,  "Ime" text COLLATE pg_catalog."default" NOT NULL,  "KorisnikID" integer NOT NULL,  "Prezime" text COLLATE pg_catalog."default",  "Adresa" text COLLATE pg_catalog."default" NOT NULL,  CONSTRAINT "Korisnički servis_pkey" PRIMARY KEY ("Korisnical))  WITH (  OIDS = FALSE  )  TABLESPACE pg_default;  ALTER TABLE public."Korisnički servis"	
(  "Godine" integer,  "Ime" text COLLATE pg_catalog."default" NOT NULL,  "KorisnikID" integer NOT NULL,  "Prezime" text COLLATE pg_catalog."default",  "Adresa" text COLLATE pg_catalog."default" NOT NULL,  CONSTRAINT "Korisnički servis_pkey" PRIMARY KEY ("Korisnical))  WITH (  OIDS = FALSE  )  TABLESPACE pg_default;  ALTER TABLE public."Korisnički servis"	
"Godine" integer,  "Ime" text COLLATE pg_catalog."default" NOT NULL,  "KorisnikID" integer NOT NULL,  "Prezime" text COLLATE pg_catalog."default",  "Adresa" text COLLATE pg_catalog."default" NOT NULL,  CONSTRAINT "Korisnički servis_pkey" PRIMARY KEY ("Koris )  WITH (  OIDS = FALSE )  TABLESPACE pg_default;  ALTER TABLE public."Korisnički servis"	
"Ime" text COLLATE pg_catalog."default" NOT NULL,  "KorisnikID" integer NOT NULL,  "Prezime" text COLLATE pg_catalog."default",  "Adresa" text COLLATE pg_catalog."default" NOT NULL,  CONSTRAINT "Korisnički servis_pkey" PRIMARY KEY ("Koris )  WITH (  OIDS = FALSE )  TABLESPACE pg_default;  ALTER TABLE public."Korisnički servis"	
"KorisnikID" integer NOT NULL,  "Prezime" text COLLATE pg_catalog."default",  "Adresa" text COLLATE pg_catalog."default" NOT NULL,  CONSTRAINT "Korisnički servis_pkey" PRIMARY KEY ("Koris) )  WITH (  OIDS = FALSE )  TABLESPACE pg_default;  ALTER TABLE public."Korisnički servis"	
"Prezime" text COLLATE pg_catalog."default",  "Adresa" text COLLATE pg_catalog."default" NOT NULL,  CONSTRAINT "Korisnički servis_pkey" PRIMARY KEY ("Koris )  WITH (  OIDS = FALSE )  TABLESPACE pg_default;  ALTER TABLE public."Korisnički servis"	
"Adresa" text COLLATE pg_catalog."default" NOT NULL,  CONSTRAINT "Korisnički servis_pkey" PRIMARY KEY ("Koris )  WITH (  OIDS = FALSE )  TABLESPACE pg_default;  ALTER TABLE public."Korisnički servis"	-
CONSTRAINT "Korisnički servis_pkey" PRIMARY KEY ("Koris ) WITH ( OIDS = FALSE ) TABLESPACE pg_default;  ALTER TABLE public."Korisnički servis"	
) WITH (  OIDS = FALSE )  TABLESPACE pg_default;  ALTER TABLE public."Korisnički servis"	
WITH (  OIDS = FALSE  )  TABLESPACE pg_default;  ALTER TABLE public."Korisnički servis"	CONSTRAINT "Korisnički servis_pkey" PRIMARY KEY ("Koris
OIDS = FALSE )  TABLESPACE pg_default;  ALTER TABLE public."Korisnički servis"	
)  TABLESPACE pg_default;  ALTER TABLE public."Korisnički servis"	
ALTER TABLE public."Korisnički servis"	OIDS = FALSE
ALTER TABLE public."Korisnički servis"	)
	TABLESPACE pg_default;
OLDUCA I CONTRACTOR OF THE CON	ALTER TABLE public."Korisnički servis"
OWNER to postgres;	OWNER to postgres;

```
-- Table: public."Servis za naplatu"
-- DROP TABLE public. "Servis za naplatu";
CREATE TABLE public. "Servis za naplatu"
  "NaplataID" integer NOT NULL,
"KorisnikID" integer NOT NULL,
  "ProizvodID" integer NOT NULL,
"Opis" text COLLATE pg_catalog."default",
  "Nacin isplate" text COLLATE pg_catalog."default",
  "Adresa" text COLLATE pg_catalog."default",
  CONSTRAINT "Servis za naplatu_pkey" PRIMARY KEY ("Napla
)
WITH (
OIDS = FALSE
TABLESPACE pg_default;
ALTER TABLE public. "Servis za naplatu"
  OWNER to postgres;
 - Table: public."ServisZaliha"
```

	DROP TABLE public."ServisZaliha";
	CREATE TABLE public."ServisZaliha"
	(
	"ProizvodID" integer NOT NULL,
	"Naziv" text COLLATE pg_catalog."default" NOT NULL,
	"Opis" text COLLATE pg_catalog."default",
	"Cijena" real NOT NULL,
	"Količina" integer NOT NULL,
	CONSTRAINT "ServisZaliha_pkey" PRIMARY KEY ("ProizvodID
	)
	WITH (
	OIDS = FALSE
	)
	TABLESPACE pg_default;
	ALTER TABLE public."ServisZaliha"
	OWNER to postgres;