

Evidence before milestone decisions.

Milestone Relay Evidence Registry - verifiable cross-chain records with Attestcoin.

THE PROBLEM

Milestone decisions depend on fragmented evidence. Teams need a durable record that exact cross-chain evidence exists and has not been reused.

THE CURRENT BUILD

A deployed Solidity evidence registry with immutable owner commitments, native Attestcoin proof verification and persistent replay protection. Three confirmed testnet transactions prove the complete path.

Product status: `LIVE_TESTNET_VERIFIED`. Deployment, owner configuration and proof admission confirmed. An independent public reader verifies storage, events and rejection of repeated evidence.

Source bytes, proof, verification.

Exact binding prevents unverified RPC fields from becoming trusted policy evidence.

01 / READ AND SELECT

Read a pinned public Sepolia transaction and successful receipt. The registry owner commits its exact byte digest and block height.

02 / GENERATE AND BIND

Get the official Merkle/continuity proof. Re-encode source data with the SDK; require byte-for-byte equality with the proof.

03 / VERIFY AND RECORD

The deployed registry calls native verifier 0x0FD2. Only true permits persistent VERIFIED state, a consumed evidence key and an audit event.

Three transactions. Durable evidence.

Independent storage observation: 2026-09-07T19:57:50.266Z

Deploy / configure / verify blocks	5448049 / 5448052 / 5448057
Official native proof admission	PASS / EvidenceVerified event emitted
One-byte modification	REJECTED / native read-only negative test
Exact policy and persisted state	MATCH / VERIFIED and consumed = true
Repeated admission	REJECTED / MilestoneAlreadyVerified
Transaction value / network	0 in every transaction / CC3 Testnet only

Registry: 0x194075d28FedC34D53F095Bac0581368021cfD9a

A verified record. A human decision.

OFFLINE PRODUCT MODEL

Approved milestone release; rejection with dispute and refund; timeout with dispute and refund. Simulated units are conserved and event order is enforced.

CORE MVP / DEPLOYED EVIDENCE REGISTRY

The public inspector reads the real registry, confirms the deployed source, receipts, events and policy, then checks replay rejection. No wallet is required to inspect it. Failed network checks remain unconfirmed.

The benchmark is an unrelated public transaction. VERIFIED does not prove address ownership, work quality or completion. The owner decides the business meaning of the evidence. Financial settlement is outside this MVP.

Evidence that another builder can check.

LOCAL COMMANDS

`pnpm install --frozen-lockfile; pnpm test; pnpm verify:registry; pnpm verify:attestcoin.`

WHAT TO INSPECT

The saved verification receipt, complete proof, explicit benchmark policy, source code, negative tests and captioned video are included in the review bundle.

Official sources and public reference:

Public testnet inspector [\[open\]](#)

Source code and reproducible tests [\[open\]](#)

Attestcoin SDK guide [\[open\]](#)

Registry proof transaction [\[open\]](#)