



Overview of Crimean Congo Hemorrhagic Fever in Iraq

Epidemiological Week 14-2025




Notes

- Data are based on the available situation reports from **Iraq CDC**.


Key Highlights

- **915 total cases** in 2022-2023.
- **152 deaths** in 2022-2023.
- **17% overall CFR** in 2022-2023.

CCHF Cases



Cases Fatality Rates (%)



1 CCHF Situation, Iraq 2022-2023



Overall burden of CCHF in Iraq

	Year	Deaths	Cases	CFR (%)
2022	71.00	353.00	20.1%	
2023	81.00	562.00	14.4%	
Overall	152.00	915.00	16.6%	

- In 2023, **Erbil** reported the highest case fatality rate at **42.9%**.
- In 2022, **Salah Al-Din** reported the highest case fatality rate at **100.0%**.
- Majority in **central** and **southern governorates**.
- Seasonal pattern with peak around **April–July**.

CCHF dynamics in 2022

Table 2: Burden of CCHF in Iraq in 2022

Indicator	January	February	March	April	May	June	July	August	September	October	November	December	Overall	Trends
Cases	0	0	2	33	103	90	48	22	19	16	18	2	353.0	
Deaths	0	0	0	8	18	13	12	5	7	5	3	0	71.0	
Deaths percentage	NaN	NaN	0	24.2	17.5	14.4	25	22.7	36.8	31.2	16.7	0	20.1	
Females	0	0	0	9	43	39	17	10	7	7	3	1	136.0	
Males	0	0	2	24	60	51	31	12	12	9	15	1	217.0	
Females percentage	NaN	NaN	0	27.3	41.7	43.3	35.4	45.5	36.8	43.8	16.7	50	38.5	

Source: Iraq CDC


CCHF dynamics in 2023

Table 3: Burden of CCHF in Iraq in 2023

Indicator	January	February	March	April	May	June	July	August	September	October	November	December	Overall	Trends
Cases	0	2	9	41	110	135	137	53	29	26	16	2.0	560.0	
Deaths	0	1	4	3	15	19	16	3	6	7	5	1.0	80.0	
Deaths percentage	NaN	50	44.4	7.3	13.6	14.1	11.7	5.7	20.7	26.9	31.2	50.0	14.3	
Females	0	0	3	18	45	61	53	25	12	12	7	0.5	236.5	
Males	0	2	6	23	65	74	84	28	17	14	9	1.5	323.5	
Females percentage	NaN	0	33.3	43.9	40.9	45.2	38.7	47.2	41.4	46.2	43.8	25.0	42.2	

Source: Iraq CDC

Age and Sex distribution



Source: Iraq CDC

Population Characteristics

Characteristic	Cured N = 799	Death N = 156	p-value
Age group			0.051
<15	33/799 (4.1%)	0/156 (0%)	
age ≥15-<25	202/799 (25%)	30/156 (19%)	
age ≥25-<35	155/799 (19%)	37/156 (24%)	
age ≥35-<45	177/799 (22%)	38/156 (24%)	
age ≥45-<55	133/799 (17%)	32/156 (21%)	
age ≥55	99/799 (12%)	19/156 (12%)	
Sex			0.7
Female	330/799 (41%)	62/156 (40%)	
Male	469/799 (59%)	94/156 (60%)	
Age			0.027
Median (Min, Max)	35 (1, 90)	38 (15, 78)	
Fever	776/799 (97%)	150/156 (96%)	0.5
Hemorrhagic	260/799 (33%)	80/156 (51%)	<0.001
Rural/Urban			0.013
Rural	232/494 (47%)	31/82 (38%)	
Semi-Urban	61/494 (12%)	20/82 (24%)	
Urban	201/494 (41%)	31/82 (38%)	
Ribavirin	172/457 (38%)	19/79 (24%)	0.020
Tick bite	144/794 (18%)	32/155 (21%)	0.5

Source: Iraq CDC

The effect of seasonality on the CCHF incidence



Source: Iraq CDC

- In 2022-2023, a total of **3546 suspected CCHF patients** attended an hospital in Iraq.
- CCHF diagnosis was **confirmed in 955** (27%) cases, 915 by RT-PCR, 40 by serology only.

Number of CCHF confirmed cases by outcome and CFR per year



Cases by Ct values and CFR (%)



2 CCHF Situation in Wassit



CCHF dynamics in Wassit


Table 5: Burden of CCHF in Wassit in 2022

Indicator	January	February	March	April	May	June	July	August	September	October	November	December	Overall	Trends
Cases	0	0	1	0	14	9	0	0	1	1	0	0	26.0	
Deaths	0	0	0	0	2	0	0	0	0	1	0	0	3.0	
Deaths percentage	NaN	NaN	0	NaN	14.3	0	NaN	NaN	0	100	NaN	-	11.5	
Females	0	0	0	0	6	4	0	0	1	1	0	0	12.0	
Males	0	0	1	0	8	5	0	0	0	0	0	0	14.0	
Females percentage	NaN	NaN	0	NaN	42.9	44.4	NaN	NaN	100	100	NaN	-	46.2	

Table 6: Burden of CCHF in Wassit in 2023

Indicator	January	February	March	April	May	June	July	August	September	October	November	December	Overall	Trends
Cases	0	0	0	1	7	8	12	3	1	3	1	0	36.0	
Deaths	0	0	0	0	1	0	1	0	0	0	0	0	2.0	
Deaths percentage	NaN	NaN	NaN	0	14.3	0	8.3	0	0	0	0	-	5.6	
Females	0	0	0	0	1	4	4	2	1	2	1	0	15.0	
Males	0	0	0	1	6	4	8	1	0	1	0	0	21.0	
Females percentage	NaN	NaN	NaN	0	14.3	50	33.3	66.7	100	66.7	100	-	41.7	

Age and Sex distribution




Population Characteristics in Wassit

Characteristic	Cured N = 58	Death N = 5	p-value
Age group			
<15	4/58 (6.9%)	0/5 (0%)	
age ≥15-<25	13/58 (22%)	0/5 (0%)	
age ≥25-<35	13/58 (22%)	1/5 (20%)	
age ≥35-<45	9/58 (16%)	0/5 (0%)	
age ≥45-<55	11/58 (19%)	3/5 (60%)	
age ≥55	8/58 (14%)	1/5 (20%)	
Sex			
Female	25/58 (43%)	3/5 (60%)	
Male	33/58 (57%)	2/5 (40%)	
Age			
Median (Min, Max)	34 (5, 71)	48 (30, 70)	0.073
Fever			
	53/58 (91%)	5/5 (100%)	>0.9
Hemorrhagic			
	18/58 (31%)	3/5 (60%)	0.3
Rural/Urban			
Rural	18/35 (51%)	1/2 (50%)	
Semi-Urban	3/35 (8.6%)	0/2 (0%)	
Urban	14/35 (40%)	1/2 (50%)	
Ribavirin			
	2/32 (6.3%)	0/2 (0%)	>0.9
Tick bite			
	9/57 (16%)	0/5 (0%)	>0.9

Source: Iraq CDC

CCHF confirmed cases by outcome and CFR per year in Wassit



Cases by Ct values and CFR (%) in Wassit

