

Variable	Person with HIV N = 1	Person without HIV N = 32	Unknown N = 2	p-value ¹
ever hospitalized, n (%)				>0.9
Yes	1 (100%)	27 (84%)	2 (100%)	
No	0 (0%)	5 (16%)	0 (0%)	
Unknown	0 (0%)	0 (0%)	0 (0%)	
Length of hospitalization, Median (Q1, Q3)	21 (21, 21)	6 (5, 9)	12 (6, 17)	0.11
Missing/Unknown	0	5	0	
Escalation of care, n (%)				0.033
Yes	1 (100%)	0 (0%)	0 (0%)	
No	0 (0%)	27 (100%)	2 (100%)	
Unknown	0 (0%)	0 (0%)	0 (0%)	
Missing/Unknown	0	5	0	
supplemental oxygen, n (%)				0.033
Yes	1 (100%)	0 (0%)	0 (0%)	
No	0 (0%)	27 (100%)	2 (100%)	
Unknown	0 (0%)	0 (0%)	0 (0%)	
Missing/Unknown	0	5	0	
receive nasogastric fluids, n (%)				>0.9
Yes	0 (0%)	0 (0%)	0 (0%)	
No	1 (100%)	32 (100%)	2 (100%)	
Unknown	0 (0%)	0 (0%)	0 (0%)	
receive IV fluids during course monkeypox infection, n (%)				0.029
Yes	1 (100%)	0 (0%)	0 (0%)	
No	0 (0%)	32 (100%)	2 (100%)	
Unknown	0 (0%)	0 (0%)	0 (0%)	
receive analgesia for pain management, n (%)				0.2
Yes	1 (100%)	7 (22%)	1 (50%)	
No	0 (0%)	25 (78%)	1 (50%)	
Unknown	0 (0%)	0 (0%)	0 (0%)	
receive antibiotics during course monkeypox infection, n (%)				>0.9
Yes	1 (100%)	27 (84%)	2 (100%)	
No	0 (0%)	5 (16%)	0 (0%)	
Unknown	0 (0%)	0 (0%)	0 (0%)	
receive antifungals during course monkeypox infection, n (%)				>0.9
Yes	0 (0%)	0 (0%)	0 (0%)	

¹

Fisher's exact test; Kruskal-Wallis rank sum test

Variable	Person with HIV N = 1	Person without HIV N = 32	Unknown N = 2	p- value ¹
No	1 (100%)	32 (100%)	2 (100%)	
Unknown	0 (0%)	0 (0%)	0 (0%)	
experimental antiviral during course monkeypox infection, n (%)				>0.9
Yes	0 (0%)	0 (0%)	0 (0%)	
No	1 (100%)	32 (100%)	2 (100%)	
Unknown	0 (0%)	0 (0%)	0 (0%)	
¹ <i>Fisher's exact test; Kruskal-Wallis rank sum test</i>				