

The following content is preserved from the provided `NFS-TASK.txt` file, including the original task content and all system/terminal output.

```
# NFS TASK

achal@LAPTOP-# cat nfs-server.yaml nfs-service.yaml nfs-storageclass.yaml rwx-
test.yaml shared-pvc.yaml
apiVersion: apps/v1
kind: Deployment
metadata:
  name: nfs-server
  namespace: poc
spec:
  replicas: 1
  selector:
    matchLabels:
      app: nfs-server
  template:
    metadata:
      labels:
        app: nfs-server
    spec:
      containers:
        - name: nfs-server
          image: itsthenetwork/nfs-server-alpine:latest
          securityContext:
            privileged: true
          env:
            - name: SHARED_DIRECTORY
              value: /exports
          ports:
            - name: nfs
              containerPort: 2049
              protocol: TCP
          volumeMounts:
            - name: exports
              mountPath: /exports
      volumes:
        - name: exports
          emptyDir: {}

-----

apiVersion: v1
kind: Service
metadata:
  name: nfs-server
  namespace: poc
spec:
  type: ClusterIP
  selector:
    app: nfs-server
  ports:
    - name: nfs
      port: 2049
      targetPort: 2049
      protocol: TCP

-----
```

```
-----
apiVersion: storage.k8s.io/v1
kind: StorageClass
metadata:
  name: nfs-csi
provisioner: nfs.csi.k8s.io
parameters:
  server: nfs-server.poc.svc.cluster.local
  share: /
  onDelete: delete
mountOptions:
  - nfsvers=4.1
```

```
-----
apiVersion: apps/v1
kind: Deployment
metadata:
  name: rwx-test
  namespace: poc
spec:
  replicas: 2
  selector:
    matchLabels:
      app: rwx-test
  template:
    metadata:
      labels:
        app: rwx-test
    spec:
      containers:
        - name: test
          image: busybox:1.36
          command:
            - sh
            - -c
            - |
              echo "Pod started: $(hostname)"
              sleep 3600
          volumeMounts:
            - name: shared
              mountPath: /shared
      volumes:
        - name: shared
          persistentVolumeClaim:
            claimName: shared-data
```

```
-----
apiVersion: v1
kind: PersistentVolumeClaim
metadata:
  name: shared-data
  namespace: poc
spec:
  accessModes:
    - ReadWriteMany
  storageClassName: nfs-csi
resources:
  requests:
    storage: 1Gi
```

```
-----
      achal@LAPTOP-HPU0TJF1:/mnt/c/KUBE_VS_CODE/POC-PRACTICE-1/POC-8$ kubectl
get pods
NAME                                READY   STATUS    RESTARTS   AGE
nfs-server-86694c4b7c-5ndl8        1/1     Running   0           11m
rwx-test-67b545d787-7g5dr          1/1     Running   0           10m
rwx-test-67b545d787-l9bqj          1/1     Running   0           10m
-----

-----
achal@LAPTOP-HPU0TJF1:/mnt/c/KUBE_VS_CODE/POC-PRACTICE-1/POC-8$ kubectl exec -
n poc rwx-test-67b545d787-7g5dr -- sh -c 'echo "hello from $(hostname)" > /sha
red/test.txt'
-----

-----
achal@LAPTOP-HPU0TJF1:/mnt/c/KUBE_VS_CODE/POC-PRACTICE-1/POC-8$ kubectl exec -
n poc rwx-test-67b545d787-l9bqj -- cat /shared/test.txt
hello from rwx-test-67b545d787-7g5dr
```