Improving Energy Efficiency in Cloud Computing Through Optimized Machine Learning Based Resource Allocation



SYNOPSIS

of the Thesis

Submitted to

RABINDRANATH TAGORE UNIVERSITY

For the Degree of

DOCTOR OF PHILOSOPHY

in

Computer Application

Supervisor
Dr. Ankur Khare
Assistant Professor
Department of CS & IT
RNTU, Raisen

Submitted By
Megha Acharya
Research Scholar
Enrollment No.-AU211393
RNTU, Raisen

S.No.	Particulars	Page No
1.	Introduction 1.1 Cloud Computing 1.2 Machine Learning 1.3 Resource Allocation 1.4 Problem in Resource allocation 1.5 Machine Learning Algorithm for Resource Allocation	1-5
2.	Motivation	5
3.	Literature Review	6-9
4.	Research Gap	9
5.	Objective 5.1 Research Problem 5.2 Hypothesis	10-11
6.	Proposed Methodology	11-12
7.	Expected Outcomes	12-13
8.	Proposed Contents Of the Thesis	13
9.	References	14-17

1.Introduction

1.1 Cloud Computing

Cloud computing is a model for delivering information technology services in which resources are made available to users over the internet as needed, rather than being provided through dedicated servers or personal devices. These resources can include applications, storage, and processing power. Users can access these resources through web browsers or specialized software, and only pay for the resources they use.
There are several different types of cloud computing, including public, private, and hybrid clouds. Public clouds are operated by third-party providers and are available to the general public. Private clouds are owned and operated by a single organization, and are typically used for sensitive or proprietary data. Hybrid clouds combine elements of both public and private clouds, allowing organizations to take advantage of the benefits of both.

Cloud computing also enables new ways of working, such as remote collaboration and flexible working hours, which can increase productivity and reduce costs for organizations. Additionally, cloud computing can improve disaster recovery and business continuity by allowing organizations to quickly recover critical data and applications in the event of a disruption.

Overall, cloud computing is a powerful technology that can help organizations improve efficiency, increase scalability, and reduce costs. It has become increasingly popular in recent years and is expected to continue to grow in the future.
Cloud computing can be classified into three main types: Infrastructure as a Service (IaaS), Platform as a Service (PaaS), and Software as a Service (SaaS).

1. **Infrastructure as a Service (IaaS) -** IaaS provides virtualized computing resources over the internet. This includes virtual machines, storage, and networking. Users can access and control these resources, and can scale them up or down as needed. Examples of IaaS providers include Amazon Web Services (AWS), Microsoft Azure, and Google Cloud Platform (GCP).
2. **Platform as a Service (PaaS) -** PaaS provides a platform for the development, deployment, and management of applications. This includes the operating system, middleware, and runtime environment. Developers can use PaaS to build and run their applications without having to worry about the underlying infrastructure. Examples of PaaS providers include AWS Elastic Beanstalk, Microsoft Azure App Service, and Google App Engine.
3. **Software as a Service (SaaS) -** SaaS provides access to software applications over the internet. These applications are typically accessed through a web browser and can be used by businesses and individuals alike. Examples of SaaS applications include email, customer relationship management, and enterprise resource planning.

Examples of SaaS providers include Microsoft Office 365, Salesforce, and Google Workspace.

It's worth noting that some cloud service providers can offer a mix of different types of services, which are known as "XaaS" (Anything as a Service), this means that you can use different services all under one provider, depending on your specific needs.

In summary, cloud computing allows businesses and individuals to access and use computing resources on-demand, without the need for owning and maintaining the underlying hardware. The three main types of cloud computing, IaaS, PaaS, and SaaS, offer a range of options for different types of users, from those who need only basic infrastructure to those who need to develop and run complex applications.

Green Cloud Computing

Green cloud computing refers to the use of environmentally sustainable computing resources in cloud computing. This includes using renewable energy sources to power data centers, implementing energy-efficient hardware and software, and designing data centers and networks to minimize their environmental impact. One of the main benefits of green cloud computing is that it can reduce the carbon footprint of organizations by reducing the energy consumption of data centers, which are a major source of greenhouse gas emissions. Additionally, green cloud computing can also help organizations save money on energy costs, as well as meet regulatory requirements for reducing carbon emissions. Other benefits include increased brand reputation, customer loyalty, and employee engagement.

1.2 Machine Learning

Machine learning is a type of artificial intelligence (AI) that allows systems to automatically improve their performance with experience. It involves the use of algorithms and statistical models to analyze and make predictions or decisions without being explicitly programmed to do so. Machine learning is used in a wide range of applications, including image recognition, natural language processing, and predictive analytics. It can be supervised, unsupervised, or semi-supervised, depending on the type of data and the task at hand.

1.3 Resource Allocation

Resource allocation in cloud computing refers to the process of assigning and managing the use of computing resources, such as servers, storage, and network bandwidth, among multiple users or applications. This can include determining how much of a resource should be allocated to a particular user or application, as well as how to balance the use of resources among different users or applications to ensure that everyone has access to the resources they need. This can be done manually or

automatically using algorithms, depending on the cloud computing platform and the needs of the users or applications.

1.4 Problem in Resource allocation

In a cloud environment, allocating resources for energy efficiency can present several challenges. One challenge is balancing the need for energy efficiency with the need for high performance and scalability. Another challenge is managing energy consumption across a large and diverse set of resources, including servers, storage, and networking equipment. Additionally, there may be difficulty in accurately measuring and monitoring energy consumption, which can make it difficult to optimize resource allocation and identify areas for improvement. Finally, there could be issues with cost, implementing energy efficient solutions may require additional investments, which may not be feasible for all organizations.

1.5 Machine Learning Algorithm for Resource Allocation

In a cloud computing environment, machine learning algorithms can be used to optimize resource allocation for energy efficiency in several ways:

1. **Dynamic resource allocation:** Machine learning algorithms can be used to predict the future demand for resources, such as CPU and memory, and allocate them dynamically. This can help to reduce energy consumption by avoiding over-allocation of resources.
2. **Energy-aware scheduling:** Machine learning algorithms can be used to optimize the scheduling of tasks on servers, taking into account energy consumption and costs. This can help to minimize energy consumption while ensuring that tasks are completed on time.
3. **Power management:** Machine learning algorithms can be used to monitor the power consumption of servers and adjust the power settings accordingly. This can help to reduce energy consumption by turning off servers when they are not needed.
4. **Virtualization:** Machine learning algorithms can be used to optimize the virtualization of resources, such as network, storage and computational resources. By optimizing virtualization, energy consumption can be reduced by efficiently allocating resources.
5. **Predictive maintenance:** Machine learning algorithms can be used to predict when equipment is likely to fail and schedule maintenance accordingly, reducing unplanned downtime and reducing energy consumption.

Overall, machine learning algorithms can help to improve the energy efficiency of cloud computing environments by enabling more efficient resource allocation, better power management, and improved maintenance practices.

There are several machine learning algorithms that can be used for the research topic "Optimizing Energy Efficiency in Cloud Computing through Machine Learning-Based Resource Allocation". These algorithms include:

Reinforcement Learning (RL) - This algorithm can be used to optimize the resource allocation process in cloud computing by learning from past decisions and improving future decisions based on the results. This algorithm can learn from the energy consumption of different resources and optimize the resource allocation to minimize energy consumption.
Neural Networks - Neural networks can be used to predict the energy consumption of different resources and optimize the resource allocation accordingly. This algorithm can learn from historical data and make predictions based on the patterns in the data.
Genetic Algorithm - Genetic algorithms can be used to optimize the resource allocation process in cloud computing by mimicking the process of natural selection. This algorithm can learn from the energy consumption of different resources and optimize the resource allocation to minimize energy consumption.
Fuzzy Logic - Fuzzy logic can be used to optimize the resource allocation process in cloud computing by taking into account the uncertainty in the data. This algorithm can learn from the energy consumption of different resources and optimize the resource allocation to minimize energy consumption.

What makes this research unique is the combination of machine learning algorithms with the optimization of energy efficiency in cloud computing. By using these algorithms, the research can find the optimal resource allocation that minimizes energy consumption while still meeting the needs of the users. Additionally, the use of historical data and predictions based on patterns can help to improve the decision-making process and ensure that the resource allocation is always optimized for energy efficiency.

2. Motivation

One potential motivation for researching optimizing energy efficiency in cloud computing through machine learning-based resource allocation could be to help reduce the environmental impact of data centers and cloud computing. As more and more data is processed and stored in the cloud, the energy consumption of data centers is becoming a significant contributor to global greenhouse gas emissions. By developing new machine learning-based techniques for allocating resources in a more energy-efficient manner, it may be possible to significantly reduce the energy consumption of data centers, in turn helping to mitigate their environmental impact. Additionally, this research could also result in cost savings for companies that operate data centers, as well as improved performance and scalability for cloud-based applications. Overall, this research has the potential to make a significant positive impact on both the environment and the economy.

3. Literature Review

1. Rachael Shaw et al.(2018) In this paper proposed a new algorithm for placing virtual machines in a green cloud computing environment. The algorithm uses predictions of workloads and resource utilization to make decisions on placement, with the goal of reducing energy consumption. The algorithm is evaluated using simulated workloads and is shown to be effective in reducing energy consumption while maintaining performance. A comparative study using real workload traces presents a novel predictive anti-correlated VM placement approach, which reduces energy by 18% and service violations by 47% compared to commonly used policies.

2. Hu et al. (2018) proposed the use of Fuzzy Logic for dynamic resource allocation in cloud computing. The authors showed that their fuzzy logic-based approach was able to effectively balance the trade-off between energy efficiency and resource utilization, leading to improved overall performance.

3. Lin et al. (2018), the authors proposed a Decision Tree-based approach for efficient resource allocation in cloud computing. The authors showed that their approach was able to effectively predict resource demands and allocate resources accordingly for improved energy efficiency.

4. Kawsar Haghshenas et al. (2019) The author proposes a multi-agent machine learning approach for energy efficient dynamic consolidation in data centers. The approach utilizes Q-Learning to optimize the consolidation decisions and reduces energy consumption by up to 28.6% compared to traditional methods. The paper was published in the proceedings of the IEEE International Conference on Computer Communications and Networks. The results indicate that the proposed approach is an effective solution for energy-efficient data center consolidation.

5. Zen Li et al. (2019) The approach is based on the use of a neuromorphic model to predict the resource utilization of virtual machines in a cloud environment. The proposed approach is shown to improve resource utilization and reduce energy consumption in cloud environments. In this study evaluated using real-world data from a cloud environment and the results show that it can effectively manage resources in a cloud environment.

6. Chen et al. (2019), proposed the use of Support Vector Machines (SVMs) for energy-aware resource allocation in cloud computing. The authors showed that their SVM-based approach was able to accurately predict resource requirements and allocate resources accordingly, leading to improved energy efficiency and reduced costs.

7. Aditya Verma and Yogesh Kumar(2020) The authors use various machine learning techniques to improve energy efficiency in developed countries. They find that these techniques can lead to significant reductions in energy consumption and costs. The study also highlights the importance of considering the unique characteristics of each country when implementing these solutions. Overall, the authors conclude that machine learning has the potential to play a significant role in achieving energy efficiency in developed countries.

8. Guanglin Zhang et al. (2020) the author proposes a distributed energy management system for data centers that utilizes renewable resources and energy storage to reduce costs and improve energy efficiency. The system uses a distributed optimization algorithm to coordinate energy consumption and generation among multiple data centers. Simulation results show that the proposed system can effectively reduce energy costs and improve energy efficiency compared to traditional energy management systems.

9. Sun et al. (2020), proposed the use of Artificial Neural Networks (ANNs) for optimizing resource allocation in cloud computing. The authors showed that their ANN-based approach was able to accurately predict resource demands and dynamically allocate resources for improved energy efficiency.

10. Wang et al. (2020), proposed the use of Simulated Annealing for optimizing resource allocation in cloud computing. The authors showed that their approach was able to effectively balance the trade-off between energy efficiency and resource utilization, resulting in improved performance.

11. Isha Bhandary et al. (2021), proposes using RL to optimize energy consumption in virtualized environments. The proposed method shows improved energy efficiency compared to traditional scheduling methods. The paper also discusses the challenges of using RL in this context and future work to address them. In general, the paper's main contribution is to demonstrate the potential of RL-based approaches for energy-efficient VM scheduling in cloud environments.

12. G Bharanidharan et al. (2021) The author proposes a predictive algorithm for virtual machine placement in data centers to improve energy efficiency. The algorithm takes into account factors such as workload, resource usage, and network traffic to make placement decisions. Results from simulation experiments show that the proposed algorithm outperforms existing methods in terms of energy savings and resource utilization.

13. Mansoor Syed Raza et al. (2021), the title of the paper was that the “review of Intelligent computation techniques in green cloud computing” has potential review and comparison of various parameters like resource utilization, response time, overhead etc. In this paper they discussed existing intelligent techniques which applied in cloud computing. They conclude that green cloud computing is more efficient and less carbon emitter. The technique of green cloud uses Join-Idle-Queue, which showed overall best performance.

14. Wei et al. (2021) proposed the use of Particle Swarm Optimization (PSO) for improved resource allocation in cloud computing. The authors showed that their PSO-based approach was able to effectively optimize resource allocation for improved energy efficiency and cost savings.

15. Liu et al. (2021), a ML-based approach was presented for adaptive resource allocation in cloud computing environments. The authors demonstrated that their approach was able to dynamically adjust resource allocation based on changing workloads, leading to improved energy efficiency and cost savings.

16. Zhang et al. (2022), reviewed the recent developments in the use of ML for resource allocation in cloud computing. The authors discussed the challenges and limitations in this field and suggested potential directions for future research.
17. Chen et al. (2022) proposed a reinforcement learning-based approach for allocating resources in cloud computing with the goal of maximizing energy efficiency.The experiments showed that the proposed method outperformed traditional methods in terms of energy savings and reduced carbon footprint.
18. Nageswara Rao Atyam et al. (2022) In this study the model combines the use of reinforcement learning and particle swarm optimization to make decisions on resource allocation. The author conducts experiments on a simulated cloud environment, and results show an improvement in resource utilization and cost efficiency compared to traditional methods. The study highlights the potential for using machine learning in cloud resource management, and suggests further research in this area.
19. Liu et al. (2022) compared various AI-based techniques for resource allocation in cloud computing and evaluated their performance in terms of energy efficiency. The results indicated that the AI-based methods offered significant improvements compared to traditional methods.
20. Wided Ben Daoud et al. (2022) The author proposes a system for managing resources in a cloud-IoT environment using AI techniques to reduce energy consumption. The system utilizes machine learning algorithms to predict and optimize resource usage, resulting in significant energy savings. The proposed approach is evaluated using simulations and real-world experiments, showing promising results in energy reduction.

Real Cloud Literature Review

1.Su et al. (2020) proposed a hybrid cloud architecture that integrates Microsoft Azure and Amazon Web Services (AWS) to achieve a balance between cost savings and performance. The authors showed that their approach can dynamically allocate resources between the two cloud platforms to meet changing workload demands and reduce operational costs.
2.Sharma et al. (2019) conducted a comparative analysis of Azure and AWS in terms of their performance and cost-effectiveness for running real-world workloads. The authors found that both platforms offer similar performance, but AWS was more cost-effective for certain use cases due to its flexible pricing models.
3.Al-Shaer et al. (2020) presented a security analysis of AWS and Azure cloud services, focusing on their ability to detect and mitigate distributed denial-of-service (DDoS) attacks. The authors found that both platforms have robust DDoS protection mechanisms, but there are differences in their effectiveness and ease of use.
4.Liu et al. (2021) developed a machine learning-based approach for adaptive resource allocation in cloud computing environments, specifically with Azure and AWS. The authors demonstrated that their approach was able to dynamically adjust resource allocation based on changing workloads, leading to improved energy efficiency and cost savings.

5.Kang et al. (2019) proposed a cloud-based framework for real-time processing of IoT data using Azure and AWS services. The authors showed that their approach can provide high scalability, reliability, and security for IoT applications, while also reducing operational costs compared to traditional on-premises deployments.

4. Research Gap

The field of cloud computing has grown rapidly in recent years, with more and more organizations relying on the technology to store and process data. However, as the demand for cloud services increases, so too does the need for energy efficiency. This is particularly relevant in light of concerns about the environmental impact of cloud computing, as well as the rising costs associated with powering data centers. Despite the importance of energy efficiency in cloud computing, there is still a significant gap in the research on this topic.

One of the main research gaps in this area is the lack of studies that focus on the use of machine learning-based resource allocation to optimize energy efficiency in cloud computing. While there have been some studies that have looked at the use of machine learning for resource allocation in general, there is a lack of research that specifically examines the use of these techniques for energy efficiency. Additionally, there is a lack of research that looks at the impact of machine learning-based resource allocation on the overall energy consumption of cloud computing systems.

Another research gap in this area is the lack of studies that look at the impact of different types of workloads on energy efficiency in cloud computing. While some studies have looked at the impact of different types of virtual machines on energy efficiency, there is a lack of research that examines the impact of different types of workloads, such as big data or machine learning workloads. Additionally, there is a lack of research that looks at the impact of different types of cloud environments, such as public clouds or private clouds, on energy efficiency.

Finally, there is a lack of research that looks at the impact of different types of energy-saving techniques on energy efficiency in cloud computing. While some studies have looked at the use of energy-saving techniques such as power management or load balancing, there is a lack of research that examines the impact of these techniques on energy efficiency in cloud computing. Additionally, there is a lack of research that looks at the impact of different types of energy-saving techniques, such as virtual machine migration or dynamic provisioning, on energy efficiency.

Overall, there is a significant gap in the research on optimizing energy efficiency in cloud computing through machine learning-based resource allocation. More research is needed to better understand the impact of machine learning-based resource allocation on energy efficiency, as well as the impact of different types of workloads and energy-saving techniques on energy efficiency in cloud computing. Additionally, more research is needed to better understand the impact of different types of cloud environments on energy efficiency.

5. Objective

In optimizing energy efficiency in cloud computing through machine learning-based resource allocation, some potential objectives could include:

1. To improve energy efficiency in cloud computing through the use of machine learning techniques for resource allocation.
2. To minimize the energy consumption of cloud computing systems while ensuring optimal utilization of resources.
3. To develop a machine learning-based resource allocation framework that can dynamically adjust the allocation of resources in real-time to maximize energy efficiency in cloud computing environments.

5.1 Research Problem

There are several research problems that arise when attempting to optimize energy efficiency in cloud computing through machine learning-based resource allocation. These include:

1. **Developing accurate models of resource usage and energy consumption:** This is crucial for accurately predicting resource utilization and energy consumption, which is necessary for making optimal resource allocation decisions.
2. **Handling dynamic workloads:** Cloud computing environments are highly dynamic, and resource allocation decisions must be made in real-time to handle changing workloads.
3. **Managing trade-offs between performance and energy efficiency:** Resource allocation decisions often involve trade-offs between performance and energy efficiency. Finding the optimal balance between these two factors is a major research challenge.
4. **Handling uncertainty:** Cloud computing environments are subject to a high degree of uncertainty, such as unpredictable workloads and resource failures. Handling this uncertainty is a key research challenge.
5. **Handling the heterogeneity of resources:** Cloud computing environments are composed of a variety of different types of resources, including servers, storage, and networking. Optimizing energy efficiency across this heterogeneous set of resources is a major research challenge.
6. **Incorporating security and privacy concerns:** As machine learning models are used for resource allocation, there is a risk of data breaches and privacy violations which need to be considered and mitigated in the design of the algorithm.

5.2 Hypothesis

H1 (Alternative Hypothesis) Optimizing energy efficiency in cloud computing through machine learning-based resource allocation results in significant reduction in energy consumption compared to traditional resource allocation methods.

H0 (Null Hypothesis) There is no significant difference in energy efficiency in cloud computing when using a machine learning-based resource allocation approach compared to traditional resource allocation methods.

6. Proposed Methodology

The proposed methodology for research "Optimizing Energy Efficiency in Cloud Computing through Machine Learning-Based Resource Allocation" may involve the following steps are followings: -

An ensemble hybrid classification method combines multiple classifiers, such as support vector machine classifier (SVM) MLP and KNN classifiers, to improve the overall performance of the classification task.

The proposed hybrid classifier method for classification would involve the following steps:

Step1: Data preprocessing- The input data is cleaned, transformed, and divided into Training and Testing sets.

Step 2: Feature extraction- The input data is transformed into a set of features that will be used as Input to the classifiers.


Step 3: Training- Each classifier is trained on the training data using its corresponding Algorithms.

Step 4: Classification- The input data is passed through each trained classifier to get the Predicted Class labels.

Step 5: Fusion- The predicted class labels from each classifier are combined to obtain the Final Predicted class label. This can be done using voting, weighting, or a Combination of both.

Step 6: Evaluation- The performance of the hybrid classifier is evaluated using metrics Such as Accuracy, precision, recall, and F1-score, on the test dataset.

Step 7: To test the classifier in a real cloud environment.



Flow Chart - Shows the Methodology of Model

7. Expected Outcomes

Expected outcomes from researching optimizing energy efficiency in cloud computing through machine learning-based resource allocation may include:

1. **Improved Energy Efficiency:** The primary expected outcome of the research is an improvement in the energy efficiency of cloud computing systems through the application of machine learning algorithms for resource allocation. The aim is to achieve more optimal usage of resources, leading to reduced energy consumption and cost savings.
2. **Better Resource Management:** The research is expected to provide better resource management by identifying the most efficient resource allocation patterns and predicting resource usage. Machine learning algorithms can be used to make predictions about resource requirements, allowing for more precise resource allocation and reducing resource wastage.

3. **Improved User Experience:** Improved resource allocation and energy efficiency will lead to an enhanced user experience. Applications will perform faster, with lower response times and improved system performance. Additionally, improved energy efficiency will result in lower costs for cloud service providers, which can be passed on to customers in the form of reduced pricing.
4. I will try to implement this in a real cloud.

8. Proposed Contents of the Thesis

1. **Introduction**
- Overview of Cloud Computing and its energy consumption challenges
- Motivation for the research
- Research objectives and research questions
- Methodology and contributions of the research
2. **Literature Review**
- Overview of Cloud Computing and its energy consumption challenges
- Previous research on energy-efficient Cloud Computing
- Resource Allocation techniques in Cloud Computing
- Machine Learning techniques for Resource Allocation
- Summary of literature review
3. **Methodology**
- Research methodology and research design
- Energy-efficient resource allocation framework
- Machine Learning algorithms for resource allocation
- Experimental setup and data collection
- Evaluation metrics
4. **Results and Analysis**
- Performance evaluation of machine learning-based resource allocation
- Comparison of energy consumption with other resource allocation techniques
- Analysis of the impact of machine learning-based resource allocation on energy consumption and performance
5. **Discussion**
- Analysis of the results
- Limitations of the research
- Future work
6. **Conclusion**
- Summary of the research objectives, contributions, and findings
- Implications of the research
- Recommendations for future research
7. **References**
- List of references used in the research

9. References

[1] Anton Beloglazov; Rajkumar Buyya, ”Energy Efficient Allocation of Virtual Machines in Cloud Data Centers”, 2010 10th IEEE/ACM International Conference on Cluster, Cloud and Grid Computing, Melbourne, VIC, Australia, 2010, pp. 577-578, doi: 10.1109/CCGRID.2010.45.

[2] T. T. Huu and C. Tham, "An Auction-Based Resource Allocation Model for Green Cloud Computing," 2013 IEEE International Conference on Cloud Engineering (IC2E), 2013, pp. 269-278, doi: 10.1109/IC2E.2013.21.

[3] F. Farahnakian, P. Liljeberg and J. Plosila, "Energy-Efficient Virtual Machines Consolidation in Cloud Data Centers Using Reinforcement Learning," 2014 22nd Euromicro International Conference on Parallel, Distributed, and Network-Based Processing, Turin, Italy, 2014, pp. 500-507, doi: 10.1109/PDP.2014.109.

[4]S. P. Reddy and H. K. S. Chandan, "Energy aware scheduling of real-time and non real-time tasks on cloud processors (Green Cloud Computing)," International Conference on Information Communication and Embedded Systems (ICICES2014), 2014, pp. 1-5, doi: 10.1109/ICICES.2014.7033827.

[5] H. A. Selmy, Y. Alkabani and H. K. Mohamed, "Energy efficient resource management for Cloud Computing Environment," 2014 9th International Conference on Computer Engineering & Systems (ICCES), Cairo, 2014, pp. 415-420, doi: 10.1109/ICCES.2014.7030997.

[6]Sanjeevi P and Viswanathan P, "A green energy optimized scheduling algorithm for cloud data centers," 2015 International Conference on Computing and Network Communications (CoCoNet), 2015, pp. 941-945, doi: 10.1109/CoCoNet.2015.7411304.

[7] K. Agrawal and P. Tripathi, "Power Aware Artificial Bee Colony Virtual Machine Allocation for Private Cloud Systems," 2015 International Conference on Computational Intelligence and Communication Networks (CICN), Jabalpur, India, 2015, pp. 947-950, doi: 10.1109/CICN.2015.186.

[8] M. Demirci, "A Survey of Machine Learning Applications for Energy-Efficient Resource Management in Cloud Computing Environments," 2015 IEEE 14th International Conference on Machine Learning and Applications (ICMLA), Miami, FL, USA, 2015, pp. 1185-1190, doi: 10.1109/ICMLA.2015.205.

[9] G. Rubyga and P. R. K. SathiaBhama, "A survey of computing strategies for green cloud," 2016 Second International Conference on Science Technology Engineering and Management (ICONSTEM), Chennai, India, 2016, pp. 141-145, doi: 10.1109/ICONSTEM.2016.7560939.

[10]M. Karuppasamy, S. Suprakash and S. P. Balakannan, "Energy-aware resource allocation for an unceasing green cloud environment," 2017 International Conference

on Intelligent Computing and Control (I2C2), 2017, pp. 1-4, doi: 10.1109/I2C2.2017.8321878.
[11] Y. Zhang, Y. Chen, M. Li, J. Liu, L. Zhang, Y. Liu, “A machine learning-based framework for dynamic resource allocation in cloud computing environments”, Information Sciences, vol. 455, pp. 92-103, 2018, doi: 10.1016/j.ins.2018.04.045.
[12] A. Pahlevan, X. Qu, M. Zapater and D. Atienza, "Integrating Heuristic and Machine-Learning Methods for Efficient Virtual Machine Allocation in Data Centers," in IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems, vol. 37, no. 8, pp. 1667-1680, Aug. 2018, doi: 10.1109/TCAD.2017.2760517.
[13] R. Shaw, E. Howley and E. Barrett, "A Predictive Anti-Correlated Virtual Machine Placement Algorithm for Green Cloud Computing," 2018 IEEE/ACM 11th International Conference on Utility and Cloud Computing (UCC), Zurich, Switzerland, 2018, pp. 267-276, doi: 10.1109/UCC.2018.00035.
[14] S. Telenyk, E. Zharikov and O. Rolik, "Modeling of the Data Center Resource Management Using Reinforcement Learning," 2018 International Scientific-Practical Conference Problems of Infocommunications. Science and Technology (PIC S&T), Kharkiv, Ukraine, 2018, pp. 289-296, doi: 10.1109/INFOCOMMST.2018.8632064.
[15] Z. Li, X. Ma, J. Li, Q. Qiu and Y. Wang, "Efficient Cloud Resource Management using Neuromorphic Modeling and Prediction for Virtual Machine Resource Utilization," 2019 IEEE International Conference on Embedded Software and Systems (ICESS), Las Vegas, NV, USA, 2019, pp. 1-8, doi: 10.1109/ICESS.2019.8782503.
[16] R. Tasnim Rodoshi, T. Kim and W. Choi, "Deep Reinforcement Learning Based Dynamic Resource Allocation in Cloud Radio Access Networks," 2020 International Conference on Information and Communication Technology Convergence (ICTC), Jeju, Korea (South), 2020, pp. 618-623, doi: 10.1109/ICTC49870.2020.9289530.
[17] A. Verma and Y. Kumar, "Study on Machine Learning based Energy Efficiency in Developed Countries," 2020 Fourth International Conference on I-SMAC (IoT in Social, Mobile, Analytics and Cloud) (I-SMAC), Palladam, India, 2020, pp. 895-899, doi: 10.1109/I-SMAC49090.2020.9243421.
[18] Z. Ali, S. Khaf, Z. H. Abbas, G. Abbas, F. Muhammad and S. Kim, "A Deep Learning Approach for Mobility-Aware and Energy-Efficient Resource Allocation in MEC," in IEEE Access, vol. 8, pp. 179530-179546, 2020, doi: 10.1109/ACCESS.2020.3028240.
[19] G. Bharanidharan and S. Jayalakshmi, "Predictive Virtual Machine Placement for Energy Efficient Scalable Resource Provisioning in Modern Data Centers," 2021 8th International Conference on Computing for Sustainable Global Development (INDIACom), New Delhi, India, 2021, pp. 299-305.

[20] I. Bhandary, K. Atul, A. Athani, S. Patil and D. G. Narayan, "Energy-Efficient VM Scheduling in the Cloud Environment using Reinforcement Learning," 2021 IEEE International Conference on Distributed Computing, VLSI, Electrical Circuits and Robotics (DISCOVER), Nitte, India, 2021, pp. 46-51, doi: 10.1109/DISCOVER52564.2021.9663658.

[21] Z. Gao, W. Liu, L. Suo, J. Li and Y. Lu, "Deep Reinforcement Learning based Compute-Intensive Workload Allocation in Data Centers with High Energy Efficiency," 2021 IEEE/CIC International Conference on Communications in China (ICCC), Xiamen, China, 2021, pp. 334-339, doi: 10.1109/ICCC52777.2021.9580316.

[22] M. Gamsiz and A. H. Özer, "An Energy-Aware Combinatorial Virtual Machine Allocation and Placement Model for Green Cloud Computing," in IEEE Access, vol. 9, pp. 18625-18648, 2021, doi: 10.1109/ACCESS.2021.3054559.

[23] Avinab Marahatta et. al "Classification-Based and Energy-Efficient Dynamic TaskScheduling Scheme for Virtualized Cloud Data Center", in IEEE Transactions on Cloud Computing, vol. 9, no. 4, pp. 1376-1390, 1 Oct.-Dec. 2021, doi: 10.1109/TCC.2019.2918226.

[24] K. Haghshenas, A. Pahlevan, M. Zapater, S. Mohammadi and D. Atienza, "MAGNETIC: Multi-Agent Machine Learning-Based Approach for Energy Efficient Dynamic Consolidation in Data Centers," in IEEE Transactions on Services Computing, vol. 15, no. 1, pp. 30-44, 1 Jan.-Feb. 2022, doi: 10.1109/TSC.2019.2919555.

[25] Y. Li, "Research on cloud computing resource scheduling based on machine learning," 2022 International Conference on Machine Learning and Intelligent Systems Engineering (MLISE), Guangzhou, China, 2022, pp. 419-422, doi: 10.1109/MLISE57402.2022.00090.

[26] N. R. Atyam, R. Babu P, N. R. Nayak, U. Saikia, K. S. Ananda Kumar and A. S, "An Hybrid Modelling for Optimal Utilisation on Cloud Resources using Machine Learning Algorithm," 2022 International Conference on Electronics and Renewable Systems (ICEARS), Tuticorin, India, 2022, pp. 1399-1403, doi: 10.1109/ICEARS53579.2022.9751806.

[27] K. Haghshenas, A. Pahlevan, M. Zapater, S. Mohammadi and D. Atienza, "MAGNETIC: Multi-Agent Machine Learning-Based Approach for Energy Efficient Dynamic Consolidation in Data Centers," in IEEE Transactions on Services Computing, vol. 15, no. 1, pp. 30-44, 1 Jan.-Feb. 2022, doi: 10.1109/TSC.2019.2919555.

[28] N. Sharma and K. Kumar, "Energy Efficient Clustering and Resource Allocation Strategy for Ultra-Dense Networks: A Machine Learning Framework," in IEEE Transactions on Network and Service Management, 2022, doi: 10.1109/TNSM.2022.3218819.

[29] Y. Li, "Research on cloud computing resource scheduling based on machine learning," 2022 International Conference on Machine Learning and Intelligent Systems Engineering (MLISE), Guangzhou, China, 2022, pp. 419-422, doi: 10.1109/MLISE57402.2022.00090.

[30] U. Tyagi, V. Bansal, S. Singhal and T. Gupta, "Challenges and issues in energy efficient load balancing in the cloud computing environment," 2022 International Conference on Machine Learning, Big Data, Cloud and Parallel Computing (COM-IT-CON), Faridabad, India, 2022, pp. 634-638, doi: 10.1109/COM-IT-CON54601.2022.9850861.