

IMPORTANT: Work on OrderTicket.tsx and StrategyBuilder.tsx only. Do not rename components, change exports, modify imports that already exist, or restructure the component hierarchy. Apply changes in the order listed below. After each section, verify the app still compiles before moving to the next.

SECTION 1: FONT COLOR - MAKE TEXT BRIGHTER (BOTH FILES)

In OrderTicket.tsx, find these constants near the top of the file and change their values:

Change: `const TEXT = "#9ba1b5";`
To: `const TEXT = "#c8cdd8";`

Change: `const MUTED = "#6b7184";`
To: `const MUTED = "#8891a5";`

Change: `const DIM = "#6b7184";`
To: `const DIM = "#8891a5";`

Do the exact same three replacements in StrategyBuilder.tsx which has the same constants.

Do NOT change WHITE, UP, DOWN, GOLD, or any accent colors. Only TEXT, MUTED, and DIM.

SECTION 2: FONT SIZE BUMP +2px (BOTH FILES)

In both OrderTicket.tsx and StrategyBuilder.tsx, do a global search and replace on Tailwind text size classes. Apply these replacements throughout both files:

text-[10px] becomes text-[12px]
text-[11px] becomes text-[13px]
text-[12px] becomes text-[14px]
text-[13px] becomes text-[15px]
text-[14px] becomes text-[16px]
text-[15px] becomes text-[17px]
text-[16px] becomes text-[18px]

Any class already at text-[17px] or text-[18px] stays as-is. Do NOT exceed text-[18px].

Also bump inline `fontSize` values in `style={{}}` attributes by 2, but cap at 18:

```
fontSize: 9   becomes  fontSize: 11
fontSize: 10  becomes  fontSize: 12
fontSize: 11  becomes  fontSize: 13
fontSize: 12  becomes  fontSize: 14
fontSize: 13  becomes  fontSize: 15
fontSize: 14  becomes  fontSize: 16
fontSize: 16  becomes  fontSize: 18
fontSize: 17  stays    fontSize: 17
fontSize: 18  stays    fontSize: 18
```

Exception: do NOT change `fontSize: 20` or `fontSize: 22` (these are already large values for price displays).

Do NOT change `fontWeight` values. Keep `fontWeight: 300` on the body, and keep existing `fontWeight` values everywhere else. The thin/light weight is intentional.

SECTION 3: ADD MISSING ORDER TYPES (OrderTicket.tsx)

Find the `ORDER_TYPES` array near line 19. It currently has 5 entries: `MARKET`, `LIMIT`, `STOP`, `STOP_LIMIT`, `TRAILING_STOP`. Add these three entries to the end of the array:

```
{ value: "TRAILING_STOP_LIMIT", label: "Trail Stop Limit", short: "TRAIL LMT" },
{ value: "MARKET_ON_CLOSE", label: "MOC", short: "MOC" },
{ value: "LIMIT_ON_CLOSE", label: "LOC", short: "LOC" },
```

Update the `OrderType` type near line 13 to include the new values:

```
type OrderType = "MARKET" | "LIMIT" | "STOP" | "STOP_LIMIT" | "TRAILING_STOP" |
"TRAILING_STOP_LIMIT" | "MARKET_ON_CLOSE" | "LIMIT_ON_CLOSE";
```

Update the `needsLimit`, `needsStop`, `needsTrail` computed values (around line 399) to handle the new types:

```
const needsLimit = orderType === "LIMIT" || orderType === "STOP_LIMIT" ||
orderType === "TRAILING_STOP_LIMIT" || orderType === "LIMIT_ON_CLOSE";
const needsStop = orderType === "STOP" || orderType === "STOP_LIMIT" ||
orderType === "TRAILING_STOP_LIMIT";
const needsTrail = orderType === "TRAILING_STOP" || orderType ===
"TRAILING_STOP_LIMIT";
```

In the `buildSchwabOrder` function (around line 472), the existing `orderType` is passed directly to Schwab. Schwab's API uses the same string enum values, so

TRAILING_STOP_LIMIT, MARKET_ON_CLOSE, and LIMIT_ON_CLOSE should work as-is. No changes needed there.

SECTION 4: ADD MISSING TIF / DURATION OPTIONS (OrderTicket.tsx)

Find the DURATIONS array near line 27. Replace it entirely with:

```
const DURATIONS: { value: Duration; label: string }[] = [
  { value: "DAY", label: "Day" },
  { value: "GOOD_TILL_CANCEL", label: "GTC" },
  { value: "FILL_OR_KILL", label: "FOK" },
  { value: "SEAMLESS", label: "EXT" },
  { value: "GOOD_TILL_CANCEL_EXT", label: "GTC+EXT" },
  { value: "AM", label: "AM" },
  { value: "PM", label: "PM" },
];
```

Update the Duration type near line 14:

```
type Duration = "DAY" | "GOOD_TILL_CANCEL" | "FILL_OR_KILL" | "SEAMLESS" |
"GOOD_TILL_CANCEL_EXT" | "AM" | "PM";
```

Note: Schwab uses "SEAMLESS" for extended hours sessions. The existing extendedHours toggle already sets session to "SEAMLESS" in buildSchwabOrder. When a user picks EXT or GTC+EXT from the dropdown, also set the session accordingly in buildSchwabOrder. Find the line:

```
session: extendedHours ? "SEAMLESS" : "NORMAL",
```

And update it to:

```
session: extendedHours || duration === "SEAMLESS" || duration ===
"GOOD_TILL_CANCEL_EXT" ? "SEAMLESS" : "NORMAL",
```

Do the same update in StrategyBuilder.tsx if it has a similar session line in its order building logic.

SECTION 5: EXPAND ADVANCED SETTINGS (OrderTicket.tsx)

Find the Advanced Settings section (around line 957). It currently renders a 3-column grid with Effect, Exchange, and Ext Hrs. Replace the entire advancedOpen && block (from line 957 to line 982) with this expanded version:

```

        {advancedOpen && (
            <div className="space-y-0">
                <div className="flex items-center justify-between py-2.5" style={{
borderBottom: `1px solid ${DIVIDER}` }}>
                    <span className="text-[13px]" style={{ color: TEXT
}}>Effect</span>
                    <button onClick={() => setPosEffect(posEffect === "OPENING" ?
"CLOSING" : posEffect === "CLOSING" ? "AUTO" : "OPENING")} className="text-[13px]"
style={{ color: WHITE, background: "none", border: "none", padding: 0 }}>
                        {posEffect === "AUTO" ? "Auto" : posEffect === "OPENING" ? "To
Open" : "To Close"}
                    </button>
                </div>
                <div className="flex items-center justify-between py-2.5" style={{
borderBottom: `1px solid ${DIVIDER}` }}>
                    <span className="text-[13px]" style={{ color: TEXT
}}>Instruction</span>
                    <span className="text-[13px]" style={{ color: WHITE
}}>None</span>
                </div>
                <div className="flex items-center justify-between py-2.5" style={{
borderBottom: `1px solid ${DIVIDER}` }}>
                    <span className="text-[13px]" style={{ color: TEXT
}}>Exchange</span>
                    <span className="text-[13px]" style={{ color: WHITE
}}>BEST</span>
                </div>
                <div className="flex items-center justify-between py-2.5" style={{
borderBottom: `1px solid ${DIVIDER}` }}>
                    <span className="text-[13px]" style={{ color: TEXT }}>Tax Lot
Method</span>
                    <span className="text-[13px]" style={{ color: WHITE
}}>Default</span>
                </div>
                <div className="flex items-center justify-between py-2.5">
                    <span className="text-[13px]" style={{ color: TEXT }}>Ext
Hours</span>
                    <button
                        onClick={(e) => { e.stopPropagation();
setExtendedHours(!extendedHours); }}
                        className="relative w-9 h-5 rounded-full transition-colors
duration-200"
                        style={{ background: extendedHours ? GOLD : BORDER, border:
"none" }}
                    >
                        <div className="absolute top-0.5 w-4 h-4 rounded-full
transition-transform duration-200" style={{ background: extendedHours ? BG : DIM,

```

```

transform: extendedHours ? "translateX(16px)" : "translateX(2px)" }} />
      </button>
    </div>
  </div>
)}

```

This replaces the 3-column gray box grid with clean rows separated by subtle dividers. No boxes.

SECTION 6: COLLAPSIBLE RISK CARD (OrderTicket.tsx)

Add a new state variable near the other useState declarations (around line 325):

```
const [riskOpen, setRiskOpen] = useState(false);
```

Find the Risk & Insights card (starts around line 985 with the comment about CARD_GRAD). The risk checks are currently always visible. Wrap the risk checks list and AiCoPilotPanel in a collapsible toggle.

After the "Order vs account size" / "Spread" summary row (around line 1008), add a toggle button:

```

<button
  onClick={() => setRiskOpen(!riskOpen)}
  className="w-full flex items-center justify-between mt-1.5 pt-1.5
text-[13px]"
  style={{ borderTop: `1px dashed ${DIVIDER}`, color: TEXT,
background: "none", border: "none" }}
  >
  <span>{riskOpen ? "Hide details" : "View full risk details"}
</span>
  <span style={{ color: MUTED, fontSize: 12 }}>{riskOpen ? "▲" :
"▼"}</span>
</button>

```

Then wrap the existing risk checks list AND the AiCoPilotPanel in a conditional:

```

{riskOpen && (
  <>
    {preTradeEnabled && riskChecks.length > 0 && (
      <div className="mt-1.5 space-y-1.5 text-[13px]">
        ... existing risk checks map ...
      </div>
    )}
    <AiCoPilotPanel ... />
  </>
)}

```

```

    </>
  })

```

Remove the existing unconditional rendering of the risk checks and AiCoPilotPanel. They should only appear when riskOpen is true.

SECTION 7: ORDER DESCRIPTION (OrderTicket.tsx)

Add an Order Description section between the Risk card and the sticky bottom bar. Find the closing tag of the Risk & Insights card (around line 1034) and after it, before the closing </div> of the scrollable area, add:

```

    <div style={{ background: CARD_GRAD, borderRadius: R_CARD, border:
`1px solid ${BORDER}`, padding: "10px 12px" }}>
      <div className="text-[13px] mb-1" style={{ color: TEXT }}>Order
Description</div>
      <div className="text-[14px] leading-relaxed" style={{ color: WHITE
}}>
        {(() => {
          const action = isMultiLeg
            ? `${strategyIsCredit ? "SELL" : "BUY"}`
            : `${strategyLegs!.length}-leg strategy`
            : `${side} ${quantity} ${isOption ? "contract" :
"share"}${quantity > 1 ? "s" : ""}`;
          const sym = isMultiLeg ? symbol : displaySymbol;
          const priceStr = needsLimit && limitPrice ? ` at ${limitPrice}
Limit` : needsStop && stopPrice ? ` at ${stopPrice} Stop` : needsTrail &&
trailOffset ? ` Trail ${trailOffset}` : orderType === "MARKET" ? " at Market" :
"";
          const dur = DURATIONS.find(d => d.value === duration)?.label ??
duration;
          return `${action} ${sym}${priceStr}, ${dur}${extendedHours ? " +
Ext" : ""}`;
        })()}
      </div>
    </div>

```

SECTION 8: BALANCES CARD (OrderTicket.tsx)

After the Order Description card (added in Section 7), add a Balances section. This pulls from accountSize which is already available from useTerminalStore:

```

    <div style={{ background: CARD_GRAD, borderRadius: R_CARD, border:

```

```

`1px solid ${BORDER}` , padding: "10px 12px" }}>
    <div className="flex items-center justify-between mb-1.5">
      <span className="text-[13px]" style={{ color: TEXT
}}>Balances</span>
    </div>
    <div className="space-y-0">
      {[
        { label: "Buying Power", value: fmtCurrency(accountSize || 0) },
        { label: "BP After Trade", value: fmtCurrency(Math.max(0,
(accountSize || 0) - Math.abs(estimatedCost ?? 0))) },
      ].map((row, i) => (
        <div key={i} className="flex items-center justify-between py-
1.5" style={{ borderBottom: i === 0 ? `1px solid ${DIVIDER}` : "none" }}>
          <span className="text-[13px]" style={{ color: TEXT }}>
{row.label}</span>
          <span className="text-[14px]" style={{ color: WHITE }}>
{row.value}</span>
        </div>
      ))}
    </div>
  </div>

```

SECTION 9: FIX STICKY BOTTOM BAR OVERLAP (OrderTicket.tsx)

The scrollable content area (around line 676) has `className="flex-1 overflow-y-auto pb-28"`. Increase the bottom padding to prevent content hiding behind the sticky bar:

Change: `className="flex-1 overflow-y-auto pb-28"`
 To: `className="flex-1 overflow-y-auto pb-36"`

The sticky bottom bar (around line 1090) uses a gradient background that can show content bleeding through. Make it more opaque:

Change: `background: `linear-gradient(to top, rgba(5,6,7,0.97), rgba(5,6,7,0.8), transparent)``
 To: `background: `linear-gradient(to top, rgba(5,6,7,1), rgba(5,6,7,0.95), transparent)``

SECTION 10: APPLY SAME CHANGES TO StrategyBuilder.tsx

`StrategyBuilder.tsx` needs the same treatment for sections 1, 2, and 9 (font color, font size bump, and bottom bar fix). It shares the same color constants and the

same text size classes.

For sections 3-8 (order types, TIF, advanced settings, collapsible risk, order description, balances): check if StrategyBuilder.tsx has its own ORDER section with order type and TIF dropdowns. If it does, apply the same order type and TIF expansions. If it delegates to OrderTicket for submission (by passing strategyLegs), then those sections only need to be in OrderTicket.tsx.

The StrategyBuilder's own risk/insights section should also be made collapsible with the same pattern from Section 6.

VERIFICATION CHECKLIST

After all changes, verify:

1. App compiles with no TypeScript errors
2. OrderTicket opens for both stock and options
3. StrategyBuilder opens and leg builder works
4. All dropdown menus open and close correctly
5. Order submission still works (the buildSchwabOrder function should be unchanged except for the session line)
6. Risk card is collapsed by default and expands on tap
7. Font is visibly larger but still thin/light weight
8. No text overlaps the sticky bottom bar
9. Advanced settings shows clean rows with dividers, not gray boxes