

Redesign the Telemetry panel UI only. Do not touch any backend logic, logging infrastructure, data structures, or API routes. This is a frontend-only change. The existing telemetry data is already being collected correctly – we are only changing how it is displayed.

SYSTEM SELECTOR DROPDOWN

At the very top of the telemetry panel, replace the current row of system filter chips with a single dropdown selector. It should default to "ALL SYSTEMS" when the panel opens. When the user taps it, it expands a list of every system that has active logs. Each system in the dropdown list should show a small badge next to its name indicating how many errors and warnings it currently has (example: SCANNER shows "1 WARN", IBKR shows "1 ERR"). When the user selects a system from the list, the dropdown closes, the selected system name is displayed in the button, and the log feed below filters to only show entries from that system. Tapping the dropdown again lets the user switch to a different system or return to ALL SYSTEMS.

SEVERITY FILTER ROW

Below the dropdown, keep a compact horizontal row of severity filter chips: ALL, ERROR, WARN, INFO. These work alongside the dropdown – both filters are active at the same time. The chips should be toggleable. Default state is all active. Style: small pill shape, color-coded – ERROR in red, WARN in orange, INFO in muted, ALL in amber when active.

LOG CARDS – COLLAPSED STATE

Every log entry must display as a collapsed card by default. No log should be auto-expanded when the panel loads. Each collapsed card must show all of the following information without the user needing to tap anything:

1. A severity indicator dot on the left edge of the card – red for ERROR, orange for WARN, dark grey for INFO. The card should also have a left border color matching the severity.
2. The system name in amber – for example: MARKET PULSE, SCANNER, IBKR, STRATEGIST, SCHWAB API, RISK GATE.
3. A sub-component label in a dimmer color directly after the system name – for

example: " · IBKR" or " · CLAUDE AI" or " · STOCK SCAN" or " · WEBSOCKET" or " · AUTH". This tells the user which part of that system generated the log.

4. A short preview of the log message, truncated with ellipsis if needed, so the user gets a one-line summary of what happened without expanding.
5. The timestamp on the right side of the card.
6. A small chevron arrow on the far right indicating the card is expandable.

The goal is that a user scrolling through the collapsed feed can immediately see: what system, what sub-component, what happened, and when – all without tapping a single card.

LOG CARDS – EXPANDED STATE

When the user taps a collapsed card, it expands in place to show the full log payload. The expanded state should include:

1. A full message section – the complete log message, not truncated, displayed in a monospace font. Color the text based on severity: light red for ERROR, light orange for WARN, light grey for INFO.
2. A key-value metadata grid – show relevant fields in a 2-column grid of small labeled boxes. Include fields like STATUS, LATENCY, DURATION, ATTEMPT COUNT, or whatever metadata is available for that log entry.
3. For SCANNER logs specifically – after the message and metadata, show a full ticker audit section. Display every ticker that was in the scan universe as small chips. Color them as follows: green chip = ticker passed the scanner filter, grey chip = ticker was scanned but did not pass, and a separate italic note showing how many tickers were in the queue but never reached due to timeout or rate limiting. Also show a summary row above the chips with three counts: total queued, total scanned, total passed. If the scanned count does not match the queued count, the card should automatically display at WARN severity and the mismatch should be visible in the metadata grid.
4. For MARKET PULSE logs – since Market Pulse pulls data from multiple sub-systems (IBKR breadth, Schwab Stream, Claude AI narrative, etc.), each sub-system should log as its own separate card. When expanded, show the specific indicators or data that sub-system contributed. For example, the MARKET PULSE · IBKR card should list every breadth indicator received (ADD, TICK, TRIN, ADVN, DECN, and NASDAQ equivalents) with their actual values and a checkmark confirming receipt. The MARKET PULSE · CLAUDE AI card should show the full narrative text generated, the model used, token count, latency, and the state output. This way the user can audit exactly what each system contributed to the Market Pulse score.

VISUAL STYLE

Match the existing Alpha Terminal dark aesthetic exactly. Jet black background (#080808). Card background slightly elevated (#111111). Amber (#F59E0B) for system names, active selections, and highlights. JetBrains Mono or equivalent monospace font for all log content, timestamps, labels, and values. Standard Inter or sans-serif for any UI labels. Keep spacing tight and dense – this is a data panel, not a marketing page. Time dividers between log groups showing relative time (example: "3 MIN AGO") are a nice addition if feasible.

INTERACTION NOTES

Only one card needs to be open at a time – closing the previously open card when a new one is tapped is acceptable but not required. The dropdown should close when the user taps anywhere outside of it. The panel should continue auto-refreshing and new log cards should appear at the top of the feed as they come in. Do not scroll the user back to the top on refresh if they have scrolled down.

WHAT NOT TO CHANGE

Do not modify any logging logic, telemetry data collection, backend routes, or data structures. Do not change how log entries are created or stored. Only the presentation layer – the telemetry panel component – should be touched.