Intro to Control Systems Final Notes

Akhil Chawathe

April 5, 2024

Abstract

This document aims to provide a comprehensive summary of the course ELG 3155. The summaries will attempt to abstain from any complex language that may confuse the reader or overcomplicate a simple explanation. The next natural question is, why not make this handwritten? The answer is simple: the document is intended to be easily searchable and accessible by any student who may need it, either now, or in the future. This document will not numerically correspond to the textbook nor the lecture notes as that may change from year to year, instead, it will have its own easy to follow structure. The document is divided into sections, each corresponding to a topic covered in the course. The detailed list of the topics covered are:

1. Review of Signals and Systems (This will only have the stuff that matters for this course)

2. Transfer Functions of:
    - Electrical Systems
    - Mechanical Systems
    - Rotational Mechanical Systems

3. State Space
    - Analysis of:
        - Electrical Systems
        - Mechanical Systems
        - Rotational Mechanical Systems
    - Converting Transfer Functions to State Space
    - Converting State Space to Transfer Functions

4. System Response
    - Poles and Zeros
    - First Order Systems
    - Transient Response
    - Second Order Systems
        - Response Types of Second Order Systems
        - General Analysis of Second Order Systems
        - Damping Ratios

5. Reduction of Multiple Subsystems
    - Open Loop Systems
    - Closed Loop Systems

Table of Contents

List of Figures

List of Problems and Solutions

1 Review of Signals and Systems

TODO: Add Material as needed from the course notes

1.1 The Laplace Transform

The Laplace Transform is a powerful tool used to analyze signals and systems. It is defined as:

$$F(s) = \mathcal{L}\{f(t)\} = \int_0^\infty f(t)e^{-st}dt \tag{1}$$

Where $s = \sigma + j\omega$ is a complex number. The inverse Laplace Transform is defined as:

$$f(t) = \mathcal{L}^{-1}\{F(s)\} = \frac{1}{2\pi j}\int_{\sigma-j\infty}^{\sigma+j\infty} F(s)e^{st}ds = f(t)u(t) \tag{2}$$

Where $u(t)$ is the unit step function, defined as:

$$u(t) = \begin{cases} 1 & t \geq 0 \\ 0 & t < 0 \end{cases} \tag{3}$$

Realistically, we don't need to know the definition, as other people have done the hard work for us, and we can use tables to find the Laplace Transform of a function. The following table shows some common Laplace Transforms found in this course:

$f(t)$	$F(s) = \mathcal{L}[f(t)]$	Formula
$\delta(t)$	1	A
$u(t)$	$\dfrac{1}{s}$	B
$tu(t)$	$\dfrac{1}{s^2}$	C
$t^n u(t)$	$\dfrac{n!}{s^n + 1}$	D
$e^{-at}u(t)$	$\dfrac{1}{s+a}$	E
$\sin \omega t\, u(t)$	$\dfrac{\omega}{s^2 + \omega^2}$	F
$\cos \omega t\, u(t)$	$\dfrac{s}{s^2 + \omega^2}$	G

Figure 1: Common Laplace Transforms

Sometimes, we may need to find the Laplace Transform of some function $f(t)$ that is not in the table. To do this, we can use the following properties of the Laplace Transform:

Theorem		Name
$\mathscr{L}[f(t)] = F(s)$	$= \int_{0-}^{\infty} f(t)e^{-st}dt$	Definition
$\mathscr{L}[kf(t)]$	$= kF(s)$	Linearity theorem
$\mathscr{L}[f_1(t)+f_2(t)] = F_1(s) + F_2(s)$		Linearity theorem
$\mathscr{L}[e^{-at}f(t)]$	$= F(s+a)$	Frequency shift theorem
$\mathscr{L}[f(t-T)]$	$= e^{-sT}F(s)$	Time shift theorem
$\mathscr{L}[f(at)]$	$= \dfrac{1}{a}F\left(\dfrac{s}{a}\right)$	Scaling theorem
$\mathscr{L}\left[\dfrac{df}{dt}\right]$	$= sF(s) - f(0-)$	Differentiation theorem
$\mathscr{L}\left[\dfrac{d^2f}{dt^2}\right]$	$= s^2F(s) - sf(0-) - f'(0-)$	Differentiation theorem
$\mathscr{L}\left[\dfrac{d^nf}{dt^n}\right]$	$= s^nF(s) - \sum_{k=1}^{n} s^{n-k}f^{k-1}(0-)$	Differentiation theorem
$\mathscr{L}\left[\int_{0-}^{t} f(\tau)d\tau\right]$	$= \dfrac{F(s)}{s}$	Integration theorem
$f(\infty)$	$= \lim_{s \to 0} sF(s)$	Final value theorem[1]
$f(0+)$	$= \lim_{s \to \infty} sF(s)$	Initial value theorem[2]

Figure 2: Properties of the Laplace Transform

1.2 Partial Fraction Expansion

Partial Fraction Expansion is a method used to simplify a complex rational function into a sum of simpler fractions. The general form of a rational function is:

$$F(s) = \frac{Y(s)}{X(s)} \tag{4}$$

Where $Y(s)$ and $X(s)$ are polynomials in s. The goal is to simplify $F(s)$ into a sum of simpler fractions. The general form of the simpler fractions is:

$$F(s) = \frac{K_1}{s - p_1} + \frac{K_2}{s - p_2} + \ldots + \frac{K_n}{s - p_n} \tag{5}$$

Where K_i and p_i are constants. For partial fraction expansion to work, the degree of $Y(s)$ must be less than the degree of $X(s)$. There are three cases you will encounter when performing partial fraction expansion:

1. Distinct Real Roots

2. Repeated Real Roots

3. Complex Roots

Normally, you would use the following steps to perform partial fraction expansion:

1. Factorize the denominator of $F(s)$

2. Write $F(s)$ in the form of equation (4)

3. Multiply both sides by $X(s)$

4. Solve for the constants K_i and p_i

But, that is a lengthy process. Instead, there are some tricks you can use to make the process easier. Let's do this on a case-by-case basis. There will be sections outlining each case and how to solve it.

1.2.1 Distinct Real Roots

When the denominator of $F(s)$ can be factored relatively easily or is comprised of roots that can be found via the quadratic formula, and the roots are different from each other as well as real (meaning they are not imaginary numbers nor complex numbers), the partial fraction expansion will look like this:

$$\frac{Y(s)}{X(s)} = \frac{Y(s)}{(s - p_1)(s - p_2)\dots(s - p_n)} = \frac{K_1}{s - p_1} + \frac{K_2}{s - p_2} + \dots + \frac{K_n}{s - p_n} \tag{6}$$

To solve this, you would use the following steps, bear in mind, this is a shortcut, and you can use the general steps if you want to:

1. Factor the denominator of $F(s)$

2. Separate the terms on the right side of the equation into separate fractions. Each fraction will have a constant K_i and a root p_i. This is the same as equation (6).

3. Create a limit of the rest of the equation s approaches p_i. This will give you an equation with K_i on one side and the limit on the other side. The equation with the limit you are evaluating will not have the term with p_i in it.

4. Solve for K_i.

5. Repeat for all roots.

If you are not clear on how to do this, you may be able to get a better understanding by looking at the following example:

Problem 1.1 – Distinct Real Roots   Find the partial fraction expansion of the following function:

$$F(s) = \frac{32}{s(s^2 + 12s + 32)} \tag{7}$$

Let's walk through this problem using the steps I outlined above:

Hopefully, this example has given you a better understanding of how to solve partial fraction expansion problems with distinct real roots. If you are still confused, I would recommend looking at the textbook or asking your professor for help.

1.2.2   Repeated Real Roots

When the denominator of $F(s)$ can be factored relatively easily or is comprised of roots that can be found via the quadratic formula, but **not all roots** are different from each other, assuming they are real (meaning they are not imaginary numbers nor complex numbers), the partial fraction expansion will look like this:

$$\frac{Y(s)}{X(s)} = \frac{Y(s)}{(s-p_1)^r(s-p_2)\ldots(s-p_n)} = \frac{K_1}{(s-p_1)^r} + \frac{K_2}{(s-p_1)^{r-1}} + \ldots + \frac{K_r}{(s-p_1)} + \ldots + \frac{K_n}{s-p_n} \tag{14}$$

To solve this, you would use similar steps to the ones used for distinct real roots, but with a small modification. The steps are as follows:

1. Factor the denominator of $F(s)$

2. Separate the terms on the right side of the equation into separate fractions. Each fraction will have a constant K_i and a root p_i. This is the same as equation (6).

3. Create a limit of the rest of the equation s approaches p_i. This will give you an equation with K_i on one side and the limit on the other side. The equation with the limit you are evaluating will not have the term with p_i in it.

4. If the limit cannot be evaluated, save it for later and solve for the constants that can be evaluated. Once they have been solved, you can evaluate the limits that could not be evaluated before using the general method. Another option is to derivate the equation and solve for the constants that way, but that is prone to errors, so I would recommend using the general method.

5. Solve for K_i.

6. Repeat for all roots.

Here is an example to help you understand how to solve problems with repeated real roots:

Problem 1.2 – Repeated Real Roots   Find the partial fraction expansion of the following function:
$$F(s) = \frac{2}{(s+1)(s+2)^2} \tag{15}$$

Let's walk through this problem using the steps I outlined above:

Solution 1.2 – Repeated Real Roots

1. Factor the denominator of $F(s)$ (this is already done for us):

$$F(s) = \frac{2}{(s+1)(s+2)^2} \tag{16}$$

2. Separate the terms on the right side of the equation into separate fractions. Each fraction will have a constant K_i and a root p_i. This is the same as equation (6):

$$F(s) = \frac{2}{(s+1)(s+2)^2} = \frac{K_1}{s+1} + \frac{K_2}{(s+2)} + \frac{K_3}{(s+2)^2} \tag{17}$$

3. Create a limit of the rest of the equation s approaches p_i. This will give you an equation with K_i on one side and the limit on the other side. The equation with the limit you are evaluating will not have the term with p_i in it. We will also solve for K_1 in this step:

$$K_1 = \frac{2}{(s+2)^2}\Big|_{s \to -1} = \frac{2}{(1)^2} = 2 \tag{18}$$

---

4. Repeat for all roots:

Solving for K_2:

$$K_2 = \frac{2}{(s+1)(s+2)}\bigg|_{s \to -2} = \frac{2}{(-1)(0)} = \frac{2}{0} \tag{19}$$

The limit cannot be evaluated, so we will save it for later.

Solving for K_3:

$$K_3 = \frac{2}{(s+1)}\bigg|_{s \to -2} = \frac{2}{(-1)} = -2 \tag{20}$$

5. Solve for K_2 using the general method:

$$\frac{2}{(s+1)(s+2)^2} = \frac{2}{s+1} + \frac{K_2}{(s+2)} + \frac{-2}{(s+2)^2} \tag{21}$$

Multiply to get the same denominator on both sides, which will, in turn cancel out:

$$2 = 2(s+2)^2 + (K_2)(s+1)(s+2) + (-2)(s+1) \tag{22}$$

Expanding:

$$2 = 2s^2 + 8s + 8 + K_2 s^2 + 3K_2 s + 2K_2 + -2s - 2 \tag{23}$$

We can simplify this mess to something more manageable:

$$2 = K_2 s^2 + 3K_2 s + 2K_2 + 2s^2 + 6s + 6 \tag{24}$$

Now we can solve for K_2:

$$K_2 s^2 + 3K_2 s + 2K_2 = 2s^2 + 6s + 4 \tag{25}$$

We can take the coefficients of the terms on both sides and set them equal to each other. They should all be equal to the same value. If they aren't, you may need to check your work again and try to fix any mistakes you may have made:

$$K_2 = 2 \tag{26}$$

1.2.3 Complex Roots

When the denominator of $F(s)$ cannot be factored or is comprised of roots that cannot easily be found via the quadratic formula, and the roots are complex, the partial fraction expansion will vary drastically from problem to problem.

The steps to solve a problem with complex roots are as follows:

1. Factor the denominator of $F(s)$:

2. Separate the terms on the right side of the equation into separate fractions. Each fraction will have a constant K_i and a root p_i. This is the same as equation (6):

11

3. Create a limit of the rest of the equation s approaches p_i. This will give you an equation with K_i on one side and the limit on the other side. The equation with the limit you are evaluating will not have the term with p_i in it. We will also solve for K_1 in this step:

4. Repeat for all roots:

This is best illustrated with an example:

Problem 1.3 – Complex Roots Find the partial fraction expansion of the following function:

$$F(s) = \frac{3}{s(s^2 + 2s + 5)} \tag{27}$$

Solution 1.3 – Repeated Real Roots

1. Factor the denominator of $F(s)$:

$$F(s) = \frac{3}{s(s^2 + 2s + 5)} = \frac{3}{s(s + 1 + j2)(s + 1 - j2)} \tag{28}$$

2. Separate the terms on the right side of the equation into separate fractions. Each fraction will have a constant K_i and a root p_i. This is the same as equation (6):

$$F(s) = \frac{3}{s(s + 1 + j2)(s + 1 - j2)} = \frac{K_1}{s} + \frac{K_2}{s + 1 + j2} + \frac{K_3}{s + 1 - j2} \tag{29}$$

3. Create a limit of the rest of the equation s approaches p_i. This will give you an equation with K_i on one side and the limit on the other side. The equation with the limit you are evaluating will not have the term with p_i in it. We will also solve for K_1 in this step:

$$K_1 = \frac{3}{(s + 1 + j2)(s + 1 - j2)}\Big|_{s \to 0} = \frac{3}{(1 + j2)(1 - j2)} = \frac{3}{5} \tag{30}$$

4. Repeat for all roots:

Solving for K_2:

$$K_2 = \frac{3}{s(s + 1 - j2)}\Big|_{s \to -1 - j2} = \frac{3}{(-1 - j2)(-2j)} = \frac{3}{-1 - j2} \tag{31}$$

Solving for K_3:

$$K_3 = \frac{3}{s(s + 1 + j2)}\Big|_{s \to -1 + j2} = \frac{3}{(-1 + j2)(2j)} = \frac{3}{-1 + j2} \tag{32}$$

The general goal of partial fraction decomposition is attempting to get the solution in a form that you can easily be take the inverse laplace transform of. In a problem where the roots are complex, you will have to use the same steps as you would for distinct real roots, but with a few

12

modifications. you separate it as usual, but then try to put it in a form where you can easily take the inverse Laplace Transform.

For the previous example, you can take the inverse laplace like this:

$$F(s) = \frac{3}{s(s^2 + 2s + 5)} = \frac{K_1}{s} + \frac{K_2}{s^2 + 2s + 5} \tag{33}$$

We know that $K_1 = \frac{3}{5}$, and Therefore, we can take the inverse Laplace Transform of this function like this:

$$\mathcal{L}^{-1} \left\{ \frac{3}{s(s^2 + 2s + 5)} \right\} = \frac{3}{5s} + \frac{K_2}{s^2 + 2s + 5} \tag{34}$$

1.3 Cramer's Rule

Cramer's Rule is a method used to solve systems of linear equations using determinants. It is a powerful tool that can be used to solve systems of equations with any number of variables. The general form of a system of linear equations is:

$$\begin{cases} a_1 x + b_1 y &= c_1 \\ a_2 x + b_2 y &= c_2 \end{cases} \tag{35}$$

Which can be written in matrix form as:

$$\begin{bmatrix} a_1 & b_1 \\ a_2 & b_2 \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix} = \begin{bmatrix} c_1 \\ c_2 \end{bmatrix} \tag{36}$$

You can solve for x and y using the following formulas:

$$x = \frac{\begin{vmatrix} c_1 & b_1 \\ c_2 & b_2 \end{vmatrix}}{\begin{vmatrix} a_1 & b_1 \\ a_2 & b_2 \end{vmatrix}} = \frac{c_1 b_2 - b_1 c_2}{a_1 b_2 - b_1 a_2}, \quad y = \frac{\begin{vmatrix} a_1 & c_1 \\ a_2 & c_2 \end{vmatrix}}{\begin{vmatrix} a_1 & b_1 \\ a_2 & b_2 \end{vmatrix}} = \frac{a_1 c_2 - c_1 a_2}{a_1 b_2 - b_1 a_2} \tag{37}$$

This extends to a 3×3 matrix as well. Given the system of equations:

$$\begin{cases} a_1 x + b_1 y + c_1 z &= d_1 \\ a_2 x + b_2 y + c_2 z &= d_2 \\ a_3 x + b_3 y + c_3 z &= d_3 \end{cases} \tag{38}$$

Which can be written in matrix form as:

$$\begin{bmatrix} a_1 & b_1 & c_1 \\ a_2 & b_2 & c_2 \\ a_3 & b_3 & c_3 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \end{bmatrix} = \begin{bmatrix} d_1 \\ d_2 \\ d_3 \end{bmatrix} \tag{39}$$

Cramer's Rule states:

$$x = \frac{\begin{vmatrix} d_1 & b_1 & c_1 \\ d_2 & b_2 & c_2 \\ d_3 & b_3 & c_3 \end{vmatrix}}{\begin{vmatrix} a_1 & b_1 & c_1 \\ a_2 & b_2 & c_2 \\ a_3 & b_3 & c_3 \end{vmatrix}}, \quad y = \frac{\begin{vmatrix} a_1 & d_1 & c_1 \\ a_2 & d_2 & c_2 \\ a_3 & d_3 & c_3 \end{vmatrix}}{\begin{vmatrix} a_1 & b_1 & c_1 \\ a_2 & b_2 & c_2 \\ a_3 & b_3 & c_3 \end{vmatrix}}, \text{ and } z = \frac{\begin{vmatrix} a_1 & b_1 & d_1 \\ a_2 & b_2 & d_2 \\ a_3 & b_3 & d_3 \end{vmatrix}}{\begin{vmatrix} a_1 & b_1 & c_1 \\ a_2 & b_2 & c_2 \\ a_3 & b_3 & c_3 \end{vmatrix}} \tag{40}$$

You can extend this to a 4×4 matrix, a 5×5 matrix, and so on.

2 Transfer Functions

2.1 A Brief Introduction to Transfer Functions

The transfer function is a mathematical representation of the relationship between the input and output of a system. It is defined as:

$$G(s) = \frac{C(s)}{R(s)} \tag{41}$$

Where $C(s)$ is the output of the system and $R(s)$ is the input of the system. The concept may sound more complex than it actually is. All you need to know is that you can find the transfer function of a system by taking the Laplace Transform of the output and dividing it by the Laplace Transform of the input. The transfer function is a powerful tool used to analyze systems, and it is used in many different fields, including control systems.

Here are the steps to find the transfer function of a system:

1. Bring all inputs to one side of the equation and all outputs to the other side of the equation

2. Find the Laplace Transform of the output side of the system

3. Find the Laplace Transform of the input side of the system

4. Factor out the common terms on both sides of the equation

5. Put it into a form where the output is on the numerator and the input is on the denominator

Here is an example to help you understand how to find the transfer function of a system:

Problem 2.1 – A Simple Transfer Function Find the transfer function of the following system:

$$\frac{d^3c(t)}{dt^3} + 3\frac{d^2c(t)}{dt^2} + 7\frac{dc(t)}{dt} + 5c(t) = \frac{d^2r(t)}{dt^2} + 4\frac{dr(t)}{dt} + 3r(t) \tag{42}$$

Let's walk through this problem using the steps I outlined above:

Solution 2.1 – A Simple Transfer Function

1. Bring all inputs to one side of the equation and all outputs to the other side of the equation:

$$\frac{d^3c(t)}{dt^3} + 3\frac{d^2c(t)}{dt^2} + 7\frac{dc(t)}{dt} + 5c(t) = \frac{d^2r(t)}{dt^2} + 4\frac{dr(t)}{dt} + 3r(t) \tag{43}$$

2. Find the Laplace Transform of the output side and the input side of the system:

$$s^3C(s) + 3s^2C(s) + 7sC(s) + 5C(s) = s^2R(s) + 4sR(s) + 3R(s) \tag{44}$$

3. Factor out the common terms on both sides of the equation:

$$(s^3 + 3s^2 + 7s + 5)C(s) = (s^2 + 4s + 3)R(s) \tag{45}$$

---

4. Put it into a form where the output is on the numerator and the input is on the denominator:

$$G(s) = \frac{C(s)}{R(s)} = \frac{s^2 + 4s + 3}{s^3 + 3s^2 + 7s + 5} \tag{46}$$

2.2 Electrical Systems

The transfer function of an electrical system can be found by using Ohm's Law and Kirchoff's Laws. If you have any doubts about the transfer function, please refer to the transfer function section of this document to gain a better understanding of it. Before we start, let's go over some basic concepts of electrical systems:

Some basic laws of electrical systems are:

1. Ohm's Law: States the relationship between voltage and current $V = IR$

2. Kirchoff's Voltage Law: The sum of all voltages in a closed loop is equal to zero. It can also mean the sum of all voltage sources in a loop is equal to the sum of all voltage leaving the loop. Mathematically, it can be represented as:

$$\sum V_{\text{in a loop}} = \sum V_{\text{sources}} - \sum V_{\text{used}} = 0 \tag{47}$$

3. Kirchoff's Current Law: States that the sum of the currents entering a node is equal to the sum of the currents leaving that node. Mathematically, it can be represented as:

$$\sum I_{\text{at a node}} = \sum I_{\text{entering a node}} - \sum I_{\text{exiting a node}} = 0 \tag{48}$$

These are the main laws you will need to know to find the transfer function of an electrical system. Study them well, they will come back a lot in this section.

Let's start with a table of common electrical components and their transfer functions:

Component	Voltage-current	Current-voltage	Voltage-charge	Impedance $Z(s) = V(s)/I(s)$	Admittance $Y(s) = I(s)/V(s)$
Capacitor	$v(t) = \frac{1}{C}\int_0^1 i(\tau)d\tau$	$i(t) = C\frac{dv(t)}{dt}$	$v(t) = \frac{1}{C}q(t)$	$\frac{1}{Cs}$	Cs
Resistor	$v(t) = Ri(t)$	$i(t) = \frac{1}{R}v(t)$	$v(t) = R\frac{dq(t)}{dt}$	R	$\frac{1}{R} = G$
Inductor	$v(t) = L\frac{di(t)}{dt}$	$i(t) = \frac{1}{L}\int_0^1 v(\tau)d\tau$	$v(t) = L\frac{d^2q(t)}{dt^2}$	Ls	$\frac{1}{Ls}$

Figure 3: Common Electrical Components and Their Transfer Functions

The most useful colums are the last two, the rest are just for reference. One important thing to note is that you will use impedence for mesh analysis and admittance for nodal analysis. Impedence is the reciprocal of admittance, and admittance is the reciprocal of impedence.

For most problems, you can assume that the system is linear and time-invariant. This means that the system has zero initial conditions and that the output of the system is directly proportional to the input. Before we start we can use the following properties from this table to our advantage:

For a capacitor:
$$V(s) = \frac{1}{Cs}I(s) \tag{49}$$

For a resistor:
$$V(s) = RI(s) \tag{50}$$

For an inductor:
$$V(s) = LsI(s) \tag{51}$$

Defining the transfer function as $Z(s)$:

$$Z(s) = \frac{V(s)}{I(s)} \tag{52}$$

If we have an RLC circuit with one loop (that is, a circuit with one resistor, one inductor, and one capacitor), we can find the transfer function by putting it into the following form:

$$(\text{Sum of all impedences in the loop})I(s) = (\text{Sum of applied voltages in the loop}) \tag{53}$$

Your steps for something like this would be:

1. Draw the same circuit, but convert all components into their impedance form.

2. Factor out the common terms on both sides of the equation

3. Put it into a form where the output is on the numerator and the input is on the denominator

4. You now have the transfer function of the system.

17

Here is an example to help you understand how to find the transfer function of an electrical system:

Problem 2.2 – Transfer Function of an RLC Circuit Find the transfer function, that is, $Y(s) = I(s)/V(s)$ of the following RLC circuit:


Figure 4: RLC Circuit

Let's walk through this problem using the steps I outlined above:

Solution 2.2 – Transfer Function of an RLC Circuit

1. Draw the same circuit, but convert all components into their impedance form:

Figure 5: RLC Circuit in Impedance Form

2. Sum up the sides as shown below:

$$(\text{Sum of all impedences in the loop})I(s) = (\text{Sum of applied voltages in the loop}) \quad (54)$$

Therefore, the equation becomes:

$$(Ls + R + \frac{1}{Cs})I(s) = V(s) \quad (55)$$

3. Put it into a form where the output is on the numerator and the input is on the

---

denominator:

$$\frac{I(s)}{V(s)} = \frac{1}{Ls + R + \frac{1}{Cs}} \tag{56}$$

This isn't what you would usually be asked, you would usually be asked something like:

Problem 2.3 – Transfer Function of an RLC Circuit - Cont.   Find the transfer function of the following RLC circuit that relates the capacitor voltage, $V_c(s)$, to the input voltage, $V(s)$:


Figure 6: RLC Circuit

Solution 2.3 – Transfer Function of an RLC Circuit - Cont.
We got most of the way there with the previous steps. For your reference, the input voltage $V(s)$ is:

$$V(s) = (Ls + R + \frac{1}{Cs})I(s) \tag{57}$$

And the circuit is:

Figure 7: RLC Circuit in Impedance Form

1. Since we know that:

$$V_c(s) = \frac{1}{Cs}I(s) \tag{58}$$

Which means:

$$V_c(s)Cs = I(s) \tag{59}$$

2. We can substitute $V_c(s)$ with the transfer function we found in the previous problem:

$$V(s) = (Ls + R + \frac{1}{Cs})I(s) = (Ls + R + \frac{1}{Cs})(Cs)V_c(s) \tag{60}$$

$$V(s) = (LCs^2 + RCs + 1)V_c(s) \tag{61}$$

This means:

$$\frac{V_c(s)}{V(s)} = \frac{1}{LCs^2 + RCs + 1} \tag{62}$$

3. We can simplify this to:

$$\frac{V_c(s)}{V(s)} = \frac{\frac{1}{LC}}{s^2 + \frac{R}{L}s + \frac{1}{LC}} \tag{63}$$

This form is the transfer function of the system that can easily be put into a partial fraction that you can take the inverse laplace of.

Realistically, you won't be asked a question like this on a test, but this question is a base for understanding the next problem, whcih is more akin to what may be on a test. Let's talk about another scenario you may encounter, where there are now 2 loops. This is a bit more complex, but the steps are very similar:

1. Draw the same circuit, but convert all components into their impedance form.

2. Sum up the impedences like you did before, but now you will have two equations. One for each loop. It will look something like this:

$$\begin{bmatrix} \text{Sum of} \\ \text{impedances} \\ \text{around Mesh 1} \end{bmatrix} I_1(s) - \begin{bmatrix} \text{Sum of} \\ \text{impedances} \\ \text{common to the} \\ \text{two meshes} \end{bmatrix} I_2(s) = \begin{bmatrix} \text{Sum of applied} \\ \text{voltages around} \\ \text{Mesh 1} \end{bmatrix} \tag{64}$$

$$-\begin{bmatrix} \text{Sum of} \\ \text{impedances} \\ \text{common to the} \\ \text{two meshes} \end{bmatrix} I_1(s) + \begin{bmatrix} \text{Sum of} \\ \text{impedances} \\ \text{around Mesh2} \end{bmatrix} I_2(s) = \begin{bmatrix} \text{Sum of applied} \\ \text{voltages around} \\ \text{Mesh2} \end{bmatrix} \tag{65}$$

3. Use Cramer's Rule to solve for either $I_1(s)$ or $I_2(s)$, depending on what you are asked for.

4. Put it into a form where the output is on the numerator and the input is on the denominator.

5. You now have the transfer function of the system.

It looks a lot more complicated than it actually is. Let's go through an example to help you understand how to find the transfer function of a system with two loops:

Problem 2.4 – Transfer Function of an RLC Circuit with Two Loops   Find the transfer function of the following RLC circuit that relates the capacitor voltage, $V_c(s)$, to the input voltage, $V(s)$:

Figure 8: RLC Circuit with Two Loops