## LAPORAN INDIVIDU



# LAPORAN JOBSHEET MINGGU 7 (REDUX)

## MATA KULIAH: PEMROGRAMAN BERBASIS FRAMEWORK

Disusun Oleh:

Achmad Satya Pradana

(1741720077)

# PROGRAM STUDI D-IV TEKNIK INFORMATIKA JURUSAN TEKNOLOGI INFORMASI POLITEKNIK NEGERI MALANG 2020

Create react-js terlebih dahulu sebelum mengerjakan

D:\S6\Tugas\_Achmad Satya Pradana\_1741720077\_PBF>create-react-app satyapradana-minggu7

Setelah create selesai install react-reduct terlebih dahulu dengan cara npm install --save react-redux

PS D:\S6\Tugas\_Achmad Satya Pradana\_1741720077\_PBF\satyapradana-minggu7> Npm install --save re act redux

```
+ redux@4.0.5
+ react@16.13.0
added 2 packages from 1 contributor, updated 1 package and audited 919180 packages in 56.334s
and audited 919180 packages in 56.334s

52 packages are looking for funding
   run `npm fund` for details


found 302 moderate severity vulnerabilities
   run `npm audit fix` to fix them, or `npm audit` for details
```

Install bootstrap dengan npm install bootstrap - save


PS D:\S6\Tugas\_Achmad Satya Pradana\_1741720077\_PBF\satyapradana-minggu7> npm install react-boo tstrap bootstrap

## **SOAL**

1. Buat Folder dalam src yaitu Action



2. Beri nama actionCreator.js




```
⋈ Welcome
                JS actionCreator.js •
src > Action > JS actionCreator.js > ...
       import {
         ADD_TODO,
         REMOVE_TODO,
         TOGGLE_TODO,
         SET_VISIBILITY_FILTER
       } from "./actionsTypes";
       let TodoId = 2;
       export const addTodo = text => ({ type: ADD_TODO, id: TodoId++, text });
       export const deleteTodo = id => ({ type: REMOVE_TODO, id: id });
       export const toggleTodo = id => ({ type: TOGGLE_TODO, id: id });
       export const setVisibilityFilter = filter => ({
         type: SET_VISIBILITY_FILTER,
         filter
```

3. Masih dalam Folder Action buatlah file actionsTypes.js

```
src > Actions > Js actionsTypes.js > ...

1    export const ADD_TODO = 'ADD_TODO'
2    export const TOGGLE_TODO = 'TOGGLE_TODO'
3    export const REMOVE_TODO = 'REMOVE_TODO'
4    export const SHOW_ALL = 'SHOW_ALL'
5    export const SHOW_COMPLETED = 'SHOW_COMPLETED'
6    export const SHOW_ACTIVE = 'SHOW_ACTIVE'
7    export const SET_VISIBILITY_FILTER = 'SET_VISIBILITY_FILTER'
```

4. Kemudian dalam folder src buatlah folder dengan nama containers dan buatlah file dengan judul CreateTodo.js



5. Masih dalam folder containers buatlah file dengan judul Table.js

```
JS Table.js
src > containers > JS Table.js > ...
     import React, { Component } from "react";
      import { connect } from "react-redux";
      import {
       deleteTodo,
       toggleTodo,
       setVisibilityFilter
     } from "../actions/actionCreator";
    import { SHOW_ALL, SHOW_COMPLETED, SHOW_ACTIVE } from "../actions/actionsTypes";
      import { bindActionCreators } from "redux";
      class Table extends Component {
       render() {
            <div className="col-lg-10 offset-lg-1 col-md-10 col-sm-12 col-xs-12">
              <nav style={{ marginTop: "60px" }}>
                className={
                      (this.props.visibilityFilter === SHOW_ALL ? "active" : "")
                    onClick={() => this.props.setVisibilityFilter(SHOW_ALL)}
                    className={
                      (this.props.visibilityFilter === SHOW_COMPLETED ? "active" : "")
                    onClick={() => this.props.setVisibilityFilter(SHOW_COMPLETED)}
                    Completed{" "}
                    className={
                      (this.props.visibilityFilter === SHOW_ACTIVE ? "active" : "")
                    onClick={() => this.props.setVisibilityFilter(SHOW_ACTIVE)}
```

```
JS Table.js
src > containers > J5 Table.js > 😭 Table > ♡ render
                   Active{" "}
             {/li>{" "}
{" "}
</nav>{" "}
              {this.props.todos.length !== 0 ? (
                 style={{ marginTop: "60px" }}
                 className="table table-hover table-dark"
                     Todos Actions{" "}
                   {this.props.todos.map(todo => (
                     style={{
                          textDecoration: todo.completed ? "line-through" : "none"
                         {todo.text} {todo.completed === true ? "(completed)" : ""}{" "}
                          className="fas fa-minus-circle"
                           onClick={() => this.props.deleteTodo(todo.id)}
                           style={{
                            color: "white",
                             fontSize: "20pt",
                             marginRight: "20px"
```

```
className="fas fa-check-circle"
                     onClick={() => this.props.toggleTodo(todo.id)}
                     style={{ color: "white", fontSize: "20pt" }}
           style={{ marginTop: "50px" }}
           className="col-lg-10 col-md-10 col-xs-12 col-sm-12 offset-lg-1"
           <div className="alert alert-danger" role="alert">
             Todo List is empty or Filter results show no results{" "}
const getVisibleTodos = (todos, filter) => {
 switch (filter) {
   case SHOW_ALL:
     return todos;
   case SHOW_COMPLETED:
    return todos.filter(t => t.completed);
   case SHOW_ACTIVE:
    return todos.filter(t => !t.completed);
   default:
     throw new Error("Unknown filter: " + filter);
```

6. Edit index.js dengan source code berikut ini:

```
JS TodoReducer.js
                   JS MainReducer.js
                                       JS fileReducers.js
                                                          JS index.js
src > JS index.js > [∅] store
      import React from 'react';
      import ReactDOM from 'react-dom';
     import { Provider } from 'react-redux'
     import { createStore, applyMiddleware, compose } from 'redux'
     import MainReducer from './reducers/MainReducer'
  6 import './index.css';
      import App from './App';
      import * as serviceWorker from './serviceWorker';
      const store = compose(window.devToolsExtension ? window.devToolsExtension() : f => f)
      (createStore)(MainReducer)
      ReactDOM.render(<Provider store={store}>
      <App />
      </Provider>
       , document.getElementById('root'));
      serviceWorker.unregister();
```

7. Buat folder dalam src dengan nama reducers dan beri nama file FilterReducer.js dan ketikkan program dibawah ini :

8. Masih didalam folder reducers buatlah file dengan namaTodoReducer.js

```
JS TodoReducer.js X
src > reducers > JS TodoReducer.js > ...
                  text: 'Walk the Dog',
      import {
         ADD_TODO,
           REMOVE_TODO,
          TOGGLE_TODO
      from '../Action/actionsTypes'
      const INITIAL_DATA = []
      const TodoReducer = (state=INITIAL_DATA, action) => {
           switch (action.type){
              case ADD_TODO:
               return [
                                    ...state,{
                   id: action.id,
                   text: action.text,
                   completed: false,
          case TOGGLE_TODO:
           return state.map(todo =>
               (todo.id === action.id)
               ? {...todo, completed: !todo.completed}
              : todo
              case REMOVE_TODO:
              const numIndex = parseInt(action.id)
              return state.filter(todo => todo.id !== numIndex);
              default:
               return state
       export default TodoReducer
```

9. Buat file dengan nama MainReducer.js dan simpan


### 10. Hasil

a. Sebelum perubahan app.js

```
JS Table.js
JS App.js
                                JS index.js
                                                JS CreateTodo.js
src > JS App.js > ♦ App
       import React from 'react';
       import logo from './logo.svg';
       import './App.css';
       function App() {
         return (
           <div className="App">
             <header className="App-header">
               <img src={logo} className="App-logo" alt="logo" />
                Edit <code>src/App.js</code> and save to reload.
                className="App-link"
                 href="https://reactjs.org"
                 target="_blank"
                 rel="noopener noreferrer"
                 Learn React
         );
       K
       export default App;
```



## b. Sesudah perubahan app.js





All / Completed / Active

| Todos             | Actions    |
|-------------------|------------|
| satya (completed) | <b>⊖</b> ∅ |
| project           | <b>⊖</b> ∅ |