CUCM Migration Assessment

Acme Corporation | Prepared by Adam Hobgood | 2026-03-25

Migration Complexity Assessment

Moderate

The Acme Corporation CUCM environment contains 10 users, 11 devices across 2 sites. The overall migration complexity is ***Moderate*** *(score: 43/100).*

Environment Snapshot

CUSTOMER	CUCM CLUSTER	CUCM VERSION	ASSESSMENT DATE
Acme Corporation	10.201.123.107	15.0.1.13901(2)	2026-03-25

TOTAL OBJECTS	SITES	USERS	DEVICES
82	2	10	11

Generated by cucm-assess | 2026-03-25

What You Have

Environment Overview

USERS	DEVICES	HUNT GROUPS	AUTO ATTENDANTS
10	11	2	2

CALL PARKS	PICKUP GROUPS	TRUNKS	ROUTE GROUPS
9	6	3	2

CSSES	PARTITIONS
6	12

Phone Compatibility



Site Breakdown

SITE	USERS	DEVICES	DECISIONS	COMPLEXITY
DP-HQ-Phones	3	0	7	COMPLEX
DP-Branch-Phones	1	0	7	COMPLEX

Generated by cucm-assess | 2026-03-25

What Needs Attention

Decision Summary

AUTO-RESOLVED	DECISIONS NEEDED	CRITICAL
67	0	0

Feature Mapping

CUCM FEATURE	COUNT	WEBEX EQUIVALENT	STATUS
Hunt Group	2	Hunt Group	DIRECT
Auto Attendant	2	Auto Attendant	DIRECT
Call Park	9	Call Park	DIRECT
Pickup Group	6	Call Pickup	DIRECT

Generated by cucm-assess | 2026-03-25

Technical Appendix

OBJECT TYPE	COUNT
Locations	2
Users	10
Devices	11
Hunt Groups	2
Auto Attendants	2
Call Park	9
Pickup Groups	6
Trunks	3
Route Groups	2
Translation Patterns	2
Operating Modes	3
Voicemail Profiles	2
Shared Lines	4
Workspaces	5
Calling Permissions	1
Calling Search Spaces	6
Partitions	12

By Location

LOCATION	USERS	DEVICES
DP-HQ-Phones	3	0
DP-Branch-Phones	1	0

CALLING_PERMISSION_MISMATCH

ID	SEVERITY	SUMMARY	STATUS
D0031	MEDIUM	CSS 'css:Standard-Employee-CSS' has 3 block pattern(s) that cannot be classified into Webex permission categories: ['9.1900XXXXXXX', '9.1976XXXXXXX', '9.011!']	RESOLVED
D0032	MEDIUM	CSS 'css:Executive-CSS' has 2 block pattern(s) that cannot be classified into Webex permission categories: ['9.1900XXXXXXX', '9.1976XXXXXXX']	RESOLVED
D0033	MEDIUM	CSS 'css:Lobby-CSS' has 3 block pattern(s) that cannot be classified into Webex permission categories: ['9.1900XXXXXXX', '9.1976XXXXXXX', '9.011!']	RESOLVED

D0031 options:

- Accept fidelity loss: Accept that these blocking restrictions are lost in migration
- Manual: Admin maps patterns to Webex categories or implements custom blocking dial plan routes
- Skip: Skip restriction — affected users get unrestricted access for these call types

D0032 options:

- Accept fidelity loss: Accept that these blocking restrictions are lost in migration
- Manual: Admin maps patterns to Webex categories or implements custom blocking dial plan routes
- Skip: Skip restriction — affected users get unrestricted access for these call types

D0033 options:

- Accept fidelity loss: Accept that these blocking restrictions are lost in migration
- Manual: Admin maps patterns to Webex categories or implements custom blocking dial plan routes
- Skip: Skip restriction — affected users get unrestricted access for these call types

CSS_ROUTING_MISMATCH

ID	SEVERITY	SUMMARY	STATUS
D0027	HIGH	1 route pattern(s) in CSSes ['css:E911CSS', 'css:Restricted-CSS', 'css:Lobby-CSS'] are NOT in the org-wide intersection baseline — these users have broader routing than the common baseline	RESOLVED
D0028	HIGH	2 route pattern(s) in CSSes ['css:Standard-Employee-CSS'] are NOT in the org-wide intersection baseline — these users have broader routing than the common baseline	RESOLVED
D0029	HIGH	3 route pattern(s) in CSSes ['css:Executive-CSS'] are NOT in the org-wide intersection baseline — these users have broader routing than the common baseline	RESOLVED
D0030	HIGH	1 route pattern(s) in CSSes ['css:Line-CSS'] are NOT in the org-wide intersection baseline — these users have broader routing than the common baseline	RESOLVED
D0034	MEDIUM	Ordering conflict in CSS 'css:Standard-Employee-CSS': Webex MORE restrictive than CUCM. CUCM: ALLOWED (route '9.1[2-9]XXXXXXXXX' at priority 2 shadows block '9.1900XXXXXXX' at priority 5). Webex: BLOCKED (permissions enforced independently of routing).	RESOLVED
D0035	MEDIUM	Ordering conflict in CSS 'css:Standard-Employee-CSS': Webex MORE restrictive than CUCM. CUCM: ALLOWED (route '9.1[2-9]XXXXXXXXX' at priority 2 shadows block '9.1976XXXXXXX' at priority 5). Webex: BLOCKED (permissions enforced independently of routing).	RESOLVED
D0036	MEDIUM	Ordering conflict in CSS 'css:Executive-CSS': Webex MORE restrictive than CUCM. CUCM: ALLOWED (route '9.1[2-9]XXXXXXXXX' at priority 2 shadows block '9.1900XXXXXXX' at priority 6). Webex: BLOCKED (permissions enforced independently of routing).	RESOLVED
D0037	MEDIUM	Ordering conflict in CSS 'css:Executive-CSS': Webex MORE restrictive than CUCM. CUCM: ALLOWED (route '9.1[2-9]XXXXXXXXX' at priority 2 shadows block '9.1976XXXXXXX' at priority 6). Webex: BLOCKED (permissions enforced independently of routing).	RESOLVED

D0027 options:

- Accept fidelity loss: Include delta patterns in org-wide dial plan (all users gain access; rely on permissions to restrict)
- Accept fidelity loss: Exclude delta patterns (affected users lose these routes)
- Manual: Admin reviews and decides per pattern

D0028 options:

- Accept fidelity loss: Include delta patterns in org-wide dial plan (all users gain access; rely on permissions to restrict)
- Accept fidelity loss: Exclude delta patterns (affected users lose these routes)
- Manual: Admin reviews and decides per pattern

D0029 options:

- Accept fidelity loss: Include delta patterns in org-wide dial plan (all users gain access; rely on permissions to restrict)
- Accept fidelity loss: Exclude delta patterns (affected users lose these routes)
- Manual: Admin reviews and decides per pattern

D0030 options:

- Accept fidelity loss: Include delta patterns in org-wide dial plan (all users gain access; rely on permissions to restrict)
- Accept fidelity loss: Exclude delta patterns (affected users lose these routes)

- Manual: Admin reviews and decides per pattern

D0034 options:

- Accept fidelity loss: Accept Webex behavior (Webex MORE restrictive than CUCM)
- Manual: Admin adjusts permissions to compensate for ordering difference

D0035 options:

- Accept fidelity loss: Accept Webex behavior (Webex MORE restrictive than CUCM)
- Manual: Admin adjusts permissions to compensate for ordering difference

D0036 options:

- Accept fidelity loss: Accept Webex behavior (Webex MORE restrictive than CUCM)
- Manual: Admin adjusts permissions to compensate for ordering difference

D0037 options:

- Accept fidelity loss: Accept Webex behavior (Webex MORE restrictive than CUCM)
- Manual: Admin adjusts permissions to compensate for ordering difference

DEVICE_FIRMWARE_CONVERTIBLE

ID	SEVERITY	SUMMARY	STATUS
D0042	MEDIUM	Device Cisco 8845 (SEP112233445566) can be converted to MPP firmware	RESOLVED
D0041	MEDIUM	Device Cisco 8851 (SEP74A2E69EE6D0) can be converted to MPP firmware	RESOLVED
D0048	MEDIUM	Device Cisco 8845 (SEPCCDDEE112233) can be converted to MPP firmware	RESOLVED
D0044	MEDIUM	Device Cisco 8845 (SEPAABBCCDDEEFF) can be converted to MPP firmware	RESOLVED
D0038	MEDIUM	Device Cisco 8845 (SEP001122334455) can be converted to MPP firmware	RESOLVED
D0043	MEDIUM	Device Cisco 7841 (SEPBBCCDDEE1122) can be converted to MPP firmware	RESOLVED
D0047	MEDIUM	Device Cisco 7841 (SEP445566778899) can be converted to MPP firmware	RESOLVED

D0042 options:

- Upgrade firmware to MPP: Device Cisco 8845 (SEP112233445566) will be converted via firmware upgrade
- Skip device: Device Cisco 8845 (SEP112233445566) will not be migrated

D0041 options:

- Upgrade firmware to MPP: Device Cisco 8851 (SEP74A2E69EE6D0) will be converted via firmware upgrade
- Skip device: Device Cisco 8851 (SEP74A2E69EE6D0) will not be migrated

D0048 options:

- Upgrade firmware to MPP: Device Cisco 8845 (SEPCCDDEE112233) will be converted via firmware upgrade
- Skip device: Device Cisco 8845 (SEPCCDDEE112233) will not be migrated

D0044 options:

- Upgrade firmware to MPP: Device Cisco 8845 (SEPAABBCCDDEEFF) will be converted via firmware upgrade
- Skip device: Device Cisco 8845 (SEPAABBCCDDEEFF) will not be migrated

D0038 options:

- Upgrade firmware to MPP: Device Cisco 8845 (SEP001122334455) will be converted via firmware upgrade
- Skip device: Device Cisco 8845 (SEP001122334455) will not be migrated

D0043 options:

- Upgrade firmware to MPP: Device Cisco 7841 (SEPBBCCDDEE1122) will be converted via firmware upgrade
- Skip device: Device Cisco 7841 (SEPBBCCDDEE1122) will not be migrated

D0047 options:

- Upgrade firmware to MPP: Device Cisco 7841 (SEP445566778899) will be converted via firmware upgrade
- Skip device: Device Cisco 7841 (SEP445566778899) will not be migrated

DEVICE_INCOMPATIBLE

ID	SEVERITY	SUMMARY	STATUS
D0046	MEDIUM	Device Cisco Unified Client Services Framework (CSFjsmith) is incompatible with Webex Calling	RESOLVED
D0045	MEDIUM	Device Cisco Unified Client Services Framework (CSFjdoe) is incompatible with Webex Calling	RESOLVED
D0040	MEDIUM	Device Cisco ATA 191 (ATA001144778888) is incompatible with Webex Calling	RESOLVED
D0039	MEDIUM	Device Analog Phone (AN0011223344080) is incompatible with Webex Calling	RESOLVED

D0046 options:

- Skip device: Device Cisco Unified Client Services Framework (CSFjsmith) will not be migrated
- Handle manually: Device Cisco Unified Client Services Framework (CSFjsmith) flagged for manual replacement

D0045 options:

- Skip device: Device Cisco Unified Client Services Framework (CSFjdoe) will not be migrated
- Handle manually: Device Cisco Unified Client Services Framework (CSFjdoe) flagged for manual replacement

D0040 options:

- Skip device: Device Cisco ATA 191 (ATA001144778888) will not be migrated
- Handle manually: Device Cisco ATA 191 (ATA001144778888) flagged for manual replacement

D0039 options:

- Skip device: Device Analog Phone (AN0011223344080) will not be migrated
- Handle manually: Device Analog Phone (AN0011223344080) flagged for manual replacement

FEATURE_APPROXIMATION

ID	SEVERITY	SUMMARY	STATUS
D0025	HIGH	CTI Route Point 'Main Auto Attendant' (without script) mapped to basic Auto Attendant — IVR logic requires manual configuration	RESOLVED
D0026	HIGH	CTI Route Point 'CTIAAAfterHours' (without script) mapped to basic Auto Attendant — IVR logic requires manual configuration	RESOLVED

D0025 options:

- Accept fidelity loss: Create basic AA with default menus; configure manually
- Skip: Skip — handle AA creation manually post-migration
- Manual: Map to HG/CQ if routing is simple enough

D0026 options:

- Accept fidelity loss: Create basic AA with default menus; configure manually
- Skip: Skip — handle AA creation manually post-migration
- Manual: Map to HG/CQ if routing is simple enough

LOCATION_AMBIGUOUS

ID	SEVERITY	SUMMARY	STATUS
D0001	HIGH	Device pool 'Default' has no CUCM Location reference — cannot determine Webex location	RESOLVED
D0049	HIGH	Location 'DP-HQ-Phones' has ambiguous device pool mapping: Location consolidates 3 device pools: DP-HQ-Phones, DP-HQ-Softphones, DP-CommonArea	RESOLVED

D0001 options:

- Manual: Admin must provide address and create location manually
- Skip: Device pool not migrated; users/devices in this pool need reassignment

D0049 options:

- Accept this location mapping: Location 'DP-HQ-Phones' will be created with consolidated device pools: DP-HQ-Phones, DP-HQ-Softphones, DP-CommonArea

- Manually assign to different location: Device pools DP-HQ-Phones, DP-HQ-Softphones, DP-CommonArea will be reassigned to a user-specified location
- Split into separate locations: Each device pool will become its own Webex location (3 locations)
- Skip this location: Location 'DP-HQ-Phones' and its device pools will not be migrated

MISSING_DATA

ID	SEVERITY	SUMMARY	STATUS
D0002	HIGH	Trunk 'sip-trunk-to-lab-cucm' has no resolvable location — locationId required for Webex trunk creation	RESOLVED
D0003	MEDIUM	Trunk 'sip-trunk-to-lab-cucm' password cannot be extracted from CUCM — temporary password generated	RESOLVED
D0004	HIGH	Trunk 'cisco.com' has no resolvable location — locationId required for Webex trunk creation	RESOLVED
D0005	MEDIUM	Trunk 'cisco.com' password cannot be extracted from CUCM — temporary password generated	RESOLVED
D0006	HIGH	Trunk 'SKIGW0011223344' has no resolvable location — locationId required for Webex trunk creation	RESOLVED
D0007	MEDIUM	Trunk 'SKIGW0011223344' password cannot be extracted from CUCM — temporary password generated	RESOLVED
D0008	HIGH	Route group 'Standard Local Route Group' has no resolvable gateway members — at least one localGateway required	RESOLVED
D0009	MEDIUM	Route pattern '911' has no resolvable routing target — cross-refs and pre_migration_state both empty	RESOLVED
D0010	MEDIUM	Route pattern '9.1[2-9]XXXXXXXXX' has no resolvable routing target — cross-refs and pre_migration_state both empty	RESOLVED
D0011	MEDIUM	Route pattern '9.011!' has no resolvable routing target — cross-refs and pre_migration_state both empty	RESOLVED
D0012	MEDIUM	Route pattern '9.1900XXXXXXX' has no resolvable routing target — cross-refs and pre_migration_state both empty	RESOLVED
D0013	MEDIUM	Route pattern '9.011!' has no resolvable routing target — cross-refs and pre_migration_state both empty	RESOLVED
D0014	MEDIUM	Route pattern '9.1976XXXXXXX' has no resolvable routing target — cross-refs and pre_migration_state both empty	RESOLVED
D0015	HIGH	User 'test1' has no email address (mailid empty, userid not email format)	RESOLVED
D0016	MEDIUM	User 'u1071' has no associated phone — cannot resolve Webex location	RESOLVED
D0017	MEDIUM	User 'u1072' has no associated phone — cannot resolve Webex location	RESOLVED
D0018	LOW	User 'jdoe' was extracted via SQL fallback — limited field data available	RESOLVED
D0019	MEDIUM	User 'msmith' has no associated phone — cannot resolve Webex location	RESOLVED
D0020	LOW	User 'jsmith' was extracted via SQL fallback — limited field data available	RESOLVED
D0021	LOW	User 'bwilson' was extracted via SQL fallback — limited field data available	RESOLVED
D0022	LOW	User 'achen' was extracted via SQL fallback — limited field data available	RESOLVED
D0023	HIGH	User 'legacyuser01' has no email address (mailid empty, userid not email format)	RESOLVED
D0024	MEDIUM	User 'adminonly' has no associated phone — cannot resolve Webex location	RESOLVED
D0064	MEDIUM	device 'device:SEP445566778899' missing required fields: owner_canonical_id	RESOLVED
D0062	MEDIUM	device 'device:CSFjdoe' missing required fields: mac, owner_canonical_id	RESOLVED

ID	SEVERITY	SUMMARY	STATUS
D0058	MEDIUM	device 'device:SEP74A2E69EE6D0' missing required fields: owner_canonical_id	RESOLVED
D0061	MEDIUM	device 'device:SEPAABBCCDDEEFF' missing required fields: owner_canonical_id	RESOLVED
D0065	MEDIUM	device 'device:SEPCCDDEE112233' missing required fields: owner_canonical_id	RESOLVED
D0059	MEDIUM	device 'device:SEP112233445566' missing required fields: owner_canonical_id	RESOLVED
D0063	MEDIUM	device 'device:CSFjsmith' missing required fields: mac, owner_canonical_id	RESOLVED
D0056	MEDIUM	device 'device:AN0011223344080' missing required fields: mac, owner_canonical_id	RESOLVED
D0055	MEDIUM	device 'device:SEP001122334455' missing required fields: owner_canonical_id	RESOLVED
D0067	HIGH	location 'location:DP-Branch-Phones' missing required fields: address.address1, address.city, address.postal_code, address.state	RESOLVED
D0066	HIGH	location 'location:fd9b9990ac1b' missing required fields: address.address1, address.city, address.postal_code, address.state	RESOLVED
D0057	MEDIUM	device 'device:ATA001144778888' missing required fields: mac, owner_canonical_id	RESOLVED
D0060	MEDIUM	device 'device:SEPBBCCDDEE1122' missing required fields: owner_canonical_id	RESOLVED

D0002 options:

- Manual: Admin assigns trunk to a Webex location
- Skip: Trunk not migrated

D0003 options:

- Manual: Admin configures matching passwords on gateway and in Webex
- Accept fidelity loss: Accept generated password and update gateway configuration

D0004 options:

- Manual: Admin assigns trunk to a Webex location
- Skip: Trunk not migrated

D0005 options:

- Manual: Admin configures matching passwords on gateway and in Webex
- Accept fidelity loss: Accept generated password and update gateway configuration

D0006 options:

- Manual: Admin assigns trunk to a Webex location
- Skip: Trunk not migrated

Generated by cucm-assess | 2026-03-25

D0007 options:

- Manual: Admin configures matching passwords on gateway and in Webex
- Accept fidelity loss: Accept generated password and update gateway configuration

D0008 options:

- Manual: Admin assigns trunk/gateway members
- Skip: Route group not migrated

D0009 options:

- Manual: Admin assigns routing target manually
- Skip: Pattern not migrated

D0010 options:

- Manual: Admin assigns routing target manually
- Skip: Pattern not migrated

D0011 options:

- Manual: Admin assigns routing target manually
- Skip: Pattern not migrated

D0012 options:

- Manual: Admin assigns routing target manually
- Skip: Pattern not migrated

D0013 options:

- Manual: Admin assigns routing target manually
- Skip: Pattern not migrated

D0014 options:

- Manual: Admin assigns routing target manually
- Skip: Pattern not migrated

D0015 options:

- Manual: Admin provides email address
- Skip: User not migrated to Webex Calling

D0016 options:

- Manual: Admin assigns user to a location manually
- Skip: User not migrated to Webex Calling

D0017 options:

- Manual: Admin assigns user to a location manually
- Skip: User not migrated to Webex Calling

D0018 options:

- Manual: Admin verifies and supplements user data
- Accept fidelity loss: Proceed with limited data — CSS and voicemail settings will not be migrated

D0019 options:

- Manual: Admin assigns user to a location manually
- Skip: User not migrated to Webex Calling

D0020 options:

- Manual: Admin verifies and supplements user data
- Accept fidelity loss: Proceed with limited data — CSS and voicemail settings will not be migrated

D0021 options:

- Manual: Admin verifies and supplements user data
- Accept fidelity loss: Proceed with limited data — CSS and voicemail settings will not be migrated

D0022 options:

- Manual: Admin verifies and supplements user data
- Accept fidelity loss: Proceed with limited data — CSS and voicemail settings will not be migrated

D0023 options:

- Manual: Admin provides email address
- Skip: User not migrated to Webex Calling

D0024 options:

- Manual: Admin assigns user to a location manually
- Skip: User not migrated to Webex Calling

D0064 options:

- Provide missing data: User will supply 1 missing field(s)
- Skip this object: 1 device excluded from migration
- Handle manually post-migration: Object migrated without owner_canonical_id; fix manually

D0062 options:

- Provide missing data: User will supply 2 missing field(s)
- Skip this object: 1 device excluded from migration

- Handle manually post-migration: Object migrated without mac, owner_canonical_id; fix manually

D0058 options:

- Provide missing data: User will supply 1 missing field(s)
- Skip this object: 1 device excluded from migration
- Handle manually post-migration: Object migrated without owner_canonical_id; fix manually

D0061 options:

- Provide missing data: User will supply 1 missing field(s)
- Skip this object: 1 device excluded from migration
- Handle manually post-migration: Object migrated without owner_canonical_id; fix manually

D0065 options:

- Provide missing data: User will supply 1 missing field(s)
- Skip this object: 1 device excluded from migration
- Handle manually post-migration: Object migrated without owner_canonical_id; fix manually

D0059 options:

- Provide missing data: User will supply 1 missing field(s)
- Skip this object: 1 device excluded from migration
- Handle manually post-migration: Object migrated without owner_canonical_id; fix manually

D0063 options:

- Provide missing data: User will supply 2 missing field(s)
- Skip this object: 1 device excluded from migration
- Handle manually post-migration: Object migrated without mac, owner_canonical_id; fix manually

D0056 options:

- Provide missing data: User will supply 2 missing field(s)
- Skip this object: 1 device excluded from migration
- Handle manually post-migration: Object migrated without mac, owner_canonical_id; fix manually

D0055 options:

- Provide missing data: User will supply 1 missing field(s)
- Skip this object: 1 device excluded from migration
- Handle manually post-migration: Object migrated without owner_canonical_id; fix manually

D0067 options:

- Provide missing data: User will supply 4 missing field(s)
- Skip this object: 1 location excluded from migration

Generated by cucm-assess | 2026-03-25

- Handle manually post-migration: Object migrated without address.address1, address.city, address.postal_code, address.state; fix manually

D0066 options:

- Provide missing data: User will supply 4 missing field(s)
- Skip this object: 1 location excluded from migration
- Handle manually post-migration: Object migrated without address.address1, address.city, address.postal_code, address.state; fix manually

D0057 options:

- Provide missing data: User will supply 2 missing field(s)
- Skip this object: 1 device excluded from migration
- Handle manually post-migration: Object migrated without mac, owner_canonical_id; fix manually

D0060 options:

- Provide missing data: User will supply 1 missing field(s)
- Skip this object: 1 device excluded from migration
- Handle manually post-migration: Object migrated without owner_canonical_id; fix manually

WORKSPACE_LICENSE_TIER

ID	SEVERITY	SUMMARY	STATUS
D0050	MEDIUM	Workspace 'AN0011223344080' needs license tier assignment (no feature indicators detected)	RESOLVED
D0054	MEDIUM	Workspace 'Conference Room Phone' needs license tier assignment (no feature indicators detected)	RESOLVED
D0052	MEDIUM	Workspace 'SEP112233445566' needs license tier assignment (no feature indicators detected)	RESOLVED
D0051	MEDIUM	Workspace 'Lobby Phone - Building A' needs license tier assignment (no feature indicators detected)	RESOLVED
D0053	MEDIUM	Workspace 'Break Room Phone' needs license tier assignment (no feature indicators detected)	RESOLVED

D0050 options:

- Workspace: Workspace license; limited to basic calling features
- Professional Workspace: Professional Workspace license; full calling features including voicemail, forwarding, hot-desking
- Skip this workspace: 1 workspace excluded from migration

D0054 options:

- Workspace: Workspace license; limited to basic calling features
- Professional Workspace: Professional Workspace license; full calling features including voicemail, forwarding, hot-desking
- Skip this workspace: 1 workspace excluded from migration

D0052 options:

- Workspace: Workspace license; limited to basic calling features
- Professional Workspace: Professional Workspace license; full calling features including voicemail, forwarding, hot-desking
- Skip this workspace: 1 workspace excluded from migration

D0051 options:

- Workspace: Workspace license; limited to basic calling features
- Professional Workspace: Professional Workspace license; full calling features including voicemail, forwarding, hot-desking
- Skip this workspace: 1 workspace excluded from migration

D0053 options:

- Workspace: Workspace license; limited to basic calling features
- Professional Workspace: Professional Workspace license; full calling features including voicemail, forwarding, hot-desking
- Skip this workspace: 1 workspace excluded from migration

Calling Search Spaces define the dialing scope for users and devices. Each CSS contains an ordered list of partitions that determine which patterns a caller can reach.

E911CSS

- E911

Executive-CSS

- Internal-PT
- Local-PSTN-PT
- LongDistance-PT
- International-PT
- E911
- Block-Premium-PT

Line-CSS

- Internal-PT
- Local-PSTN-PT

Lobby-CSS

- Internal-PT
- E911
- Block-Premium-PT
- Block-International-PT

Restricted-CSS

- Internal-PT
- E911

Standard-Employee-CSS

- Internal-PT
- Local-PSTN-PT
- LongDistance-PT
- E911

- Block-Premium-PT
- Block-International-PT

6 CSS(es) referencing 7 unique partition(s).

COMPATIBILITY	MODEL	COUNT	ACTION
CONVERTIBLE	Cisco 7841	2	Firmware flash required to convert to MPP firmware.
CONVERTIBLE	Cisco 8845	4	Firmware flash required to convert to MPP firmware.
CONVERTIBLE	Cisco 8851	1	Firmware flash required to convert to MPP firmware.
INCOMPATIBLE	Analog Phone	1	Hardware replacement required — not supported on Webex Calling.
INCOMPATIBLE	Cisco ATA 191	1	Hardware replacement required — not supported on Webex Calling.
INCOMPATIBLE	Cisco Unified Client Services Framework	2	Hardware replacement required — not supported on Webex Calling.

11 total device(s).

CLASSIFICATION	COUNT
EXTENSION	9

USER	DEVICE	DN	PARTITION
John Doe	Cisco Unified Client Services Framework	dn:1001:Internal-PT	Internal-PT
John Doe	Cisco Unified Client Services Framework	dn:1051:Internal-PT	Internal-PT
John Doe	Cisco 8845	dn:1001:Internal-PT	Internal-PT
John Doe	Cisco 8845	dn:1050:Internal-PT	Internal-PT
John Doe	Cisco 8845	dn:1051:Internal-PT	Internal-PT
Jane Smith	Cisco Unified Client Services Framework	dn:1002:Internal-PT	Internal-PT
Jane Smith	Cisco 8851	dn:1002:Internal-PT	Internal-PT
Jane Smith	Cisco 8851	dn:1050:Internal-PT	Internal-PT
Bob Wilson	Cisco 7841	dn:1003:Internal-PT	Internal-PT
Bob Wilson	Cisco 7841	dn:1050:Internal-PT	Internal-PT
Alice Chen	Cisco 8845	dn:1004:Internal-PT	Internal-PT

Trunks

NAME	TYPE	LOCATION
sip-trunk-to-lab-cucm	REGISTERING	
cisco.com	REGISTERING	
SKIGW0011223344	REGISTERING	

Route Groups

NAME
Standard Local Route Group
RG-PSTN-Primary

Voicemail Profiles

NAME
voicemail_profile:Default
voicemail_profile:NoVoiceMail

2 journal entries recorded.

No collection errors recorded.