Test Run Report

Test Run Overview

Started	02 Feb 2021, 22:13:42
Ended	02 Feb 2021, 22:30:11
Duration (mm:ss)	16:28.648

Test Results Summary

Passed	1
Failed	5
Skipped	0

Test Case Summary

📁 tests — failed

 📁 Sales Order - CallableTesting — failed

  🗎 SO Flow.testcase — failed

Assertion Failed.null Contains 2

● One or more Sub-Test Steps failed.

● One or more Sub-Test Steps failed.

  🗎 SO Fulfillment.testcase — failed

● Error doing interaction. Connection Name: Devqaff, cause: [NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":".//input[(@type = 'button' or @type = 'submit' or @type = 'file') and @value = 'Order Fulfillment'] | .//button[@value = 'Order Fulfillment' or normalize-space(.) = 'Order Fulfillment']"} (Session info: chrome=88.0.4324.104) (Driver info: chromedriver=87.0.4280.88 (89e2380a3e36c3464b5dd1302349b1382549290d-refs/branch-heads/4280@{#1761}),platform=Windows NT 10.0.19041 x86_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 74 milliseconds For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'LAPTOP-BJ5N0QR9', ip: '192.168.43.54', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_131' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=XP, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:53909}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=87.0.4280.88 (89e2380a3e36c3464b5dd1302349b1382549290d-refs/branch-heads/4280@{#1761}), userDataDir=F:\Automation\ProvarRepository_Test_RSTK1\.provarCaches\.chromeProfiles\profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=88.0.4324.104, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}] Session ID: a5d656a5047b32907698a3f0c12cec35 *** Element info: {Using=xpath, value=.//input[(@type = 'button' or @type = 'submit' or @type = 'file') and @value = 'Order Fulfillment'] | .//button[@value = 'Order Fulfillment' or normalize-space(.) = 'Order Fulfillment']}

● org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":".//input[(@type = 'button' or @type = 'submit' or @type = 'file') and @value = 'Order Fulfillment'] | .//button[@value = 'Order Fulfillment' or normalize-space(.) = 'Order Fulfillment']"}

● (Session info: chrome=88.0.4324.104)

- (Driver info: chromedriver=87.0.4280.88 (89e2380a3e36c3464b5dd1302349b1382549290d-refs/branch-heads/4280@{#1761}),platform=Windows NT 10.0.19041 x86_64) (WARNING: The server did not provide any stacktrace information)

- Command duration or timeout: 74 milliseconds

- For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

- Build info: version: 'unknown', revision: 'unknown', time: 'unknown'

- System info: host: 'LAPTOP-BJ5N0QR9', ip: '192.168.43.54', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_131'

- Driver info: org.openqa.selenium.chrome.ChromeDriver

- Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=XP, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:53909}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=87.0.4280.88 (89e2380a3e36c3464b5dd1302349b1382549290d-refs/branch-heads/4280@{#1761}), userDataDir=F: \Automation\ProvarRepository_Test_RSTK1\.provarCaches\.chromeProfiles\profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=88.0.4324.104, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}]

- Session ID: a5d656a5047b32907698a3f0c12cec35

- *** Element info: {Using=xpath, value=.//input[(@type = 'button' or @type = 'submit' or @type = 'file') and @value = 'Order Fulfillment'] | .//button[@value = 'Order Fulfillment' or normalize-space(.) = 'Order Fulfillment']}

- at sun.reflect.GeneratedConstructorAccessor92.newInstance(Unknown Source)

- at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

- at java.lang.reflect.Constructor.newInstance(Constructor.java:423)

- at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:215)

- at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:167)

- at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:671)

- at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:410)

- at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:509)

- at org.openqa.selenium.By$ByXPath.findElement(By.java:361)

- at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:402)

- at com.provar.plugins.forcedotcom.core.ui.ProvarFindByLabelElementLocator.findElement(ProvarFindByLabelElementLocator.java:115)

- at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)

- at com.sun.proxy.$Proxy101.getWrappedElement(Unknown Source)

- at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:50)

- at com.google.common.collect.Iterators$7.transform(Iterators.java:750)

- at com.google.common.collect.TransformedIterator.next(TransformedIterator.java:47)

- at com.google.common.collect.Iterators.addAll(Iterators.java:367)

- at com.google.common.collect.Lists.newArrayList(Lists.java:165)

- at com.google.common.collect.Lists.newArrayList(Lists.java:150)

- at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:571)

- at com.provar.core.testapi.ProvarSeleniumDriver.getAttributes(ProvarSeleniumDriver.java:1142)

- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.getWebElementAttributes(SeleniumUiHandler.java:3728)

- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performActionInteraction(SeleniumUiHandler.java:4316)

- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performInteraction(SeleniumUiHandler.java:2528)

- at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performInteraction(SfUiHandler.java:5500)

- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performInteraction(SeleniumUiHandler.java:2224)

- at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performInteraction(SfUiHandler.java:5455)

- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:418)

- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.delegateToUiHandler(SfConnectionHandler.java:364)

- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:355)

- at com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:862)

- at com.provar.plugins.forcedotcom.core.ui.UiDoAction.execute(UiDoAction.java:130)

- at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

- at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)

- at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

- at java.lang.reflect.Method.invoke(Method.java:498)

- at com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:754)

- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.java:729)

- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access$11(LocalTestExecutionContainerRunner.java:661)

- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner$MessageProcessor.run(LocalTestExecutionContainerRunner.java:1394)

- One or more Sub-Test Steps failed.

> 📄 SO Header.testcase   🟢 successful
> 📄 SO Invoice.testcase   🔴 failed

- The row locator did not match any rows.

- One or more Sub-Test Steps failed.

> 📄 SO Line.testcase   🔴 failed

- Error doing interaction. Connection Name: Devqaff, cause: [NoSuchElementException: No elements matched the field locator. Field name: Product_Select For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'LAPTOP-BJ5N0QR9', ip: '192.168.43.54', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_131' Driver info: driver.version: ProvarSeleniumDriver]

- org.openqa.selenium.NoSuchElementException: No elements matched the field locator. Field name: Product_Select

- For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

- Build info: version: 'unknown', revision: 'unknown', time: 'unknown'

- System info: host: 'LAPTOP-BJ5N0QR9', ip: '192.168.43.54', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_131'

- Driver info: driver.version: ProvarSeleniumDriver

- at com.provar.plugins.forcedotcom.core.ui.ProvarFindByElementLocator.findElement(ProvarFindByElementLocator.java:96)

- at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)

- at com.sun.proxy.$Proxy104.getWrappedElement(Unknown Source)

- at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:50)

- at com.google.common.collect.Iterators$7.transform(Iterators.java:750)

- at com.google.common.collect.TransformedIterator.next(TransformedIterator.java:47)

- at com.google.common.collect.Iterators.addAll(Iterators.java:367)

- at com.google.common.collect.Lists.newArrayList(Lists.java:165)

- at com.google.common.collect.Lists.newArrayList(Lists.java:150)

- at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:571)

- at com.provar.core.testapi.ProvarSeleniumDriver.getAttributes(ProvarSeleniumDriver.java:1142)

- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.getWebElementAttributes(SeleniumUiHandler.java:3728)

- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performActionInteraction(SeleniumUiHandler.java:4316)

- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performInteraction(SeleniumUiHandler.java:2528)

- at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performInteraction(SfUiHandler.java:5500)

- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performInteraction(SeleniumUiHandler.java:2224)

- at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performInteraction(SfUiHandler.java:5455)

- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:418)

- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.delegateToUiHandler(SfConnectionHandler.java:364)

- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:355)

- at com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:862)

- at com.provar.plugins.forcedotcom.core.ui.UiDoAction.execute(UiDoAction.java:130)

- at sun.reflect.GeneratedMethodAccessor91.invoke(Unknown Source)

- at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

- at java.lang.reflect.Method.invoke(Method.java:498)

- at com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:754)

- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.java:729)

- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access$11(LocalTestExecutionContainerRunner.java:661)

- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner$MessageProcessor.run(LocalTestExecutionContainerRunner.java:1394)

- One or more Sub-Test Steps failed.

Search a record.testcase   ● failed

- No rows found in table

- One or more Sub-Test Steps failed.

📃 SO Flow.testcase

Output

- ● Connection
  - ● Salesforce Connect: Devqaff (Test)
    - Salesforce connection opened successfully. Connection name: Devqaff, ResultName: Devqaff, resultScope: Test
- ● Sales Order Entry
- ● Call SO Header
  - ● SO Header
    - ● Salesforce Connect: Devqaff (Test)
    - ● On SF Rootstock Site Map tab
      - ● Click the Sales Order Entry 1 button
    - ● On SF Sales Order Header AC_Sales Order Headerssd list view
      - ● Click the New button
    - ● On SF rstk__SalesOrder page with pageobject Rstk__salesorder
      - ● Set the Order Number field to SO-HDWH
      - ● Set the Customer field to AC5501_CUSTOMER (AC5501_CUSTOMER)
      - ● Click the Customer_ Select field
      - ● Click the Save button
      - ● UI Assert
      - ● Set Values: Onum
- ● Add Sales Order Line
- ● Call SO Line
  - ● SO Line
    - ● Salesforce Connect: Devqaff (Test)
    - ● Set Values: ConfirmONum
    - ● On SF rstk__SalesOrder page with pageobject Rstk__salesorder
      - ● With Line Items rows {1}
        - ● Set the Product field to 5501-16 (Mfd)
      - ● Click the Product_ Select field
      - ● With Line Items rows {1}
        - ● Set the Qty Ordered field to 2
        - ● Check the Firm field
      - ● Click the Save button
- ● Sales Order Fulfillment
- 🔴 Call SO Fulfillment
  - 🔴 SO Fulfillment
    - ● Salesforce Connect: Devqaff (Test)
    - ● Set Values: Transaction
    - ● On SF rstk__SalesOrder page with pageobject Rstk__salesorder
      - ● Click the Order Fulfillment button
    - 🔴 On SF rstk__SalesOrderWorkBench page with pageobject Rstk__ Sales Order Workbench
      - ● Check the Soiss_createinvoice__c field
      - ● Click the Process Selected Lines button
      - 🔴 With Table rows {1}
        - 🔴 UI Assert
          - 📛 Assertion Failed.null Contains 2

        - ⚠️ UI Assert
        - 🔴 One or more Sub-Test Steps failed.

      - 🔴 One or more Sub-Test Steps failed.

- ⚠️ Verify SO Invoice
- ⚠️ Call SO Invoice

📃 SO Fulfillment.testcase

Output

● Salesforce Connect: Devqaff (Test)
   Salesforce connection opened successfully. Connection name: Devqaff, ResultName: Devqaff, resultScope: Test

● Set Values: Transaction

● On SF rstk__SalesOrder page with pageobject Rstk__salesorder

   ● Click the Order Fulfillment button

      ● Error doing interaction. Connection Name: Devqaff, cause: [NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":".//input[(@type = 'button' or @type = 'submit' or @type = 'file') and @value = 'Order Fulfillment'] | .//button[@value = 'Order Fulfillment' or normalize-space(.) = 'Order Fulfillment']"} (Session info: chrome=88.0.4324.104) (Driver info: chromedriver=87.0.4280.88 (89e2380a3e36c3464b5dd1302349b1382549290d-refs/branch-heads/4280@{#1761}),platform=Windows NT 10.0.19041 x86_64) (WARNING: The server did not provide any stacktrace information) Command duration or timeout: 74 milliseconds For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'LAPTOP-BJ5N0QR9', ip: '192.168.43.54', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_131' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=XP, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:53909}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=87.0.4280.88 (89e2380a3e36c3464b5dd1302349b1382549290d-refs/branch-heads/4280@{#1761}), userDataDir=F:\Automation\ProvarRepository_Test_RSTK1\.provarCaches\.chromeProfiles\profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=88.0.4324.104, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}] Session ID: a5d656a5047b32907698a3f0c12cec35 *** Element info: {Using=xpath, value=.//input[(@type = 'button' or @type = 'submit' or @type = 'file') and @value = 'Order Fulfillment'] | .//button[@value = 'Order Fulfillment' or normalize-space(.) = 'Order Fulfillment']}]

      ● org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":".//input[(@type = 'button' or @type = 'submit' or @type = 'file') and @value = 'Order Fulfillment'] | .//button[@value = 'Order Fulfillment' or normalize-space(.) = 'Order Fulfillment']"}

      ● (Session info: chrome=88.0.4324.104)

      ● (Driver info: chromedriver=87.0.4280.88 (89e2380a3e36c3464b5dd1302349b1382549290d-refs/branch-heads/4280@{#1761}),platform=Windows NT 10.0.19041 x86_64) (WARNING: The server did not provide any stacktrace information)

      ● Command duration or timeout: 74 milliseconds

      ● For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

      ● Build info: version: 'unknown', revision: 'unknown', time: 'unknown'

      ● System info: host: 'LAPTOP-BJ5N0QR9', ip: '192.168.43.54', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_131'

      ● Driver info: org.openqa.selenium.chrome.ChromeDriver

      ● Capabilities [{mobileEmulationEnabled=false, timeouts={implicit=0.0, pageLoad=300000.0, script=30000.0}, hasTouchScreen=false, platform=XP, acceptSslCerts=false, goog:chromeOptions={debuggerAddress=localhost:53909}, acceptInsecureCerts=false, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=ignore, applicationCacheEnabled=false, rotatable=false, networkConnectionEnabled=false, chrome={chromedriverVersion=87.0.4280.88 (89e2380a3e36c3464b5dd1302349b1382549290d-refs/branch-heads/4280@{#1761}), userDataDir=F:\Automation\ProvarRepository_Test_RSTK1\.provarCaches\.chromeProfiles\profile0}, takesHeapSnapshot=true, pageLoadStrategy=normal, strictFileInteractability=false, databaseEnabled=false, handlesAlerts=true, version=88.0.4324.104, browserConnectionEnabled=false, proxy=Proxy(direct), nativeEvents=true, locationContextEnabled=true, cssSelectorsEnabled=true, webauthn:virtualAuthenticators=true}]

      ● Session ID: a5d656a5047b32907698a3f0c12cec35

      ● *** Element info: {Using=xpath, value=.//input[(@type = 'button' or @type = 'submit' or @type = 'file') and @value = 'Order Fulfillment'] | .//button[@value = 'Order Fulfillment' or normalize-space(.) = 'Order Fulfillment']}

      ● at sun.reflect.GeneratedConstructorAccessor92.newInstance(Unknown Source)

      ● at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)

      ● at java.lang.reflect.Constructor.newInstance(Constructor.java:423)

      ● at org.openqa.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:215)

      ● at org.openqa.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:167)

      ● at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:671)

      ● at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:410)

      ● at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:509)

      ● at org.openqa.selenium.By$ByXPath.findElement(By.java:361)

      ● at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:402)

      ● at com.provar.plugins.forcedotcom.core.ui.ProvarFindByLabelElementLocator.findElement(ProvarFindByLabelElementLocator.java:115)

- at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
- at com.sun.proxy.$Proxy101.getWrappedElement(Unknown Source)
- at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:50)
- at com.google.common.collect.Iterators$7.transform(Iterators.java:750)
- at com.google.common.collect.TransformedIterator.next(TransformedIterator.java:47)
- at com.google.common.collect.Iterators.addAll(Iterators.java:367)
- at com.google.common.collect.Lists.newArrayList(Lists.java:165)
- at com.google.common.collect.Lists.newArrayList(Lists.java:150)
- at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:571)
- at com.provar.core.testapi.ProvarSeleniumDriver.getAttributes(ProvarSeleniumDriver.java:1142)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.getWebElementAttributes(SeleniumUiHandler.java:3728)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performActionInteraction(SeleniumUiHandler.java:4316)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performInteraction(SeleniumUiHandler.java:2528)
- at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performInteraction(SfUiHandler.java:5500)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performInteraction(SeleniumUiHandler.java:2224)
- at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performInteraction(SfUiHandler.java:5455)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:418)
- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.delegateToUiHandler(SfConnectionHandler.java:364)
- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:355)
- at com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:862)
- at com.provar.plugins.forcedotcom.core.ui.UiDoAction.execute(UiDoAction.java:130)
- at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
- at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
- at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
- at java.lang.reflect.Method.invoke(Method.java:498)
- at com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:754)
- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.java:729)
- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access$11(LocalTestExecutionContainerRunner.java:661)
- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner$MessageProcessor.run(LocalTestExecutionContainerRunner.java:1394)
- One or more Sub-Test Steps failed.
- ⚠ On SF rstk__SalesOrderWorkBench page with pageobject Rstk__ Sales Order Workbench

🔲 SO Header.testcase

Output

- Salesforce Connect: Devqaff (Test)
  Salesforce connection opened successfully. Connection name: Devqaff, ResultName: Devqaff, resultScope: Test
- On SF Rootstock Site Map tab
  - Click the Sales Order Entry 1 button
- On SF Sales Order Header AC_Sales Order Headerssd list view
  - Click the New button
- On SF rstk__SalesOrder page with pageobject Rstk__salesorder
  - Set the Order Number field to SO-R1ZK
  - Set the Customer field to AC5501_CUSTOMER (AC5501_CUSTOMER)
  - Click the Customer_ Select field
  - Click the Save button

- UI Assert
- Set Values: Onum

SO Invoice.testcase

Output

- Salesforce Connect: Devqaff (Test)
  Salesforce connection opened successfully. Connection name: Devqaff, ResultName: Devqaff, resultScope: Test

- Set Values: InvoiceNumber
- On SF rstk__SalesOrderWorkBench page with pageobject Rstk__ Sales Order Workbench
  - With Table rows {1}
    - The row locator did not match any rows.

    - One or more Sub-Test Steps failed.

- On SF rstk__Soinv page with pageobject Rstk__soinv

SO Line.testcase

Output

- Salesforce Connect: Devqaff (Test)
  Salesforce connection opened successfully. Connection name: Devqaff, ResultName: Devqaff, resultScope: Test

- Set Values: ConfirmONum
- On SF rstk__SalesOrder page with pageobject Rstk__salesorder
  - With Line Items rows {1}
    - Set the Product field to 5501-16 (Mfd)
  - Click the Product_ Select field

    - Error doing interaction. Connection Name: Devqaff, cause: [NoSuchElementException: No elements matched the field locator. Field name: Product_Select For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html Build info: version: 'unknown', revision: 'unknown', time: 'unknown' System info: host: 'LAPTOP-BJ5N0QR9', ip: '192.168.43.54', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_131' Driver info: driver.version: ProvarSeleniumDriver]

    - org.openqa.selenium.NoSuchElementException: No elements matched the field locator. Field name: Product_Select

    - For documentation on this error, please visit: http://seleniumhq.org/exceptions/no_such_element.html

    - Build info: version: 'unknown', revision: 'unknown', time: 'unknown'

    - System info: host: 'LAPTOP-BJ5N0QR9', ip: '192.168.43.54', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_131'

    - Driver info: driver.version: ProvarSeleniumDriver

    - at com.provar.plugins.forcedotcom.core.ui.ProvarFindByElementLocator.findElement(ProvarFindByElementLocator.java:96)

    - at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)

    - at com.sun.proxy.$Proxy104.getWrappedElement(Unknown Source)

    - at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:50)

    - at com.google.common.collect.Iterators$7.transform(Iterators.java:750)

    - at com.google.common.collect.TransformedIterator.next(TransformedIterator.java:47)

    - at com.google.common.collect.Iterators.addAll(Iterators.java:367)

    - at com.google.common.collect.Lists.newArrayList(Lists.java:165)

    - at com.google.common.collect.Lists.newArrayList(Lists.java:150)

    - at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:571)

    - at com.provar.core.testapi.ProvarSeleniumDriver.getAttributes(ProvarSeleniumDriver.java:1142)

    - at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.getWebElementAttributes(SeleniumUiHandler.java:3728)

    - at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performActionInteraction(SeleniumUiHandler.java:4316)

    - at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performInteraction(SeleniumUiHandler.java:2528)

- at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performInteraction(SfUiHandler.java:5500)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.performInteraction(SeleniumUiHandler.java:2224)
- at com.provar.plugins.forcedotcom.core.ui.SfUiHandler.performInteraction(SfUiHandler.java:5455)
- at com.provar.plugins.forcedotcom.core.ui.SeleniumUiHandler.perform(SeleniumUiHandler.java:418)
- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.delegateToUiHandler(SfConnectionHandler.java:364)
- at com.provar.plugins.forcedotcom.core.connection.SfConnectionHandler.perform(SfConnectionHandler.java:355)
- at com.provar.core.testexecution.common.java.TestExecutionContextImpl.doConnectionOperation(TestExecutionContextImpl.java:862)
- at com.provar.plugins.forcedotcom.core.ui.UiDoAction.execute(UiDoAction.java:130)
- at sun.reflect.GeneratedMethodAccessor91.invoke(Unknown Source)
- at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
- at java.lang.reflect.Method.invoke(Method.java:498)
- at com.provar.core.testexecution.container.java.TestExecutionContainerImpl.invokeTestApi(TestExecutionContainerImpl.java:754)
- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.doInvokeTestApi(LocalTestExecutionContainerRunner.java:729)
- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner.access$11(LocalTestExecutionContainerRunner.java:661)
- at com.provar.core.testexecution.container.java.LocalTestExecutionContainerRunner$MessageProcessor.run(LocalTestExecutionContainerRunner.java:1394)

- With Line Items rows {1}
  - Set the Qty Ordered field to 2
  - Check the Firm field
- Click the Save button
- One or more Sub-Test Steps failed.

Search a record.testcase

Output

- Salesforce Connect: Devqaff (Test)
  Salesforce connection opened successfully. Connection name: Devqaff, ResultName: Devqaff, resultScope: Test
- On SF Global Search
  - Set the Search Box field to {OrderNumber}
- On SF Global Search
  - Click the Search Button button
- On SF Sales Order Header Search screen
  - With rstk__sohdr__c rows {RSTK__SOHDR__C_NAME = "{OrderNumber}"}
    - No rows found in table

  - One or more Sub-Test Steps failed.