AUTOMATION ARCHITECTURE

Production n8n & Make.com AI Automations Master Guide

Deploying Inbound Lead Responders, Vision OCR Systems, and Autonomous Social Engines

SmartCents Executive Digital Studio • Commercial Asset Suite
Verified Production Framework • Instant Deployment

1. Production Deployment & Webhook Setup

This master blueprint outlines the configuration of autonomous agents in n8n and Make.com without relying on recurring SaaS subscription tolls.

- **Environment Variables:** Securely store API keys (OpenAI, Anthropic, Telegram) in n8n credentials vault.
- **Error-Handling & Retries:** Implement automatic 3x exponential backoff retry loops on all external HTTP nodes.
- **Payload Validation:** Sanitize incoming webhook JSON bodies before passing prompts to LLM classification chains.

```
// Sample Webhook Authentication Middleware (n8n Function Node)
const token = $input.item.json.headers['x-api-token'];
if (token !== $env.AUTHORIZED_CLIENT_SECRET) {
  throw new Error('401 Unauthorized API Request');
}
return $input.item;
```

2. Multi-Agent Lead Qualification Workflow Architecture

Detailed execution path for the automated lead scoring and immediate VIP Telegram notifications engine.

- **Scoring Heuristic:** Qualifies leads based on company headcount (>50 = +3 pts), verified budget (>=$10k = +4 pts).
- **Escalation Threshold:** Leads scoring 8+ trigger immediate priority push notification to founder mobile.
- **CRM Sync:** Automatically writes records to Google Sheets / Airtable / HubSpot in under 800ms.