



Master Business Requirements Document

KONU launch platform — master requirements with embedded module BRDs

Version 1.0 | 24 August 2026 | Founder review draft

OWNER	DELIVERY PARTNER	STATUS
KONU Founder / Product	People Tech Group	For review & sign-off

Document rule

This BRD is the business source of truth. Technical implementation details belong in solution design. A requirement may only enter development when it has priority, acceptance criteria, owner, dependency status and approval appropriate to its change level.

1. Product Vision

KONU is a property intelligence, trust, transaction and ownership-services platform for India, initially focused on Hyderabad. It brings verified property discovery, geospatial intelligence, valuation, verification, trusted agent workflows and post-purchase ownership services into one connected experience.

2. Primary User Groups

User	Primary jobs to be done
Buyer / NRI buyer	Discover, compare, understand, value, verify and transact with confidence.
Seller / owner	Understand property value, list/market, manage enquiries and use trusted transaction services.
Absentee/NRI owner	Monitor and protect property through MySecure and receive evidence-based updates.
KONU Buddy / agent	Onboard, verify, receive/serve leads, manage mandates and update transaction status.
Developer	Onboard projects/inventory, improve discovery, receive qualified leads and measure campaign outcomes.
KONU operations/admin	Verify data, manage users/leads/services, resolve exceptions and monitor SLAs.
Legal/valuation/survey partner	Receive assigned service jobs, submit evidence/reports and maintain auditable status.

3. Product Principles

- Trust before volume: material property facts should show source/status and verification level.
- Explainability: valuation/intelligence outputs should state assumptions, confidence and limitations.
- Geospatial-first where useful: location, infrastructure and boundaries should be understandable visually.
- Operational reality: every paid service must have an executable back-office workflow, SLA and evidence trail.
- No silent failure: failed integrations/data gaps must be visible to operations and user where material.
- Privacy and least privilege: role-based access, consent and auditability for sensitive workflows.

4. Launch Priority Model

Priority	Meaning
P0	Required for controlled launch; absence blocks release or creates material trust/security/operational risk.
P1	Important for launch quality/conversion; may be released shortly after launch only with founder approval.
P2	Post-launch enhancement.
P3	Future/experimental.

5. Cross-Platform Non-Functional Requirements

ID	Area	Requirement	Priority
NFR-01	Availability	Launch-critical user flows must have monitoring and defined incident ownership.	P0
NFR-02	Performance	Property search/detail/map experiences must meet agreed performance budgets measured in launch environment.	P0
NFR-03	Security	Authentication, authorization, secrets, audit logs and basic vulnerability remediation must be release-gated.	P0
NFR-04	Privacy	Consent, data minimization, role access and deletion/retention rules must be documented for personal data.	P0
NFR-05	Observability	Critical APIs, AI calls, data pipelines and payments/service requests must emit logs/metrics usable by operations.	P0
NFR-06	Analytics	Core funnel events from discovery → lead/service request → fulfilment must be instrumented.	P0
NFR-07	Accessibility	Core screens should support readable contrast, keyboard/focus behavior where applicable and basic semantic labeling.	P1
NFR-08	Scalability	Architecture must avoid launch-blocking single points of failure and document expected load assumptions.	P1

Module BRD A — Core Listings, Search & Property Detail

Goal: create a trusted discovery experience that converts user intent into qualified enquiry/service actions.

ID	Business requirement	Priority	Acceptance criteria
CL-01	Users can browse/search properties by location, property type, price and core attributes.	P0	Given valid inventory, filters return only matching records and preserve selected filters.
CL-02	Property cards/details display standardized core facts and verification status.	P0	Required fields, last-updated status and verification badges render consistently; missing data is not represented as verified.
CL-03	Map/list views remain synchronized for supported search area.	P0	Selecting/filtering in one view updates the other without mismatched property counts beyond documented clustering behavior.
CL-04	Users can save/favorite properties and revisit them after login.	P1	Saved state persists to user account and can be removed.
CL-05	Lead/service CTA routes enquiry to CRM/operations with property and user context.	P0	CRM record contains source, property/project ID, user contact/consent, timestamp and campaign attribution where available.
CL-06	Admin can create/update/deactivate listing records with audit trail.	P0	Changes are traceable by user/time; deactivated inventory is not publicly discoverable.
CL-07	Duplicate/stale inventory is flagged through admin rules/workflow.	P1	Potential duplicates and stale records can be reviewed without destructive automatic deletion.
CL-08	Personalize property discovery and recommendations using user searches, viewed/saved listings, location, budget, configuration, amenities and other relevant preference signals.	P1	Recommendations reflect demonstrated user preferences and improve relevance across sessions, subject to consent/privacy controls.
CL-09	Capture and display listing engagement metrics, including views and saves/favorites, for each property/project listing.	P1	Approved metrics update from valid interactions, use agreed counting rules and remain available for listing-level analytics.

Dependencies / decisions to close

- Final launch geography and supported data coverage.
- Named product/operations owner.
- External dependency/API readiness where applicable.

Module BRD B — GIS & Hyperlocal Intelligence

Goal: help users understand where a property sits relative to infrastructure, boundaries, zoning/context and nearby points of interest.

ID	Business requirement	Priority	Acceptance criteria
GIS-01	Display geocoded property location with supported base map.	P0	Coordinates resolve to correct property point/area within documented accuracy.
GIS-02	Support approved infrastructure/POI layers such as ORR/RRR/metro/flyovers and local amenities when data exists.	P1	Layers can be toggled and have source/last-updated metadata.
GIS-03	Support locality/boundary overlays used by KONU launch geographies.	P0	Boundary geometry renders without material topology errors in target areas.
GIS-04	Geospatial APIs must fail gracefully and be monitored.	P0	Timeout/error state does not break property page; operations receives observable error data.
GIS-05	Admin/data team can update approved spatial datasets through controlled process.	P1	Dataset version and effective date are recorded; rollback is possible.
GIS-06	Identify relevant new properties, developments, infrastructure and local activity within an approved radius of an owned/saved property.	P1	Relevant nearby updates are detected using GIS proximity and surfaced on the user dashboard and approved notification channels.

Dependencies / decisions to close

- Final launch geography and supported data coverage.
- Named product/operations owner.
- External dependency/API readiness where applicable.

Module BRD C — Kestimate

Goal: provide a defensible property-value estimate that improves pricing transparency without presenting model output as a guaranteed market price.

ID	Business requirement	Priority	Acceptance criteria
KE-01	User can request/view Kestimate for supported property types/areas.	P0	Supported property returns estimate or explicit insufficient-data state; unsupported property never returns fabricated value.
KE-02	Estimate response includes range/confidence or equivalent uncertainty indicator.	P0	UI communicates uncertainty and does not show a single unexplained definitive value.
KE-03	Model/API stores version, timestamp and material input features for audit/debug.	P0	Every estimate is traceable to model version and request payload/feature set, subject to privacy controls.
KE-04	Explainability presents key value drivers in user-readable language.	P1	At least agreed top drivers or comparable evidence are presented when available.
KE-05	Data-quality thresholds and fallback behavior are defined.	P0	Missing/stale/outlier inputs trigger documented rules; exceptions are logged.
KE-06	Monitoring tracks errors, latency, estimate coverage and drift/quality proxy.	P1	Dashboard/logs expose agreed metrics by supported geography/property type.
KE-07	Legal disclaimer states estimate is informational and not a certified valuation.	P0	Disclaimer appears wherever Kestimate is materially displayed/shared.
KE-08	Use relevant GIS changes - including new infrastructure, developments, connectivity and surrounding property activity - as inputs to Kestimate.	P1	Material GIS updates feed Kestimate refreshes for current estimates and supported future value projections using the latest available data.

Dependencies / decisions to close

- Approved supported property types/geographies for launch.
- Approved data sources and refresh cadence.
- Model quality threshold / validator review method.

Module BRD D — Bujji AI Property Assistant

Goal: answer property and KONU-service questions using grounded data while minimizing unsupported claims.

ID	Business requirement	Priority	Acceptance criteria
AI-01	Bujji answers from approved KONU/property knowledge sources and current user/property context.	P0	Test prompts show answers grounded in available source context; unknown facts are not invented.
AI-02	Assistant indicates uncertainty/insufficient data and offers escalation where appropriate.	P0	Unsupported queries produce bounded response rather than confident fabrication.
AI-03	Sensitive/legal/financial claims use approved guardrails/disclaimers.	P0	Red-team/UAT set verifies restricted answer patterns and escalation language.
AI-04	Conversation telemetry captures latency, failure, feedback and source context identifiers without exposing secrets.	P1	Operations can inspect failed/low-rated sessions using privacy-safe logs.
AI-05	Prompt/model/configuration changes are versioned.	P0	Production response can be traced to deployed model/config version.
AI-06	Bujji can route qualified intent into lead/service workflows with user consent.	P1	Created lead includes conversation intent summary and relevant property/project ID.
AI-07	Bujji should retain approved user preferences, requirements and prior interaction context to provide personalized real-estate guidance.	P1	With user consent, relevant context persists across sessions and is used for context-aware responses without repeatedly asking for the same information.

Dependencies / decisions to close

- Approved knowledge sources.
- Model/provider choice and cost controls.
- Escalation boundaries for legal/valuation claims.

Module BRD E — K-Report & Legal Verification

Goal: consolidate property evidence/status into a structured report and route professional legal verification when required.

ID	Business requirement	Priority	Acceptance criteria
KR-01	Generate a structured K-Report containing agreed property, ownership, registration, regulatory, location and risk/status sections where data is available.	P0	Report renders required sections; missing evidence is explicitly marked unavailable/not verified.
KR-02	Each evidence item records source, retrieval/upload date and verification status.	P0	User/admin can distinguish user-provided, system-fetched and professionally verified information.
KR-03	Legal-verification request creates case with assigned owner/partner, SLA and checklist.	P1	Case is trackable from request through report delivery with timestamps.
KR-04	Document uploads are access-controlled and auditable.	P0	Only authorized roles can view/download; access is logged as agreed.
KR-05	Professional legal opinion remains clearly separated from automated K-Report intelligence.	P0	UI/report labels do not imply automated output is a legal opinion unless reviewed/signed by authorized professional.
KR-06	Report can be regenerated/versioned when material source data changes.	P1	Prior version remains auditable; current version is clearly identified.

Dependencies / decisions to close

- Final report sections and source availability.
- Legal partner workflow and disclaimer language.
- Document retention/access policy.

Module BRD F — MySecure

Goal: give absentee/NRI owners evidence-based recurring property monitoring and issue escalation.

ID	Business requirement	Priority	Acceptance criteria
MS-01	Owner can enroll a property into a MySecure plan and provide access/contact instructions.	P0	Enrollment captures property identity, authorized contacts, plan, consent and special instructions.
MS-02	Operations can schedule recurring inspections based on active plan.	P0	Upcoming/overdue visits are visible with assigned field owner.
MS-03	Field inspection captures timestamped photos/video, checklist and notes.	P0	Evidence is attached to visit record with time and property reference; incomplete mandatory checklist cannot be closed without exception reason.
MS-04	Owner receives post-inspection report and material alerts.	P0	Completed visit produces owner-visible report; critical issue can trigger escalation workflow.
MS-05	Plan history, payments/status and service period are maintained.	P1	Operations can see active/expired/suspended service state and renewal date.
MS-06	Optional maintenance/vendor tasks can be tracked separately from inspection evidence.	P2	Owner approval and cost/status are recorded before closure where applicable.
MS-07	Provide MySecure owners with relevant alerts about developments, infrastructure, property activity or significant changes around their enrolled property.	P1	Relevant GIS/content updates are surfaced on the owner dashboard and through configured notification channels.

Dependencies / decisions to close

- Approved plan scope, price and inspection frequency.
- Field-operations staffing/coverage and evidence standards.
- Renewal/payment process.

Module BRD G — KONU Buddies / Agent Network

Vision: KONU aims to be the Swiggy/Zepto of real estate - connecting customers and leads with the most relevant nearby KONU Buddy.

Goal: create a verified, accountable agent layer for customer servicing and transactions.

ID	Business requirement	Priority	Acceptance criteria
KB-01	Agent/Buddy application captures identity, contact, coverage, experience and required verification documents.	P0	Incomplete mandatory verification cannot become active Buddy.
KB-02	Admin can approve/reject/suspend Buddy with reason and audit log.	P0	Inactive/suspended Buddy cannot receive new leads.
KB-03	Leads can be assigned with ownership, SLA/status and handoff notes.	P0	Every assigned lead has current owner, status, timestamps and next action.
KB-04	Mandate/transaction workflow tracks property/customer, key milestones and outcome.	P1	Milestone changes are auditable; closed-lost reason captured.
KB-05	Quality metrics/feedback are associated with Buddy profile.	P2	Service history supports agreed performance reporting.
KB-06	Commission policy is configurable/recorded; settlement logic is not assumed in this BRD.	P1	System records applicable commercial rule/reference without hardcoding unapproved rates.
KB-07	Location-Based Lead Matching: Qualified leads should be matched or surfaced to eligible KONU Buddies based on lead/property location, service area, proximity and availability.	P1	Relevant nearby Buddies can receive or accept eligible leads, with one accountable owner assigned and lead status tracked through the workflow.

Dependencies / decisions to close

- Approved verification checklist.
- Service areas and SLA.
- Commission/mandate policy.

Module BRD H — Developer Services, CRM & Growth Analytics

Goal: support project onboarding, qualified lead delivery and measurable developer/marketing outcomes.

ID	Business requirement	Priority	Acceptance criteria
DEV-01	Developer/project onboarding captures company, project, RERA/project identifiers, location, inventory facts and authorized contacts.	P0	Required project data passes admin verification before public verified status.
DEV-02	Project pages support approved inventory/media/amenity/location content.	P0	Published content is versioned/traceable to authorized source.
DEV-03	Lead capture preserves project/property, channel/campaign and user consent.	P0	CRM lead has attribution fields and is deduplicated by approved rules.
DEV-04	Lead status/feedback can flow back from sales/CRM for reporting.	P1	KONU can report lead volume and agreed downstream status metrics.
DEV-05	Marketing/product analytics capture acquisition → engagement → lead/service conversion events.	P0	Event taxonomy is documented and QA validates core funnel events.
DEV-06	Commercial model remains configurable pending approved pricing/ACV/success-fee policy.	P1	No unapproved commercial assumptions are embedded in release logic.
DEV-07	KONU Custom CRM: KONU should progressively transition from third-party CRM dependency to its own customized CRM for customer, property, lead, Buddy, developer and transaction journeys.	P2	KONU CRM supports agreed real-estate workflows and maintains unified customer/lead history with required integrations and reporting.

Dependencies / decisions to close

- Approved developer commercial model/ACV/lead pricing.
- CRM system mapping and lead lifecycle.
- Marketing event taxonomy.

Module BRD I — Admin, Data Operations, Notifications & Platform Controls

Goal: give KONU operations the controls required to run a trusted marketplace and service business.

ID	Business requirement	Priority	Acceptance criteria
ADM-01	Role-based admin access separates content, ops, QA, service and super-admin privileges.	P0	Permission test confirms restricted actions cannot be performed by unauthorized roles.
ADM-02	Admin can manage master data, verification status and exception queues.	P0	Changes have audit record and do not require direct database edits for normal operations.
ADM-03	Notification service supports approved transactional messages and delivery status.	P1	Failed deliveries are logged/retrievable according to provider capability.
ADM-04	Critical data pipelines expose last-success status, error and owner.	P0	Operations can identify stale/failed source without engineering database inspection.
ADM-05	Audit trail covers material user/admin/service state changes.	P0	Agreed critical entities preserve actor/time/action history.
ADM-06	Environment/configuration separation exists for development/test/production.	P0	Production secrets/config are not reused casually in non-production environments.

Dependencies / decisions to close

- Final launch geography and supported data coverage.
- Named product/operations owner.
- External dependency/API readiness where applicable.

Module BRD J — Customer Dashboard

Goal: give each customer a personalized dashboard for property activity, requirements, alerts, services and relevant real-estate intelligence.

ID	Business requirement	Priority	Acceptance criteria
CD-01	Customer dashboard should display recently viewed, saved/interested and rejected/not-interested properties.	P1	User can clearly see and revisit properties based on their interaction status.
CD-02	Dashboard should show relevant customer-level property analytics and key real-estate insights based on activity, preferences and owned properties.	P1	Agreed analytics are visible in a simple, understandable format using available customer/property data.
CD-03	Customer should receive dashboard alerts when a newly onboarded property matches previously expressed requirements or preferences.	P1	Matching newly available properties are surfaced through a visible dashboard card/notification with direct access to the listing.
CD-04	Dashboard should show active KONU services and important service status, including MySecure where applicable.	P1	Customer can view current service status, recent activity and relevant next actions from the dashboard.
CD-05	Dashboard should surface personalized notifications, recommendations and important updates relevant to the customer's property journey.	P1	Relevant alerts and recommendations are displayed based on customer context and available KONU data.

6. Release Acceptance & Sign-off

- Every P0 requirement planned for release has passing QA evidence or an explicitly approved waiver.
- No open P0 defect; P1 defects are accepted/rejected by Founder/Product with documented workaround/risk.
- Technical Validator signs off on designated technical gates (architecture, security/data risk, AI/valuation readiness) without replacing business acceptance.
- Product/Founder signs off on user experience and business readiness.
- Operations confirms executable support/process for paid or human-assisted services.
- Release notes, rollback plan and monitoring ownership are documented.

7. Open Founder Decisions

Decision	Why it matters	Required before
Final launch geography / micro-markets	Defines data coverage, search/GIS QA and Kestimate support.	Sprint 1 close
Kestimate launch scope and confidence presentation	Defines model acceptance/UAT.	Kestimate release
MySecure plan scope/pricing/frequency	Defines workflow, payment and capacity.	MySecure go-live
K-Report vs professional legal-verification boundary	Avoids trust/legal ambiguity.	K-Report go-live
Buddy commission/mandate rules	Defines transaction ops and system fields.	Buddy transaction workflow
Developer commercial model	Defines CRM/reporting/billing requirements.	Developer paid launch
Soft-launch cohort and success metrics	Defines launch readiness and feedback thresholds.	Soft launch

Sign-off

Role	Name	Signature	Date
KONU Founder / Product Owner			
People Tech BA / Tech Lead			
Independent Technical Validator			