

Linux TAILS

**Ou comment passer inaperçu-e
même quand on n'a rien à cacher**



Merci

- Aux Human Talks



- A PrestaShop



PrestaShop

- A vous



Plan

- Introduction
- Passer sous les radars
- Démonstration
- Conclusion
- Questions

Passer sous les radars

- Ne pas **laisser de trace** sur le *réseau*:
 - Spoofing de l'adresse MAC
 - TOR et firefox
 - GPG (protocole mail sécurisé) avec Claws Mail
- Ne pas **laisser de trace** sur la *machine*:
 - Live system: tout en mémoire
 - Clavier virtuel
- Ne pas **laisser de trace** dans les *paiements*:
 - Electrum bitcoin wallet

Linux TAILS

Démonstration



Linux TAILS

Conclusion

Questions



Linux TAILS

Annexes



La team Snowden



Ouh, c'est compliqué! (ou pas)

Welcome to Tails

Administration password [Documentation](#)

Enter an administration password in case you need to perform administration tasks. Otherwise it will be disabled for better security.

Password:

Verify Password:

Windows camouflage [Documentation](#)

This option makes Tails look more like Microsoft Windows 8. This may be useful in public places in order to avoid attracting suspicion.

MAC address spoofing [Documentation](#)

Spoofing MAC addresses hides the serial number of your network cards to the local networks. This can help you hide your geographical location.

It is generally safer to spoof MAC addresses, but it might also raise suspicion or cause network connection problems.

Network configuration [Documentation](#)

Ouh, c'est compliqué! (ou pas)

