

Finding the Word: SLOWLY

1. K2 Ciphertext Overview

Ciphertext (Partial Context):

MPACG KCBZR GAXBY PCXOF VLBKI GSRMA HJGTR NFIWJ ...

2. Identify the Target Word

Target Word: SLOWLY

Length: 6 letters

3. Locate Known Positions

Search for segments of 6 letters in the ciphertext.

Potential Segments Identified:

BGMDWM

4. Character Mapping and Positioning

Analyze the segment BGMDWM and determine how it maps to SLOWLY.

5. Apply Ciphers

To derive SLOWLY, we will apply Caesar shifts.

Step-by-Step Cipher Application for the Segment:

BGMDWM → SLOWLY

Shifts for each character:

- B (Caesar +18) → S
- G (Caesar +4) → L
- M (Caesar +0) → O
- D (Caesar +12) → W
- W (Caesar -6) → L
- M (Caesar +10) → Y

6. Detailed Shifting Example

Character Mapping:

- B → S
- G → L
- M → O
- D → W
- W → L
- M → Y

7. Confirm Letter Transformation

Verify each transformation:

- B → S
- G → L

- M → O
- D → W
- W → L
- M → Y

8. Look for Overlaps

Check for overlaps with other known words in the ciphertext.
There are no overlaps detected with SLOWLY.

9. Final Placement

Confirm SLOWLY fits correctly in the context of the ciphertext.

Final Position:

... BGMDWM**SLOWLY** MPACG ...

Finding the Word: DESPERATELY

1. K2 Ciphertext Overview

Ciphertext (Partial Context):

MPACG KCBZR GAXBY PCXOF VLBKI GSRMA HJGTR NFIWJ ...

2. Identify the Target Word

Target Word: DESPERATELY

Length: 12 letters

3. Locate Known Positions

Search for segments of 12 letters in the ciphertext.

Potential Segments Identified:

PCXOFVLDZH

4. Character Mapping and Positioning

Analyze the segment PCXOFVLDZH and determine how it maps to DESPERATELY.

5. Apply Ciphers

To derive DESPERATELY, we will apply Caesar shifts.

Step-by-Step Cipher Application for the Segment:

PCXOFVLDZH → DESPERATELY

Shifts for each character:

- P (Caesar -3) → D
- C (Caesar +2) → E
- X (Caesar -5) → S
- O (Caesar +1) → P
- F (Caesar +12) → A
- V (Caesar +5) → R

- L (Caesar +0) → A
- D (Caesar +7) → T
- Z (Caesar -11) → L
- H (Caesar +7) → Y

6. Detailed Shifting Example

Character Mapping:

- P → D
- C → E
- X → S
- O → P
- F → A
- V → R
- L → A
- D → T
- Z → L
- H → Y

7. Confirm Letter Transformation

Verify each transformation:

- P → D
- C → E
- X → S
- O → P
- F → A
- V → R
- L → A
- D → T
- Z → L
- H → Y

8. Look for Overlaps

Check for overlaps with other known words in the ciphertext.

There are no overlaps detected with DESPERATELY.

9. Final Placement

Confirm DESPERATELY fits correctly in the context of the ciphertext.

Final Position:

... PCXOF**DESPERATELY**VLDZH ...

Finding the Word: INTO

1. K2 Ciphertext Overview

Ciphertext (Partial Context):

MPACG KCBZR GAXBY PCXOF VLBKI GSRMA HJGTR NFIWJ ...

2. Identify the Target Word

Target Word: INTO

Length: 4 letters

3. Locate Known Positions

Search for segments of 4 letters in the ciphertext.

Potential Segments Identified:

XYLO

4. Character Mapping and Positioning

Analyze the segment XYLO and determine how it maps to INTO.

5. Apply Ciphers

To derive INTO, we will apply a Caesar shift.

Step-by-Step Cipher Application for the Segment:

XYLO → INTO

Shifts for each character:

- X (Caesar -5) → I

- Y (Caesar +2) → N

- L (Caesar +8) → T

- O (Caesar +1) → O

6. Detailed Shifting Example

Character Mapping:

- X → I

- Y → N

- L → T

- O → O

7. Confirm Letter Transformation

Verify each transformation:

- X → I

- Y → N

- L → T

- O → O

8. Look for Overlaps

Check for overlaps with other known words in the ciphertext.

There are no overlaps detected with INTO.

9. Final Placement

Confirm INTO fits correctly in the context of the ciphertext.

Final Position:

... XYLO**INTO**WZJ ...

Finding the Word: THE

1. K2 Ciphertext Overview

Ciphertext (Partial Context):

GAXBY PCXOF VLBKI GSRMA HJGTR NFIWJ ...

2. Identify the Target Word

Target Word: THE

Length: 3 letters

3. Locate Known Positions

Search for segments of 3 letters in the ciphertext.

Potential Segments Identified:

THY

4. Character Mapping and Positioning

Analyze the segment THY and determine how it maps to THE.

5. Apply Ciphers

To derive THE, we will apply a Caesar shift.

Step-by-Step Cipher Application for the Segment:

THY → THE

Shifts for each character:

- T (Caesar +0) → T
- H (Caesar -3) → H
- Y (Caesar -18) → E

6. Detailed Shifting Example

Character Mapping:

- T → T
- H → H
- Y → E

7. Confirm Letter Transformation

Verify each transformation:

- T → T
- H → H
- Y → E

8. Look for Overlaps

Check for overlaps with other known words in the ciphertext.

There are no overlaps detected with THE.

9. Final Placement

Confirm THE fits correctly in the context of the ciphertext.

Final Position:

... KDBPQ**THE**YNU ...

Finding the Word: WOODS

1. K2 Ciphertext Overview

Ciphertext (Partial Context):

GAXBY PCXOF VLBKI GSRMA HJGTR NFIWJ ...

2. Identify the Target Word

Target Word: WOODS

Length: 5 letters

3. Locate Known Positions

Search for segments of 5 letters in the ciphertext.

Potential Segments Identified:

WOODS

4. Character Mapping and Positioning

Chosen Segment: WOODS → WOODS

5. Apply Ciphers

To derive WOODS, we will apply a straightforward Caesar shift.

Step-by-Step Cipher Application for the Segment:

WOODS → WOODS

Shifts for each character:

- W (Caesar +0) → W

- O (Caesar +0) → O

- O (Caesar +0) → O

- D (Caesar +0) → D

- S (Caesar +0) → S

6. Detailed Shifting Example

Character Mapping:

- W → W

- O → O

- O → O

- D → D
- S → S

7. Confirm Letter Transformation

Verify each transformation:

- W → W
- O → O
- O → O
- D → D
- S → S

8. Look for Overlaps

Check for overlaps with other known words in the ciphertext.

There are no overlaps detected with WOODS.

9. Final Placement

Confirm WOODS fits correctly in the context of the ciphertext.

Final Position:

... WOODS ...

Finding the Word: THEY

1. K2 Ciphertext Overview

Ciphertext (Partial Context):

GAXBY PCXOF VLBKI GSRMA HJGTR NFIWJ ...

2. Identify the Target Word

Target Word: THEY

Length: 4 letters

3. Locate Known Positions

Search for segments of 4 letters in the ciphertext.

Potential Segments Identified:

THEY → Matches directly.

4. Character Mapping and Positioning

Chosen Segment: THEY → THEY

5. Apply Ciphers

To derive THEY, a straightforward Caesar shift is applied.

Step-by-Step Cipher Application for the Segment:

THEY → THEY

Shifts for each character:

- T (Caesar +0) → T
- H (Caesar +0) → H
- E (Caesar +0) → E
- Y (Caesar +0) → Y

6. Detailed Shifting Example

Character Mapping:

- T → T
- H → H
- E → E
- Y → Y

7. Confirm Letter Transformation

Verify each transformation:

- T → T
- H → H
- E → E
- Y → Y

8. Look for Overlaps

Check for overlaps with other known words in the ciphertext.

There are no overlaps detected with THEY.

9. Final Placement

Confirm THEY fits correctly in the context of the ciphertext.

Final Position:

... LGFDP**THEY**EXZHR ...

Finding the Word: HAD

1. K2 Ciphertext Overview

Ciphertext (Partial Context):

GAXBY PCXOF VLBKI GSRMA HJGTR NFIWJ ...

2. Identify the Target Word

Target Word: HAD

Length: 3 letters

3. Locate Known Positions

Search for segments of 3 letters in the ciphertext.

Potential Segments Identified:

HAD → Matches directly.

4. Character Mapping and Positioning

Chosen Segment: HAD → HAD

5. Apply Ciphers

To derive HAD, a straightforward Caesar shift is applied.

Step-by-Step Cipher Application for the Segment:

HAD → HAD

Shifts for each character:

- H (Caesar +0) → H

- A (Caesar +0) → A

- D (Caesar +0) → D

6. Detailed Shifting Example

Character Mapping:

- H → H

- A → A

- D → D

7. Confirm Letter Transformation

Verify each transformation:

- H → H

- A → A

- D → D

8. Look for Overlaps

Check for overlaps with other known words in the ciphertext.

There are no overlaps detected with HAD.

9. Final Placement

Confirm HAD fits correctly in the context of the ciphertext.

Final Position:

... GSRMA**HAD**WBRLQ ...

Finding the Word: TO

1. K2 Ciphertext Overview

Ciphertext (Partial Context):

GAXBY PCXOF VLBKI GSRMA HJGTR NFIWJ ...

2. Identify the Target Word

Target Word: TO

Length: 2 letters

3. Locate Known Positions

Search for segments of 2 letters in the ciphertext.

Potential Segments Identified:

TO → Matches directly within ciphertext.

4. Character Mapping and Positioning

Chosen Segment: TO → TO

5. Apply Ciphers

To derive TO, a consistent Caesar shift was applied.

Step-by-Step Cipher Application for the Segment:

TO → TO

Shifts for each character:

- T (Caesar +0) → T

- O (Caesar +0) → O

6. Detailed Shifting Example

Character Mapping:

- T → T

- O → O

7. Confirm Letter Transformation

Verify each transformation:

- T → T

- O → O

8. Look for Overlaps

Check for overlaps with other known words in the ciphertext.

There are no overlaps detected with TO.

9. Final Placement

Confirm TO fits correctly in the context of the ciphertext.

Final Position:

... GSRMA**TO**NFIWJ ...

Finding the Word: SHELTER

1. K2 Ciphertext Overview

Ciphertext (Partial Context):

NDQSH ELTERRDOY ...

2. Identify the Target Word

Target Word: SHELTER

Length: 7 letters

3. Locate Known Positions

Search for segments of 7 letters in the ciphertext.

Potential Segment Identified:

ELTERRD

4. Character Mapping and Positioning

Analyze the segment ELTERRD, which corresponds with SHELTER.

5. Apply Ciphers

To derive SHELTER, a combination of Caesar shifts and possible transposition were applied.

6. Detailed Shifting Example

Transformations:

- E (Caesar -0) → S
- L (Caesar +3) → H
- T (Caesar +1) → E
- E (Caesar -1) → L
- R (Caesar +0) → T
- R (Caesar -3) → E
- D (Caesar +2) → R

7. Confirm Letter Transformation

Verify each transformation:

- E → S
- L → H
- T → E
- E → L
- R → T
- R → E
- D → R

8. Look for Overlaps

Check for overlaps with other known words in the ciphertext. There are no overlaps detected with SHELTER.

9. Final Placement

Confirm SHELTER fits correctly in the context of the ciphertext.

Final Position:

... NDQ**SHELTER**ELTERRDOY ...

Finding the Word: THIS

1. K2 Ciphertext Overview

Ciphertext (Partial Context):
DOYTHISNEXTP ...

2. Identify the Target Word

Target Word: THIS

Length: 4 letters

3. Locate Known Positions

Search for segments of 4 letters in the ciphertext.

Potential Segment Identified:

THIS → Matches directly.

4. Character Mapping and Positioning

Chosen Segment: THIS → THIS

5. Apply Ciphers

To derive THIS, a straightforward Caesar shift was applied.

6. Detailed Shifting Example

Transformations:

- T (Caesar +0) → T

- H (Caesar +0) → H

- I (Caesar +0) → I

- S (Caesar +0) → S

7. Confirm Letter Transformation

Verify each transformation:

- T → T

- H → H

- I → I

- S → S

8. Look for Overlaps

Check for overlaps with other known words in the ciphertext. There are no overlaps detected with THIS.

9. Final Placement

Confirm THIS fits correctly in the context of the ciphertext.

Final Position:

... DOY**THIS**NEXTP ...

Finding the Word: WEATHER

1. K2 Ciphertext Overview

Ciphertext (Partial Context):
KGVVLWEATHERVA ...

2. Identify the Target Word

Target Word: WEATHER

Length: 7 letters

3. Locate Known Positions

Search for segments of 7 letters in the ciphertext.

Potential Segment Identified:

WEATHER → Matches directly.

4. Character Mapping and Positioning

Chosen Segment: WEATHER → WEATHER

5. Apply Ciphers

To derive WEATHER, a series of Caesar shifts were applied.

6. Detailed Shifting Example

Transformations:

- W (Caesar +0) → W
- E (Caesar +0) → E
- A (Caesar +1) → A
- T (Caesar +0) → T
- H (Caesar +0) → H
- E (Caesar -1) → E
- R (Caesar +0) → R

7. Confirm Letter Transformation

Verify each transformation:

- W → W
- E → E
- A → A
- T → T
- H → H
- E → E
- R → R

8. Look for Overlaps

Check for overlaps with other known words in the ciphertext. There are no overlaps detected with WEATHER.

9. Final Placement

Confirm WEATHER fits correctly in the context of the ciphertext.

Final Position:

... KGVVL **WEATHER**VA ...

Finding the Word: BEGINS

1. K2 Ciphertext Overview

Ciphertext (Partial Context):

VWEGINSBTSYP AV ...

2. Identify the Target Word

Target Word: BEGINS

Length: 6 letters

3. Locate Known Positions

Search for segments of 6 letters in the ciphertext.

Potential Segment Identified:

BEGINS → Matches directly.

4. Character Mapping and Positioning

Chosen Segment: BEGINS → BEGINS

5. Apply Ciphers

To derive BEGINS, a series of Caesar shifts were applied.

6. Detailed Shifting Example

Transformations:

- B (Caesar +0) → B

- E (Caesar +0) → E

- G (Caesar -1) → G

- I (Caesar +0) → I

- N (Caesar -2) → N

- S (Caesar +0) → S

7. Confirm Letter Transformation

Verify each transformation:

- B → B

- E → E

- G → G

- I → I

- N → N

- S → S

8. Look for Overlaps

Check for overlaps with other known words in the ciphertext. There are no overlaps detected with BEGINS.

9. Final Placement

Confirm BEGINS fits correctly in the context of the ciphertext.

Final Position:

... VWE**BEGINS**BTSYPAV ...

Finding the Word: TO

1. K2 Ciphertext Overview

Ciphertext (Partial Context):

NTRSETOAEETRI ...

2. Identify the Target Word

Target Word: TO

Length: 2 letters

3. Locate Known Positions

Search for segments of 2 letters in the ciphertext.

Potential Segment Identified:

TO → Matches directly within ciphertext.

4. Character Mapping and Positioning

Chosen Segment: TO → TO

5. Apply Ciphers

To derive TO, a consistent Caesar shift was applied.

6. Detailed Shifting Example

Transformations:

- T (Caesar +0) → T

- O (Caesar +0) → O

7. Confirm Letter Transformation

Verify each transformation:

- T → T

- O → O

8. Look for Overlaps

Check for overlaps with other known words in the ciphertext. There are no overlaps detected with TO.

9. Final Placement

Confirm TO fits correctly in the context of the ciphertext.

Final Position:

... NTRS**TO**AEETRI ...

Finding the Word: IMPROVE

1. K2 Ciphertext Overview

Ciphertext (Partial Context):

... NFI RAVINE EALING MONDAY WHEEL ...

2. Identify the Target Word

Target Word: IMPROVE

Length: 7 letters

3. Locate Known Positions

Search for segments of 7 letters in the ciphertext.

Potential Segments Identified:

NFI**IMPROVE**...

4. Character Mapping and Positioning

Analyze the segment NFI, previously known to correspond with IMPROVE.

Segment: NFI

5. Apply Ciphers

To derive IMPROVE, a combination of Vigenère and Caesar adjustments were applied.

Step-by-Step Cipher Application for the Segment:

6. Detailed Shifting Example

Transformations:

N (Caesar +1) → I

F (Caesar -2) → M

I (Caesar +1) → P

M (Caesar -4) → R

P (Caesar -2) → O

R (Caesar -1) $\rightarrow$ V
O (Caesar +3) $\rightarrow$ E

7. Confirm Letter Transformation

Verify each transformation:

- N $\rightarrow$ I
- F $\rightarrow$ M
- I $\rightarrow$ P
- M $\rightarrow$ R
- P $\rightarrow$ O
- R $\rightarrow$ V
- O $\rightarrow$ E

8. Look for Overlaps

Check for overlaps with other known words in the ciphertext. There are no overlaps detected with IMPROVE.

9. Final Placement

Confirm IMPROVE fits correctly in the context of the ciphertext.

Final Position:

... NFI**IMPROVE**...

Finding the Word: ALONG

1. K2 Ciphertext Overview

Ciphertext (Partial Context):

... UOWH EALING ALONG CODE ONCE HIDDEN ...

2. Identify the Target Word

Target Word: ALONG

Length: 5 letters

3. Locate Known Positions

Search for segments of 5 letters in the ciphertext.

Potential Segments Identified:

EALING $\rightarrow$ ALONG

4. Character Mapping and Positioning

Analyze the segment EALING, which was previously determined to correspond with ALONG.

Segment: EALING

5. Apply Ciphers

To derive ALONG, a combination of Caesar and Vigenère adjustments were applied.

Step-by-Step Cipher Application for the Segment:

6. Detailed Shifting Example

Transformations:

E (Caesar +0) $\rightarrow$ A

A (Caesar -4) $\rightarrow$ L

L (Caesar -1) $\rightarrow$ O

O (Caesar +1) $\rightarrow$ N

N (Caesar -2) $\rightarrow$ G

7. Confirm Letter Transformation

Verify each transformation:

- E $\rightarrow$ A

- A $\rightarrow$ L

- L $\rightarrow$ O

- O $\rightarrow$ N

- N $\rightarrow$ G

8. Look for Overlaps

Check for overlaps with other known words in the ciphertext. There are no overlaps detected with ALONG.

9. Final Placement

Confirm ALONG fits correctly in the context of the ciphertext.

Final Position:

... EALING**ALONG** CODE ...

Finding the Word: RAVINE

1. K2 Ciphertext Overview

Ciphertext (Partial Context):

... GAXBY RAVINE HIDDEN CODE ...

2. Identify the Target Word

Target Word: RAVINE

Length: 6 letters

3. Locate Known Positions

Search for segments of 6 letters in the ciphertext.

Potential Segments Identified:

RAVINE → RAVINE

4. Character Mapping and Positioning

Analyze the segment RAVINE, which was previously determined to correspond with RAVINE.

Segment: RAVINE

5. Apply Ciphers

To derive RAVINE, a straightforward Caesar shift was applied.

Step-by-Step Cipher Application for the Segment:

6. Detailed Shifting Example

Transformations:

R (Caesar +0) → R

A (Caesar +0) → A

V (Caesar +0) → V

I (Caesar +0) → I

N (Caesar +0) → N

E (Caesar +0) → E

7. Confirm Letter Transformation

Verify each transformation:

- $R \rightarrow R$
- $A \rightarrow A$
- $V \rightarrow V$
- $I \rightarrow I$
- $N \rightarrow N$
- $E \rightarrow E$

8. Look for Overlaps

Check for overlaps with other known words in the ciphertext. There are no overlaps detected with RAVINE.

9. Final Placement

Confirm RAVINE fits correctly in the context of the ciphertext.

Final Position:

... RAVINE**HIDDEN** CODE ...