Model Documentation of the 'NN4'

1 Nomenclature

1.1 Nomenclature for Model Equations

x	state vector
u	control input vector
w	noise vector
z	regulated output vector
y	measurement vector

2 Model Equations

State Vector and Input Vector:

$$x \in \mathbb{R}^4 u \qquad \in \mathbb{R}^2 w \in \mathbb{R}^4 z \qquad \in \mathbb{R}^4 y \in \mathbb{R}^3$$

System Equations:

$$\dot{x}(t) = Ax(t) + B_1 w(t) + Bu(t) \tag{1a}$$

$$z(t) = C_1 x(t) + D_{11} w(t) + D12u(t) \tag{1b}$$

$$y(t) = Cx(t) + D21w(t) \tag{1c}$$

Outputs: z

2.1 Exemplary parameter values

Symbol	Value
A	$\begin{bmatrix} 0 & 1.0 & 0 & 0 \\ 0 & -2.93 & -4.75 & -0.78 \\ 0.086 & 0 & -0.11 & -1.0 \\ 0 & -0.042 & 2.59 & -0.39 \end{bmatrix}$
B	$\begin{bmatrix} 0 & 0 \\ 0 & -3.91 \\ 0.035 & 0 \\ -2.53 & 0.31 \end{bmatrix}$
B_1	$\begin{bmatrix} 0 & 0 \\ 0 & -3.91 \\ 0.035 & 0 \\ -2.53 & 0.31 \end{bmatrix}$
C_1	$\begin{bmatrix} 1.0 & 0 & 0 & 0 \\ 0 & 1.0 & 0 & 0 \\ 0 & 0 & 1.0 & 0 \\ 0 & 0 & 0 & 1.0 \end{bmatrix}$
C	$\begin{bmatrix} 1.0 & 0 & 0 & 0 \\ 0 & 1.0 & 0 & 0 \\ 0 & 0 & 1.0 & 0 \end{bmatrix}$
D_{11}	$\begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix}$
D_{12}	$\begin{bmatrix} 0 & 0 \\ 0 & 0 \\ 1.0 & 0 \\ 0 & 1.0 \end{bmatrix}$
D_{21}	$\begin{bmatrix} 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 \end{bmatrix}$

3 Derivation and Explanation

This model is part of the "'COMPleib"' - library and wasautomatically imported into ACKREP.

The original description was:

NN4 L. F. Miller, R. G. Cochran and J. W. Howze, "Output feedback stabilization of a spectral radius functional", IJOC, Vol. 27, pp. 455-462, 1978

4 Simulation

Figure 1: Simulation of the NN4.

References

[1] . F. Miller, R. G. Cochran and J. W. Howze, "Output feedback stabilization of a spectral radius functional", IJOC, Vol. 27, pp. 455-462, 1978