FISEVIER

Contents lists available at ScienceDirect

Case Studies on Transport Policy

journal homepage: www.elsevier.com/locate/cstp



Research Paper

Implementation effects and integration evaluation of a selection of transport management measures in Beijing



Meng Xu^{a,*}, Susan Grant-Muller^b, Ziyou Gao^a

- State Key Laboratory of Rail Traffic Control and Safety,Beijing Jiaotong University, No. 3 of Shangyuan Residence, Haidian District, Beijing, 100044, China
- b Institute for Transport Studies, University of Leeds, 34-40 University Road, LS2 9JT Leeds, UK

ARTICLE INFO

Keywords: Transport policy Sustainability Equity Economic efficiency Beijing

ABSTRACT

With the serious urban transport challenges that rapid motorization and growth in travel demand for the city of Beijing have brought, the design and implementation of efficient and equitable urban transport polices has become essential to achieve sustainable development targets. This paper investigates a selection of transport management measures that were introduced following the Beijing 2008 Olympic and Paralympic Games. These include priority development of mass transit systems, private car ownership measures, a staggered rush hour plan, modified charging policies for parking and car restrictions based on license plate numbers. Effects of these measures with respect to growth in vehicle and trip numbers are summarized, then qualitatively evaluated within a proposed framework that covers in one dimension equity and efficiency and in another, social, economic and environmental aspects of transport sustainability. The evaluation process is intended to firstly shed light on the effects of transport management measures according to different sustainability dimensions and secondly to support policymakers involved in the practical design of future transport management measures for Beijing and similar city contexts.

1. Introduction

Beijing as the major political, commercial and financial centre of China has a high population density. It has a distinctive lay-out comprising multiple outer ring roads with inter-ring road route connections. The overall pattern of development has been characterised by rapid population growth over several decades, rapid economic growth and rapid motorization. The traffic pressures in the city are evident to both passengers and drivers and a series of tactical measures have been carried out in response. The issue of how to relieve traffic congestion and develop an efficient transport system in Beijing has recently received attention worldwide.

During the Beijing 2008 Olympic and Paralympic Games, both travellers and citizens benefitted from the relatively uncongested roads and clean air in the city that resulted from a series of regulatory transport policies and tactics. However, traffic congestion and air quality deteriorated quickly afterwards and the benefits were lost. In 2009, a plan was published to develop 'humanistic, technology rich and green transport systems' (PGBM, 2009). The plan focuses on a more 'human-oriented' development of the transport system, including coordination with the historic and cultural characteristics of the city, a more harmonious traffic environment, improvements to the level of

service and enhancements to the administration of urban services. The essence of the new plan was therefore the development of a sustainable transportation system for the city of Beijing.

In this paper, we firstly analyse recent problems with the Beijing transport system and review the transport management measures that have been introduced. To evaluate these measures post-hoc, we propose a new framework based on efficiency and equity in one dimension and broader sustainability aspects on another. Evaluating these measures along any one of these dimensions is challenging and yet policy makers should ideally be looking across the dimensions to get a more holistic picture of the impacts of policy measures. To undertake this for the framework using a fully quantitative approach brings both theoretical and conceptual issues to the fore, here we propose an approach taking quantitative indicators into a simple qualitative and holistic framework. The novelty is that whilst equity and efficiency may be either excluded or only implicitly included in some sustainability indicators, we propose explicit treatment of both here. The structure of the remainder of the paper is as follows. Section 2 presents a literature review of sustainable transport research concerning Beijing and summarizes five typical transport management measures. Section 3 then introduces the five principal transport management policies for the mitigation of congestion introduced in Beijing following the 2008 Olympic and

E-mail addresses: mengxu@bjtu.edu.cn (M. Xu), s.m.grant-muller@its.leeds.ac.uk (S. Grant-Muller), zygao@bjtu.edu.cn (Z. Gao).

^{*} Corresponding author.

(continued on next page)

 Table 1

 Summary of typical transport management measures studies implemented in Beijing.

, , , , , , , , , , , , , , , , , , ,			3.6.41.4.4.1	
Measures	Literature(s)	Study area	Methodology	Major findings
Priority development of mass transit systems (S1)	Tiwari (2002)	Delhi	Statistical analysis	 An efficient bus system cannot be designed without taking care of slow vehicles (non-motorized vehicles, NMVs) on the road. Planning for non-motorized transport and integrating it with the other modes of city transport is
	Goh et al. (2014)	Melbourne	Experimental microscopic traffic	a prerequisite for creating sustainable transport systems, thus leading to sustainable cities. • The effects of bus priority act to reduce sideswipe and rear-end traffic conflicts and thus to
	Currie et al. (2007)	Melbourne	simulation Traffic micro-simulation	 improve road safety Desnite a more comprehensive approach to measuring the benefits of bus and tram priority.
			modelling	road-space reallocation is difficult to economically justify in road networks where public
				transport usage is low and car usage high. • Strategies involving the balanced deployment of bus and tram priority measures (where the
				allocation of time and space to PT minimizes negative traffic impacts) is shown to improve the
	Xu et al. (2010)	Beijing	Statistical analysis	 overall management of road-space. The governance evolution structures and practices provides a beneficial effect on Beiiing road.
		Quiding.		based PT activity as a whole. It is found that about 7.1% of the total growth of Beijing road
	0000			surface PT activity, on average over the period 1980–2005, is due to governance evolution.
riivate cai owiietsiiip colluoi (32)	riidiig et di. (1990)	Singapore	neview paper	
				numbers of cars and improving the quality of cars imported; The policy also suffered from unintended consequences, (e.g. sneculative activities) and
				proposed the creation of an asset market for vehicle licences.
	Feng and Li (2013)	Shanghai, Beijing,	Review paper	 Although the three cities adopt different quota allocation mechanisms, their policy objectives
		Guangzhou		are clear and similar.
				• Beijing puts more emphasis on equity, while Shanghai seems to focus on efficiency. Guangzhou
				combines the merits and shortcomings of both Shanghai and Beijing, yet it adds its own touch by
				putting a time limit on the licences of all vehicles.
	Chen and Zhao (2013)	Shanghai	Statistical analysis	 Respondents perceive the policy to be effective, but are moderately negative towards the
				policy nonetheless. However, they expect that others accept the policy more than they do;
				 receptointents and not consistently negative perceptions about the anothernity of the fireface. the effects on equity and the implementation process.
	Yang et al. (2014)	Beijing	Statistical analysis	 The Beijing's vehicle registration lottery policy has had a significant effect on the number of
))	•	vehicles sold;
				 The lottery policy might not decrease fuel consumption as much as one might expect;
				• The lottery has had the unintended consequence of allocating vehicles to people who clearly do
				not have the highest willingness to pay.
Staggered rush hour plan (S3)	Rosenbloom (1978)	ı	Review paper	 Varying work hours does seem to relieve some forms of congestion in specific areas of high
				concentrations of employment. However, such plans require the continued cooperation of a
				significant percentage of the employers and employees within a given area to have much
	(1001)			impact on entire transit of ingliway peak-perior congestion.
	Plane (1995)	ı	Review paper	• If 10 percent of work trips were shifted outside of peak periods with the staggered work hours,
	G110 et al. (2015)	Beijino	Review naper	total morning peak trips would reduce by 3 percent. The flexible work hours help to ease traffic pressure in rush hours
New charging policies for parking (S4)	Hensher and King (2001)	Sydney central business	Stated preference survey	 Investigation of the role of parking pricing and supply by time of day in whether to drive and
		district		park in the central business district (CBD). The change in CBD parking share attributable to
		444 444		supply by time of day is less than 3%, compared to 97% attributable to parking prices.
	Kye and Ison (2005)	11 UK WOFKPIACES	interview-based quantative research	 very rew organisations have introduced parking charging, and those that have appear to be limited almost exclusively to the public sector and, within that, to hospitals and universities;
				• Parking charges can be implemented at workplaces, while their implementation is not simple
	Marsden (2006)	Great Britain	Review paper	 In many instances does not support, or provides evidence counter to, the assumption that parking restraint makes centres less attractive
				(continued on next nage)

605

leasures	Literature(s)	Study area	Methodology	Major findings
raffic restrictions based on the last digit of license plate numbers (S5)	Mei et al. (2010) Eskeland and Feyzioglu (1997)	Tongling City Mexico City	Optimization Welfare economics	 Proposes a Probit-based curb parking model, and shows application in Tonglin City Due to the tendency of motorists to acquire an additional car, the restriction based on the last digit of license plate numbers actually increases congestion and pollution in the long run.
•	Davis (2008)	Mexico city	Data analysis	 No improvement according to the hourly data, and use of public transport has not increased; Gasoline sales rise more than expected and so did air pollution.
	Han et al., (2010)	1	Network equilibrium analysis	 Efficiency analysis and propose several lower bounds and upper bounds of the ratio between the system cost at the new user equilibrium with rationing and the original system cost at user equilibrium.
	Wang et al. (2014)	Beijing	Statistical analysis	 The restriction policy in Beijing does not have significant influence on individuals' decisions to drive, as compared with the policy's influence on public transit. The rule-breaking behaviour is constant and pervasive, 47.8% of the regulated car owners didn't follow the restriction rules.
	De Grange and Troncoso (2011)	Santiago	Aggregates analysis	 The permanent restriction had no impact on the use of private cars while the additional restriction curtailed their use by 5.5%; The pre-emergency restrictions had an effect on the ridership of the Metro but not on the bus network as alternatives to the use of private cars.

Paralympic Games. Following an initial impact analysis against eight types of travel behaviour characteristics to identify key drivers for change, this section also presents a quantitative summary of the effects of the transport management measures with respect to growth in both vehicles and trips. A qualitative post-hoc evaluation of the transport management policies using the proposed integration evaluation framework (and in the wider context for Beijing) is presented in Section 4, followed by conclusions to the paper.

2. Literature review

Transport management policies play an important role in sustainable transport development. The development of a sustainable transport system has favoured multiple solutions, for example, institutional reforms (Hull, 2008), land use changes (Curtis, 2008), policy transfer (Marsden and Stead, 2011), energy (Figueroa and Ribeiro, 2013) and carbon reduction (Marsden et al., 2014). Besides some basic issues related to the definition, evaluation and implementation of sustainable transport development (Litman and Burwell, 2006; Marsden and Snell, 2009; Marsden et al., 2010), research into policies for the development of sustainable transportation has been of considerable interest to practitioners. Specific examples include the issue of sustainable transport in Europe and North America (Greene and Wegener, 1997), the sustainable urban transport issues pertinent to typical Asian cities (Ieda, 2010), the development of sustainable cities in Singapore (Phang, 2003), the interaction of factors influencing transport sustainability for both passenger and freight transport (Richardson, 2005) and the importance of an appropriate regulatory framework and effective mechanisms of enforcement for sustainable urban transport systems in developing countries (Sohail et al., 2006). The latter was based on case studies in three cities and highlighted the critical importance of communication and co-ordination between stakeholders (i.e. transport users, providers and regulators) for effective regulation, and the relationship between sustainable transportation, infrastructure planning and implementation (Short and Kopp, 2005; Sand, 2012).

This established body of transport policy research has resulted in new policy science approaches, international case studies and local evidence against which potential measures for a more sustainable transport system in Beijing can be studied. Recently there have been studies concerning transport management and some specific urban transport problems in Beijing or in other cities of China. These have demonstrated how different policies have played a major role in the development of the transport system. For example, Ahmed et al. (2008) focused on the impact of existing strategies on equity in the development of transport systems in Beijing and Karachi, proposing strategies for the development of sustainable and equitable urban transport systems. Mao and Chen (2001) presented a sustainability analysis of typical policies implemented in China including Beijing. Creutzig and He (2009) demonstrated the synergies that joint demand and supply-side policies could provide, based on an analysis of a policy based on number plate constraint introduced in Beijing during the 2008 Olympics Games. Han et al. (2010) discussed efficiency based on road space rationing schemes implemented in Beijing. Wang (2010) explored four potentially contentious urban transport policies (congestion pricing, new plate quotas, driving bans and park-and-ride) in order to understand the likely efficiency and distributional consequences in China. Xu et al. (2010) reviewed the evolution of public transport systems in Beijing municipality in order to understand the importance of governance on public transport development. Li et al. (2010) studied travel patterns during the 2008 Olympic Games. Their Beijing Olympic transport model (based on activity-chain forecasting) led to proposals for demand management measures. Recent transport policies studies in Beijing also include Wang and Yuan (2013), Chang (2014), Sun et al. (2014), and Xu et al. (2015a, 2015b).

Studies of transport management measures and specific urban transport problems in Beijing lead us to focus on some typical transport management measures and how these measures in Beijing compare against other experiences. Alongside continued development of transport infrastructure in Beijing, some of the different traffic management measures that have been proposed for the municipality following the Olympic Games include: Prioritisation of mass transit systems (S1); Private car ownership measures (S2); Staggered peak-hour planning (S3); Parking charge policies (S4); Traffic restrictions based on the last digit of license plate numbers (S5). Generally, all these five management measures can be called "command-and-control" measures, as they have been introduced using government regulations and are mandatory for travellers. Although from an economic perspective these measures fail to achieve an efficient market outcome, the presence of political constraints makes them the preferred option with respect to feasibility and effectiveness. Table 1 presents recent studies that have investigated five typical transport measures in Beijing, and reviews some major findings of these measures with respect to different study areas and major findings. These are outlined below and a summary is given in Table 1, whilst further details can be found in Xu et al. (2015a, 2015b).

Whilst previous international research has considered the development of an advanced urban transport system in Beijing, it has been largely focused on the design and development of local transport. Relatively little research has taken place into understanding the impacts and potential of transport management policies introduced in Beijing. A less well explored topic for Beijing is the evaluation of transport management measures under a multi-criteria framework. Multi-criteria evaluation plays an important role in transport policy decision support, but is particularly challenging in the case of Beijing due to the rapid pattern of development (in terms of population growth, economic growth and motorization), alongside the application of potentially competing evaluation criteria. In this paper, we focus on transport management measures in the period following the Beijing 2008 Olympics and Paralympic Games, considering in particular the needs and characteristics of the Beijing urban transport system within the context of a strategic level, qualitative evaluation of transport management policies.

3. Implementation effects: summary for beijing municipality

3.1. An initial impact investigation for S1-S5

There are different transport demand management (TDM) strategies, as concluded in the online TDM Encyclopedia by Victoria Transport Policy Institute (VTPI, 2014), which is important to increase understanding and implementation of TDM. The various studies of the five transport management measures summarized in Table 1 underpin the synthesis of implementation targets for the outline schemes (when applied in the municipality of Beijing). Further, Table 2 presents their expected impacts on travel behaviour. These impacts are first briefly described below with respect to the following eight types of travel behaviour characteristics proposed by Litman (2013):

I1: vehicle ownership: travellers changing the number of vehicles they own;

I2: vehicle type: motorist choosing a different vehicle (more fuel efficient, alternative fuel, etc.);

I3: route change: travellers shift travel route;

I4: time change: peak to off-peak shift;

I5: mode shift: travellers shift to another mode;

I6: destination change: motorists shift trip to alternative destination;

I7: trip generation: people take fewer trips in total (including consolidating trips);

I8: land use changes: changes in location decisions, such as where to live and work.

Mass transit (or public transport (PT), including subway, bus, bicycle, taxi, etc.) is one of the sustainable urban transport modes and a potential route to mitigate some of the transport problems in many cities internationally. Beijing policymakers have decided to prioritise

the development of mass transit as an effective way to increase transport efficiency and mitigate congestion. The key to these measures included legislation to accelerate the construction of a comprehensive public transport system, a focus on the development of subways and large capacity rapid transit systems, an aspiration to develop as a 'public-transport city' with an attractive, fast and convenient mass transit service, and to mitigate traffic congestion based on PT and '1-1-2' plans for 2015. The '1-1-2' plan means that it takes no more than one hour (on average) to travel between any two places in central Beijing zone, and no more than one hour from the remotest satellite town to the nearest point on the Fifth Ring Road. Travel time will take two hours or less from Beijing to the so-called 'Bohai Bay Economy Rim (including Tianiin, Tangshan and other major cities nearby)' (Li, 2009). The proposed prioritisation of new mass transit systems (S1) is most likely to affect travellers' route choice (I3) and mode choice (I5) directly, and further affect vehicle ownership (I1). More people are likely to choose PT and vehicle ownership may reduce with attractive PT services. This measure will also influence travellers' destination choice (I6) and their decisions on their living and working place as an indirect impact (I7-I8).

In addition to implementations of license plate restrictions in Beijing, several other cities in China have also adopted this measure, including Shanghai, Guiyang, Guangzhou, Shijiazhuang, Tianjing and Hangzhou. This measure, however, has been implemented with different policy designs, e.g., Shanghai with the auction mechanism, whilst Guanzhou began restricting car purchases using a system with hybrid auction and lottery components. In 2011, Beijing became the first city to allocate vehicle license plates using a lottery (Yang et al., 2014). Under the scheme, those wishing to purchase a new car have to wait for the quota from a license plate 'lottery' scheme first. The private car ownership controls (S2) are most likely to affect vehicle ownership directly (I1) and further affect trip generation (I7), changes in location decisions (I8), travellers' mode (I5), destination (I6), and route choice (I3) indirectly. It is noted that S2 also can affect motorists' choice of vehicle types indirectly (I2), considering that an electric vehicle has higher odds of winning a license plate compared to a petrol car

(http://www.bloomberg.com/news/articles/2014-02-26/beijing-license-plate-lottery-sees-few-takers-for-electric-cars). Furthermore, to encourage more residents to switch to electric cars, the city offered electric car incentives and privileges, such as the exemption of electric cars from restrictions on the number of vehicles during the rush hour and the freedom for qualified applicants to buy electric cars outside the lottery scheme from 2016. In contrast, the odds of winning a license plate for a petrol car are low. 90,000 quotas in total were made available for 2016, which were assigned within six allocations. By the close of 8th Feb., 2016, the number of applications reached 2,589,995, indicating a low chance of success (www.bjhjyd.gov.cn).

The PGBM decided to implement a staggered rush hour plan (S3) in 2010. The working day was adjusted to start at 9:00am instead of 8:30am and to end at 6:00pm instead of 5:30pm, and around 0.81 million municipal government employees have been involved in the scheme. The implementation of S3 in Beijing was expected to affect the traveller's time schedule (I4), route choice (I3) and mode choice (I5) for a trip. The new charging policies for parking (S4), which have specifications for three specific areas and time variations in Beijing, was expected to discourage the ownership and use of private cars, thereby influencing vehicle ownership (I1), model shift (I5), destination changes (I6) and trip generation (I7).

Finally, traffic restrictions based on the last digits of license plate numbers (S5) started from a temporary road space rationing policy during the Olympic Games, mitigating congestion and improving air quality. Following the success of the license plate policy, the BTMB introduced more formal regulation (i.e. S5) by issuing a series of notices for traffic restrictions based on the last digit of the license plate numbers. Combined with other measures (S1-S4), this has influenced mode shift (I5) (shifting private car use to PT use or cancel trips or changes in

Item	Outline	Target	Type of Impacts
			11 12 13 14 15 16 17 18
Priority development of mass transit systems (S1)	 Fast development and adjustment of urban space and transport structures; Establish the social welfare importance of public transport; Accelerate subway construction and expand the PT travel share; Implementation of 'four priority' policies to improve the PT system (land use; investment; dedicated road lanes, fiscal support); Scope of the structure and fare standards of PT tickets; 28 specific solutions offered to relieve traffic congestion from the perspectives of "Managing, Building and Restricting". 	 Prioritise PT infrastructure development; A 'public-transport city' with an attractive mass transit system; The social welfare role; Traffic congestion mitigation based on PT and "1-1-2" plans for 2015. 	> > > > > > > > > > > > > > > > > > >
Private car ownership control (S2)	 Continue to implement vehicle constraint measures; The application process and use of the quota for private car and official business car buving. 	 Constraint on the number of private car in the city of Beijing. 	> > > > > > > > > > > > > > > > > > >
Staggered rush hour plan(S3)	 All parties and governmental organisations, social groups, public units, state-owned enterprises and urban collective-owned enterprises subordinate to Beijing should use a new work schedule; The working hours of Beijing's commercial enterprises, public units and social groups subordinate to the central government, schools, hospitals and department stores in Beijing will not change. 	 Improving the traffic environment and alleviating rush hour traffic congestion. 	> > >
New charging policies for parking(S4)	 Specification of new charging levels for parking based on three defined area types in Beijing; Specification of new charges standard for parking in daytime (7:00am-21:00pm) based on three defined area types in Beijing. 	 Mitigate traffic congestion in some key business areas; Reduce parking on roads; Optimize traffic conditions. 	> > >
Traffic restrictions based on the last digit of license plate numbers(S5)	 During 07:00am and 8:00pm, private cars and official business inside the 5th ring road (inclusive) of Beijing municipality should not be driven on public roads for one day per week; Every three months, the group of cars that could not use public road space for a certain weekday would rotate; Traffic permits for entering Beijing are needed for non-Beijing passenger service vehicles, and Non-Beijing passenger service vehicles heading for Beijing and with traffic permits to entering Beijing will be prohibited to run within the 5th Ring Road (inclusive) from 7:00am to 9:00am and from 17:00pm to 8:00pm on workdays. 	 Mitigate traffic congestion; Improve air quality. 	> >

Notes: 11: vehicle ownership; 12: vehicle type; 13: route change; 14: time change; 15: mode shift; 16: destination change; 17: trip generation; 18: land use changes.

living and employment location decisions), and thereby affected trip generation (17) and land use changes (18).

The time distribution for the issue of the policies is shown in Fig. 1. As can be seen, facing the transport challenges has brought an increase in measures implemented since 2008.

3.2. Vehicle growth

The fast growth in motorization in Beijing can be seen from Fig. 2. The total number of private cars in Beijing has increased dramatically in the period from 2005 to 2010. According to BTMB statistics, it took 48 years to reach the first million vehicles in use. By 2003 and 2007, the second and third million vehicles were reached respectively, with a gap of just 3.9 years before the level of three million vehicles was reached. By the end of 2009 (a gap of just 2.5 years), more than four million vehicles (4.02 million) were registered and by 2012, a figure of 5.2 million vehicles was reached for Beijing municipality. With the introduction of S2 in late 2010, the growth of motorization decreased. Compared with the fast growth from 2005 to 2010, the number of private cars has only increased by 0.119 million (402.8-390.9 = 11.9)in 2011 to 0.164 million (419.2-402.8 = 16.4) in 2012. This is in contrast to the total number of vehicles, which increased by 0.174 million in 2011(498.3-480.9 = 17.4) to 0.217 million (520-498.3 = 21.7) in 2012.

3.3. Trips by mode

According to the Beijing Transport Annual Reports issued by BTRC (2005–2013), the numbers of average daily trips (Unit: Million person journeys per day) within the area of sixth ring road in different years are as shown in Column 2 of Table 3. The statistics for total average daily trips cover different travel modes i.e. road surface PT, subway, car, taxi, cycling and others but excluding walking. Columns 3 to 6 in Table 3 provides a breakdown of the number of average daily trips by road surface PT, subway, car and cycling for the year 2005 and from the year 2007 to 2012 (Unit: Million person journeys per day). Table 3 also shows the total population (Resident/Float population) for each year (Unit: million persons) in Column 7.

Based on the annual population and annual vehicle numbers given in Fig. 2, we can calculate the average daily car trips (car trips from Column 5/annual vehicle numbers, given in Fig. 2) (Unit: daily number of journeys per car) and average daily trips (the total average daily trips/population, from column 7) (unit: daily journeys per person), as shown in the final two columns in Table 3. As can be seen from the total daily trips by modes, road surface public transport trips and subway trips continue to increase alongside the population increase, whilst cycling trips decrease each year. Although the average number of daily trips per person increases each year (except in 2011), the average number of daily trips per car steadily decrease in total. The number of average daily trips per person has increased to 1.56 journeys per person in 2008 and 2009, compared with 1.31 journeys per person at the year of 2005 and 1.39 journeys per person at the year of 2007. The number of average daily car trips then decreased to 1.48 journeys per person in 2010, 1.42 in 2011 and 1.47 in 2012. These patterns are positive indications that these transport management measures generally had an impact on the reduction of car usage and person trips. It should also be noted that these TDM measures attempt to influence demand by curbing motorized travel, so that traffic congestion and energy resources are reduced, air quality is improved, and health and liveability of the city are increased. The reduction in the average number of daily trips per person is an indication of restricted mobility. Moreover, although the positive indications to decline in the average number of daily trips per car, both the relative increases in number of total trips




Fig. 1. Applications of transport management policies over time.




Fig. 2. Annual variations of vehicles in Beijing municipality (2005-2012).

(50%) and car trips (67%) exceeded the increase in population (about 34%) witnessed between 2005 and 2012 from the aggregated analysis.

From the trips by mode given in Table 4, we can investigate the differences in average travel time and average travel distance in the morning peak hour and afternoon peak hour. These have been collated for road surface public transport (M1), subway (M2), car (M3) and cycling (4) for each year (2009-2011) from the Beijing Transport Annual Reports issued by BTRC (2009-2013). As noted in the annual reports, the travel modes (M1-M4) represent the main mode for a trip, and the average travel time for M1, M2 and M3, (given in Table 4 for peak hours) also includes the possible cycling travel time and/or walking time for a trip. Trip differences during the peak hours (see Table 4), indicate that the selected transport management measures had an impact in terms of peak hour trip mitigation. Comparing information on average travel distances at peak times in Table 4, road surface PT (M1) and cycling mode (M4) continue to increase, in comparison with the changes for the car mode (M3) and subway mode (M2) in the years 2009-2011. During the morning peak and evening peak, the average travel time for road surface public transport, subway and cycling have obviously decreased in comparison with a minor improvement in car trips. The case for the evening peak car trips are, in fact, worse than

Continuing the peak-period analysis, we can derive the average travel speed (ratio of average travel distance over average travel time) with respect to the morning peak and evening peak (unit: Km/h), as given in Table 4. It is somewhat surprising that the speed for public transport (M1 and M2) is seen to be lower than for car mode (M3), especially for the subway (M2). There are probably a number of different reasons for this, but it may reflect the underlying statistics used in calculating the average travel time for a trip. These include the possible cycling travel time and/or walking time for a trip, as noted in the Beijing Transport Annual Reports (2009–2011).

4. Qualitative evaluation: sustainability vs equity and efficiency

Returning to the policy direction set out for Beijing, the 2009 plan promotes the goals of a 'humanistic, technology rich and green transport systems' (PGBM, www.beijing.gov.cn). An evaluation framework for the success of transport measures introduced in Beijing should therefore reflect forward direction and success in these dimensions. These three key dimensions have therefore formed the basis for the

¹ We owe this point to a reviewer of this paper.

Table 3Trips with respect to modes at different years (Unit: Million journeys per day).

Year	Total number of average daily trips	Road surface PT	Subway	Car	Cycling	Population	Average number of daily trips per car	Average number of daily trips per person
2005	20.15	4.86	1.15	6.01	6.11	15.38	3.34	1.31
2007	22.75	6.27	1.59	7.42	5.23	16.33	3.15	1.39
2008	26.37	6.41	1.82	7.64	4.62	16.95	2.84	1.56
2009	27.46	7.94	2.75	9.34	4.97	17.55	2.93	1.56
2010	29.04	8.18	3.35	9.93	4.76	19.61	2.54	1.48
2011	28.73	8.11	3.95	9.48	4.32	20.19	2.35	1.42
2012	30.33	8.28	5.09	9.9	4.22	20.69	2.36	1.47

Table 4Peak trips differences with respect to modes.

Year/Mode	Average	Average travel distance (Unit: K m)				Average travel time (Unit: M in)									
					Mornin	g peak (7am -	8am)		Evening	peak (5pm -	6pm)				
	M1	M2	М3	M4	M1	M2	МЗ	M4	M1	M2	М3	M4			
2009	7.27	14.84	10.78	2.95	54.4	68.31	36.43	23.04	55.41	62.72	35.78	24.87			
2010	9.6	16.9	9.3	3.8	60.7	73.1	32.9	21.4	66.4	74.8	38.9	23			
2011	10.3	16.5	11.4	4.7	56	58	35	17	57	51	39	22			
Year/Mode	A	verage travel tir	me (Unit: M in)												
	N	Morning peak (7a	am - 8am)				Even	ing peak (5pn	n - 6pm)						
	N	И1	M2	М3		M4	M1		M2	М3		M4			
2009	8	3.02	13.03	17.75		7.68	7.87		14.20	18.0)8	7.12			
2010	9	.49	13.87	16.96		10.65	8.67		13.56	14.3	34	9.91			
2011	1	1.04	17.07	19.54		16.59	10.84	1	19.41	17.5	54	12.82			

Note: M1: Road surface public transport; M2: Subway; M3: Car; M4: Cycling.

qualitative evaluation framework described in this section, summarized most succinctly as human impacts, efficiency impacts and sustainability impacts.

4.1. Sustainable aspects of transport management policies

As presented in the literature review in Section 2, the evaluation and implementation of sustainable transport development has received considerable attention. Transport systems exist to provide social and economic connections, and people quickly take up the opportunities offered by increased mobility (Schafer, 1998). The sustainable transport systems make a positive influence to the environmental, social and economic sustainability of the communities they serve. The Centre for Sustainable Transportation (CST) at the University of Winnipeg, in their document "Defining Sustainable Transportation" (see Page 5-6, http:// cst.uwinnipeg.ca/documents/Defining_Sustainable_2005.pdf), presents a definition of a sustainable transport system as one that 'allows the basic access needs of individuals and societies to be met safely and in a manner consistent with human and ecosystem health, considers equity within and between generations; is affordable, operates efficiently, offers choice of transport mode, and supports a vibrant economy; and limits emissions and waste within the planet's ability to absorb them, minimizes consumption of non-renewable resources, limits consumption of renewable resources to the sustainable yield level, reuses and recycles its components, and minimizes the use of land and the production of noise'. This CST definition therefore recognizes the social, economic and environmental aspects of transport sustainability, i.e., with respect to society, transport systems should therefore:

- (So1) Meet basic human needs for health, comfort, and convenience in ways that do not stress the social fabric
- (So2) Allow and support development at a human scale, and provide

for a reasonable choice of transport modes, types of housing and community, and living styles

- (So3) Produce no more noise than is acceptable by communities
- (So4) Be safe for people and their property

With respect to the economy, transport systems should

- (Ec1) Provide cost-effective service and capacity
- (Ec2) Be financially affordable in each generation
- (Ec3) Support vibrant, sustainable economic activity

With respect to the environment, transport systems should:

- (En1) Make use of land in a way that has little or no impact on the integrity of ecosystems
- (En2) Use sparingly energy sources that are essentially not renewable or inexhaustible
- (En3) Use other resources that are renewable or inexhaustible, achieved in part through the reuse of items and the recycling of materials used in vehicles and infrastructure
- (En4) Produce no more emissions and waste than can be accommodated by the planet's restorative ability

These sustainability criteria form the basis for the sustainable transport dimension in the simple post-hoc evaluation approach proposed here, as mentioned in Xu et al. (2015a. 2015b), the five transport management measures (S1-S5) have focused on the elements of society and economy and as a result, further effective transport management policies oriented toward other aspects of sustainable transport still need to be considered for Beijing. Therefore, the sustainable transport dimension provides appropriate approach for the measures evaluation.

Table 5
Multi-criteria evaluation of the transport management measures in Table 2.

Sustainabil	ity	Society				Economy			Environment		
Index		So1	So2	So3	So4	Ec1	Ec2	Ec3	En1	En2, En4	En3
Equity*	EP1	S1 _{+,+} S3 _{+,+} S4 _{+,+} S5 _{+,-}	\$1 _{+,+} \$3 _{+,/} \$4 _{+,-} \$5 _{+,/}	\$1 _{+,+} \$3 _{+,/} \$4 _{+,/} \$5 _{+,-}	S1 _{+,+} S3 _{+,+} S4 _{+,+} S5 _{+,/}	S1 _{+,+} S3 _{+,+} S4 _{+,+} S5 _{+,-}	\$1 _{+,+} \$3 _{+,/} \$4 _{+,+} \$5 _{+,/}	S1 _{+,+} S3 _{+,+} S4 _{+,+} S5 _{+,-}	\$1 _{+,+} \$3 _{+,/} \$4 _{+,+} \$5 _{+,/}	\$1 _{+,+} \$3 _{+,/} \$4 _{+,/} \$5 _{+,/}	\$1 _{+,-} \$3 _{+,/} \$4 _{+,/} \$5 _{+,/}
	EP2	S1 _{+,+} S2 _{+,+}	S1 _{+,+} S2 _{+,+}	S1 _{+,+} S2 _{+,+}	S1 _{+,+} S2 _{+,+}	S1 _{+,+} S2 _{+,/}	S1 _{+,+} S2 _{+,/}	S1 _{+,+} S2 _{+,-}	$S1_{+,+}$ $S2_{+,/}$	$S1_{+,+}$ $S2_{+,/}$	S1 _{+,-} S2 _{+,/}
	EP4	S4 _{+.+}	S4 ₊	S4 _{+./}	S4 _{+,+}	S4 _{+,+}	S4 _{+./}	S4 _{+,+}	S4 _{+./}	S4 _{+./}	S4 _{+./}
Efficiency	ET1	S1 _{+,+} S5 _{+,-}	S1 _{+,+} S5 _{+,/}	\$1,+; \$5+,-	S1 _{+,+} S5 _{+,/}	S1 _{+,+} S5 _{+,-}	S1 _{+,+} S5 _{+,/}	S1 _{+,+} ; S5 _{+,-}	\$1+,+ \$5+,/	\$1 _{+,+} \$5 _{+,/}	S1 _{+,-} S5 _{+,/}
	ET2	S1 _{+,+} S3 _{+,+} S4 _{+,+}	S1 _{+,+} S3 _{+,/} S4 _{+,-}	S1 _{+,+} S3 _{+,/} S4 _{+,/}	\$1 _{+,+} \$3 _{+,+} \$4 _{+,+}	S1 _{+,+} S3 _{+,+} S4 _{+,+}	\$1 _{+,+} \$3 _{+,/} \$4 _{+,+}	S1 _{+,+} S3 _{+,+} S4 _{+,+}	S1 _{+,+} S3 _{+,/} S4 _{+,+}	$S1_{+,+} S3_{+,/}S4_{+,/}$	\$1_+,-\$3_+,/\$4_+,/

Note: *We remove the EP3, EP5 and EP6 from the table considering that they are not applicable here.

4.2. An assessment approach based on equity and efficiency factors

There are different perspectives for the assessment of transport management policies. Besides the sustainable transport dimension, we can investigate the equity and efficiency factors, see Thomopoulos and Grant-Muller (2013) for equity aspects, and Southworth et al. (2004), Moudon et al. (2005), Sullivan et al. (2010) for efficiency aspects. Recently, Xu et al. (2015a, 2015b) investigated the equity and efficiency factors of economic regulatory policies for expressway infrastructure in China.

a) Equity Principles

■ EP1- Utilitarian policy principle

Aims to maximise the net benefit for all regions impacted by transport management policies, disregarding the distribution of benefits

■ EP2–Equal shares policy principle

Distributes an equal share of all benefits of transport management policies to all regions impacted

■ EP3-Rawlsian policy principle

Distributes transport management policy benefits to the least advantaged regions until those reach the level of the most advantaged regions

■ EP4–Egalitarian policy principle

Reduces pre-existing inequalities between regions by distributing all transport management policies benefits to the least advantaged regions

■ EP5–Minimum floor policy principle

Distributes a minimum level benefits of transport management policies to all regions

■ EP6–Maximum range policy principle

Sets a maximum range of benefits of transport management policies to be distributed to each region and distributes benefits to all regions respectively

b) Efficiency Targets

■ ET1- Minimizing Cost

Aims to minimise costs to achieve benefits for the transport management policies involving the economic, environmental, energy, human and operations aspects

■ ET2- Maximizing Service Level

Aims to maximized service level to improve transport efficiency from the economic, environmental, energy, human and operations side Therefore, a combined framework is used utilising both equity and efficiency impacts. The framework explicitly considers equity and efficiency whilst other sustainability approaches also included explicitly.

4.3. Integration evaluation of the transport management policies implemented in beijing

Based on the evaluation framework given in Section 4.2, and combined with the social, economic and environmental aspects of transport sustainability (Section 4.1), we further discuss the characteristics of the five transport management measures (S1-S5) implemented in Beijing (as summarized in Table 2), within the integration evaluation framework, as shown in Table 5.

Comparing the traditionally computed single evaluation outcome (for example in the form of a Benefit: Cost Ratio, BCR) with the eleven sustainable transport criteria, or the six equity principles and the two efficiency targets, the integration evaluation framework provides for a more comprehensive representation of the scope and distribution of scheme impacts. It also allows for the possibility to identify compensating impact outcomes or 'trade-offs' to the different criteria of each transport policy. The inclusion of several principles (for example for equity) rather than a single measure, allows the possibility for different perspectives of this increasingly important impact to be captured. At present there isn't a single universally accepted approach to equity, so whilst the research and debate continue it is preferable to seek to accommodate the spectrum of possibilities in the framework. These factors underlie our proposal that this integration evaluation would provide an improved framework to evaluate applied transport management measures.

From the perspective of sustainable transport, policies (S1-S5) are focused on elements of society and the economy. As a result, more effective transport management policies oriented towards other aspects of sustainable transport still need to be considered for the city of Beijing. The priority development of a mass transit system (S1) is aligned with a sustainable transport system as it will limit carbon dioxide emissions arising from rapid development in the city. However, a more effective evaluation approach for the impacts of mass transit policies is needed to reflect the travel and structural characteristics of Beijing. Other transport management policies (S2-S4) are focused on reducing levels of

activity and adjusting mode shares. These are expected to impact on social and economic factors rather than broader sustainability.

These policies can be further assessed according to a framework covering equity and efficiency, considering the important role of the equity and efficiency factors in state-of-the-art transport appraisal approaches. As mentioned in Section 4.2, the equity principles were drawn from Thomopoulos and Grant-Muller (2013), whereas for further details on the development of the efficiency factors, the reader can refer Sullivan et al. (2010).

In general, policies including S1, S3, S4 and S5 demonstrate a utilitarian policy principle (EP1) and cover efficiency targets, whilst S1 covers both the targets on efficiency, and policy S5 is focused on cost minimization, policies S3 and S4 emphasize service level maximization. The policies S1 and S2 also demonstrate a general equal shares policy principle (EP2) and policy S4 follows the Egalitarian policy principle (EP4). There is still a lack of regulation following a Rawlsian policy principle (EP3), the minimum floor policy principle (EP5) and the maximum range policy principle (EP6), however, more transport management policies are anticipated that may follow these principles.

The evaluation overall leaves issues for policymakers in considering future transport management policies that are appropriate for the characteristics of the city of Beijing. According to the definition of the equity and efficiency factors and the practical effects as shown in the Section 3, Table 5 can be applied to assess the five transport management measures applied in Beijing after 2008 with respect to different aspects of sustainability. The row consists of assessment indices covering equity principles and efficiency targets, and the column consists of the social, economic and environmental aspects for the transport sustainability definition. We use the subscript "+" to represent 'principle/target satisfied', the subscript "-" represents "principle/target not satisfied" and the notation "/" represents "not applicable" for the evaluation. For example, "S1+,+" in the first cell reflects that the policy S1 satisfies the principle EP1 and the standard of So1, "S1₊ "crossing EP1 and En3 reflects that the policy S1 satisfies the principle EP1, however, it does not satisfy the standard of En3; "S3+," crossing EP1 and So2 reflects that the policy S3 satisfies the principle EP1, however, it does not apply to the standard of So2. Changes in quantitative indicators such as those shown in Tables 2 and 3 together with the underlying driver in the policy measure were used to determine the sign applied. Moreover, in order to preserve the low level detail for those readers who will be interested we still prefer to present our findings in table format. We have included the heat maps as given in Fig. 3 in

addition to the Table 5 by way of broad summary. Noted that S5 does not shown in Fig. 3 since it does satisfy two principles/standards simultaneously.


The overall process is summarized in Fig. 4 below, whereby each step can be interpreted in the specific context and applied to a variety of schemes of different scale, according to the data that is collected by national/local practice. The framework is flexible in that at detailed level, different measures of sustainability may be chosen according to the focus of the schemes being studied — for example light rail schemes will generate different impacts and be monitored using different environmental data to urban city schemes concerned with reducing highway congestion.

5. Conclusions

In response to increasing travel demand, policymakers in Beijing have made, and continue to make, great efforts to propose and implement different policies for traffic congestion mitigation based on the particular characteristics of Beijing municipality. The development of these policies is against a backdrop of rapid transport infrastructure development to try to accommodate the demand by increasing supply. The high level and long term policy goal described at the outset of the paper reflected the aspiration that the traffic system should 1) have the person at the centre, 2) that it should capitalise on the efficiencies and modernity brought about by the most recent technologies and 3) that it should be sustainable.

These three key characteristics have formed the basis for the qualitative evaluation framework described here, summarized most succinctly as human impacts, efficiency impacts and sustainability impacts. Capturing these three policy characteristics separately in a flexible framework makes explicit the potential full range of impacts, the possible trade-offs between them and the overall extent to which the long term policy goals have been achieved. The framework proposed draws on indicators that have been previously developed, published and as such, accepted by the community, lending to their credibility and established nature. The novelty here is in the proposal to combine these in a single framework.

There are different dimensions to a human orientated approach, however the notion of equity is one which is core and forms the basis in evaluating the extent to which the development of the transport system achieved is 'people focused'. The six equity principles established specifically in relation to evaluating transport systems in the literature have been adopted here. Whilst the policy statement






Fig. 3. Heat maps in addition to the Table 5.

Fig. 4. Summary process for evaluation of scheme impacts.

SCHEME SPECIFIC TRANSPORT AND OTHER DATA (e.g. O-D's mode share, population distribution etc) Scheme specific measures of SUSTAINABILITY, ECONOMIC BENEFITS and ENVIRONMENTA L IMPACTS (e.g. based on noise, accidents etc)

Assessment of EQUITY and EFFICIENCY of scheme outcomes e.g. using Thomopoulos and Grant-Muller (2013), Sullivan, et al. (2010)

MULTICRITERIA EVALUATION (Table 5)

elaborated efficiency aspects in terms of level of service, administration and a harmonious traffic environment, we have streamed these into the two main efficiency categories of service and cost. The policy statement was finally concerned with sustainability — not only environmental sustainability but also social and economic sustainability. This has been structured into the total of 11 sustainability criteria across these categories by drawing on the established state of the art in the literature.

The evaluation framework proposed therefore captures the essence of the policy vision for the Beijing transport system whilst reflecting established assessment criteria and promoting the disaggregate reporting of these. The disaggregate reporting structure supports the notion that there may be some balancing trade-offs between the different criteria but also indicates where there has been a greater or lesser focus with the measures introduced.

At a more detailed level, attention and analysis has been given here to the five specific measures that were introduced following the Beijing Olympic Games. These include priority development of mass transit systems, private car ownership control, a staggered rush hour plan, new charging policies for parking, and traffic restrictions based on the last digit of license plate numbers. A range of studies that concerned these five transport demand management measures were reviewed in Section 2. It was apparent from those studies that a number of unintended consequences has arisen with some real life implementations and in some cases these measures had been less than successful. In seeking to explore this, it was clear from the analysis against the eight drivers for behavioural change proposed by Litman (2013) that some of the management measures are expected to influence behaviour across the spectrum (for example private car ownership constraints) whilst some were more tightly focused on particular aspects of choice, such as the new working time schedule measure. This creates the prospect of intense (duplicated) pressure points on some aspects of travel choice where measures are introduced concurrently, potentially shifting the thresholds for behavioural change in other aspects and leading to some unexpected outcomes. As an overview of the 'bigger picture', the high level impacts arising from the introduction of the five traffic management measures in Beijing (specifically with respect to patterns of growth in vehicles and trips) are summarized in Section 3.

The transport management initiatives have been evaluated using the integrated evaluation framework comprising equity and efficiency in one dimension and sustainability in another. From the qualitative evaluation, the initiatives evaluated were targeted mainly towards the elements of society and economy. They demonstrate a utilitarian policy principle and cover efficiency targets. These measures still leave obvious gaps however, in satisfying other important principles listed in Table 5.

Whilst the proposed evaluation approach evolved from the policy direction for Beijing, the city is not unique in seeking to progress along

the axis of human orientation, efficiency and sustainability and these goals can be found individually within the policy directives of many national and regional authorities internationally. The framework illustrated by Table 5 can therefore be used to assess measures together and as part of a policy bundle, then considering the design of future measures. Policymakers can adopt the framework as part of a policy assessment process of current measures (as here), for example, highlighting as part of policy review that some forms of equity are not met by their current demand management measures. The significance of that outcome to their design process will vary according to their local context and policy priorities. Consider the hypothetical case where EP3 is particularly important to the authority (achievement of an even distribution of benefits could be part of the stated policy priorities for the city or region). It becomes clear from use of the framework that none of the current policies are orientated towards that indicator. It is apparent from the framework, however, that currently policies are all highly targeted towards efficiency and the policy commitment to support efficiency is being achieved. The transparency provided concerning these outcomes assists by empowering the decision making process to prioritise, purposefully design and implement future demand measures towards the EP3 principle, where this aligns with their goals and jurisdiction. Where measures are proposed that do not support raising the distribution of benefits to the least advantaged spatial areas, the framework provides a reference to support the need for re-design. The framework may be particularly useful where there are a large number of measures in place and synthesising their orientation to the criteria is challenging otherwise. It can also be used in governing contexts where there are politically competing agendas and priorities within the decision making unit.

In terms of the input information needed for the framework, it is flexible in that either quantitative information or a mixture of quantitative and qualitative data may be used. The use of purely quantitative measures as inputs is the subject of a further paper. It is also worth noting that almost all instruments for "command-and-control" and market-based management instruments could be considered for implementation in the near future and to support the advanced transport management of Beijing, which will also form the basis for a further study.

Acknowledgements

The authors would like to thank the anonymous reviewer for the constructive comments and suggestions that help us to improve the quality of the paper. The study is supported by National Natural Science Foundation of China (Nos:71422010;71621001;71771015). The content is solely the responsibility of the authors and does not necessarily represent the views of the funding sources.

Appendix A. Abbreviations

BMCT	Beijing Municipal Commission of Transport (www.bjjtw.gov.cn)
BMCHURD	Beijing Municipal Commission of Housing and Urban-Rural Development (www.bjjs.gov.cn)
BMCC	Beijing Municipal Commission of Commerce(www.bjmbc.gov.cn)
BMCDR	Beijing Municipal Commission of Development and Reform (www.bjpc.gov.cn)
BTMB	Beijing Traffic Management Bureau (www.bjjtgl.gov.cn)
BMBS	Beijing Municipal Bureau of Statistics (www.bjstats.gov.cn)
BTRC	Beijing Transportation Research Centre (www.bjtrc.gov.cn)
GDP	Gross Domestic Product
NBSC	National Bureau of Statistics of China (www.stats.gov.cn)
PGBM	The People's Government of Beijing Municipality (www.beijing.gov.cn)
PT	Public Transport
WCED	World Commission on Environment and Development

References

- Ahmed, Q.I., Lu, H.P., Ye, S., 2008. Urban transportation and equity: a case study of Beijing and Karachi. Transp. Res. Part A 42, 125-139.
- BTRC, 2009. Annual Report of the Traffic Development of the Beijing Municipality. Beijing Transportation Research Center. available on http://www.bjtrc.org.cn/JGJS.
- $aspx?id=5.2\&Menu=GZCG. \\ Chang, Z., 2014. Financing new metros-The Beijing metro financing sustainability study. \\$ Transp. Policy 32, 148-155.
- Chen, X.J., Zhao, J.H., 2013. Bidding to drive: car license auction policy in Shanghai and its public acceptance. Transp. Policy 27, 39-52.
- Creutzig, F., He, D.Q., 2009. Climate change mitigation and co-benefits of feasible
- transport demand policies in Beijing. Transp. Res. Part D 14, 120–131. Currie, G., Sarvi, M., Young, B., 2007. A new approach to evaluating on-road public transport priority projects: balancing the demand for limited road-space Transportation 34, 413-428.
- Curtis, C., 2008. Planning for sustainable accessibility: the implementation challenge. Transp. Policy 15 (2), 104-112.
- Davis, L., 2008. The effect of driving restrictions on air quality in Mexico city. J. Political Econ. 116, 38-81.
- De Grange, L., Troncoso, R., 2011. Impacts of vehicle restrictions on urban transport
- flows: the case of Santiago, Chile. Transp. Policy 18, 862–869. Eskeland, G.S., Feyzioglu, F., 1997. Rationing can backfire: the 'Day without a car' in Mexico city. World Bank Econ. Rev. 11 (3), 383–408.
- Feng, S.W., Li, Q., 2013. Car ownership control in chinese mega cities: shanghai, beijing and guangzhou. Journeys 40-49.
- Figueroa, M.J., Ribeiro, S.K., 2013. Energy for road passenger transport and sustainable development: assessing polies and goals interactions. Curr. Opin. Environ. Sustain. 5, 152-162.
- Goh, K.C.K., Currie, G., Sarvi, M., Logan, D., 2014. Experimental Microsimulation Modeling of Road Safety Impacts of Bus Priority 2402. Transportation Research Record, pp. 9-18.
- Greene, D.L., Wegener, M., 1997. Sustainable transport. J. Transp. Geogr. 5 (3), 177–190. Guo, J.F., Sun, M.Z., Wang, T., Lu, L., 2015. Transportation development and congestion mitigation measures of Beijing China. Mitigation Adapt. Strategies Global Change 20 (5), 651-663.
- Han, D.R., Yang, H., Wang, X.L., 2010. Efficiency of the plate-number-based traffic rationing in general networks. Transp. Res. Part E 46, 1095–1110.
- Hensher, D.A., King, J., 2001. Parking demand and responsiveness to supply, pricing and location in the Sydney central business district. Transp. Res. A 35, 177-196.
- Hull, A., 2008. Policy integration: what will it take to achieve more sustainable transport solutions in cities? Transp. Policy 15 (2), 94-103.
- Ieda, H., 2010. Sustainable Urban Transport in an Asian Context. Springer.
- Li, C.Y., Sun, S.Y., Guo, J.F., 2010. Travel demand model for beijing 2008 olympic games. ASCE J. Transp. Eng. 136 (6), 537–544.
- Li, X., 2009. The 1-1-2 Action Plan: a Solution for Beijing's Traffic Woes. Beijing This Month Publications. www.btmbeijing.com
- Litman, T., Burwell, D., 2006. Issues in sustainable transportation. Int. J. Global Environ. Issues 6 (4), 331-347.
- Litman, T., 2013. Transport Elasticities: Impacts on Travel Behaviour. www.vtpi.org. Mao, B.H., Chen, H.B., 2001. Sustainability analysis of Chinese transport policy. International J. Sustain. Dev. World Ecol. 8 (4), 323–336.
- Marsden, G., Snell, C., 2009. The role of indicators, targets and monitoring in decisionsupport for transport. Eur. J. Transp. Infrastruct. Res. 9, 219-236.
- Marsden, G., Stead, D., 2011. Policy transfer and learning in the field of transport: a review of concepts and evidence. Transp. Policy 18 (3), 492-500.
- Marsden, G., Kimble, M., Nellthorp, J., Kelly, C., 2010. Sustainability assessment the
- definition deficit. Int. J. Sustain. Transp. 4, 189–211. Marsden, G., Mullen, C.A., Bache, I., Bartle, I., Flinders, M., 2014. Carbon reduction and travel behavior: discourses, disputes and contradictions in governance. Transp. Policy 35, 71-78. Marsden, G., 2006. The evidence base for parking policies-a review. Transp. policy 13,
- Mei, Z.Y., Xiang, Y.Q., Chen, J., Wang, W., 2010. Optimizing model of curb parking pricing based on parking choice behaviour. J. Transp. Syst. Eng. Inf. Technol. 10 (1), 99-104. Moudon, S., Vernez, A., Kavage, E.S., Mabry, E.J., Sohn, D.W., 2005. A transportation-

- efficient land use mapping index, Transp. Res. Rec. 1902, 134-144.
- PGBM, 2009. Action plan to develop humanistic, technology rich, and green transport system in Municipality of Beijing (2009-2015). The People's Government of Beijing Municipality, 2009. http://zhengwu.beijing.gov.cn/ghxx/qtgh/t1066279.htm.
- Phang, S.Y., Wong, W.K., Chia, N.C., 1996. Singapore's experience with car quotas -issues and policy processes. Transp. Policy 3, 145–153.
 Phang, S.Y., 2003. Strategic development of airport and rail infrastructure: the case of
- Singapore. Transp. Policy 10 (1), 27–33.
- Plane, D.A., 1995. In: Susan Hanson (Ed.), Urban Transportation Policy Alternatives. The Geography of Urban Transportation. Guilford Press, New York, pp. 435-469.
- Richardson, B.C., 2005. Sustainable transport: analysis frameworks. J. Transp. Geogr. 13 (1), 29-39.
- Rosenbloom, S., 1978. Peak-period traffic congestion: a state-of-the-art analysis and evaluation of effective solutions. Transportation 7, 167–191.
- Rye, T., Ison, S., 2005. Overcoming barries to the implementation of car parking charges at UK workplaces. Transp. Policy 12, 57–64.
- Sand, J.Y., 2012. Infrastructure quality regulation. Transp. Policy 24, 310–319.
- Schafer, A., 1998. The global demand for motorized mobility. Transp. Res. A 32 (6), 455-477. Short, J., Kopp, A., 2005. Transport infrastructure: investment and planning: policy and research aspects. Transp. Policy 12, 360–367.
 Sohail, M., Maunder, D.A.C., Cavill, S., 2006. Effective regulation for sustainable public
- transport in developing countries. Transp. Policy 13, 177–190. Southworth, F., Vogt, D.P., Curlee, T.R., 2004. Estimation of statewide urban public transit benefits in tennessee. Transp. Res. Rec. 1887, 83-91.
- Sullivan, J.L., Aultman-Hall, L., Watts, R., 2010. The Challenges of Measuring Transportation Efficiency, Working Paper at Transportation Research Centre. University of Vermont.
- Sun, C., Zheng, S.Q., Wang, R., 2014. Restricting driving for better traffic and clearer skies: did it work in Beijing? Transp. Policy 32, 34-41.
- Thomopoulos, N., Grant-Muller, S.M., 2013. Incorporating equity as part of the wider impacts in transport infrastructure assessment: an application of the SUMINI approach. Transportation 40 (2), 315-345.
- Tiwari, G., 2002. Urban transport priorities: meeting the challenges of socio-economic diversity in Cities a Case study of Delhi, India. Cities 19 (2), 95-103.
- Victoria Transport Policy Institute (VTPI),, 2014. Online TDM Encyclopedia. http://
- www.vtpi.org/tdm/index.php.
 Wang, R., Yuan, Q., 2013. Parking practices and policies under rapid motorization: the case of China. Transp. Policy 30, 109–116.
 Wang, L.L., Xu, J.T., Qin, P., 2014. Will a driving restriction policy reduce car trips?
- The case study of Beijing, China. Transp. Res. Part A 67, 279-290.
- Wang, R., 2010. Shaping urban transport policies in China: will coping foreign policies work? Transp. Policy 17, 147-152.
- Xu, M., Ceder, A., Gao, Z.Y., Guan, W., 2010. Mass transit systems of Beijing: governance evolution and analysis. Transportation 37 (5), 709–729.
- Xu, M., Grant-Muller, S., Huang, H.J., Gao, Z.Y., 2015a. Transport management measures in the post-Olympic Games period: supporting sustainable urban mobility for Beijing? Int. J. Sustain. Development World Ecol. 22 (1), 50-63.
- Xu, M., Grant-Muller, S., Gao, Z.Y., 2015b. Evolution and assessment of economic regulatory policies for expressway infrastructure in China. Transp. Policy 41, 42–49. Yang, J., Liu, Y., Qin, P., Liu, A., 2014. A review of Beijing's vehicle registration lottery: short-
- term effects on vehicle growth and fuel consumption. Energy Policy 75, 157-166.

Further reading

- Beijing Municipal Bureau of Statistics 2011. Beijing Statistical Yearbook. China statistics
- Beijing Municipal Commission of Transport (BMCT), www.bjjtw.gov.cn
- Beijing Municipal Commission of Housing and Urban-Rural Development (BMCHURD),
- Beijing Municipal Commission of Commerce (BMCC), www.bjmbc.gov.cn
- Beijing Municipal Commission of Development and Reform (BMCDR), www.bjpc.gov.cn Beijing Traffic Management Bureau (BTMB), www.bjjtgl.gov.cn
 Centre for Sustainable Transportation (CST) at the University of Winnipeg, http://cst.
- uwinnipeg.ca/about.html
- World Commission on Environment and Development (WCED). 1987. From one earth to one world: an overview. Oxford: Oxford University Press