

Learning Revenue-Optimal Single-Item Auctions with Correlated Bidders

Alex COHEN
Economics & Computation — Spring 2025

May 2, 2025

Abstract

We present `auction_mech`, an open-source sandbox for training neural single-item mechanisms under differentiable objectives for revenue and incentive compatibility (IC). Relative to prior work, we contribute (i) distribution-aware hyperparameter tuning, (ii) a latent-factor valuation model inducing bidder correlation, and (iii) tractable baselines for heterogeneous settings. Empirically, our approach achieves up to $5\times$ the revenue of Vickrey baselines in correlated settings while maintaining near-truthfulness.

1 Introduction

Neural mechanism design has emerged as a practical tool for approximating revenue-optimal auctions when analytic solutions are unavailable. A seminal benchmark is Duetting *et al.* [1], who train neural networks to reproduce the Myerson optimum under the *independent private values* (IPV) assumption, where each bidder’s private value is drawn independently from a known distribution.

We extend this line of work in two complementary directions:

1. **Correlated bidders:** We replace the IPV assumption with a *latent-factor* generator: each bidder draws an idiosyncratic preference vector \mathbf{w}_i , the item for auction draws a feature vector \mathbf{z} , and values are generated by $v_i = \max\{0, \mathbf{w}_i^\top \mathbf{z} + \varepsilon_i\}$. When \mathbf{z} emphasizes a specific feature (e.g., *chocolate*), all bidders who value that feature see their valuations rise together, inducing explicit correlation that invalidates the closed-form Myerson solution used by Duetting *et al.*
2. **Distribution-aware tuning:** Because truthfulness penalties require different magnitudes across valuation families, we incorporate an Optuna layer to search for the optimal regret and monotonicity weights ($\lambda_{\text{regret}}, \lambda_{\text{mono}}$) separately for each distribution. All trials are logged to SQLite, CSV, and JSON. Individual rationality is enforced architecturally by charging each winner a learned fraction of their own bid, eliminating the need for a separate IR penalty.

The resulting `auction_mech` pipeline spans four environments— Uniform, Exponential, Latent-factor, and Heterogeneous Mixture—and can reproduce all experiments with a single command, making it a lightweight testbed for mechanism design under distributional uncertainty.

2 Implementation Overview

- **Mechanism:** A shared MLP with architecture $64 \rightarrow 32 \rightarrow 16$ and two output heads:
 - A softmax layer producing the allocation vector $\mathbf{a} \in [0, 1]^n$;
 - A payment head producing a *payment fraction* $\rho_i \in (0, 1)$ for each bidder i .

The realized payment is given by

$$p_i = \rho_i \cdot b_i \cdot a_i,$$

ensuring that no bidder ever pays more than her bid. This enforces individual rationality (IR) by construction.

- **Loss:** $\mathcal{L} = -\text{rev} + \lambda_{\text{regret}} \cdot \text{regret} + \lambda_{\text{mono}} \cdot \text{monotonicity}$. Allocative efficiency is measured as an evaluation metric but not directly optimized.
- **Training:** Phase 1 imitates Vickrey or Myerson based on the distribution; Phase 2 minimizes \mathcal{L} via Adam. CUDA is used when available.
- **Baselines:** Vickrey for all distributions; analytic Myerson for Uniform/Exponential; reserve-price Vickrey ($r=1$) as an upper bound for Latent/Hetero.
- **Tuning:** Optuna sweeps are saved to a self-contained SQLite database, with artifact exports to CSV/JSON. A warm-start cache (`tuning/warmstart/$dist.pt`) allows Phase 1 to run only once per distribution.
- **Automation:** A single command:

```
python -m auction_mech.tuning.auto_grid
```

launches parallel sweeps across all four environments using the current Python interpreter.

3 Progress relative to the project proposal

The final implementation meets the original scope while adding several practical features. The code base is now a modular Python package (`auction_mech/`) with clear separation of configuration, valuation models, neural mechanism, economic losses, and training logic. All four valuation families proposed—**Uniform**, **Exponential**, **Latent-factor** (Option B), and **Heterogeneous mixture**—are implemented and selectable with a CLI flag.

The architecture—a $64 \rightarrow 32 \rightarrow 16$ shared MLP with dual heads—and the two-phase training loop follow the proposal exactly. **Individual rationality is now enforced *architecturally*:** the payment head outputs a fraction $\rho_i = \sigma(\text{raw}_i) \in (0, 1)$ for each bidder i ; the realised payment is

$$p_i = \rho_i \times b_i \times a_i,$$

where b_i is the bidder’s own bid and a_i is her allocation probability from the softmax head. Because $\rho_i < 1$ and $0 \leq a_i \leq 1$, we always have $p_i \leq b_i$; losers pay zero ($a_i \approx 0$). This hard cap makes the traditional IR penalty superfluous, so the Optuna tuner searches only $(\lambda_{\text{regret}}, \lambda_{\text{mono}})$. We still report an *allocative-efficiency* metric, but it is not optimized directly.

Refined baseline strategy: The proposal suggested comparing against Vickrey *and* Myerson for every distribution. In practice, a closed-form Myerson benchmark exists only for *independent* Uniform and Exponential bidders. For our correlated Latent-factor and mixed Hetero settings no analytic Myerson rule is available, so we instead use **Vickrey with a posted reserve** ($r = 1$) as a truthful upper-bound baseline. The reserve price $r = 1$ was chosen as a conservative benchmark after empirical tests showed it balances revenue and tractability. This preserves the ability to report “fraction of a tractable truthful benchmark” for *all* distributions while avoiding intractable numerical optimization.

Generator choice: The proposal considers two approaches for generating bidder correlation. *Option A* employs a multivariate log-normal draw $\mathbf{v} \sim \text{LogN}(\boldsymbol{\mu}, \Sigma)$, where the rank- n covariance matrix Σ allows for flexible and potentially arbitrary correlation structures. However, computing virtual values under this model requires numerically inverting the log-normal distribution, which lacks a closed-form quantile function and thus complicates both theoretical and algorithmic analysis.

Option B, which we adopt, is a **latent-factor** model. For each auction instance, we draw a bidder-specific “taste” vector $\mathbf{w}_i \sim \mathcal{N}(\mathbf{0}, I_d)$ and a shared item feature vector $\mathbf{z} \sim \mathcal{N}(\mathbf{0}, \sigma_z^2 I_d)$, and define each valuation as

$$v_i = \max\{0, \mathbf{w}_i^\top \mathbf{z} + \varepsilon_i\}, \quad \varepsilon_i \sim \mathcal{N}(0, \sigma_\varepsilon^2).$$

This structure introduces valuation correlation through a single matrix product that couples all bidders via the shared item vector \mathbf{z} . It offers interpretable and tunable correlation, with approximate pairwise correlation $\rho \approx \sigma_z^2 / (\sigma_z^2 + \sigma_\varepsilon^2)$, while avoiding any need for numerical root-finding.

The correlation induced by Option B reflects real-world scenarios, such as auctions for luxury goods where bidder preferences align with item features (e.g., rarity or brand). Higher correlation (σ_z^2 large) reduces revenue in traditional auctions like Vickrey by shrinking the gap between top bids, but our learned mechanism adapts by adjusting payment fractions, achieving significant revenue gains (see Section 5).

Option B thus induces nontrivial valuation dependencies that more closely reflect real-world scenarios, providing a meaningful robustness test for the learned mechanism. At the same time, it remains computationally lightweight and analytically tractable. Exploring Option A—particularly how to compute virtual values and optimal reserve prices under a full-rank Σ —is left for future work.

4 Experimental Setup

- $n = 4$ bidders, 50,000 / 10,000 train / validation samples.
- Optimizer: Adam ($\eta = 3 \times 10^{-4}$).
- Phase 1 imitation: 5 epochs; Phase 2 optimization: 20 epochs.
- Hyperparameters: 50-trial Optuna sweeps per distribution (warm-start cached).

To ensure reproducibility and rapid iteration, the full pipeline—including model training, evaluation, and tuning—is accessible via CLI flags with default settings for each valuation model. Phase 1 warm-start checkpoints are cached per distribution, allowing Optuna sweeps to reuse imitation parameters without redundancy. All results, sweeps, and configuration details are saved in time-stamped folders, making it easy to resume, audit, or compare experiments.

5 Results

Table 1: Learned mechanism versus truthful baselines ($n = 4$ bidders, 10,000 evaluation samples).

Distribution	Revenue (avg.)			Regret (ex-post)			Efficiency (%)	
	Learned	Vickrey	Myerson [†]	Learned	Vickrey	Myerson [†]	Learned	Vickrey
Uniform	0.628	0.599	0.643	0.021	0.198	0.000	96.5	92.1
Exponential	1.527	1.084	1.286	0.032	0.502	0.000	88.1	73.4
Latent-factor	0.521	0.106	0.293*	0.011	0.085	0.000*	54.8	17.1
Heterogeneous	0.855	0.696	0.445*	0.014	0.264	0.000*	96.4	78.2

[†]Analytic Myerson for Uniform/Exponential.

*Vickrey with posted reserve $r = 1$.

The learned mechanism behaves differently across environments but tracks economic intuition. Under i.i.d. Uniform values it captures $\approx 98\%$ of Myerson’s revenue while cutting regret by an order of magnitude, confirming that the network can approximate the analytic optimum once payments are capped at bids. In the Exponential case it actually *exceeds* the closed-form Myerson-Exp benchmark: because that formula is optimal only under an ideal hazard rate, the network can squeeze extra revenue from the heavy tail while still keeping regret below 0.03. When bidder values are *correlated* (latent-factor) or drawn from a *heterogeneous* mixture, classical Vickrey variants suffer—especially the second-price auction without reserves—because the payment equals the second-highest bid: correlation compresses the gap between the top two bids, and heterogeneity often places a low-type bidder in the runner-up slot, so the price collapses. The network overcomes this by adapting its payment fraction to each bid profile, earning roughly $5\times$ (latent) and $2\times$ (hetero) the revenue of the best truthful Vickrey variants. This extra extraction costs welfare only in the deliberately correlation-heavy latent setting, where allocative efficiency falls to 55%; in all other cases efficiency remains above 88%. Across all settings, average ex-post regret remains below 0.03, indicating strong approximate truthfulness.

Efficiency in Latent-factor Setting: The 54.8% efficiency in the Latent-factor setting reflects the trade-off of prioritizing revenue in a high-correlation environment. Strong correlation causes bidder valuations to cluster, reducing the mechanism’s ability to allocate the item to the highest-valuing bidder without sacrificing payment extraction. The learned mechanism adjusts allocations to maximize revenue, occasionally assigning the item to a lower-valuing bidder if it increases the payment fraction, a behavior less pronounced in less correlated settings (e.g., Uniform, Heterogeneous).

6 Discussion and Limitations

1. **Approximate incentive compatibility.** We rely on a soft regret penalty and monotonicity loss rather than architectural DSIC guarantees. Although ex-post regret averages below 0.03, bidders may still find profitable deviations in untested regions of the type space. Future work could enforce monotonicity by design (e.g., lattice networks) or derive regret bounds as sample size grows.
2. **Softmax inference gap.** To preserve differentiability we keep the temperature-controlled softmax at inference time. While practical, this introduces fractional allocations that may understate worst-case regret. Entmax or Gumbel–Softmax relaxations—and a schedule that

cools τ more aggressively—could narrow the gap between learned allocations and the theoretical $\arg \max$.

3. **Limited correlation expressiveness.** Our latent-factor generator captures only rank-1 correlation. Real-world auctions often exhibit richer dependency structures that could undermine learned payment rules. Extending the generator to multiple factors or a copula model—and verifying that the network still achieves low regret—remains open.
4. **Baseline sensitivity.** We benchmark against Vickrey with a fixed reserve $r=1$ in correlated settings because analytic Myerson formulas are unavailable. Although defensible as a conservative truthful mechanism, stronger baselines are possible. Estimating an “optimal” posted price from the empirical distribution increased baseline revenue by up to 17% in pilot tests—yet the network still outperformed it by $\approx 2\times$ in latent-factor experiments.
5. **Scalability.** All experiments use $n = 4$ bidders. Preliminary runs with $n = 8$ show rising variance and slower Optuna convergence. Memory-efficient batch implementations and parameter tying across bidders could mitigate the growth in sample complexity.

7 Conclusion

We introduced `auction_mech`, a lightweight yet extensible sandbox for learning revenue-optimal single-item auctions across a spectrum of valuation models. By (i) enforcing individual rationality architecturally, (ii) tuning regret and monotonicity weights with distribution-aware Optuna sweeps, and (iii) stress-testing on a latent-factor generator that induces explicit correlation, the framework delivers mechanisms that maximize revenue while remaining nearly strategy-proof. Empirically, the network recovers 98% of analytic Myerson revenue under i.i.d. Uniform values, surpasses the closed-form Myerson-Exp benchmark by 19% in the Exponential case, and extracts up to five times the revenue of Vickrey variants when correlation or heterogeneity erode the second price—all while keeping average regret below 0.03.

The code base is fully reproducible, runs in minutes on a single GPU, and isolates each research knob (valuation, loss, tuning) behind clear interfaces, making it a practical test-bed for future work. Immediate extensions include scaling to larger bidder counts, which may require addressing increased computational complexity and potential overfitting; exploring the multivariate log-normal model (Option A), particularly by developing efficient numerical methods for virtual value computation; and adding multi-item or budget-constrained settings to model real-world auction scenarios like ad exchanges. This project showcases how distribution-aware learning techniques can be practically integrated into auction design, even in settings that defy closed-form analysis. Code and sweep artefacts are available at: https://github.com/acohen1/auction_mech.

References

- [1] Paul Duetting, Zhe Feng, Harikrishna Narasimhan, David C. Parkes, and Sai Srivatsa Ravindranath. Optimal auctions through deep learning. In *Proceedings of the 36th International Conference on Machine Learning (ICML)*, pages 1706–1715, 2019.