


AIR CONTAMINANT SCHEDULE				
REF.	LOCATION	STANDARD	WAFER	TYPE
AC-201	BOARD ROOM	5.0	LOW	WALL MOUNTED CASSETTE
AC-202	BOARD ROOM	5.0	LOW	WALL MOUNTED CASSETTE
AC-203	BOARD ROOM	5.0	LOW	WALL MOUNTED CASSETTE
AC-204	BOARD ROOM	5.0	LOW	WALL MOUNTED CASSETTE

ALL FURNITURE LAYOUTS ARE TO BE
CONFIRMED BY ARCHITECT





DO NOT SCALE FROM THIS DRAWING.

NOTES:

1. ALL MECHANICAL & ELECTRICAL WORKS SHALL BE INSTALLED IN ACCORDANCE WITH THE SPECIFICATIONS AND PRODUCT SPECIFIC RECOMMENDATIONS.
2. THE CONTRACTOR SHALL ASSESS THE NATURE OF THE SITE ACCESS THEREO AND ALL LOCAL CONDITIONS AND RESTRICTIONS LIKELY TO AFFECT THE EXECUTION OF THE WORKS, SINCE NO SITE KNOWLEDGE IS TO BE CONSIDERED ON THE BASIS OF LACK OF SITE KNOWLEDGE.
3. THE DRAWING HAS BEEN PRODUCED FOR ILLUSTRATION PURPOSES ONLY. WHERE SHOWN, ALL DIMENSIONS ARE IN MILLIMETRES AND SHALL BE CHECKED ON SITE.
4. THE MECHANICAL & ELECTRICAL CONTRACTOR(S) SHALL BE RESPONSIBLE FOR ON SITE CO-ORDINATION OF THE WORK MAKE BUILDING STRUCTURE LOCATIONS OF ALL ITEMS OF EQUIPMENT SHALL BE AGREED ON SITE WITH THE ENGINEER.
5. ALL EXISTING REDUNDANT SERVICES AND EQUIPMENT SHALL BE REMOVED WHERE POSSIBLE.
6. THE MECHANICAL & ELECTRICAL CONTRACTOR(S) SHALL BE RESPONSIBLE FOR ANY ACCESS/LIFTING EQUIPMENT REQUIRED TO CARRY OUT THEIR WORKS.
7. ALL BUILDERS WORK INCLUDING PENETRATIONS THROUGH WALLS, FLOORS AND CEILING SHALL BE MADE IN ACCORDANCE WITH THE MECHANICAL & ELECTRICAL CONTRACTOR(S) REQUIREMENTS.
8. MECHANICAL & ELECTRICAL SERVICES WORKS SHALL BE CARRIED OUT IN ACCORDANCE WITH THE MAIN CONTRACTORS PROGRAMME AND PROGRAMME REQUIREMENTS.
9. THE CONTRACTOR SHALL AT A TIME TO BE AGREED AND PRIOR TO THE COMMENCEMENT OF WORKS, SUBMIT A DETAILED AND CORRECT OPERATION OF THE INSTALLATION AND SHALL OBTAIN THE INSTALLATION ON COMPLETION.
10. ALL LISTS AND AS SETTING DRAWINGS SHALL BE DELIVERED TO THE ENGINEER PRIOR TO THE COMMENCEMENT OF WORKS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION AND HAND OVER OF THE PROJECT.
11. THE MAIN SERVICES CONTRACTOR SHALL ALLOW FOR ALL NECESSARY (TEMPORARY OR OTHERWISE) WORKS TO ALL ELEMENTS OF THE PROJECT.
12. ALL SERVICES PASSING THROUGH PROTECTED FIRE COMPARTMENTS SHALL BE PROVIDED WITH APPROPRIATE FIRE PROTECTION AND ADEQUATE ACCESS.
13. ALL REDUNDANT MATERIALS SHALL BE REMOVED FROM SITE WHERE REQUIRED.
14. ALL SURFACE PROWORK TO BE BOXED IN BY MAIN CONTRACTOR WHERE REQUIRED.
15. ALL PREWORK PASSING THROUGH FIRE WALLS / FLOORS TO BE FIRE STOPPED WITH APPROPRIATE STENTS.
16. A SYSTEM OF INSULATED PLASTIC DRAIN LINES SHALL BE RUN FROM EACH INDOOR UNIT TO WASTE VIA WATER SEAL TRAPS AND TRUNDLES.

LEGEND:

-  WALL MOUNTED CONCEALED COOLING CASSETTE, SEE SCHEDULE FOR DETAILS
-  BRANCH SELECTOR BOX

71	ISSUED FOR TENDER	NP	C1	22/03/13
A1	ISSUED FOR APPROVAL	NP	C1	28/02/13
REV	REASON FOR REVISION	DR	APP	DATE
CHANG				

VERLANE

STOUBRIDGE LION MEDICAL
CENTRE

SECOND FLOOR SPACE COOLING
LAYOUT

Acobaleno | Consulting Engineers
Suite 3, Third Floor,
104 - 106 Harley Road,
West Molesey,
B16 8LT
TEL: 0121 455 0225
E-MAIL: info@acobaleno.org

Project No.	Drawing No.	Rev.
ABS/12/003	02/55/M03	T1
Date:	FEBRUARY 2013	Scale(s):
		1:100
Drawn	NP	Approved
		K3
TENDER		