

*Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http.request && !http.request.uri contains "http://www.dneonline.com/calculator.asmx?wsdl"

No.	Time	Source	Destination	Protocol	Length	Info
7771	55.189748	192.168.1.5	239.255.255.250	SSDP	215	M-SEARCH * HTTP/1.1
7805	56.197638	192.168.1.5	239.255.255.250	SSDP	215	M-SEARCH * HTTP/1.1
27824	173.193165	192.168.1.5	239.255.255.250	SSDP	215	M-SEARCH * HTTP/1.1
27895	174.194154	192.168.1.5	239.255.255.250	SSDP	215	M-SEARCH * HTTP/1.1
27995	175.198616	192.168.1.5	239.255.255.250	SSDP	215	M-SEARCH * HTTP/1.1
28097	176.200362	192.168.1.5	239.255.255.250	SSDP	215	M-SEARCH * HTTP/1.1
30257	186.560122	192.168.1.5	50.62.168.5	HTTP	294	GET /calculator.asmx?wsdl HTTP/1.1
30305	186.958604	192.168.1.5	50.62.168.5	HTTP/X...	745	POST /calculator.asmx HTTP/1.1
30310	186.960110	192.168.1.5	50.62.168.5	HTTP/X...	760	POST /calculator.asmx HTTP/1.1
30311	186.960732	192.168.1.5	50.62.168.5	HTTP/X...	760	POST /calculator.asmx HTTP/1.1

▼ eXtensible Markup Language

- ▼ <?xml
version="1.0"
encoding="utf-8"
>
- ▼ <soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:tm="http://microsoft.com/wsdl/mime/textMatching/"
xmlns:tns="http://tempuri.org/"- ▼ <soap:Body>- ▼ <Add
xmlns="http://tempuri.org/"- ▼ <intA>
2
</intA>- ▼ <intB>
3
</intB>- </Add>- </soap:Body>- </soap:Envelope>

0000 98 00 6a 45 10 3e 98 83 89 0e 47 4c 08 00 45 00 ..jE>...GL..E.

wireshark_Wi-Fi6V8FJ1.pcapng

Packets: 32636 · Displayed: 16 (0.0%) · Dropped: 0 (0.0%) Profile: Default

*Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http.response && !http.request.uri contains "http://www.dneonline.com/calculator.asmx?wsdl"

No.	Time	Source	Destination	Protocol	Length	Info
2444	16.866862	50.62.168.5	192.168.1.5	HTTP/X...	965	HTTP/1.1 200 OK
2501	17.267351	50.62.168.5	192.168.1.5	HTTP/X...	679	HTTP/1.1 200 OK
2503	17.271027	50.62.168.5	192.168.1.5	HTTP/X...	659	HTTP/1.1 200 OK
2505	17.271577	50.62.168.5	192.168.1.5	HTTP/X...	679	HTTP/1.1 200 OK
30277	186.736519	50.62.168.5	192.168.1.5	HTTP/X...	965	HTTP/1.1 200 OK
30334	187.132722	50.62.168.5	192.168.1.5	HTTP/X...	659	HTTP/1.1 200 OK
30336	187.136869	50.62.168.5	192.168.1.5	HTTP/X...	679	HTTP/1.1 200 OK
30339	187.147278	50.62.168.5	192.168.1.5	HTTP/X...	679	HTTP/1.1 200 OK

> Ethernet II, Src: zte_45:10:3e (98:00:6a:45:10:3e), Dst: SamsungE_0e:47:4c (98:83:89:0e:47:4c)

> Internet Protocol Version 4, Src: 50.62.168.5, Dst: 192.168.1.5

> Transmission Control Protocol, Src Port: 80, Dst Port: 49683, Seq: 1, Ack: 692, Len: 605

> Hypertext Transfer Protocol

> eXtensible Markup Language

- <?xml
version="1.0"
encoding="utf-8"
?>
- <soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
 - <soap:Body>
 - <AddResponse
xmlns="http://tempuri.org/">
 - <AddResult>
5
</AddResult>

0000 98 83 89 0e 47 4c 98 00 6a 45 10 3e 08 00 45 00 ...GL..jE...E..

wireshark_Wi-Fi6V8FJ1.pcapng

Packets: 32636 · Displayed: 8 (0.0%) · Dropped: 0 (0.0%)

Profile: Default

*Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http.request && !http.request.uri contains "http://www.dneonline.com/calculator.asmx?wsdl"

No.	Time	Source	Destination	Protocol	Length	Info
7771	55.189748	192.168.1.5	239.255.255.250	SSDP	215	M-SEARCH * HTTP/1.1
7805	56.197638	192.168.1.5	239.255.255.250	SSDP	215	M-SEARCH * HTTP/1.1
27824	173.193165	192.168.1.5	239.255.255.250	SSDP	215	M-SEARCH * HTTP/1.1
27895	174.194154	192.168.1.5	239.255.255.250	SSDP	215	M-SEARCH * HTTP/1.1
27995	175.198616	192.168.1.5	239.255.255.250	SSDP	215	M-SEARCH * HTTP/1.1
28097	176.200362	192.168.1.5	239.255.255.250	SSDP	215	M-SEARCH * HTTP/1.1
30257	186.560122	192.168.1.5	50.62.168.5	HTTP	294	GET /calculator.asmx?wsdl HTTP/1.1
30305	186.958604	192.168.1.5	50.62.168.5	HTTP/X...	745	POST /calculator.asmx HTTP/1.1
30310	186.960110	192.168.1.5	50.62.168.5	HTTP/X...	760	POST /calculator.asmx HTTP/1.1
30311	186.960732	192.168.1.5	50.62.168.5	HTTP/X...	760	POST /calculator.asmx HTTP/1.1

▼ eXtensible Markup Language

▼ <?xml

version="1.0"

encoding="utf-8"

?>

▼ <soap:Envelope

xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"

xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"

xmlns:tm="http://microsoft.com/wsdl/mime/textMatching/"

xmlns:tns="http://tempuri.org/"

▼ <soap:Body>

▼ <Multiply

xmlns="http://tempuri.org/"

▼ <intA>

3

</intA>

▼ <intB>

2

</intB>

</Multiply>

</soap:Body>

</soap:Envelope>

0000 98 00 6a 45 10 3e 98 83 89 0e 47 4c 08 00 45 00 ..jE>...GL..E.

wireshark_Wi-Fi6V8FJ1.pcapng

Packets: 32636 · Displayed: 16 (0.0%) · Dropped: 0 (0.0%)

Profile: Default

*Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http.response && !http.request.uri contains "http://www.dneonline.com/calculator.asmx?wsdl"

No.	Time	Source	Destination	Protocol	Length	Info
2444	16.866862	50.62.168.5	192.168.1.5	HTTP/X...	965	HTTP/1.1 200 OK
2501	17.267351	50.62.168.5	192.168.1.5	HTTP/X...	679	HTTP/1.1 200 OK
2503	17.271027	50.62.168.5	192.168.1.5	HTTP/X...	659	HTTP/1.1 200 OK
2505	17.271577	50.62.168.5	192.168.1.5	HTTP/X...	679	HTTP/1.1 200 OK
30277	186.736519	50.62.168.5	192.168.1.5	HTTP/X...	965	HTTP/1.1 200 OK
30334	187.132722	50.62.168.5	192.168.1.5	HTTP/X...	659	HTTP/1.1 200 OK
30336	187.136869	50.62.168.5	192.168.1.5	HTTP/X...	679	HTTP/1.1 200 OK
30339	187.147278	50.62.168.5	192.168.1.5	HTTP/X...	679	HTTP/1.1 200 OK

> Ethernet II, Src: zte_45:10:3e (98:00:6a:45:10:3e), Dst: SamsungE_0e:47:4c (98:83:89:0e:47:4c)

> Internet Protocol Version 4, Src: 50.62.168.5, Dst: 192.168.1.5

> Transmission Control Protocol, Src Port: 80, Dst Port: 49685, Seq: 1, Ack: 707, Len: 625

> Hypertext Transfer Protocol

> eXtensible Markup Language

- <?xml
version="1.0"
encoding="utf-8"
?>
- <soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
 - <soap:Body>
 - <MultiplyResponse
xmlns="http://tempuri.org/">
 - <MultiplyResult>
6
</MultiplyResult>

0000 98 83 89 0e 47 4c 98 00 6a 45 10 3e 08 00 45 00 ...GL..jE...E..

wireshark_Wi-Fi6V8FJ1.pcapng

Packets: 32636 · Displayed: 8 (0.0%) · Dropped: 0 (0.0%)

Profile: Default

*Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http.request && !http.request.uri contains "http://www.dneonline.com/calculator.asmx?wsdl"

No.	Time	Source	Destination	Protocol	Length	Info
7771	55.189748	192.168.1.5	239.255.255.250	SSDP	215	M-SEARCH * HTTP/1.1
7805	56.197638	192.168.1.5	239.255.255.250	SSDP	215	M-SEARCH * HTTP/1.1
27824	173.193165	192.168.1.5	239.255.255.250	SSDP	215	M-SEARCH * HTTP/1.1
27895	174.194154	192.168.1.5	239.255.255.250	SSDP	215	M-SEARCH * HTTP/1.1
27995	175.198616	192.168.1.5	239.255.255.250	SSDP	215	M-SEARCH * HTTP/1.1
28097	176.200362	192.168.1.5	239.255.255.250	SSDP	215	M-SEARCH * HTTP/1.1
30257	186.560122	192.168.1.5	50.62.168.5	HTTP	294	GET /calculator.asmx?wsdl HTTP/1.1
30305	186.958604	192.168.1.5	50.62.168.5	HTTP/X...	745	POST /calculator.asmx HTTP/1.1
30310	186.960110	192.168.1.5	50.62.168.5	HTTP/X...	760	POST /calculator.asmx HTTP/1.1
30311	186.960732	192.168.1.5	50.62.168.5	HTTP/X...	760	POST /calculator.asmx HTTP/1.1

▼ eXtensible Markup Language

- ▼ <?xml
 - version="1.0"
 - encoding="utf-8"
 - ?>
- ▼ <soap:Envelope
 - xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
 - xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
 - xmlns:tm="http://microsoft.com/wsdl/mime/textMatching/"
 - xmlns:tns="http://tempuri.org/"
 - ▼ <soap:Body>
 - ▼ <Subtract
 - xmlns="http://tempuri.org/"
 - ▼ <intA>
 - 3
 - </intA>
 - ▼ <intB>
 - 2
 - </intB>
 - </Subtract>
 - </soap:Body>
 - </soap:Envelope>

0000 98 00 6a 45 10 3e 98 83 89 0e 47 4c 08 00 45 00 ..jE>... ..GL..E..

wireshark_Wi-Fi6V8FJ1.pcapng

Packets: 32636 · Displayed: 16 (0.0%) · Dropped: 0 (0.0%) Profile: Default

*Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http.response && !http.request.uri contains "http://www.dneonline.com/calculator.asmx?wsdl"

No.	Time	Source	Destination	Protocol	Length	Info
2444	16.866862	50.62.168.5	192.168.1.5	HTTP/X...	965	HTTP/1.1 200 OK
2501	17.267351	50.62.168.5	192.168.1.5	HTTP/X...	679	HTTP/1.1 200 OK
2503	17.271027	50.62.168.5	192.168.1.5	HTTP/X...	659	HTTP/1.1 200 OK
2505	17.271577	50.62.168.5	192.168.1.5	HTTP/X...	679	HTTP/1.1 200 OK
30277	186.736519	50.62.168.5	192.168.1.5	HTTP/X...	965	HTTP/1.1 200 OK
30334	187.132722	50.62.168.5	192.168.1.5	HTTP/X...	659	HTTP/1.1 200 OK
30336	187.136869	50.62.168.5	192.168.1.5	HTTP/X...	679	HTTP/1.1 200 OK
30339	187.147278	50.62.168.5	192.168.1.5	HTTP/X...	679	HTTP/1.1 200 OK

> Ethernet II, Src: zte_45:10:3e (98:00:6a:45:10:3e), Dst: SamsungE_0e:47:4c (98:83:89:0e:47:4c)

> Internet Protocol Version 4, Src: 50.62.168.5, Dst: 192.168.1.5

> Transmission Control Protocol, Src Port: 80, Dst Port: 49684, Seq: 1, Ack: 707, Len: 625

> Hypertext Transfer Protocol

> eXtensible Markup Language

- <?xml
version="1.0"
encoding="utf-8"
?>
- <soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
 - <soap:Body>
 - <SubtractResponse
xmlns="http://tempuri.org/">
 - <SubtractResult>
1
</SubtractResult>

0000 98 83 89 0e 47 4c 98 00 6a 45 10 3e 08 00 45 00 ...GL..jE...E..

wireshark_Wi-Fi6V8FJ1.pcapng

Packets: 32636 · Displayed: 8 (0.0%) · Dropped: 0 (0.0%)

Profile: Default