effects are game actions will have a unique EFFECT_ID that is referenced in the function dataset

effects will be defined in the req doc including their required parameters and datatypes/validation/sanitycheck

area types:	area designators	include all lower areas, centered on detonating gem
	0	self only
	1	cardinal neighbors
	2	square 3 tiles on each side
	3	1 tile in each cardinal direction at a distance of 2 from the center
	4	3 tiles in each cardinal direction at a distance of 2 from the center making a fat cross pattern
	5	square of 5 tiles on each side
	6	3 tiles in each cardinal direction at a distance of 3 from the center making a fatter cross pattern
	7	square of 7 tiles on each side + 5 tiles in each cardinal direction making a very fat cross
drain		name for disabler ability, potential for other disabling effects - currently targeted for hacker and deterministic as defined in the req for system, remove all charge from targeted unit

parameter explanations:		expected data	description
	ID	string	unique identifier
	name	string, all caps	name displayed to player to identify item, non-unique names are not invalid but a warning is issued in the logs during init
	colors	string	name of color match that charges unit, may have multiple entries separated by colon(:)
	shapes	string	name of shape match that charges unit, may have multiple entries separated by colon
	abilities	string	id values of FNCs unit possesses, currently only a sigle FNC is allowed but planning for mulitple
	notes	string	non-normative descriptions, explanations, and clarifications
	cost	int	cost in charge to activate the FNC - a unit's charge pool is at minimum the size of its most costly FNC
	payload	string	effect or other ability invoked when FNC is activated, may have multiple entires that are fired sequentially, to prevent looping it will be an error if an FNC has a an FNC payload that itself also has an FNC payload, self listing in payload is invalid
	quantity	int	The number of discrete board-item deployments produced by one Effect resolution.
	countdown	int	turns remaining before a placed countdown object resolves its associated Effect.
	areaPattern	int	the area of the board on which the effect occurs, using defined positions and not a mathematical calculation
	magnitude	int	non-damage numeric value of the effect, interpreted per-effect feature
	damage	int	damage done by the effect
	params	string	colon (:) separated list of parameters specific to that function
	axisTarget	string	axis values that are targetable by the transform effect
	axisresult	string	