The pilot

Proposed offer: assess the current support workflow, then pilot one inbound text channel and a small approved intent set with reliable human takeover. Own the durable case, permissions, recovery and operating evidence. Reuse channel/routing infrastructure; expand voice and financial actions only after separate scoping. Research pack is useful for discovery and build planning; service implementation and commercial demand remain unproven.

Research finding

Public replies and private notes share the comment model. New comments are submitted through ticket create/update, not a comment-create endpoint. Displayed author and authenticated updater can differ.
Evidence: ZD-COMMENTS

Research finding

Comment bodies above 64 kB can be truncated without an error. Attachment URLs can lead outside the vendor host; credentials must not follow them to third parties.
Evidence: ZD-COMMENTS

Research finding

Webhook delivery can duplicate or omit events. The documented invocation log covers seven days. An integration needs durable reconciliation beyond that window.
Limit: Reconciliation is our proposed response to the documented delivery limits.
Evidence: ZD-WEBHOOKS

Research finding

A routing Task is not the durable customer case: rejected or timed-out reservations can return a task to pending; terminal task records are deleted after five minutes.
Evidence: TW-LIFECYCLE

Research finding

Task updates support ETag/If-Match checks and return 412 on version mismatch. Updating attributes and moving a task to wrapping/completed requires separate requests.
Evidence: TW-TASK

Research finding

Reservations are offers to a worker. A reservation that receives no handling decision within its workflow timeout leaves the task available for other workers. Evidence: TW-RESERVATION

Research finding

Twilio recommends SDK request-signature validation, accounting for the exact webhook URL and all received parameters rather than a frozen field list.
Evidence: TW-SECURITY

Research finding

Stripe API v1 retains the first executed response for a key, including 500 responses; keys may be pruned after at least 24 hours. Reusing a pruned key can create a new operation.
Evidence: STRIPE-IDEMPOTENCY

Research finding

Selected SDK modules serialize task assignmentStatus, reservation reservationStatus and If-Match headers; task and reservation are distinct resource wrappers.
Limit: REA parsed selected inert release files; direct source readback confirmed these fields. This does not validate the remote API or complete SDK.
Evidence: REA-TWILIO

Build and verify

32 proposed requirements
Identity and private-note controls
Durable cases and confirmed human takeover
Idempotent effects and visible recovery
Supervised pilot and measured outcomes

Limits and next decision

Operator-assisted research; no autonomous investigation.
No customer-service system implemented or tested.
Choose client, channel, intents and authoritative systems.
Validate demand, access, costs and acceptance scope.