

# Revature Associate SQL Workbook

## Oracle 11g

### Working with Relational Database Management Systems

## Contents

1.0	Setting up Oracle Chinook .....	3
2.0	SQL Queries.....	3
2.1	SELECT .....	3
2.2	ORDER BY .....	3
2.3	INSERT INTO .....	3
2.4	UPDATE .....	3
2.5	LIKE .....	3
2.6	BETWEEN .....	3
2.7	DELETE.....	3
3.0	SQL Functions.....	4
3.1	System Defined Functions.....	4
3.2	System Defined Aggregate Functions .....	4
3.3	User Defined Scalar Functions .....	4
3.4	User Defined Table Valued Functions.....	4
4.0	Stored Procedures.....	4
4.1	Basic Stored Procedure .....	4
4.2	Stored Procedure Input Parameters .....	4
4.3	Stored Procedure Output Parameters .....	4
5.0	Transactions .....	4
6.0	Triggers.....	5
6.1	AFTER/FOR .....	5
7.0	JOINS .....	5
7.1	INNER .....	5
7.2	OUTER .....	5
7.3	RIGHT .....	5
7.4	CROSS.....	5
7.5	SELF .....	5
9.0	Administration .....	5

## Part I – Working with an existing database

---

### 1.0 Setting up Oracle Chinook

In this section you will begin the process of working with the Oracle Chinook database

Task – Open the Chinook\_Oracle.sql file and execute the scripts within.

### 2.0 SQL Queries

In this section you will be performing various queries against the Oracle Chinook database.

#### 2.1 SELECT

Task – Select all records from the Employee table.

Task – Select all records from the Employee table where last name is King.

Task – Select all records from the Employee table where first name is Andrew and REPORTSTO is NULL.

#### 2.2 ORDER BY

Task – Select all albums in Album table and sort result set in descending order by title.

Task – Select first name from Customer and sort result set in ascending order by city

#### 2.3 INSERT INTO

Task – Insert two new records into Genre table

Task – Insert two new records into Employee table

Task – Insert two new records into Customer table

#### 2.4 UPDATE

Task – Update Aaron Mitchell in Customer table to Robert Walter

Task – Update name of artist in the Artist table “Creedence Clearwater Revival” to “CCR”

#### 2.5 LIKE

Task – Select all invoices with a billing address like “T%”

#### 2.6 BETWEEN

Task – Select all invoices that have a total between 15 and 50

Task – Select all employees hired between 1<sup>st</sup> of June 2003 and 1<sup>st</sup> of March 2004

#### 2.7 DELETE

Task – Delete a record in Customer table where the name is Robert Walter (There may be constraints that rely on this, find out how to resolve them).

## 3.0 SQL Functions

In this section you will be using the Oracle system functions, as well as your own functions, to perform various actions against the database

### 3.1 System Defined Functions

Task – Create a function that returns the current time.

Task – create a function that returns the length of a mediatype from the mediatype table

### 3.2 System Defined Aggregate Functions

Task – Create a function that returns the average total of all invoices

Task – Create a function that returns the most expensive track

### 3.3 User Defined Functions

Task – Create a function that returns the average price of invoiceline items in the invoiceline table

### 3.4 User Defined Table Valued Functions

Task – Create a function that returns all employees who are born after 1968.

## 4.0 Stored Procedures

In this section you will be creating and executing stored procedures. You will be creating various types of stored procedures that take input and output parameters.

### 4.1 Basic Stored Procedure

Task – Create a stored procedure that selects the first and last names of all the employees.

### 4.2 Stored Procedure Input Parameters

Task – Create a stored procedure that updates the personal information of an employee.

Task – Create a stored procedure that returns the managers of an employee.

### 4.3 Stored Procedure Output Parameters

Task – Create a stored procedure that returns the name and company of a customer.

## 5.0 Transactions

In this section you will be working with transactions. Transactions are usually nested within a stored procedure.

Task – Create a transaction that given a invoiceId will delete that invoice (There may be constraints that rely on this, find out how to resolve them).

Task – Create a transaction nested within a stored procedure that inserts a new record in the Customer table

## 6.0 Triggers

In this section you will create various kinds of triggers that work when certain DML statements are executed on a table.

### 6.1 AFTER/FOR

Task - Create an after insert trigger on the employee table fired after a new record is inserted into the table.

Task – Create an after update trigger on the album table that fires after a row is inserted in the table

Task – Create an after delete trigger on the customer table that fires after a row is deleted from the table.

## 7.0 JOINS

In this section you will be working with combining various tables through the use of joins. You will work with outer, inner, right, left, cross, and self joins.

### 7.1 INNER

Task – Create an inner join that joins customers and orders and specifies the name of the customer and the invoiceId.

### 7.2 OUTER

Task – Create an outer join that joins the customer and invoice table, specifying the CustomerId, firstname, lastname, invoiceId, and total.

### 7.3 RIGHT

Task – Create a right join that joins album and artist specifying artist name and title.

### 7.4 CROSS

Task – Create a cross join that joins album and artist and sorts by artist name in ascending order.

### 7.5 SELF

Task – Perform a self-join on the employee table, joining on the reportsto column.

### 7.6 Complicated Join assignment

Create an inner join between all tables in the chinook database.

## 9.0 Administration

In this section you will be creating backup files of your database. After you create the backup file you will also restore the database.

Task – Create a .bak file for the Chinook database

