

# PARTNERACROBATICS.COM

Your new website



# Index

index	2	
Change Control (PA.com)		
Intended audience	6	
About Site	6	
Why the chosen technologies?	6	
WordPress Configuration	8	
Active Plugins	8	
Customisations	9	
Files	11	
CSS	12	
Site Content	13	
Site Map	13	
Site use	14	
Navigation	14	
Editing	14	
Making Changes: Page by page	14	
Front Page	14	
Big title Section	15	
Our focus Section	16	
About Us Section	17	
Our Team Section	18	
Testimonials Sections	19	
Ribbon Sections	20	
Contact Section	21	
Latest News Section	22	
Suggested Image Sizes	22	
About Us	23	
Events	23	
Specific Events	23	
Tahhy Responsive Tahs	23	



Teachers	25
Adding new teachers	25
Gallery	27
Justified Image Grid	27
Articles	28
Manual	29
Bonus Features	31
Adding / Editing Schedules	31
Google Forms	31
Popup Maker (trigger warning)	31
Appendix A: Suggested Future Changes	32
Appendix B: Visual Walkthrough of Site	33
Appendix C: Custom Styles	34



# Change Control (PA.com)

Version	Date	Changes
1.0	Jan 30th 2017	Baseline
1.1	Feb 9th 2017	Reorganised Teachers Page + fixed styling
		Removed unconfigured Social Login Icons
		Updated call to action placeholder images
		Popup tidied
		Created Dashboard help
		Restructured Teacher Categories
		Restricted Security



## Intended audience

Site Admins, Web Devs

Assumes reader has a base understanding of Wordpress technology

### **About Site**

The new PA site is designed for minimal upkeep and work and to lower the total cost of ownership.

Minimal upkeep in that code is continually improved by external contributors. Minimal work is required to add new content (Manual entries, Events, Articles and Teachers) due to optimum workflows and edits can be made rapidly in a visual interface without the need to code.

Familiarity and online support means that website admin can be decentralised within the PA team and we don't need to rely on aging specialist code.

# Why the chosen technologies?

Wordpress has been chosen as a technology due to its relative ease of use and its familiarity among the team.

Plugins were initially selected by function with a priority based on a combination of the amount of user adoption (installs) and the feedback score. Plugins were then customised and tested for compatibility and usefulness vs. other plugins / code / workflows. What remains seems to fit our needs the best.

The Zerif Lite Theme was selected on basis of appearance, rating and adoption (installs).

Because this system is based on common technology help is just a few keystrokes away. Type "wordpress" followed by your problem, mentioning any theme and plugin in "quotes" too, into Google and you'll likely find a solution without needing to call a developer.



WordPress Configuration

Version: 4.7.2

(Current version Jan 2017)

Active Theme: Zerif Lite Child 2.0.5.1485674865

(Child of Zerif Lite 2.0.5.1485674865)

# **Active Plugins**

Admin Menu Editor: 1.7.3

(Allows the customisation of the Dashboard (Admin) view)

BAW Login/Logout menu: 1.3.3

(Provides teachers with a toggled "Log-in / Log-out" menu option)

**Business Directory Plugin: 4.1.7** 

(Handles the collation and display of custom post type: teacher)

**Custom Post Type UI: 1.5.1** 

(Allows us to use the custom post type: manual)

Google Forms: 0.91

(Enables simple embedding of Google forms)

Justified Image Grid: 3.4.1 [\*\$ \*&]

(Displays facebook Albums as Gallery)

Popup Maker: 1.4.21

(Enables a simple pop-up / nag on Manual screen)

**Responsive Scrolling Tables: 1.2.1** 

(Enables scrolling schedules!)

Simple Custom CSS and JS: 2.9

(Management of CSS)

Social Login: 5.2 [\*&]

(Enables users to register / login using social networks)



**Tabby Responsive Tabs: 1.2.3** 

(Enables tabs on Event pages)

The Events Calendar: 4.4.0.1

(Management and display of custom post type: Event)

The Grid: 2.2.0 [\*\$]

(Displays our Manual in fine form)

Themelsle Companion: 1.0.0

(Required for Zerif Lite)

White Label CMS: 1.6.1

(Helps to rebrand wordpress backend)

WP Smush: 2.5.3 [\*\$]

(Keeps uploaded images squished)

WP Super Cache: 1.4.8

(Serves PHP as static pages)

Yoast SEO: 4.1 [\*&]

(enables better management of social media shares and google rank)

Zerif Lite Transition: 1.0.0

\*& Will need customisation post migration (for social media API's and excerpts)

\*\$ Consider buying the full licence for this product for complete features, support and updates.

# **Customisations**

Plugin Settings are generally stored within the database and will not be listed.

Some settings are stored in a non-standard way and should be captured by the zip file containing the entire site stored <u>here</u>.

Other customisations to this core build are stored within the child theme folder. These files and changes consisted of:



### **Files**

#### excerpt\_content.tpl.php

(business-directory/excerpt\_content.tpl.php)
(Overwrites the Business Directory theme to give custom grid views)

#### **Theme Functions**

(functions.php)
(Logout redirects to homepage)
(added help to dashboard)

#### **Theme Header**

(header.php)(Changed to include Facebook Share buttons)

#### **Search Results**

(search.php)
(Changed to remove sidebar)

### **Single Post**

(single.php)

(Changed to remove sidebar and show navigation in post type=manual)

### **Blog Page Template**

(template-blog.php)(Changed to remove sidebar)

#### Stylesheet

(style.css) (No changes)



### CSS

Style changes in Simple Custom CSS & JS plugin. Please see full output in Apendix B

- Global Settings
  - o Admin View
    - Fix columns
    - Plugin Nags Remove
  - Footer
    - Widget Display fix
    - Hide Zerif Copyright
  - Header
    - Header Logo Appearance
    - Spacing options For FB Like and Share in header
    - Nabber Menu color (PA Blue)
  - Format Title and Headers Design and Color (PA Blue)
  - Make buttons PA blue
  - Make links PA blue
  - Kill the Sidebar!!!
  - Posts
    - Hide Post Metadata (the date, made by etc.)
    - IFRAME (youtube) stretch (centre)
  - o Front Page
    - Intro Text Border
    - Events Widget
    - Other Front Page Sections
- The Events Calendar Tidy (hide stuff and format text / layout)
- Tabby Format
- Teacher Admin fix button crop and remove categories
- Teachers directory and single list view... Fixes so many things
- Justified Grid Font Breadcrumb Size
- The Grid enlarge play button dirty fix
- The Grid make buttons POP!
- Google Forms
- Social Login Branding Remove
- Popup Styling



# **Site Content**

Content is served to the users via pages, posts or plugins displaying custom post types.

# Site Map

			•		
•	Front Page		(a special one-page lander that showcases PA)		
•	About		(SEO heavy page about / FAQ / Sales)		
•	Events		(Shows the Events plugin listings(custom link))		
	o June 20	17 Spanish Intensive	(Shows Specific Event 1)		
		Program	(Opens Event on tab name (custom link))		
		Location	(Opens Event on tab name (custom link))		
		Prereqs	(Opens Event on tab name (custom link))		
		Schedule	(Opens Event on tab name (custom link))		
		Fees and Application	(Opens Event on tab name (custom link))		
•	Spain Teacher Training				
	o June 20	17 Spanish Intensive	(Shows Specific Event 1)		
		Program	(Opens Event on tab name (custom link))		
		Location	(Opens Event on tab name (custom link))		
		Prereqs	(Opens Event on tab name (custom link))		
		Schedule	(Opens Event on tab name (custom link))		
		Fees and Application	(Opens Event on tab name (custom link))		
•	• Teachers		(Shows the Teachers Directory via Directory Plugin)		
	o Log In Lo	og Out	(Allows login and logout)		
	o Add you	r Bio	(Allows user to login and add bio)		
•	Media		(Displays Gallery via Justified plugin)		
	<ul> <li>Gallery</li> </ul>		(Displays Gallery via Justified plugin)		
	o Articles	(DIspla	ys Articles via Grid plugin)		
•	Manual		(Displays Manual via Grid plugin)		



# Site use

# **Navigation**

We will not document navigation. This should be intuitive: if not then we have a problem and need to make changes (see below)

# **Editing**

Please remember at all times that this is a wordpress site using common plugins and help is just a <u>Google</u> search away.

If your issue is with the color or specific alignment of an element on the page then you might consider using the Custom CSS & JS plugin to style the site - and bear in mind that Custom CSS might already be affecting the element you want to change

### **Video Tutorials**



Yoast SEO Front End



Schedule





Popup



**Manual Entries** 



Logging In / Out



Google Forms



**Events** 



Edit Front Page





Edit About Page



Dashboard



Adding and Editing Teachers

# Making Changes: Page by page

Assumes user is logged into account with sufficient access!!

### **Front Page**

The front page is a high impact landing page that gets users to where they want to go, tells them what they need to know and gets / keeps them interested in our events.

To edit the Front Page go to the customiser via "Apearance\Customiser" or navigating to the front page and clicking "Customise" in the top admin bar. Most elements have a handy little edit pencil hovering over them for you to easily access the options and content. It's fairly easy to figure out the rest: take a look! Otherwise the below covers this in more detail




### **Big title Section**



To customize the Big title section navigate to Appearance > Customize > Big title Section. There are multiple panels in this customizer section, such as Main Content, Parallax effect and Video background. The Main Content panel allows you to edit section's content while in the Parallax effect panel you are able to upload two layer images (to experience the parallax effect, the second image should have some transparency in it) and to enable the parallax effect in the theme. The video and slider background is a feature only available in the PRO version of the theme




#### **Our focus Section**



To customize the Our Focus section navigate to Appearance > Customize > Our Focus Section. There are two panels in this customizer section, which Content & Our focus section widgets. In Content panel, you can choose if you want to display the section or not, and to edit section's title/subtitle. And to add content to the section, you will have to add Zerif - Our Focus widget from Our focus section widgets.




#### **About Us Section**



To customize About Us section navigate to Appearance > Customize > About us Section. There are multiple panels in this customizer section, such as Settings, Main Content, Features and About us section. In Settings panel, you can choose if you want to display the section or not, and Main Content panel allows you to edit section's content. And to edit the feature knobs on the right, there are multiple Feature options. In the About us section panel, you can enter as many Zerif - Clients widgets as you want.




#### **Our Team Section**



To customize Our Team section navigate to Appearance > Customize > Our Team Section. There are two panels in this customizer section, which Content & Our team section widgets. In Content panel, you can choose if you want to display the section or not, and to edit section's title/subtitle. And to add content to the section, you will have to add Zerif - Our Team widget from Our team section widgets.




#### **Testimonials Sections**



To add Testimonials of your clients to your website, you can navigate to Appearance > Customize > Testimonials Section. There you can find all the options to customize the section, just as header text, colors, and adding the main widgets. There are two panels in this customizer section, which Testimonial section & Testimonials section widgets. In Testimonial panel, you can choose if you want to display the section or not, and to edit section's title/subtitle. And to add content to the section, you will have to add Testimonials widget from Testimonials section widgets.




#### **Ribbon Sections**



Zerif theme comes with two ribbon sections - BottomButton Ribbon & RightButton Ribbon. To customize them you can navigate to Appearance > Customize > Ribbon sections, and there you can find two ribbons. And the ribbon will only appear on your site when you will add some text to it.



#### **Contact Section**




Zerif Lite theme comes with a built-in contact form, which makes it easier for you to get emails from your viewers without installing any additional plugins. This form can be configured from Appearance > Customize > Contact Us Section. There you can configure the email which you want to use to receive these emails, in Settings tab. Additional from display and email settings, you can add your reCaptcha keys to Settings tab to enable reCaptcha to prevent spam.

Also, you can configure contact form text in Main Content tab. If you're unable to receive after configuring your contact section settings, then check <u>this troubleshooting guide</u>.



#### **Latest News Section**



Latest News section displays your latest blog posts on the front page of your site. You can configure the display settings from Appearance > Customize > Latest News Section. In Settings panel, you can choose if you want to display the section or not, and Header panel allows you to edit section's title/subtitle.

To add content, you can navigate to Posts > Add New, in your WordPress dashboard. Make sure to <u>add a featured image</u> to your blog posts. And the number of blog posts displaying can be configured from Settings > Reading settings. It's 8, by default.

#### Suggested Image Sizes

- Background Image/Slider/Video: 2048×1365px, 20mb mp4 video
- Our Focus 150x150px
- Our Team 174x174px
- Testimonial 73x73px
- Client Logo 130x50px




#### **About Us**

You can just edit this like any other standard page in wordpress.

#### **Events**

The events page is just a link to "The Events Calender" plugins own page template that can be customised by clicking "Events"/"Settings" from the admin bar or dashboard:

All settings there are self explanatory. If you're playing with views then you might want to comment out the relevant Custom CSS to see all of the changes more clearly.



### **Specific Events**

To edit an event, browse to the event and click "edit event" in the admin bar. Alternatively, select the event from the list after clicking "Event"/"Edit Events"

To add a new event click on "Events"/"Add Event" in the admin / dashboard menu.

I would suggest you copy and paste content from one event to another once you are happy with the formatting

#### **Tabby Responsive Tabs**

The events currently make use of Tabby Responsive tabs. You will see the syntax in the editor

[tabby title="Content1"]

Content 1

[tabby title="Content2"]


Content2

[tabbyending]



To link to these menus you need to use a "custom link" in the menu editor. Your link will look something like this:

http://www.partneracrobatics.com/event/june-2017-spain-intensive/?target=Content2



(Above shows how to add a custom link)




#### **Teachers**

This is just a standard page that shows output from the business directory plugin using something called "shortcodes"

It also acts as some sort of anchor for the business directory plugin, so try not to delete the [businessdirectory] shortcode.

Other shortcodes can be called here, or on any other page. Please refer to the <u>Business</u> <u>Directory Plugin Shortcode Guide</u>

I'm told by our CSS guru that the page has to mention <div class="clearfix"></div> at the bottom (check this by editing the page in **text** mode before updating)




These views are heavily customised by CSS, so try commenting out the relevant lines if you need to play

#### Adding new teachers

There's two methods of adding new teachers:

- 1:b) Teacher (or work exchange student) uploads bio via "Teachers">"Submit Bio" menu
- 1:a) Admin approves / publishes entry (you can bulk select and approve many or check each one and make required edits before publishing)





2) Admin adds teacher bio via the dashboard /teachers/add new (or as above - just select "Add new Listing" and fill out the required fields before publishing)



### **Gallery**

The gallery page is also just a placeholder for shortcode. Albums here are displayed using the Justified Image Grid plugin.


### Justified Image Grid

The current shortcode is:

[justified\_image\_grid preset=3 link\_title\_field=title img\_alt\_field=description caption=reverse-slide limit=0 last\_row=flexible load\_more=click load\_more\_limit=50 facebook\_id=439601926113527 facebook\_album=overview\_only\_albums facebook\_description=yes]

This can be edited by copy and pasting into the plugin's shortcode editor, found on every page / post rich editor

( 🔛 )




From here you have options to customise the view.



#### **Articles**

The articles page is another shortcode holder... this time for The Grid plugin. To customise this view go to the grid menu and edit "articles"




This Grid is set to display all posts of normal type with the category Articles, so to add a new article to this page just add a new post in the usual way. Set the post category to Articles and add further categories as required.



#### **Manual**

The manual page is another shortcode holder... this time for The Grid plugin. To customise this view go to the grid menu and edit "manual"



This Grid is set to display all posts of custom type = Manual.

Manual Entries are **SUPER** easy to create (providing you stick to the road)

#### For video only entries:

- 1) Click "New">"Manual entry"
- 2) Give it a title
- 3) Paste in the URL of a movie
- 4) Select "video" under "Format"
- 5) Select the "category" (ie "warm-up") (manual entries can have multiple entries)
- 6) Click publish and you're done... 30 seconds.

For **multimedia** (text and pictures and / or movies) entries:

- 1) Click "New">"Manual entry"
- 2) Give it a title
- 3) Paste / type in the content. Please **TRY** to adhere to some sort of standard practice in the insertion of content to give the manual a more professional feel. I'd suggest spell-checking entries, centralising content, using as few words as possible and pasting without formatting to stick to as fewer fonts as possible.
- 4) Select "standard" under "Format"
- 5) Select the "category" (ie "warm-up") (manual entries can have multiple entries)
- 6) Click publish and you're done.

The Grid plugin has excellent documentation: <a href="http://theme-one.com/docs/the-grid/">http://theme-one.com/docs/the-grid/</a>



### **Bonus Features**

### **Adding / Editing Schedules**

Just copy and paste from Excel, Numbers or any other table, or build and edit in the editor. Responsive Table scroller plugin will do the rest. Updating the schedule is now a 2 minute job!

### **Google Forms**

Google forms plugin allows users to use forms in your site without leaving and going to a google docs ID.

Go to the Google forms menu, add new, follow the directions on screen.

Bear in mind that the forms plugin does not bring over any styling from Google, so if elements look out of place you will have to style them with some custom CSS

### **Popup Maker (trigger warning)**

The popup maker is used to show a nag window over the manual. Popup maker gives you a huge range of styles and triggers to choose from. Check it out.



### **Appendix A: Suggested Future Changes**

- Zerif lite has now been removed from the Wordpress common marketplace: see this
  article for more details. This doesn't look to cause any issues soon, but ultimately a
  transition to Zerif Pro; to another premium theme with high use and good support; or to a
  lighter theme (Twenty Seventeen for example) with "Site Origin Page Builder" plugin or
  similar to recreate a media rich front end.
- Consider installing a caching plugin that makes use of CDN, minify etc and configuring appropriately. "W3 Cache" is recommended and has been tested with the site. Backup before using "Minify options". Alternatively, combination https://wordpress.org/plugins/wp-super-cache/ and https://wordpress.org/plugins/autoptimize/ and https://wordpress.org/plugins/remove-query-strings-from-static-resources/ might be what the doctor ordered. My tests showed minimal improvement from using WP Super Cache on its own vs W3 (wait until site is close to release: these plugins affect troubleshooting and style change previews)
- Consider adding a section of most recently added "Manual" moves to front page.
- Security integration: Roles need to be managed by the admin to delegate work without compromising security. This document covers it well: <a href="http://www.wpbeginner.com/beginners-guide/wordpress-user-roles-and-permissions/">http://www.wpbeginner.com/beginners-guide/wordpress-user-roles-and-permissions/</a> (you need to choose who will have what role and have them log in)
- Configuration of SEO: for each page we need to go through and set the Yoast SEO snippets, ensure the pages are geared to SEO as well as they possibly can be and check that they are appearing correctly on Facebook: <a href="https://developers.facebook.com/tools/debug/">https://developers.facebook.com/tools/debug/</a> (this can only be done after content is set)
- Suggest addition of a call to action banner or sexy image linking to Events on the bottom of each main page (you need to choose / produce an image / banner).
- Suggest a prominent but well styled "sign up" now link / image / banner on every tab of events to drive people to sign up (you need to choose / produce an image / banner).
- The Business directory plugin is highly customisable: you can change the required content to whatever you want. Make sure it suits your needs. I would recommend you check out "Teacher Admin"/"Manage Form Fields" and "Manage Options" from the dashboard.
- Social login needs to be <u>configured</u> to allow login with Google (you'll need a google api key. Martin, Emily and Whitney have a social login account.



# Appendix B: Visual Walkthrough of Site

(Please click a link to load screenshots)

- Front Page
- About
- Events
  - o <u>Event</u>
- <u>Teachers</u>
  - o <u>Teacher</u>
- Media
  - o <u>Gallery</u>
  - o <u>Articles</u>
    - Article
- <u>Manual</u>



# **Appendix C: Custom Styles**

(note that these will not work when applied through styles.css - only select styles will be applied (parsing errors / application order) - they work when set via "Simple Custom CSS and JS" plugin for reasons that still elude me. You can find the separate CSS files under Content/Uploads... again, for reasons that elude me.

```
/*1.1 post baseline code*/
wpbdp-listing img {
   height: 225px;
.wpbdp-excerpt {
  float: left;
  height: 320px;
  width: 100%;
<!-- start Simple Custom CSS and JS -->
<style type="text/css">
/*Not happy with these generic headers */
input[type="email"] {
  width: 220px;
  border: 1px solid;
input[type="submit"] {
  margin: 5px!important;
validate {
 text-align: center;
div#thismydivfool {
 text-align: center
input#mce-EMAIL.emailz {
 background-color: #4c4c4c
input#mc-embedded-subscribe.button {
 background-color: #4c4c4c
}</style>
<!-- end Simple Custom CSS and JS -->
<!-- start Simple Custom CSS and JS -->
<style type="text/css">
.wpbdp-page-main_page #wpbdp-categories {
  display:none;
}
<!-- end Simple Custom CSS and JS -->
<!-- start Simple Custom CSS and JS -->
<style type="text/css">
.about-us p {
  color: #dadada;
  font-size: medium;
.team-member .details {
```



```
text-align: center;
  font-size: small;
}
.team-member .position {
  font-size: inherit;
.our-team {
  padding-bottom: 0px;
  padding-top: 50px;
}
.testimonial {
 background: #00a3d7;
.contact-us .custom-button {
  float: inherit;
  margin-right: 0px;
.focus {
  padding-top: 50px;
   padding-bottom: 50px;
.focus .row .focus-box {
  display: inline-block;
  margin-right: 25px;
  margin-left: 25px;
}
.focus-box p {
  font-size: medium;
.section-header .section-legend {
  font-size: larger;
.focus-box h3 {
  color: #000000;
.focus-box .service-icon {
          width: 150px;
          height: 150px;
          border: 0px solid #01a3d7;
.focus-box p {
  color: #000000;
}</style>
<!-- end Simple Custom CSS and JS -->
<!-- start Simple Custom CSS and JS -->
<style type="text/css">
.wpbdp-submit-page.step-images .wpbdp-image {
  margin-left: 2px!important;
.wpbdp-cf, .cf {
  padding: 2px;
button, input[type="button"], input[type="reset"], input[type="submit"] {
  margin: 0px;
}</style>
<!-- end Simple Custom CSS and JS -->
<!-- start Simple Custom CSS and JS -->
<style type="text/css">
div.ss-form-desc {
  background: #43ae56;
```



```
color: #fff;
  font-size: 1.4em;
  line-height: 1.4;
  margin: 0 0 .8em;
  padding: .8em;
  width: auto;
  text-align: center;
div.ss-form-container {
  background: none;
  border: none;
  font-size: 1.1em;
  margin: 0 auto;
  max-width: 50em;
  padding: 0;
  width: auto;
.ss-section-title {
  background-color: #eee;
  padding: 0.4em;
  margin: 2em -0.4em 0;
}
.ss-q-title {
  display: block;
  font-weight: bold;
  line-height: 1;
         padding-bottom: 20px
textarea.ss-q-long {
  width: 100%;
  background: white;
  border-color: black;
  height: 50px;
td.ss-scalenumbers {
  PADDING: 0;
  BORDER-TOP: 0;
td.ss-scalerow {
  BORDER-TOP: 1PX SOLID #000;
 BORDER-BOTTOM: 1PX SOLID #000;
}
.ss-response-footer {
  display: none;
.ss-q-title {
  font-size: larger;
ol {
  margin: 0
}
div.ss-required-asterisk {
  padding-bottom: 22px;
.ss-required-asterisk {
  color: #b10007;
div.ss-form-entry>input {
  background-color: #ffffff;
  border: 1px solid black;
}</style>
<!-- end Simple Custom CSS and JS -->
```



```
<!-- start Simple Custom CSS and JS -->
<style type="text/css">
.widget_search input {
  color: #f7f7f7;
  background-color: rgb(76, 76, 76);
.footer-widget-wrap {
  background: rgb(39, 39, 39);
.footer-widget-wrap > .container {
  height: 30px;
.footer-widget-wrap > .container {
  height: auto!important
input[type="emailz"] {
  background-color: #4c4c4c;
@media (max-width: 1024px) and (min-width: 768px)
.container .company-details {
  padding-top: 40px;
  width: 100%
.container .company-details {
  padding-top: 40px;
  width: 100%!important;
</style>
<!-- end Simple Custom CSS and JS -->
<!-- start Simple Custom CSS and JS -->
<style type="text/css">
.tg-grid-wrapper.tg-grid-loaded .tg-filters-holder, .tg-grid-wrapper.tg-grid-loaded .tg-search-holder, .tg-grid-wrapper.tg-grid-loaded
.tg-sorters-holder{
  text-transform: uppercase;
  font-weight: bold;
}</style>
<!-- end Simple Custom CSS and JS -->
<!-- start Simple Custom CSS and JS -->
<style type="text/css">
@media screen and (max-width: 500px)
.wpbdp-listing.wpbdp-listing-excerpt .listing-thumbnail {
  padding: 0px;
.wpbdp-excerpt{
float: left;
width:100%;
.clearfix:after {
visibility: hidden;
display: block;
font-size: 0;
content: " "
clear: both;
height: 0;
.clearfix {
display: inline-block;
 * html .clearfix {
height: 1%;
.clearfix {
display: block;
```



```
.listings{
text-align: center;
.wpbdp-listing-excerpt.odd{
background: initial!important;
background-color:initial!important;
.wpbdp-listing .listing-title {
border: 0px;
border-bottom: 0px
margin-bottom: 8px;
background: inherit;
.wpbdp-listing a {
color: #62CAF4;
text-decoration: none;
border-bottom: 0px
.wpbdp-listing-excerpt {
  padding: 10px;
  border-bottom: 0px;
.wpbdp-excerpt .listing-thumbnail {
float:initial!important;
.wpbdp-single .listing-details {
margin-left:160px;
.wpbdp-listing .listing-title a, .wpbdp-listing .listing-title h2 {
color: #044f8d;
text-decoration: none;
font-weight: bold;
font-size: 115%;
.wpbdp-listing .address-info label {
font-weight: bold;
display: block;
margin-bottom: 5px;
.wpbdp-listing .wpbdp-field {
margin: 4px 0;
.wpbdp-listing .wpbdp-field-type-textarea label {
display: block;
.wpbdp-listing .listing-actions {
text-align: right;
display:none;
}
*/
@media (min-width:320px) {
wpbdp-excerpt{
width:100%;
/* portrait e-readers (Nook/Kindle), smaller tablets @ 600 or @ 640 wide. */
@media (min-width:481px) {
.wpbdp-excerpt{
width:100%;
```



```
/* portrait tablets, portrait iPad, landscape e-readers, landscape 800x480 or 854x480 phones */
@media (min-width:641px) {
.wpbdp-excerpt{
width:50%;
/* tablet, landscape iPad, lo-res laptops ands desktops */
@media (min-width:961px) {
.wpbdp-excerpt{
width:50%;
/* big landscape tablets, laptops, and desktops */
@media (min-width:1025px) {
.wpbdp-excerpt{
width:33.333%;
/* hi-res laptops and desktops */
@media (min-width:1281px) {
.wpbdp-excerpt{
width:25%;
.wpbdp-single .listing-thumbnail {
float:left!important;
.wpbdp-listing .listing-details {
margin-left: 0px;
.wpbdp-listing .listing-details .cf {
  margin-left: 160px;
.wpbdp-listing .listing-title h2 {
color: #01a3d7;
font-size: xx-large;
.wpbdp-single .listing-thumbnail {
float: left;
display: block;
margin-bottom: 30px;
margin-right: 30px;
.wpbdp-listing .listing-title a, .wpbdp-listing .listing-title h2 {
color: #01a3d7;
.wpbdp-listing .listing-actions {
text-align: left;
.wpbdp-listing-single .listing-title {
padding: 0px 0px;
.field-value label {
display: none !important;
.wpbdp-listing-excerpt .listing-actions {
display: none;
.wpbdp-listing .listing-actions input.back-to-dir {
display: none !important;
.listing-actions input.delete-listing {
```



```
display: none;
/*.entry-content p {
     text-align: start;*/
.wpbdp-listing-excerpt {
     border-bottom: 0px;
.wpbdp-excerpt .listing-thumbnail {
     height: 225px;
}
DIV#wpbdp-page-main page {
  display:none;
}</style>
<!-- end Simple Custom CSS and JS -->
<!-- start Simple Custom CSS and JS -->
<style type="text/css">
.sofia .tg-media-button, .sofia .tg-link-button {
     line-height: 200px !important;
.sofia .tg-media-button i, .sofia .tg-link-button i {
     line-height: 200px !important;
}</style>
<!-- end Simple Custom CSS and JS -->
<!-- start Simple Custom CSS and JS -->
<style type="text/css">
HTML > BODY > DIV#mobilebgfix > DIV.mobile-bg-fix-whole-site > DIV#container > DIV.container >
DIV#primary > MAIN#main > ARTICLE > DIV.entry-content > P > IFRAME {
         display: block;
         width: 100%;
    } </style>
<!-- end Simple Custom CSS and JS -->
<!-- start Simple Custom CSS and JS -->
<style type="text/css">
.responsive-tabs .responsive-tabs list item--active, .responsive-tabs .responsive-tabs list item--active:hover {
     background: #01a3d7 !important;
     border-color: #00a3d7 !important;
     color: #f5f5f5 !important;
     font-weight: bolder !important;
}
.responsive-tabs list item {
     background: #000 !important;
border: 1px solid #404040 !important;
     border-top-left-radius: 10px !important;
     border-top-right-radius: 10px !important;
     color: #f5f5f5 !important;
.responsive-tabs .responsive-tabs panel {
border: 1px solid rgba(255,255,255,.15) !important;
     border-top: 5px solid #00a3d7 !important;
}</style>
<!-- end Simple Custom CSS and JS -->
<!-- start Simple Custom CSS and JS -->
<style type="text/css">
.jig-fbBreadcrumb {
     font-size: inherit;
<!-- end Simple Custom CSS and JS -->
<!-- start Simple Custom CSS and JS -->
<style type="text/css">
.intro-text {
```



```
border-style: solid;
  border-width: 6px;
</style>
<!-- end Simple Custom CSS and JS -->
<!-- start Simple Custom CSS and JS -->
<style type="text/css">
.navbar>.container .navbar-brand, .navbar>.container-fluid .navbar-brand {
  margin-left: 0px;
.navbar-brand {
  height: 96px;
}</style>
<!-- end Simple Custom CSS and JS -->
<!-- start Simple Custom CSS and JS -->
<style type="text/css">
@media (min-width: 992px)
.col-md-9 {
  width: 99;
.sidebar-wrap.content-left-wrap {
  display: none;
}</style>
<!-- end Simple Custom CSS and JS -->
<!-- start Simple Custom CSS and JS -->
<style type="text/css">
.nav > li.current_page_item a, .nav > li.current-menu-item a {
  color: #00a3d7;
ul.nav > li.current_page_item > a:before, .nav > li.current-menu-item > a:before {
  background: #00a3d7;
.listpost-content-wrap h1.entry-title a:hover{
  color: #00a3d7;
.navbar-inverse .navbar-nav>li>a:hover,
.navbar-inverse .navbar-nav>li>a.link-focus {
         color: #00a3d7;
@media (max-width: 767px)
.dropdownmenu {
  background: url(images/menu-icon.png) center center no-repeat #000;
.navbar-toggle.active {
  background-color: #00a3d7 !important;
.navbar-inverse .navbar-nav>li>a.link-focus {
          color: #00a3d7;
.navbar-inverse .navbar-toggle:hover,.navbar-inverse .navbar-toggle:focus {
          background-color: #00a3d7;
.navbar-inverse .navbar-nav>li>a:hover,
.navbar-inverse .navbar-nav>li>a:focus {
          color: #00a3d7;
.navbar-inverse .navbar-nav>li.current>a {
          color: #00a3d7;
li.current>a:before {
          background: #00a3d7;
```



```
ul.nav > li.current > a:before,
.page ul.nav > li.current-menu-item > a:before,
.single-post ul.nav > li.current-menu-item > a:before,
.archive ul.nav > li.current-menu-item > a:before {
          background: #00a3d7;
ul.nav > li.current_page_item.current > a:before {
          background: #00a3d7;
.this-open > a {
                    color: #00a3d7 !important;
          }
.navbar-inverse .navbar-nav ul.sub-menu li:hover > a,
.navbar-inverse .navbar-nav ul.sub-menu li.link-focus > a {
          color:#00a3d7;
HTML > BODY > DIV#mobilebgfix > DIV.mobile-bg-fix-whole-site > HEADER#home > DIV#main-nav > DIV.container > NAV>
UL.nav.navbar-nav.navbar-right.responsive-nav.main-nav-list > LI.has_children > P.dropdownmenu {
    background-color: rgba(0,163,215,1);
.dropdownmenu {
  background-color: #00a3d7!important;
}</style>
<!-- end Simple Custom CSS and JS -->
<!-- start Simple Custom CSS and JS -->
<style type="text/css">
.single-tribe_events .tribe-events-single-event-title {
  font-size: 2em;
.tribe-events-sub-nav {
 display: none
#tribe-events .tribe-events-content p, .tribe-events-after-html p, .tribe-events-before-html p {
  line-height: 1.2;
}
.tribe-bar-disabled .tribe-bar-filters .tribe-bar-date-filter {
  display: none;
.tribe-event-url a {
   font-size: 22px;
h2.tribe-events-page-title {
  text-align: left;
  font-size: 26px;
          font-weight: 700
.tribe-events-list-separator-month {
  background-color: #01a3d7;
  color: white;
.single-tribe_events #tribe-events-header {
  display: none;
.tribe-events-list .tribe-events-venue-details {
  border-top: 1px solid #eee;
  margin-top: 12px;
  padding: 8px 0px 0;
span {
  font-size: inherit;
```



```
.responsive-tabs responsive-tabs__list__item--active {
  background: #000;
a{
 font-size: inherit;
single-tribe_events .tribe-events-event-image {
  text-align: center;
  width: 100%;
.tribe-events-event-image img {
  width: 100%;
.single-tribe_events .tribe-events-schedule .tribe-events-cost {
  display: none;
  vertical-align: middle;
.tribe-events-schedule h2 {
  color: black;
media="only screen and (max-width: 768px)"
.tribe-events-event-meta .column, .tribe-events-event-meta .tribe-events-meta-group {
  display: inherit;
tribe-events-event-meta tribe-events-meta-group {
  margin: 0 0 20px;
  padding: 0 2%;
.single-tribe_events .tribe-events-venue-map {
  width: 100%;
.tribe-events-event-meta .column, .tribe-events-event-meta .tribe-events-meta-group {
  padding: 0 2%;
h2.tribe-events-page-title {
  font-size: 32px;
.tribe-events-event-image img {
  padding: 0px 0 5px 0;
.tribe-events-loop .tribe-events-content {
  float: none!important;
          width: 100%!important;
}</style>
<!-- end Simple Custom CSS and JS -->
<!-- start Simple Custom CSS and JS -->
<style type="text/css">
.entry-meta {
  margin-top: 10px;
  display: none;
.post .entry-footer {
  display: none;
.entry-footer {
  display: none;
div#respond {
 display: none
<!-- end Simple Custom CSS and JS -->
```



```
<!-- start Simple Custom CSS and JS -->
<style type="text/css">
a {
          color: #00A3D7;
a:visited {
          color: #00A3D7;
}
a:hover,
a:focus,
a:active {
          color: #00A3D7;
</style>
<!-- end Simple Custom CSS and JS -->
<!-- start Simple Custom CSS and JS -->
<style type="text/css">
.entry-content button, .entry-content input[type="button"], .entry-content input[type="reset"], .entry-content input[type="submit"] {
  background-color: #00A3D7;
</style>
<!-- end Simple Custom CSS and JS -->
<!-- start Simple Custom CSS and JS -->
<style type="text/css">
.fb_iframe_widget {
  padding-top: 5px;
 padding-bottom: 5px;
.fb_iframe_widget {
  display: -webkit-box!important;
.fb_iframe_widget {
  line-height: 5.2;
}
.fb iframe widget {
  line-height: 2.8;
div#PATITLE {
  display: -webkit-inline-box!important;
  font-size: larger;
  line-height: 2;
  font-weight: bold;
  color: #00a3d7;
   text-align: -webkit-left;
.menu-align-center .responsive-logo {
  width: 100%;
  text-align: start;
}</style>
<!-- end Simple Custom CSS and JS -->
<!-- start Simple Custom CSS and JS -->
<style type="text/css">
.entry-title:after {
 display: none;
.entry-title:before {
  display: none;
}
```



```
.entry-title {
    font-size: 32px;
}
.entry-title, .entry-title a, .widget-title, .widget-title a {
    line-height: inherit;
    color: #00a3d7;
}
h1, h2 {
    color: #01a2d7;
}
</style>
<!-- end Simple Custom CSS and JS -->
<!-- start Simple Custom CSS and JS -->
<style type="text/css">
    zerif-copyright-box {
    display: none;
}
</style>
<!-- end Simple Custom CSS and JS -->
```

