

Alcyon Web Services for veterinary softwares

Detailed Technical Specifications

Version 2.3

1. Document history	1
2. Document's goals	2
3. Authentication	2
4. General	2
5. Cart update	3
6. Products bought from Alcyon during the last 12 months	4
7. Catalog	6
8. Packing slip	7
9. Backorder cancelation	9
10. Sales Order	10

1. Document history

Redactors / Contributors	V.	Detail	Date
Alcyon	1	Initialisation	17/10/2017
Alcyon	1.1	Updates: 202 error code meaning + Error response body	17/10/2017
Alcyon	1.2	Update: Backorder cancelation Web Service is ready + Error response body	17/10/2017
Jacques-Etienne Baudoux (Alcyon)	2	Added Sales Order webservice.	22/07/2019
Jacques-Etienne Baudoux (Alcyon)	2.1	Updated Sales Order webservice to include "suite_name"	15/10/2019
Jacques-Etienne Baudoux (Alcyon)	2.2	Changed Sales Order webservice endpoint "sales-order" to "sales_order"	29/10/2019

		Added example	
Jacques-Etienne Baudoux (Alcyon)	2.3	In Sales Order webservice endpoint, removed the ':' in the since parameter. Changed "1977-04-22T06:00:00Z" to "1977-04-22T060000Z"	13/11/2019

2. Document's goals

Alcyon opens its e-commerce platform to third party software providers in order to allow a better integration between specialized veterinary software and the e-commerce platform. The 3rd parties software currently work via manual download and csv file processing. This document aims to provide a high level definition for the webservices offered by Alcyon.

The **client software** refers to the specialised veterinary software.

The **customer** refers to the veterinary using the client software.

3. Authentication

The authentication is made by using the http auth basic authorization header through WSO2. This authentication works by sending in the http header "Authorization" the base64 encoded string "username:password" where:

Username is the Magento's customer attribute "username".

Password is the Magento's customer account password

For example:

Authorization: Basic QWxhZGRpbjpPcGVuU2VzYW1l

If the username or password is wrong, the service will answer an error with the message :
"Wrong username / password combinaison".

4. General

We use REST architecture for all services.

The url to access these services is build like this:

`https://api.alcyonbelux.be/magento-api/<%username%>/<%service%>/<%param%>/<%value%>`

Where:

- **username:** The Magento's customer attribute "username" of the user. It's the same than the one use for authentication.
- **service:** The name of the service.
- **param:** The name of the parameter. It may be not required depending on the service called.
- **value:** The corresponding value of the parameter.

If the username is wrong, an error message is returned saying "User not found".

IMPORTANT : For all webservises described below, we consider that parameters are correctly formatted.

IMPORTANT : A 202 HTTP code is returned when a request cannot be understood by our platform (wrong URL api, wrong protocol, wrong method, ..). That means there is a problem in API configuration call.

5. Cart update

This service is used to fill the cart of a customer. The list of products and their quantities are sent in the request body. The response is empty with a Location header to redirect on the cart page.

The call updates the cart on website if one already exists. Products are added to the cart which means that all products already in the cart stay in the cart. If a product added by the call was already in the cart, the quantity is added to the quantity in the cart.

If the customer wants to decrease or remove a product from his cart, he has to go to the cart page and do it manually.

Method	GET
Service name	quote
Parameter	/
Response body	<pre><quote> <order_reference>Test</order_reference> <serial_number>32345</serial_number> <email_address>toto@test.com</email_address> <comments>This is a test</comments> <item> <sku>8279272</sku> <qty>1</qty> </item> <item> <sku>5270001</sku> <qty>8</qty> </item> ... </quote></pre>
Success response	201 HTTP code There will be header "Location" set with the cart page url : Location: https://<%domain%>/checkout/cart/index/ Where: • domain: The domain name of the website accessible from the outside by the veterinary software.

Error response	In case a product from the request is not active or not accessible by the customer, the response code will be a 200 and an error message is returned by web service : <error>The product <sku> is not available</error> Or <error>The products <sku1>, <sku2>, <sku3> are not available</error>
----------------	---

(1) where :

- (a) <order_reference> is the free reference found in order summary page. Optional.
- (b) <serial_number> is the serial number found in order summary page. Optional.
- (c) <email> is the customer email. Optional.
- (d) <comments> is the comment found in order summary page. Optional.
- (e) <item> represents a product to add in the cart. Required

Url example:

<https://api.alcyonbelux.be/magento-api/DEMO%20CUSTOMER/quote>

Comments:

After the call, veterinary software must redirect its customer to a browser and open the page defined in "Location".

6. Products bought from Alcyon during the last 12 months

This service returns the list of products bought from Alcyon, by the customer during the last 12 months. Only the products that are active and accessible by the customer are returned.

Method	GET
Service name	price-list
Parameter	/
Response body	<pre> <price_list> <item> <Reference>Product reference</Reference> <Article>Product name in French</Article> <Mot_Cle>Categories where the product is placed on website, in French</Mot_Cle> <Fabricant>Manufacturer</Fabricant> <Code_national>CNK code</Code_national> <Prix_Vente_Indicatif>PVI</Prix_Vente_Indicatif> <TVA>VAT rate</TVA> <Prix_Brut_HTVA_EUR>Gross price ex VAT</Prix_Brut_HTVA_EUR> <Prix_Brut_TVAC_EUR>Gross price with VAT</Prix_Brut_TVAC_EUR> <Article_NL>Product name in Dutch</Article_NL> <ean_13>EAN13 of the product</ean_13> <Article_EN>Product name in English</Article_EN> <Categorie_NL>Categories where the product is placed on website, in Dutch</Categorie_NL> <Category_EN>Categories where the product is placed on website, in </pre>

	<pre> English</Category_EN> <promotions> <item> <promotion>Type of promotion</promotion> promotion_valid_until>Expiry date of the promotion</promotion_valid_until> </item> </promotions> <url>Url to reach directly the product page on website</url> <ext_cti>CTI extended code</ext_cti> </item> <item> <Reference>0846006</Reference> <Article>LANOXIN 0,25MG 120CP</Article> <Mot_Cle>Cascade médicaments humains</Mot_Cle> <Fabricant>NC</Fabricant> <Code_national></Code_national> <Prix_Vente_Indicatif>4.16</Prix_Vente_Indicatif> <TVA>6%</TVA> <Prix_Brut_HTVA_EUR>0</Prix_Brut_HTVA_EUR> <Prix_Brut_TVAC_EUR>0</Prix_Brut_TVAC_EUR> <Article_NL>LANOXIN 120CP 0,25MG</Article_NL> <ean_13></ean_13> <Article_EN>LANOXIN 0,25MG 120CP</Article_EN> <Categorie_NL>Cascade menselijke geneesmiddelen</Categorie_NL> <Category_EN>Human drug cascade</Category_EN> <promotions> <item> <promotion>10% off</promotion> promotion_valid_until>2017-12-31</promotion_valid_until> </item> </promotions> <url>https://www.alcyonbelux.be/fr/lanoxin-0-25mg-120cp.html</url> <ext_cti></ext_cti> </item> <item> <Reference>6724414</Reference> <Article>IODURE VETOVEINE 250ml</Article> <Mot_Cle>Cascade importation</Mot_Cle> <Fabricant>ALCYON SITE ARRAS MEDICAMENTS</Fabricant> <Code_national></Code_national> <Prix_Vente_Indicatif>24.77</Prix_Vente_Indicatif> <TVA>6%</TVA> <Prix_Brut_HTVA_EUR>16.12</Prix_Brut_HTVA_EUR> <Prix_Brut_TVAC_EUR>17.09</Prix_Brut_TVAC_EUR> <Article_NL>IODURE VETOVEINE 250ml</Article_NL> <ean_13></ean_13> <Article_EN>IODURE VETOVEINE 250ml</Article_EN> <Categorie_NL>Cascade import</Categorie_NL> <Category_EN>Import cascade</Category_EN> <promotions> <item> <promotion>FREE products</promotion> promotion_valid_until>2017-12-31</promotion_valid_until> </item> </promotions> <url>https://www.alcyonbelux.be/fr/catalog/ product/view/id/1755/</url> <ext_cti></ext_cti> </item> ... </pre>
--	---

	</price_list>
Error response	In case there is no products to return, the response code will be a 200 and an error message is returned by web service : <error>No bought product has been found</error>

Url example:

<https://api.alcyonbelux.be/magento-api/DEMO%20CUSTOMER/price-list>

Comments:

For each product, veterinary software has to add a link to product page on Alcyon website (using <url> in the response). It will allows the customer to see characteristics of the product (concerned species, active principles, administration route, etc), and its statistics.

7. Catalog

This service returns the whole list of active and accessible products sold by Alcyon.

Method	GET
Service name	catalog
Parameter	- language - values: fr, en, nl - Required
Response body	<pre> <catalog> <item> <Reference>Product reference</Reference> <Article>Product name, in French (*Empty if paramater is not 'fr')</Article> <Mot_Cle>Categories where the product is placed on website, in French (*Empty if paramater is not 'fr')</Mot_Cle> <Fabricant>Manufacturer</Fabricant> <Code_national>CNK code</Code_national> <Prix_Vente_Indicatif>PVI</Prix_Vente_Indicatif> <TVA>VAT rate</TVA> <Prix_Brut_HTVA_EUR>Gross price ex VAT</Prix_Brut_HTVA_EUR> <Prix_Brut_TVAC_EUR>Gross price with VAT</Prix_Brut_TVAC_EUR> <Article_NL>Product name, in Dutch (*Empty if paramater is not 'nl')</Article_NL> <ean_13/> <Article_EN>Product name, in English (*Empty if paramater is not 'en')</Article_EN> <Categorie_NL>Categories where the product is placed on website, in Dutch (*Empty if paramater is not 'nl')</Categorie_NL> <Category_EN>Categories where the product is placed on website, in English (*Empty if paramater is not 'en')</Category_EN> <promotions> <item> <promotion>Type of promotion</promotion> promotion_valid_until>Expiry date of the </pre>

	<pre> promotion</promotion_valid_until> </item> </promotions> <url>Url to reach directly the product page on website</url> <ext_cti/> </item> <item> <Reference>1202803</Reference> <Article>ALUSPRAY ALUBAN 200ML PRODIVET</Article> <Mot_Cle>Parapharmacie</Mot_Cle> <Fabricant>PRODIVET PHARMACEUTICALS SA</Fabricant> <Code_national>2332013</Code_national> <Prix_Vente_Indicatif>4.49</Prix_Vente_Indicatif> <TVA>6%</TVA> <Prix_Brut_HTVA_EUR>2.92</Prix_Brut_HTVA_EUR> <Prix_Brut_TVAC_EUR>3.1</Prix_Brut_TVAC_EUR> <Article_NL></Article_NL> <ean_13/> <Article_EN></Article_EN> <Categorie_NL></Categorie_NL> <Category_EN></Category_EN> <promotions/> <url>https://www.alcyonbelux.be/fr/catalog/product/view/id/4/</url> <ext_cti/> </item> ... </catalog> </pre>
Error response	In case of the parameter 'language' is not set, the response code will be a 200 and an error message is returned : <pre><error>Language code is a required parameter</error></pre>

Url example:

<https://api.alcyonbelux.be/magento-api/DEMO%20CUSTOMER/catalog/language/FR>

Comments:

For each product, veterinary software has to add a link to product page on Alcyon website (using <url> in the response). It will allows the customer to see characteristics of the product (concerned species, active principles, administration route, etc), and its statistics.

8. Packing slip

The data is updated in Magento once a day during the night.

	Value
Method	GET
Service name	packing-slip
Parameter	date: YYYY-MM-DD date of the last update date of the previous request. So at each request, the client needs to store the max date to use it in

	the following requests
Response body	<pre> <packing_slip> <note> <ne_id>Delivery note number</ne_id> <date>Date of the delivery note</date> <email>Email address of the customer</email> <name>Customer name</name> <address>Street name in postal address of the customer</address> <locality>City in postal address of the customer</locality> <country>Country in postal address of the customer</country> <items> <item> <reference>Product reference</reference> <article>Product name</article> <qty>Shipped quantity</qty> <prix_net_htva>Price net of tax</prix_net_htva> <prix_brut_htva>Gross price ex VAT</prix_brut_htva> <tva>VAT rate</tva> <lot>Lot number</lot> <peremption>Expiry date</peremption> <numero_de_suite>Serial number</numero_de_suite> </item> ... </items> </note> <note> <ne_id>01730010</ne_id> <date>2017-01-14</date> <email>toto@test.be</email> <name>Dr Vét. BATAILLE EMMANUEL*</name> <address>Avenue du test 43</address> <locality>1000 BRUXELLES</locality> <country>Belgique</country> <item> <reference>8270063</reference> <article>PROCAINE 4% + ADREN 250ml VMD</article> <qty>12</qty> <prix_net_htva>3</prix_net_htva> <prix_brut_htva>3</prix_brut_htva> <tva>6%</tva> <lot>0161822</lot> <peremption>2020-08-30</peremption> <numero_de_suite>317/6/4537/0347</numero_de_suite> </item> <item> <reference>7920043</reference> <article>AIG SUT 3/8 COUP 70mm SMI Z504 (12)</article> <qty>2</qty> <prix_net_htva>10</prix_net_htva> <prix_brut_htva>10</prix_brut_htva> <tva>21%</tva> <lot></lot> </pre>

	<pre> <peremption></peremption> <numero_de_suite></numero_de_suite> </item> </note> ... </packing_slip> </pre>
Error response body	In case there is no packing slip to return, the response code will be a 200 and an error message is returned by web service : <pre><error>no packing slips have been found</error></pre> In case the format of the date is incorrect, the response code will be a 200 and an error message is returned by web service : <pre><error>the date format was not recognized</error></pre> In case there are more than 300 packing slips to return, the response code will be a 200 and an error message is returned by web service : <pre><error>The limit of 300 files have been reached</error></pre>

Url example:

<https://api.alcyonbelux.be/magento-api/DEMO%20CUSTOMER/packing-slip/date/2017-07-11>

Comments:

'Date' parameter has to be the date of the last call of this webservice (or 30 days before today).

For the first call, it has to be the date of the last "Note d'envoi" file upload in veterinary software.

9. Backorder cancelation

This service returns the list of cancelled products in orders placed by the customer. The canceled item come from the web order items and non web order items.

	Value
Method	GET
Service name	cancelled_backorder
Parameter	date_cancelled : YYYY-MM-DD Optional If filled, it represents the date starting from when the cancelled backorder items will be included in the response. If not filled, all cancelled backorder items (since April 2017) will be included in the response
Response body	<pre> <backorders_cancelled> <order> <internal_order_id>Order number</internal_order_id> </item> <sku>Product reference which was cancelled</sku> <qty_cancelled>Cancelled quantity</qty_cancelled> <qty_ordered>Ordered quantity</qty_ordered> </pre>

	<pre> <date_cancelled>Cancellation date</date_cancelled> </item> etc... </order> <order> <internal_order_id>100000009</internal_order_id> <item> <sku>1203223</sku> <qty_cancelled>1</qty_cancelled> <qty_ordered>1</qty_ordered> <date_cancelled>2017-09-20</date_cancelled> </item> <item> <sku>0837484</sku> <qty_cancelled>1</qty_cancelled> <qty_ordered>1</qty_ordered> <date_cancelled>2017-09-20</date_cancelled> </item> </order> <order> <internal_order_id>100000272</internal_order_id> <item> <sku>5230522</sku> <qty_cancelled>1</qty_cancelled> <qty_ordered>1</qty_ordered> <date_cancelled>2017-09-20</date_cancelled> </item> </order> </backorders_cancelled> </pre>
Error response body	In case there is no packing slip to return, the response code will be a 200 and an error message is returned by web service : <pre><error>no order was found</error></pre>

Url example:

https://api.alcyonbelux.be/magento-api/DEMO%20CUSTOMER/cancelled_backorder/date_cancelled/2017-07-17

Comments:

'Date_cancelled' parameter has to be the date of the last call of this webservice (or 30 days before today).

10. Sales Order

This service returns the sales order with the list of lines and their status.

The data is available in real-time on Magento

	Value
Method	GET

Service name	sales_order
Parameter	since: 1977-04-22T060000Z (in UTC) date of the last update date of the previous request. So at each request, the client needs to store the max date to use it in the following requests
Response body	<pre> <data> <order> <web_id>100069044</web_id> <erp_name>SO32532</erp_name> <suite_name>317/6/4537/0347</suite_name> <date>YYYY-MM-DD</date> <reference>client order reference</reference> <lines> <line> <line_id>Line id</line_id> <sku>Product reference</sku> <qty_ordered>Ordered quantity</qty_ordered> <qty_delivered>Delivered quantity</qty_delivered> <qty_canceled>Canceled quantity</qty_canceled> </line> ... </lines> </order> ... </data> Example: <data> <order> <web_id>746611</web_id> <erp_name/> <suite_name>317/6/4537/12</suite_name> <date>2019-10-28</date> <reference/> <lines> <line> <line_id>0</line_id> <sku>1397231</sku> <qty_ordered>1</qty_ordered> <qty_delivered>0</qty_delivered> <qty_canceled>0</qty_canceled> </line> <line> <line_id>10</line_id> </pre>

	<pre><sku>1403294</sku> <qty_ordered>1</qty_ordered> <qty_delivered>0</qty_delivered> <qty_canceled>0</qty_canceled> </line> </lines> </order> </data></pre>

Url example :

https://api.alcyonbelux.be/magento-api/DEMO%20CUSTOMER/sales_order/since/1977-04-22T060000Z