Alisha Xu Scraping

Core Power 10Q Webscraping Script

```
-- Attaching core tidyverse packages ------------------------ tidyverse 2.0.0 --
v dplyr     1.2.1     v readr     2.2.0
v forcats   1.0.1     v stringr   1.6.0
v ggplot2   4.0.3     v tibble    3.3.1
v lubridate 1.9.5     v tidyr     1.3.2
v purrr     1.2.2
-- Conflicts ------------------------------------------ tidyverse_conflicts() --
x dplyr::filter() masks stats::filter()
x dplyr::lag()    masks stats::lag()
i Use the conflicted package (<http://conflicted.r-lib.org/>) to force all conflicts to becor

Attaching package: 'rvest'


The following object is masked from 'package:readr':

    guess_encoding



Attaching package: 'kableExtra'


The following object is masked from 'package:dplyr':

    group_rows


Loading required package: xts
```

```
Loading required package: zoo


Attaching package: 'zoo'


The following objects are masked from 'package:base':

    as.Date, as.Date.numeric



######################### Warning from 'xts' package #########################
#                                                                            #
# The dplyr lag() function breaks how base R's lag() function is supposed to #
# work, which breaks lag(my_xts). Calls to lag(my_xts) that you type or      #
# source() into this session won't work correctly.                           #
#                                                                            #
# Use stats::lag() to make sure you're not using dplyr::lag(), or you can add #
# conflictRules('dplyr', exclude = 'lag') to your .Rprofile to stop          #
# dplyr from breaking base R's lag() function.                               #
#                                                                            #
# Code in packages is not affected. It's protected by R's namespace mechanism #
# Set `options(xts.warn_dplyr_breaks_lag = FALSE)` to suppress this warning. #
#                                                                            #
##############################################################################


Attaching package: 'xts'


The following objects are masked from 'package:dplyr':

    first, last


Loading required package: TTR

Registered S3 method overwritten by 'quantmod':
  method            from
  as.zoo.data.frame zoo
```

```
www.sec.gov
```

```
Warning in request_handler_handler(request = request, handler =
on_client_error, : Event: on_client_error
```

```
Warning in request_handler_handler(request = request, handler =
on_file_type_mismatch, : Event: on_file_type_mismatch
```

```
Warning in request_handler_handler(request = request, handler =
on_suspect_content, : Event: on_suspect_content
```

```
[1] TRUE
```

```
Joining with `by = join_by(Company, Mean, Median, `St. Dev.`)`
Joining with `by = join_by(Company, Mean, Median, `St. Dev.`)`
Joining with `by = join_by(Company, Mean, Median, `St. Dev.`)`
Joining with `by = join_by(Company, Mean, Median, `St. Dev.`)`
Joining with `by = join_by(Company, Mean, Median, `St. Dev.`)`
```

Table 1: Company Stock Price Summary Statistics

Company	Mean	Median	St. Dev.
Microsoft	456.29	473.47	54.35
Alphabet (Google)	276.71	304.18	74.67
Meta	651.67	647.44	65.73
Nvidia	180.57	184.34	33.89
Apple	263.12	261.99	43.68
Tesla	370.59	376.16	59.89

```
Joining with `by = join_by(Company, Mean, Median, `St. Dev.`)`
Joining with `by = join_by(Company, Mean, Median, `St. Dev.`)`
Joining with `by = join_by(Company, Mean, Median, `St. Dev.`)`
Joining with `by = join_by(Company, Mean, Median, `St. Dev.`)`
Joining with `by = join_by(Company, Mean, Median, `St. Dev.`)`
```

Table 2: Company R&D Expense Summary Statistics

Company	Mean	Median	St. Dev.
Microsoft	8,440.75	8,351.0	353.42
Alphabet (Google)	16,052.50	16,091.5	1,958.20
Meta	18,638.25	18,876.5	2,840.37
Nvidia	5,592.75	5,513.0	1,309.99
Apple	10,725.25	11,153.0	1,287.35
Tesla	2,177.00	2,158.5	493.71