



Scan results from Helm Hypothesis testing

github.com/bitnami/charts

Started (UTC)

2026-09-22 17:56:48.000

Finished (UTC)

2026-09-22 18:13:44.403

Source commit

[6a8cccf3c29a1faabf0c34c8276a09ed14f3c5b3](https://github.com/bitnami/charts/commit/6a8cccf3c29a1faabf0c34c8276a09ed14f3c5b3)

Versions

Hypothesis 6.168.0; hypothesis-helm 0.1.0

Working directory

/Users/emmadoyle/projects/personal/hypothesis-helm

Scan command

```
hypothesis-helm test third_party/bitnami-charts --filter --disable-codes HH2006
--jobs 6 --chart-timeout 10m --max-examples 10 --seed 0 --no-cache --shard none
--artifact-dir docs/reports/bitnami-runs --report docs/reports/bitnami.md
--log-color --traversal-strategy sensitivity-first --max-mutations 48 --permutations
10 --sensitivity-timeout 9m
```



Table of contents

[Overview](#)

[Graph structure](#)

[Scan summary](#)

[Status counts](#)

[Settings](#)

[Charts](#)

[Appendix: plot guide](#)

[Appendix: sensitivity field keys](#)


[Appendix: finding codes](#)

Click a section to jump to it. The PDF bookmarks also link to individual charts and diagnostics.





Overview

Findings by chart



Testing time by chart



- Violation
- Warning
- Diagnostic
- No findings
- Incomplete
- Not tested
- Testing unfinished / unavailable


Read left to right, then down. Cell numbers match the chart sections; -- means timing unavailable.

Each cell is one chart; both grids follow chart-section order. Click a cell in the PDF for details. Colors show the highest observed finding kind, not a security or business-impact score. Hatching marks unfinished or unavailable testing, even when a finding was recorded. No findings means none in the completed sample, not exhaustive coverage. Testing time excludes dependency preparation. Plot guide: [Overview matrices](#).



Graph structure

Compiler graph structure: 115 of 115 report charts
Each point is one chart in this report



[Published compiler graph invariants](#)

Published graph measurements are available for 115 of 115 report charts. Vertices represent inputs, conditions, templates and manifest fields; edges connect them. The right panel counts independent loops after ignoring edge direction; C is the number of disconnected groups. Parallel edges count separately. These are structural measurements from the published chart diagrams, not bug counts. Plot guide: [Graph structure metrics](#).



Scan summary

Git comparison unavailable; no charts skipped using previous test results.

Directory: /Users/emmad Doyle/projects/personal/hypothesis-helm/third_party/bitnami-charts

Started (Unix epoch): 1790099808

Started (UTC): 2026-09-22T17:56:48.000+00:00

Finished (UTC): 2026-09-22T18:13:44.403+00:00

Run fingerprint (SHA-256): 492fa1e15a72c15d7d1c3e0c4006cda8e0a31762c9be48b7329af0d5b4540dfb

Versions: Hypothesis 6.168.0; hypothesis-helm 0.1.0

Elapsed (wall clock): 1015.73 seconds

Chart testing: 115.91 seconds

Dependency preparation: 886.48 seconds (excluded from testing budgets)

Charts discovered: 115

Scan status: completed

Discovery complete: True

Unstarted charts: 0

Results record outcomes for the tested sample and selected checks.

Baseline-only, skipped, blocked, and incomplete charts retain their respective statuses.

Status counts

114 unsupported-schema; 1 skipped-library.

Settings

Filtering: True | Seed: 0 | Traversal: sensitivity-first

Chart timeout: 600.0 seconds | Workers: 6

Complete settings are retained in the JSON report.

Command working directory: /Users/emmad Doyle/projects/personal/hypothesis-helm

Scan command:

```
hypothesis-helm test third_party/bitnami-charts --filter --disable-codes HH2006 --jobs 6 --chart-timeout 10m --max-examples 10 --seed 0 --no-cache --shard none --artifact-dir docs/reports/bitnami-runs --report docs/reports/bitnami.md --log-color --traversal-strategy sensitivity-first --max-mutations 48 --permutations 10 --sensitivity-timeout 9m
```

Generated values use the configured input domains and any supported destination constraints.


Coverage excludes inputs outside these domains; supplied defaults are tested unchanged. The JSON report records constraints and unresolved mappings.

Disabled checks: [HH2006](#)

Charts




[bitnami/airflow](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/airflow](#)

bitnami/airflow
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/airflow](#)

Overview cell: 01

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 1190. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.apiVersions``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.existingSecret``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.fernetKey``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.jwtSecretKey``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.password``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.secretKey``: Undocumented values path (warning)
- 1184 additional audit findings in JSON.




[bitnami/apache](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/apache
47 measured changes; 418 pairs (time-limit)



[Topology: bitnami/apache](#)

[Sensitivity: bitnami/apache](#)

[Sensitivity field key.](#)

Overview cell: 02

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 245. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.enabled``: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.maxReplicas``: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.minReplicas``: Undocumented values path (warning)
- 239 additional audit findings in JSON.




[bitnami/apisix](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/apisix](#)

bitnami/apisix
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/apisix](#)

Overview cell: 03

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 344. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.apiVersions``: Undocumented values path (warning)
- [HH2002](#) at `$.controlPlane.args[*]``: Unspecified values type (warning)
- [HH2001](#) at `$.controlPlane.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2003](#) at `$.controlPlane.autoscaling``: Missing values description (info)
- [HH2003](#) at `$.controlPlane.autoscaling.hpa``: Missing values description (info)
- [HH2003](#) at `$.controlPlane.autoscaling.vpa``: Missing values description (info)
- 338 additional audit findings in JSON.




[bitnami/appsmith](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/appsmith](#)

bitnami/appsmith
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/appsmith](#)

Overview cell: 04

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 543. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.backend.adminEmail``: Undocumented values path (warning)
- [HH2001](#) at `$.backend.adminPassword``: Undocumented values path (warning)
- [HH2001](#) at `$.backend.adminUser``: Undocumented values path (warning)
- [HH2001](#) at `$.backend.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.backend.args``: Undocumented values path (warning)
- [HH2001](#) at `$.backend.automountServiceAccountToken``: Undocumented values path (warning)
- 537 additional audit findings in JSON.




[bitnami/argo-cd](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/argo-cd](#)

bitnami/argo-cd
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/argo-cd](#)

Overview cell: 05

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 1251. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.applicationSet.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.applicationSet.args``: Undocumented values path (warning)
- [HH2001](#) at `$.applicationSet.clusterAdminAccess``: Undocumented values path (warning)
- [HH2001](#) at `$.applicationSet.clusterRoleRules``: Undocumented values path (warning)
- [HH2001](#) at `$.applicationSet.command``: Undocumented values path (warning)
- [HH2001](#) at `$.applicationSet.containerPorts``: Undocumented values path (warning)
- 1245 additional audit findings in JSON.




[bitnami/argo-workflows](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/argo-workflows
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not
support native effect: lookup

[Topology: bitnami/argo-workflows](#)

[Sensitivity: bitnami/argo-workflows](#)

Overview cell: 06

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 452. Full paths and template references are retained in the JSON report.


- [HH2001](#) at `$.clusterDomain``: Undocumented values path (warning)
- [HH2001](#) at `$.commonAnnotations``: Undocumented values path (warning)
- [HH2001](#) at `$.commonLabels``: Undocumented values path (warning)
- [HH2001](#) at `$.controller.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.controller.args``: Undocumented values path (warning)
- [HH2001](#) at `$.controller.automountServiceAccountToken``: Undocumented values path (warning)
- 446 additional audit findings in JSON.



[bitnami/aspnet-core](#)



bitnami/aspnet-core
47 measured changes; 405 pairs (time-limit)



[Topology: bitnami/aspnet-core](#)

[Sensitivity: bitnami/aspnet-core](#)

[Sensitivity field key.](#)

Overview cell: 07

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 224. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.appFromExistingPVC.enabled``: Undocumented values path (warning)
- [HH2001](#) at `$.appFromExistingPVC.existingClaim``: Undocumented values path (warning)
- [HH2001](#) at `$.appFromExistingPVC``: Undocumented values path (warning)
- [HH2001](#) at `$.appFromExternalRepo.clone``: Undocumented values path (warning)
- [HH2001](#) at `$.appFromExternalRepo.clone.depth``: Undocumented values path (warning)
- 218 additional audit findings in JSON.




[bitnami/cadvisor](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/cadvisor
47 measured changes; 419 pairs (time-limit)



[Topology: bitnami/cadvisor](#)

[Sensitivity: bitnami/cadvisor](#)

[Sensitivity field key.](#)

Overview cell: 08

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 192. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.clusterDomain``: Undocumented values path (warning)
- [HH2004](#) at `$.clusterDomain``: No supplied default for a values path (warning)
- [HH2001](#) at `$.command``: Undocumented values path (warning)
- 186 additional audit findings in JSON.




[bitnami/cassandra](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/cassandra](#)

bitnami/cassandra
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not
support native effect: lookup

[Sensitivity: bitnami/cassandra](#)


Overview cell: 09

Status: unsupported-schema | Attempts: N/A

Testing limitation: permutations need closed objects at (); set additionalProperties: false


Audit findings: 309. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity`: Undocumented values path (warning)
- [HH2001](#) at `$.args`: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken`: Undocumented values path (warning)
- [HH2001](#) at `$.cluster.clientEncryption`: Undocumented values path (warning)
- [HH2001](#) at `$.cluster.datacenter`: Undocumented values path (warning)
- [HH2001](#) at `$.cluster.enableUDF`: Undocumented values path (warning)
- 303 additional audit findings in JSON.

[bitnami/cert-manager](#)

All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/cert-manager
48 measured changes; 323 pairs (time-limit)



[Topology: bitnami/cert-manager](#)

[Sensitivity: bitnami/cert-manager](#)

[Sensitivity field key.](#)

Overview cell: 10

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 404. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.cainjector.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.cainjector.args``: Undocumented values path (warning)
- [HH2001](#) at `$.cainjector.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.cainjector.command``: Undocumented values path (warning)
- [HH2001](#) at `$.cainjector.containerSecurityContext``: Undocumented values path (warning)
- [HH2001](#) at `$.cainjector.containerSecurityContext.allowPrivilegeEscalation``: Undocumented values path (warning)
- 398 additional audit findings in JSON.




[bitnami/chainloop](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/chainloop](#)

bitnami/chainloop
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/chainloop](#)

Overview cell: 11

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 643. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.apiVersions``: Undocumented values path (warning)
- [HH2001](#) at `$.cas.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.cas.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.cas.autoscaling``: Undocumented values path (warning)
- [HH2001](#) at `$.cas.autoscaling.hpa``: Undocumented values path (warning)
- [HH2001](#) at `$.cas.autoscaling.hpa.enabled``: Undocumented values path (warning)
- 637 additional audit findings in JSON.




[bitnami/cilium](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/cilium](#)

bitnami/cilium
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/cilium](#)

Overview cell: 12

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 1163. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.agent.affinity`: Undocumented values path (warning)
- [HH2001](#) at `$.agent.args`: Undocumented values path (warning)
- [HH2001](#) at `$.agent.automountServiceAccountToken`: Undocumented values path (warning)
- [HH2001](#) at `$.agent.autoscaling`: Undocumented values path (warning)
- [HH2001](#) at `$.agent.autoscaling.vpa`: Undocumented values path (warning)
- [HH2001](#) at `$.agent.autoscaling.vpa.annotations`: Undocumented values path (warning)
- 1157 additional audit findings in JSON.




[bitnami/clickhouse](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/clickhouse
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Topology: bitnami/clickhouse](#)

[Sensitivity: bitnami/clickhouse](#)

Overview cell: 13

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 507. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.apiVersions``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.existingSecret``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.existingSecretKey``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.password``: Undocumented values path (warning)
- 501 additional audit findings in JSON.




[bitnami/clickhouse-operator](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/clickhouse-operator
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Topology: bitnami/clickhouse-operator](#)

[Sensitivity: bitnami/clickhouse-operator](#)

Overview cell: 14

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 276. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.apiVersions``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.existingSecret``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.password``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.username``: Undocumented values path (warning)
- 270 additional audit findings in JSON.




[bitnami/cloudnative-pg](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/cloudnative-pg
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Topology: bitnami/cloudnative-pg](#)

[Sensitivity: bitnami/cloudnative-pg](#)

Overview cell: 15

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 423. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.apiVersions``: Undocumented values path (warning)
- [HH2001](#) at `$.clusterDomain``: Undocumented values path (warning)
- [HH2001](#) at `$.commonAnnotations``: Undocumented values path (warning)
- [HH2001](#) at `$.commonLabels``: Undocumented values path (warning)
- [HH2001](#) at `$.extraDeploy``: Undocumented values path (warning)
- [HH2001](#) at `$.fullnameOverride``: Undocumented values path (warning)
- 417 additional audit findings in JSON.



[bitnami/common](#)




[Topology: bitnami/common](#)

Overview cell: 16

Status: skipped-library | Attempts: N/A

[bitnami/concourse](#)



[Topology: bitnami/concourse](#)

Overview cell: 17

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 470. Full paths and template references are retained in the JSON report.




- [HH2001](#) at `$.clusterDomain``: Undocumented values path (warning)
- [HH2001](#) at `$.commonAnnotations``: Undocumented values path (warning)
- [HH2001](#) at `$.commonLabels``: Undocumented values path (warning)
- [HH2001](#) at `$.diagnosticMode.args``: Undocumented values path (warning)
- [HH2001](#) at `$.diagnosticMode.command``: Undocumented values path (warning)
- [HH2001](#) at `$.diagnosticMode.enabled``: Undocumented values path (warning)
- 464 additional audit findings in JSON.

[bitnami/consul](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/consul
48 measured changes; 369 pairs (time-limit)



[Topology: bitnami/consul](#)

[Sensitivity: bitnami/consul](#)

[Sensitivity field key.](#)

Overview cell: 18

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 255. Full paths and template references are retained in the JSON report.


- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.clusterDomain``: Undocumented values path (warning)
- [HH2001](#) at `$.command``: Undocumented values path (warning)
- [HH2001](#) at `$.commonAnnotations``: Undocumented values path (warning)
- 249 additional audit findings in JSON.



[bitnami/contour](#)



bitnami/contour
48 measured changes; 122 pairs (time-limit)



[Topology: bitnami/contour](#)

[Sensitivity: bitnami/contour](#)

[Sensitivity field key.](#)

Overview cell: 19

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 591. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.commonAnnotations``: Undocumented values path (warning)
- [HH2001](#) at `$.commonLabels``: Undocumented values path (warning)
- [HH2001](#) at `$.configInline["accesslog-format"]``: Undocumented values path (warning)
- [HH2001](#) at `$.configInline.disablePermitInsecure``: Undocumented values path (warning)
- [HH2001](#) at `$.configInline.tls``: Undocumented values path (warning)
- [HH2001](#) at `$.configInline.tls["fallback-certificate"]``: Undocumented values path (warning)
- 585 additional audit findings in JSON.




[bitnami/deepspeed](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/deepspeed](#)

bitnami/deepspeed
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/deepspeed](#)

Overview cell: 20

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 166. Full paths and template references are retained in the JSON report.

- [HH2002](#) at `$.client.args[*]`: Unspecified values type (warning)
- [HH2001](#) at `$.client.automountServiceAccountToken`: Undocumented values path (warning)
- [HH2001](#) at `$.client.client.persistence.mountPath`: Undocumented values path (warning)
- [HH2004](#) at `$.client.client.persistence.mountPath`: No supplied default for a values path (warning)
- [HH2002](#) at `$.client.command[*]`: Unspecified values type (warning)
- [HH2003](#) at `$.client.containerSecurityContext`: Missing values description (info)
- 160 additional audit findings in JSON.




[bitnami/discourse](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/discourse](#)

bitnami/discourse
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/discourse](#)

Overview cell: 21

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 346. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity`: Undocumented values path (warning)
- [HH2001](#) at `$.auth.email`: Undocumented values path (warning)
- [HH2001](#) at `$.auth.existingSecret`: Undocumented values path (warning)
- [HH2001](#) at `$.auth.password`: Undocumented values path (warning)
- [HH2001](#) at `$.auth.username`: Undocumented values path (warning)
- [HH2001](#) at `$.auth`: Undocumented values path (warning)
- 340 additional audit findings in JSON.




[bitnami/dremio](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/dremio](#)

bitnami/dremio
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/dremio](#)

Overview cell: 22

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 1181. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.apiVersions``: Undocumented values path (warning)
- [HH2001](#) at `$.bootstrapUserJob.annotations``: Undocumented values path (warning)
- [HH2001](#) at `$.bootstrapUserJob.annotations["helm.sh/hook"]``: Undocumented values path (warning)
- [HH2001](#) at `$.bootstrapUserJob.annotations["helm.sh/hook-delete-policy"]``: Undocumented values path (warning)
- [HH2001](#) at `$.bootstrapUserJob.annotations["helm.sh/hook-weight"]``: Undocumented values path (warning)
- [HH2001](#) at `$.bootstrapUserJob.automountServiceAccountToken``: Undocumented values path (warning)
- 1175 additional audit findings in JSON.




[bitnami/drupal](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/drupal
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Topology: bitnami/drupal](#)

[Sensitivity: bitnami/drupal](#)

Overview cell: 23

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 319. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.allowEmptyPassword``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.certificates.args``: Undocumented values path (warning)
- [HH2001](#) at `$.certificates.command``: Undocumented values path (warning)
- 313 additional audit findings in JSON.




[bitnami/ejbca](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/ejbca
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Topology: bitnami/ejbca](#)

[Sensitivity: bitnami/ejbca](#)

Overview cell: 24

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 224. Full paths and template references are retained in the JSON report.


- [HH2001](#) at `$.affinity`: Undocumented values path (warning)
- [HH2001](#) at `$.args`: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken`: Undocumented values path (warning)
- [HH2001](#) at `$.command`: Undocumented values path (warning)
- [HH2001](#) at `$.commonAnnotations`: Undocumented values path (warning)
- [HH2001](#) at `$.commonLabels`: Undocumented values path (warning)
- 218 additional audit findings in JSON.



[bitnami/elasticsearch](#)



bitnami/elasticsearch
48 measured changes; 330 pairs (time-limit)



[Topology: bitnami/elasticsearch](#)

[Sensitivity: bitnami/elasticsearch](#)

[Sensitivity field key.](#)

Overview cell: 25

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 814. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.clusterDomain``: Undocumented values path (warning)
- [HH2001](#) at `$.clusterName``: Undocumented values path (warning)
- [HH2001](#) at `$.commonAnnotations``: Undocumented values path (warning)
- [HH2001](#) at `$.commonLabels``: Undocumented values path (warning)
- [HH2001](#) at `$.config``: Undocumented values path (warning)
- [HH2001](#) at `$.containerPorts.restAPI``: Undocumented values path (warning)
- 808 additional audit findings in JSON.




[bitnami/envoy-gateway](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/envoy-gateway
47 measured changes; 165 pairs (time-limit)



[Topology: bitnami/envoy-gateway](#)

[Sensitivity: bitnami/envoy-gateway](#)

[Sensitivity field key.](#)

Overview cell: 26

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 325. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.apiVersions``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.hpa``: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.hpa.enabled``: Undocumented values path (warning)
- 319 additional audit findings in JSON.




[bitnami/etcd](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/etcd](#)

bitnami/etcd
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/etcd](#)

Overview cell: 27

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 407. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.client``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.client.caFilename``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.client.certFilename``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.client.certKeyFilename``: Undocumented values path (warning)
- 401 additional audit findings in JSON.




[bitnami/external-dns](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/external-dns
48 measured changes; 403 pairs (time-limit)



[Topology: bitnami/external-dns](#)

[Sensitivity: bitnami/external-dns](#)

[Sensitivity field key.](#)

Overview cell: 28

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 402. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.akamai.accessToken``: Undocumented values path (warning)
- [HH2001](#) at `$.akamai.clientSecret``: Undocumented values path (warning)
- [HH2001](#) at `$.akamai.clientToken``: Undocumented values path (warning)
- [HH2001](#) at `$.akamai.host``: Undocumented values path (warning)
- [HH2001](#) at `$.akamai.secretName``: Undocumented values path (warning)
- 396 additional audit findings in JSON.




[bitnami/flink](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/flink
48 measured changes; 394 pairs (time-limit)



[Topology: bitnami/flink](#)

[Sensitivity: bitnami/flink](#)

[Sensitivity field key.](#)

Overview cell: 29

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 281. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.clusterDomain``: Undocumented values path (warning)
- [HH2001](#) at `$.commonAnnotations``: Undocumented values path (warning)
- [HH2001](#) at `$.commonLabels``: Undocumented values path (warning)
- [HH2001](#) at `$.diagnosticMode.args``: Undocumented values path (warning)
- [HH2001](#) at `$.diagnosticMode.command``: Undocumented values path (warning)
- [HH2001](#) at `$.diagnosticMode.enabled``: Undocumented values path (warning)
- 275 additional audit findings in JSON.




[bitnami/fluent-bit](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/fluent-bit
48 measured changes; 420 pairs (time-limit)



[Topology: bitnami/fluent-bit](#)

[Sensitivity: bitnami/fluent-bit](#)

[Sensitivity field key.](#)

Overview cell: 30

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 240. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.apiVersions``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.hpa``: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.hpa.annotations``: Undocumented values path (warning)
- 234 additional audit findings in JSON.




[bitnami/fluentsd](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/fluentsd
48 measured changes; 375 pairs (time-limit)



[Topology: bitnami/fluentsd](#)

[Sensitivity: bitnami/fluentsd](#)

[Sensitivity field key.](#)

Overview cell: 31

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 427. Full paths and template references are retained in the JSON report.


- [HH2001](#) at `$.aggregator.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.aggregator.annotations``: Undocumented values path (warning)
- [HH2004](#) at `$.aggregator.annotations``: No supplied default for a values path (warning)
- [HH2001](#) at `$.aggregator.args``: Undocumented values path (warning)
- [HH2001](#) at `$.aggregator.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.aggregator.autoscaling``: Undocumented values path (warning)
- 421 additional audit findings in JSON.



[bitnami/flux](#)



bitnami/flux
48 measured changes; 25 pairs (time-limit)



[Topology: bitnami/flux](#)

[Sensitivity: bitnami/flux](#)

[Sensitivity field key.](#)

Overview cell: 32

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 1042. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.clusterDomain``: Undocumented values path (warning)
- [HH2001](#) at `$.commonAnnotations``: Undocumented values path (warning)
- [HH2001](#) at `$.commonLabels``: Undocumented values path (warning)
- [HH2001](#) at `$.diagnosticMode.args``: Undocumented values path (warning)
- [HH2001](#) at `$.diagnosticMode.command``: Undocumented values path (warning)
- [HH2001](#) at `$.diagnosticMode.enabled``: Undocumented values path (warning)
- 1036 additional audit findings in JSON.




[bitnami/ghost](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/ghost](#)

bitnami/ghost
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/ghost](#)

Overview cell: 33

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 262. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.allowEmptyPassword``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.clusterDomain``: Undocumented values path (warning)
- [HH2001](#) at `$.command``: Undocumented values path (warning)
- 256 additional audit findings in JSON.




[bitnami/gitea](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/gitea
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Topology: bitnami/gitea](#)

[Sensitivity: bitnami/gitea](#)

Overview cell: 34

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 241. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.adminEmail``: Undocumented values path (warning)
- [HH2001](#) at `$.adminPassword``: Undocumented values path (warning)
- [HH2001](#) at `$.adminUsername``: Undocumented values path (warning)
- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.appName``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- 235 additional audit findings in JSON.




[bitnami/gitlab-runner](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/gitlab-runner](#)

bitnami/gitlab-runner
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/gitlab-runner](#)

Overview cell: 35

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 266. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.apiVersions``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.hpa``: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.hpa.enabled``: Undocumented values path (warning)
- 260 additional audit findings in JSON.




[bitnami/grafana](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/grafana](#)

bitnami/grafana
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/grafana](#)

Overview cell: 36

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 306. Full paths and template references are retained in the JSON report.


- [HH2001](#) at `$.admin.existingSecret``: Undocumented values path (warning)
- [HH2001](#) at `$.admin.existingSecretPasswordKey``: Undocumented values path (warning)
- [HH2001](#) at `$.admin.password``: Undocumented values path (warning)
- [HH2001](#) at `$.admin.user``: Undocumented values path (warning)
- [HH2001](#) at `$.admin``: Undocumented values path (warning)
- [HH2001](#) at `$.alerting.configMapName``: Undocumented values path (warning)
- 300 additional audit findings in JSON.



[bitnami/grafana-alloy](#)



bitnami/grafana-alloy
48 measured changes; 205 pairs (time-limit)



[Topology: bitnami/grafana-alloy](#)

[Sensitivity: bitnami/grafana-alloy](#)

[Sensitivity field key.](#)

Overview cell: 37

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 292. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.alloy.args``: Undocumented values path (warning)
- [HH2001](#) at `$.alloy.clustering``: Undocumented values path (warning)
- [HH2001](#) at `$.alloy.clustering.enabled``: Undocumented values path (warning)
- [HH2001](#) at `$.alloy.clustering.name``: Undocumented values path (warning)
- [HH2001](#) at `$.alloy.clustering.portName``: Undocumented values path (warning)
- 286 additional audit findings in JSON.




[bitnami/grafana-k6-operator](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/grafana-k6-operator
48 measured changes; 201 pairs (time-limit)



[Topology: bitnami/grafana-k6-operator](#)

[Sensitivity: bitnami/grafana-k6-operator](#)

[Sensitivity field key.](#)

Overview cell: 38

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 195. Full paths and template references are retained in the JSON report.


- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.apiVersions``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.hpa``: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.hpa.enabled``: Undocumented values path (warning)
- 189 additional audit findings in JSON.



[bitnami/grafana-loki](#)



bitnami/grafana-loki
48 measured changes; 113 pairs (time-limit)



[Topology: bitnami/grafana-loki](#)

[Sensitivity: bitnami/grafana-loki](#)

[Sensitivity field key.](#)

Overview cell: 39

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 1386. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.clusterDomain``: Undocumented values path (warning)
- [HH2001](#) at `$.commonAnnotations``: Undocumented values path (warning)
- [HH2001](#) at `$.commonLabels``: Undocumented values path (warning)
- [HH2001](#) at `$.compactor.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.compactor.args``: Undocumented values path (warning)
- [HH2001](#) at `$.compactor.automountServiceAccountToken``: Undocumented values path (warning)
- 1380 additional audit findings in JSON.




[bitnami/grafana-mimir](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/grafana-mimir](#)

bitnami/grafana-mimir
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/grafana-mimir](#)

Overview cell: 40

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 1540. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.alertmanager.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.alertmanager.args``: Undocumented values path (warning)
- [HH2001](#) at `$.alertmanager.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.alertmanager.blockStorage``: Undocumented values path (warning)
- [HH2001](#) at `$.alertmanager.blockStorage.backend``: Undocumented values path (warning)
- [HH2001](#) at `$.alertmanager.blockStorage.config``: Undocumented values path (warning)
- 1534 additional audit findings in JSON.




[bitnami/grafana-operator](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/grafana-operator](#)

bitnami/grafana-operator
0 measured changes; 0 pairs (unavailable)



[HH1108] Custom resource `grafana.integreatly.org/v1beta1/Grafana` requires an explicit JSON schema in `resource_schemas`

[Sensitivity: bitnami/grafana-operator](#)

Overview cell: 41

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set `additionalProperties: false`

Audit findings: 277. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.clusterDomain``: Undocumented values path (warning)
- [HH2001](#) at `$.commonAnnotations``: Undocumented values path (warning)
- [HH2001](#) at `$.commonLabels``: Undocumented values path (warning)
- [HH2001](#) at `$.extraDeploy``: Undocumented values path (warning)
- [HH2001](#) at `$.fullnameOverride``: Undocumented values path (warning)
- [HH2001](#) at `$.global.compatibility``: Undocumented values path (warning)
- 271 additional audit findings in JSON.




[bitnami/grafana-tempo](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/grafana-tempo
47 measured changes; 101 pairs (time-limit)



[Topology: bitnami/grafana-tempo](#)

[Sensitivity: bitnami/grafana-tempo](#)

[Sensitivity field key.](#)

Overview cell: 42

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 999. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.clusterDomain``: Undocumented values path (warning)
- [HH2001](#) at `$.commonAnnotations``: Undocumented values path (warning)
- [HH2001](#) at `$.commonLabels``: Undocumented values path (warning)
- [HH2001](#) at `$.compactor.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.compactor.args``: Undocumented values path (warning)
- [HH2001](#) at `$.compactor.automountServiceAccountToken``: Undocumented values path (warning)
- 993 additional audit findings in JSON.




[bitnami/haproxy](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/haproxy
48 measured changes; 282 pairs (time-limit)



[Topology: bitnami/haproxy](#)

[Sensitivity: bitnami/haproxy](#)

[Sensitivity field key.](#)

Overview cell: 43

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 186. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.enabled``: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.maxReplicas``: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.minReplicas``: Undocumented values path (warning)
- 180 additional audit findings in JSON.




[bitnami/harbor](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/harbor](#)

bitnami/harbor
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/harbor](#)

Overview cell: 44

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 1499. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.adminPassword``: Undocumented values path (warning)
- [HH2001](#) at `$.apiVersions``: Undocumented values path (warning)
- [HH2001](#) at `$.cache.enabled``: Undocumented values path (warning)
- [HH2001](#) at `$.cache.expireHours``: Undocumented values path (warning)
- [HH2001](#) at `$.cache``: Undocumented values path (warning)
- [HH2001](#) at `$.certificateVolume.resources``: Undocumented values path (warning)
- 1493 additional audit findings in JSON.




[bitnami/influxdb](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/influxdb
47 measured changes; 530 pairs (time-limit)



[Topology: bitnami/influxdb](#)

[Sensitivity: bitnami/influxdb](#)

[Sensitivity field key.](#)

Overview cell: 45

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 345. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.apiVersions``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.createAdminToken``: Undocumented values path (warning)
- [HH2004](#) at `$.auth.createAdminToken``: No supplied default for a values path (warning)
- [HH2001](#) at `$.auth.enabled``: Undocumented values path (warning)
- 339 additional audit findings in JSON.



[bitnami/jaeger](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/jaeger](#)

Overview cell: 46

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 404. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.cassandra.cluster``: Undocumented values path (warning)
- [HH2001](#) at `$.cassandra.cluster.datacenter``: Undocumented values path (warning)
- [HH2001](#) at `$.cassandra.dbUser``: Undocumented values path (warning)
- [HH2001](#) at `$.cassandra.dbUser.existingSecret``: Undocumented values path (warning)
- [HH2001](#) at `$.cassandra.dbUser.password``: Undocumented values path (warning)
- [HH2001](#) at `$.cassandra.dbUser.user``: Undocumented values path (warning)
- 398 additional audit findings in JSON.




[bitnami/janusgraph](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/janusgraph](#)

bitnami/janusgraph
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not
support native effect: lookup

[Sensitivity: bitnami/janusgraph](#)

Overview cell: 47

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 328. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity`: Undocumented values path (warning)
- [HH2001](#) at `$.annotations`: Undocumented values path (warning)
- [HH2001](#) at `$.apiVersions`: Undocumented values path (warning)
- [HH2001](#) at `$.args`: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken`: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.enabled`: Undocumented values path (warning)
- 322 additional audit findings in JSON.




[bitnami/jenkins](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/jenkins](#)

bitnami/jenkins
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/jenkins](#)

Overview cell: 48

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 348. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.agent.annotations``: Undocumented values path (warning)
- [HH2001](#) at `$.agent.args``: Undocumented values path (warning)
- [HH2001](#) at `$.agent.command``: Undocumented values path (warning)
- [HH2001](#) at `$.agent.containerExtraEnvVars``: Undocumented values path (warning)
- [HH2001](#) at `$.agent.containerSecurityContext``: Undocumented values path (warning)
- 342 additional audit findings in JSON.




[bitnami/jupyterhub](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/jupyterhub](#)

bitnami/jupyterhub
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/jupyterhub](#)

Overview cell: 49

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 625. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.auxiliaryImage.digest``: Undocumented values path (warning)
- [HH2001](#) at `$.auxiliaryImage.pullPolicy``: Undocumented values path (warning)
- [HH2001](#) at `$.auxiliaryImage.pullSecrets``: Undocumented values path (warning)
- [HH2001](#) at `$.auxiliaryImage.registry``: Undocumented values path (warning)
- [HH2001](#) at `$.auxiliaryImage.repository``: Undocumented values path (warning)
- [HH2001](#) at `$.auxiliaryImage.tag``: Undocumented values path (warning)
- 619 additional audit findings in JSON.




[bitnami/kafka](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/kafka](#)

bitnami/kafka
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/kafka](#)

Overview cell: 50

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 790. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `["\$"]`: Undocumented values path (warning)
- [HH2004](#) at `["\$"]`: No supplied default for a values path (warning)
- [HH2001](#) at `\$.apiVersions`: Undocumented values path (warning)
- [HH2001](#) at `\$.broker.affinity`: Undocumented values path (warning)
- [HH2001](#) at `\$.broker.args`: Undocumented values path (warning)
- [HH2001](#) at `\$.broker.automountServiceAccountToken`: Undocumented values path (warning)
- 784 additional audit findings in JSON.




[bitnami/keycloak](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/keycloak](#)

bitnami/keycloak
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/keycloak](#)

Overview cell: 51

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 448. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.adminRealm``: Undocumented values path (warning)
- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.apiVersions``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.adminPassword``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.adminUser``: Undocumented values path (warning)
- 442 additional audit findings in JSON.




[bitnami/keydb](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/keydb
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Topology: bitnami/keydb](#)

[Sensitivity: bitnami/keydb](#)

Overview cell: 52

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 499. Full paths and template references are retained in the JSON report.


- [HH2001](#) at `$.apiVersions``: Undocumented values path (warning)
- [HH2001](#) at `$.architecture``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.enabled``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.existingSecret``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.existingSecretPasswordKey``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.password``: Undocumented values path (warning)
- 493 additional audit findings in JSON.



[bitnami/kibana](#)



bitnami/kibana
48 measured changes; 578 pairs (time-limit)



[Topology: bitnami/kibana](#)

[Sensitivity: bitnami/kibana](#)

[Sensitivity field key.](#)

Overview cell: 53

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 257. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.clusterDomain``: Undocumented values path (warning)
- [HH2001](#) at `$.command``: Undocumented values path (warning)
- [HH2001](#) at `$.commonAnnotations``: Undocumented values path (warning)
- 251 additional audit findings in JSON.




[bitnami/kong](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/kong](#)

bitnami/kong
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/kong](#)

Overview cell: 54

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 390. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity`: Undocumented values path (warning)
- [HH2001](#) at `$.apiVersions`: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken`: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.enabled`: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.maxReplicas`: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.metrics`: Undocumented values path (warning)
- 384 additional audit findings in JSON.




[bitnami/kube-arangodb](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/kube-arangodb
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Topology: bitnami/kube-arangodb](#)

[Sensitivity: bitnami/kube-arangodb](#)

Overview cell: 55

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 324. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.allowChaos``: Undocumented values path (warning)
- [HH2001](#) at `$.apiVersions``: Undocumented values path (warning)
- [HH2001](#) at `$.arangodbImage.digest``: Undocumented values path (warning)
- [HH2001](#) at `$.arangodbImage.pullSecrets``: Undocumented values path (warning)
- [HH2004](#) at `$.arangodbImage.pullSecrets``: No supplied default for a values path (warning)
- 318 additional audit findings in JSON.



[bitnami/kube-prometheus](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/kube-prometheus](#)

Overview cell: 56

Status: unsupported-schema | Attempts: N/A

Testing limitation: permutations need closed objects at (); set additionalProperties: false


Audit findings: 1172. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.alertmanager.additionalPeers``: Undocumented values path (warning)
- [HH2001](#) at `$.alertmanager.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.alertmanager.config``: Undocumented values path (warning)
- [HH2001](#) at `$.alertmanager.config.global``: Undocumented values path (warning)
- [HH2001](#) at `$.alertmanager.config.global.resolve_timeout``: Undocumented values path (warning)
- [HH2001](#) at `$.alertmanager.config.receivers``: Undocumented values path (warning)
- 1166 additional audit findings in JSON.



[bitnami/kube-prometheus/charts/kube-prometheus-crds](#)


bitnami/kube-prometheus/charts/kube-prometheus-crds



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/kube-prometheus/charts/kube-prometheus-crds](#)

bitnami/kube-prometheus/charts/kube-prometheus-crds
0 measured changes; 0 pairs (unavailable)



No schema-valid Boolean or integer mutations were available.

[Sensitivity: bitnami/kube-prometheus/charts/kube-prometheus-crds](#)

Overview cell: 57

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 1. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.exampleValue``: Undocumented values path (warning)

[bitnami/kube-state-metrics](#)


bitnami/kube-state-metrics



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/kube-state-metrics](#)

bitnami/kube-state-metrics
48 measured changes; 562 pairs (time-limit)



[Sensitivity: bitnami/kube-state-metrics](#)

[Sensitivity field key.](#)



Overview cell: 58


Status: unsupported-schema | Attempts: N/A

Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 208. Full paths and template references are retained in the JSON report.


- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.command``: Undocumented values path (warning)
- [HH2001](#) at `$.commonAnnotations``: Undocumented values path (warning)
- [HH2001](#) at `$.commonLabels``: Undocumented values path (warning)
- 202 additional audit findings in JSON.

[bitnami/kuberay](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/kuberay
0 measured changes; 0 pairs (unavailable)



[HH1108] Custom resource ray.io/v1/RayCluster requires an explicit JSON schema in resource_schemas

[Topology: bitnami/kuberay](#)

[Sensitivity: bitnami/kuberay](#)

Overview cell: 59

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 550. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.apiVersions``: Undocumented values path (warning)
- [HH2001](#) at `$.apiserver.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.apiserver.args``: Undocumented values path (warning)
- [HH2001](#) at `$.apiserver.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.apiserver.autoscaling``: Undocumented values path (warning)
- [HH2001](#) at `$.apiserver.autoscaling.hpa``: Undocumented values path (warning)
- 544 additional audit findings in JSON.




[bitnami/kubernetes-event-exporter](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/kubernetes-event-exporter
48 measured changes; 570 pairs (time-limit)



[Topology: bitnami/kubernetes-event-exporter](#)

[Sensitivity: bitnami/kubernetes-event-exporter](#)

[Sensitivity field key.](#)

Overview cell: 60

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 219. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.apiVersions``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.vpa``: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.vpa.annotations``: Undocumented values path (warning)
- 213 additional audit findings in JSON.




[bitnami/logstash](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/logstash
48 measured changes; 568 pairs (time-limit)



[Topology: bitnami/logstash](#)

[Sensitivity: bitnami/logstash](#)

[Sensitivity field key.](#)

Overview cell: 61

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 219. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.annotations``: Undocumented values path (warning)
- [HH2004](#) at `$.annotations``: No supplied default for a values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.clusterDomain``: Undocumented values path (warning)
- 213 additional audit findings in JSON.




[bitnami/mariadb](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/mariadb
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Topology: bitnami/mariadb](#)

[Sensitivity: bitnami/mariadb](#)

Overview cell: 62

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 232. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.auth.customPasswordFiles.replicator``: Undocumented values path (warning)
- [HH2004](#) at `$.auth.customPasswordFiles.replicator``: No supplied default for a values path (warning)
- [HH2001](#) at `$.auth.customPasswordFiles.root``: Undocumented values path (warning)
- [HH2004](#) at `$.auth.customPasswordFiles.root``: No supplied default for a values path (warning)
- [HH2001](#) at `$.auth.customPasswordFiles.user``: Undocumented values path (warning)
- [HH2004](#) at `$.auth.customPasswordFiles.user``: No supplied default for a values path (warning)
- 226 additional audit findings in JSON.




[bitnami/mariadb-galera](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/mariadb-galera
45 measured changes; 508 pairs (time-limit)



[Topology: bitnami/mariadb-galera](#)

[Sensitivity: bitnami/mariadb-galera](#)

[Sensitivity field key.](#)

Overview cell: 63

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 303. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.annotations``: Undocumented values path (warning)
- [HH2004](#) at `$.annotations``: No supplied default for a values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.clusterDomain``: Undocumented values path (warning)
- 297 additional audit findings in JSON.




[bitnami/mastodon](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/mastodon](#)

bitnami/mastodon
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/mastodon](#)

Overview cell: 64

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 752. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.activeRecordEncryptionDeterministicKey``: Undocumented values path (warning)
- [HH2001](#) at `$.activeRecordEncryptionKeyDerivationSalt``: Undocumented values path (warning)
- [HH2001](#) at `$.activeRecordEncryptionPrimaryKey``: Undocumented values path (warning)
- [HH2001](#) at `$.adminEmail``: Undocumented values path (warning)
- [HH2001](#) at `$.adminPassword``: Undocumented values path (warning)
- [HH2001](#) at `$.adminUser``: Undocumented values path (warning)
- 746 additional audit findings in JSON.




[bitnami/matomo](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/matomo](#)

bitnami/matomo
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/matomo](#)

Overview cell: 65

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 357. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.allowEmptyPassword``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.certificates.args``: Undocumented values path (warning)
- [HH2001](#) at `$.certificates.command``: Undocumented values path (warning)
- 351 additional audit findings in JSON.




[bitnami/memcached](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/memcached
46 measured changes; 483 pairs (time-limit)



[Topology: bitnami/memcached](#)

[Sensitivity: bitnami/memcached](#)

[Sensitivity field key.](#)

Overview cell: 66

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 276. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.architecture``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.enabled``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.existingPasswordSecret``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.password``: Undocumented values path (warning)
- 270 additional audit findings in JSON.




[bitnami/metallb](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/metallb](#)

bitnami/metallb
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/metallb](#)

Overview cell: 67

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 395. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.commonAnnotations``: Undocumented values path (warning)
- [HH2001](#) at `$.commonLabels``: Undocumented values path (warning)
- [HH2001](#) at `$.configInline``: Undocumented values path (warning)
- [HH2004](#) at `$.configInline``: No supplied default for a values path (warning)
- [HH2001](#) at `$.controller.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.controller.args``: Undocumented values path (warning)
- 389 additional audit findings in JSON.




[bitnami/metrics-server](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/metrics-server
44 measured changes; 503 pairs (time-limit)



[Topology: bitnami/metrics-server](#)

[Sensitivity: bitnami/metrics-server](#)

[Sensitivity field key.](#)

Overview cell: 68

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 159. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.apiService.caBundle``: Undocumented values path (warning)
- [HH2001](#) at `$.apiService.create``: Undocumented values path (warning)
- [HH2001](#) at `$.apiService.insecureSkipTLSVerify``: Undocumented values path (warning)
- [HH2001](#) at `$.apiService``: Undocumented values path (warning)
- [HH2001](#) at `$.apiVersions``: Undocumented values path (warning)
- 153 additional audit findings in JSON.




[bitnami/milvus](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/milvus](#)

bitnami/milvus
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects; controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/milvus](#)

Overview cell: 69

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 716. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.apiVersions``: Undocumented values path (warning)
- [HH2002](#) at `$.attu.args[*]``: Unspecified values type (warning)
- [HH2003](#) at `$.attu.autoscaling``: Missing values description (info)
- [HH2003](#) at `$.attu.autoscaling.hpa``: Missing values description (info)
- [HH2003](#) at `$.attu.autoscaling.vpa``: Missing values description (info)
- [HH2002](#) at `$.attu.autoscaling.vpa.controlledResources[*]``: Unspecified values type (warning)
- 710 additional audit findings in JSON.




[bitnami/mlflow](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/mlflow](#)

bitnami/mlflow
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/mlflow](#)

Overview cell: 70

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 332. Full paths and template references are retained in the JSON report.

- [HH2001](#) at ``$.apiVersions``: Undocumented values path (warning)
- [HH2001](#) at ``$.auth.database``: Undocumented values path (warning)
- [HH2004](#) at ``$.auth.database``: No supplied default for a values path (warning)
- [HH2003](#) at ``$.diagnosticMode.args[*]``: Missing values description (info)
- [HH2003](#) at ``$.diagnosticMode.command[*]``: Missing values description (info)
- [HH2003](#) at ``$.diagnosticMode``: Missing values description (info)
- 326 additional audit findings in JSON.




[bitnami/mongodb](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/mongodb](#)

bitnami/mongodb
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/mongodb](#)

Overview cell: 71

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 794. Full paths and template references are retained in the JSON report.

- [HH2001](#) at ``$.affinity``: Undocumented values path (warning)
- [HH2001](#) at ``$.annotations``: Undocumented values path (warning)
- [HH2001](#) at ``$.arbiter.affinity``: Undocumented values path (warning)
- [HH2001](#) at ``$.arbiter.annotations``: Undocumented values path (warning)
- [HH2001](#) at ``$.arbiter.args``: Undocumented values path (warning)
- [HH2001](#) at ``$.arbiter.automountServiceAccountToken``: Undocumented values path (warning)
- 788 additional audit findings in JSON.




[bitnami/mongodb-sharded](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/mongodb-sharded](#)

bitnami/mongodb-sharded
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/mongodb-sharded](#)

Overview cell: 72

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 647. Full paths and template references are retained in the JSON report.

- [HH2001](#) at ``$.auth.enabled``: Undocumented values path (warning)
- [HH2001](#) at ``$.auth.existingSecret``: Undocumented values path (warning)
- [HH2001](#) at ``$.auth.replicaSetKey``: Undocumented values path (warning)
- [HH2001](#) at ``$.auth.rootPassword``: Undocumented values path (warning)
- [HH2001](#) at ``$.auth.rootUser``: Undocumented values path (warning)
- [HH2001](#) at ``$.auth.usePasswordFiles``: Undocumented values path (warning)
- 641 additional audit findings in JSON.




[bitnami/moodle](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/moodle](#)

bitnami/moodle
0 measured changes; 0 pairs (unavailable)



Command '['helm', 'dependency', 'build',
'/var/folders/dd/pd400p1j4vgf5gv6qp6zfx000000gn/T/hypothesis-helm-sensitivity-jjs0emtd/chart']' timed out after 30 seconds

[Sensitivity: bitnami/moodle](#)

Overview cell: 73

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 300. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.allowEmptyPassword``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.enabled``: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.maxReplicas``: Undocumented values path (warning)
- 294 additional audit findings in JSON.




[bitnami/multus-cni](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/multus-cni](#)

bitnami/multus-cni
0 measured changes; 0 pairs (unavailable)



Command '['helm', 'dependency', 'build',
'/var/folders/dd/pd400p1j4vgf5gv6qp6zfx000000gn/T/hypothesis-
helm-sensitivity-_z_a7kd3/chart']' timed out after 30 seconds

[Sensitivity: bitnami/multus-cni](#)

Overview cell: 74

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 135. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.CNIMountPath`: Undocumented values path (warning)
- [HH2001](#) at `$.CNIVersion`: Undocumented values path (warning)
- [HH2001](#) at `$.affinity`: Undocumented values path (warning)
- [HH2001](#) at `$.args`: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken`: Undocumented values path (warning)
- [HH2001](#) at `$.command`: Undocumented values path (warning)
- 129 additional audit findings in JSON.




[bitnami/mysql](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/mysql](#)

bitnami/mysql
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/mysql](#)

Overview cell: 75

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 512. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.auth.authenticationPolicy``: Undocumented values path (warning)
- [HH2003](#) at `$.auth.createDatabase``: Missing values description (info)
- [HH2001](#) at `$.auth.customPasswordFiles``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.customPasswordFiles.replicator``: Undocumented values path (warning)
- [HH2004](#) at `$.auth.customPasswordFiles.replicator``: No supplied default for a values path (warning)
- [HH2001](#) at `$.auth.customPasswordFiles.root``: Undocumented values path (warning)
- 506 additional audit findings in JSON.




[bitnami/nats](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/nats](#)

bitnami/nats
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: randAlpha

[Sensitivity: bitnami/nats](#)

Overview cell: 76

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 307. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.credentials``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.credentials[*].password``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.credentials[*].user``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.enabled``: Undocumented values path (warning)
- 301 additional audit findings in JSON.




[bitnami/neo4j](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/neo4j
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Topology: bitnami/neo4j](#)

[Sensitivity: bitnami/neo4j](#)

Overview cell: 77

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 251. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.advertisedHost``: Undocumented values path (warning)
- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.apiVersions``: Undocumented values path (warning)
- [HH2001](#) at `$.apocConfiguration``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.existingSecret``: Undocumented values path (warning)
- 245 additional audit findings in JSON.




[bitnami/nessie](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/nessie](#)

bitnami/nessie
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/nessie](#)

Overview cell: 78

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 332. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.annotations``: Undocumented values path (warning)
- [HH2001](#) at `$.apiVersions``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.hpa``: Undocumented values path (warning)
- 326 additional audit findings in JSON.




[bitnami/nginx](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/nginx
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Topology: bitnami/nginx](#)

[Sensitivity: bitnami/nginx](#)

Overview cell: 79

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 321. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity`: Undocumented values path (warning)
- [HH2001](#) at `$.args`: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken`: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.enabled`: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.maxReplicas`: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.minReplicas`: Undocumented values path (warning)
- 315 additional audit findings in JSON.




[bitnami/node-exporter](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/node-exporter
47 measured changes; 446 pairs (time-limit)



[Topology: bitnami/node-exporter](#)

[Sensitivity: bitnami/node-exporter](#)

[Sensitivity field key.](#)

Overview cell: 80

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 180. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.clusterDomain``: Undocumented values path (warning)
- [HH2001](#) at `$.command``: Undocumented values path (warning)
- [HH2001](#) at `$.commonAnnotations``: Undocumented values path (warning)
- 174 additional audit findings in JSON.




[bitnami/oauth2-proxy](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/oauth2-proxy](#)

bitnami/oauth2-proxy
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/oauth2-proxy](#)

Overview cell: 81

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 223. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.clusterDomain``: Undocumented values path (warning)
- [HH2001](#) at `$.command``: Undocumented values path (warning)
- [HH2001](#) at `$.commonAnnotations``: Undocumented values path (warning)
- 217 additional audit findings in JSON.




[bitnami/odoo](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/odoo](#)

bitnami/odoo
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/odoo](#)

Overview cell: 82

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 271. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.allowEmptyPassword``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.enabled``: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.maxReplicas``: Undocumented values path (warning)
- 265 additional audit findings in JSON.




[bitnami/opensearch](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/opensearch
48 measured changes; 307 pairs (time-limit)



[Topology: bitnami/opensearch](#)

[Sensitivity: bitnami/opensearch](#)

[Sensitivity field key.](#)

Overview cell: 83

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 1111. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.apiVersions``: Undocumented values path (warning)
- [HH2001](#) at `$.clusterDomain``: Undocumented values path (warning)
- [HH2001](#) at `$.clusterName``: Undocumented values path (warning)
- [HH2001](#) at `$.commonAnnotations``: Undocumented values path (warning)
- [HH2001](#) at `$.commonLabels``: Undocumented values path (warning)
- [HH2001](#) at `$.config``: Undocumented values path (warning)
- 1105 additional audit findings in JSON.




[bitnami/parse](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/parse
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects; controlled renderer does not support native effect; lookup

[Topology: bitnami/parse](#)

[Sensitivity: bitnami/parse](#)

Overview cell: 84

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 379. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.commonAnnotations``: Undocumented values path (warning)
- [HH2001](#) at `$.commonLabels``: Undocumented values path (warning)
- [HH2001](#) at `$.dashboard.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.dashboard.appName``: Undocumented values path (warning)
- [HH2001](#) at `$.dashboard.args``: Undocumented values path (warning)
- [HH2001](#) at `$.dashboard.automountServiceAccountToken``: Undocumented values path (warning)
- 373 additional audit findings in JSON.




[bitnami/phpmyadmin](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/phpmyadmin
46 measured changes; 400 pairs (time-limit)



[Topology: bitnami/phpmyadmin](#)

[Sensitivity: bitnami/phpmyadmin](#)

[Sensitivity field key.](#)

Overview cell: 85

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 246. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.clusterDomain``: Undocumented values path (warning)
- [HH2001](#) at `$.command``: Undocumented values path (warning)
- [HH2001](#) at `$.commonAnnotations``: Undocumented values path (warning)
- 240 additional audit findings in JSON.




[bitnami/pinniped](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/pinniped](#)

bitnami/pinniped
0 measured changes; 0 pairs (unavailable)



[HH1108] Custom resource
config.concierge.pinniped.dev/v1alpha1/CredentialIssuer requires
an explicit JSON schema in resource_schemas

[Sensitivity: bitnami/pinniped](#)

Overview cell: 86

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 327. Full paths and template references are retained in the JSON report.

- [HH2001](#) at ``$.clusterDomain``: Undocumented values path (warning)
- [HH2001](#) at ``$.commonAnnotations``: Undocumented values path (warning)
- [HH2001](#) at ``$.commonLabels``: Undocumented values path (warning)
- [HH2001](#) at ``$.concierge.affinity``: Undocumented values path (warning)
- [HH2001](#) at ``$.concierge.args``: Undocumented values path (warning)
- [HH2001](#) at ``$.concierge.automountServiceAccountToken``: Undocumented values path (warning)
- 321 additional audit findings in JSON.




[bitnami/postgresql](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/postgresql
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Topology: bitnami/postgresql](#)

[Sensitivity: bitnami/postgresql](#)

Overview cell: 87

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 674. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.audit.clientMinMessages``: Undocumented values path (warning)
- [HH2001](#) at `$.audit.logConnections``: Undocumented values path (warning)
- [HH2001](#) at `$.audit.logDisconnections``: Undocumented values path (warning)
- [HH2001](#) at `$.audit.logHostname``: Undocumented values path (warning)
- [HH2001](#) at `$.audit.logLinePrefix``: Undocumented values path (warning)
- [HH2001](#) at `$.audit.logTimezone``: Undocumented values path (warning)
- 668 additional audit findings in JSON.




[bitnami/postgresql-ha](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/postgresql-ha](#)

bitnami/postgresql-ha
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not
support native effect: lookup

[Sensitivity: bitnami/postgresql-ha](#)


Overview cell: 88

Status: unsupported-schema | Attempts: N/A

Testing limitation: permutations need closed objects at (); set additionalProperties: false


Audit findings: 732. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.backup.cronjob``: Undocumented values path (warning)
- [HH2001](#) at `$.backup.cronjob.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.backup.cronjob.annotations``: Undocumented values path (warning)
- [HH2001](#) at `$.backup.cronjob.command``: Undocumented values path (warning)
- [HH2001](#) at `$.backup.cronjob.concurrencyPolicy``: Undocumented values path (warning)
- [HH2001](#) at `$.backup.cronjob.containerSecurityContext``: Undocumented values path (warning)
- 726 additional audit findings in JSON.

[bitnami/prometheus](#)

All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/prometheus
48 measured changes; 345 pairs (time-limit)

[Topology: bitnami/prometheus](#)[Sensitivity: bitnami/prometheus](#)[Sensitivity field key.](#)

Overview cell: 89

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 193. Full paths and template references are retained in the JSON report.

- [HH2002](#) at `$.alertmanager.args[*]`: Unspecified values type (warning)
- [HH2002](#) at `$.alertmanager.command[*]`: Unspecified values type (warning)
- [HH2003](#) at `$.alertmanager.containerPorts`: Missing values description (info)
- [HH2003](#) at `$.alertmanager.containerSecurityContext`: Missing values description (info)
- [HH2003](#) at `$.alertmanager.containerSecurityContext.capabilities`: Missing values description (info)
- [HH2003](#) at `$.alertmanager.containerSecurityContext.capabilities.drop[*]`: Missing values description (info)
- 187 additional audit findings in JSON.




[bitnami/pytorch](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/pytorch
41 measured changes; 359 pairs (time-limit)



[Topology: bitnami/pytorch](#)

[Sensitivity: bitnami/pytorch](#)

[Sensitivity field key.](#)

Overview cell: 90

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 219. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.architecture``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.cloneFilesFromGit.enabled``: Undocumented values path (warning)
- [HH2001](#) at `$.cloneFilesFromGit.extraVolumeMounts``: Undocumented values path (warning)
- 213 additional audit findings in JSON.




[bitnami/rabbitmq](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/rabbitmq
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Topology: bitnami/rabbitmq](#)

[Sensitivity: bitnami/rabbitmq](#)

Overview cell: 91

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 407. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.advancedConfiguration``: Undocumented values path (warning)
- [HH2001](#) at `$.advancedConfigurationExistingSecret``: Undocumented values path (warning)
- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.enableLoopbackUser``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.erlangCookie``: Undocumented values path (warning)
- 401 additional audit findings in JSON.




[bitnami/rabbitmq-cluster-operator](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/rabbitmq-cluster-operator
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Topology: bitnami/rabbitmq-cluster-operator](#)

[Sensitivity: bitnami/rabbitmq-cluster-operator](#)

Overview cell: 92

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 387. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.clusterDomain``: Undocumented values path (warning)
- [HH2001](#) at `$.clusterOperator.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.clusterOperator.args``: Undocumented values path (warning)
- [HH2001](#) at `$.clusterOperator.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.clusterOperator.command``: Undocumented values path (warning)
- [HH2001](#) at `$.clusterOperator.containerPorts``: Undocumented values path (warning)
- 381 additional audit findings in JSON.




[bitnami/redis](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/redis](#)

bitnami/redis
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/redis](#)

Overview cell: 93

Status: unsupported-schema | Attempts: N/A



Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 317. Full paths and template references are retained in the JSON report.

- [HH2003](#) at `$.auth.acl``: Missing values description (info)
- [HH2001](#) at `$.auth.acl.sentinel``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.acl.userSecret``: Undocumented values path (warning)
- [HH2002](#) at `$.auth.acl.users[*]``: Unspecified values type (warning)
- [HH2003](#) at `$.auth``: Missing values description (info)
- [HH2001](#) at `$.configmapChecksumAnnotations``: Undocumented values path (warning)
- 311 additional audit findings in JSON.



[bitnami/redis-cluster](#)



[Topology: bitnami/redis-cluster](#)

[Sensitivity: bitnami/redis-cluster](#)

[Sensitivity field key.](#)

Overview cell: 94

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 371. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.cluster.externalAccess``: Undocumented values path (warning)
- [HH2001](#) at `$.cluster.externalAccess.enabled``: Undocumented values path (warning)
- [HH2001](#) at `$.cluster.externalAccess.hostMode``: Undocumented values path (warning)
- [HH2001](#) at `$.cluster.externalAccess.service``: Undocumented values path (warning)
- [HH2001](#) at `$.cluster.externalAccess.service.annotations``: Undocumented values path (warning)
- [HH2001](#) at `$.cluster.externalAccess.service.disableLoadBalancerIP``: Undocumented values path (warning)
- 365 additional audit findings in JSON.




[bitnami/redmine](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/redmine
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Topology: bitnami/redmine](#)

[Sensitivity: bitnami/redmine](#)

Overview cell: 95

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 374. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.allowEmptyPassword``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.enabled``: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.maxReplicas``: Undocumented values path (warning)
- 368 additional audit findings in JSON.




[bitnami/schema-registry](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/schema-registry
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not
support native effect: lookup

[Topology: bitnami/schema-registry](#)

[Sensitivity: bitnami/schema-registry](#)

Overview cell: 96

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 277. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.kafka``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.kafka.jksSecret``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.kafka.keystorePassword``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.kafka.saslMechanism``: Undocumented values path (warning)
- 271 additional audit findings in JSON.




[bitnami/scylladb](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/scylladb
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Topology: bitnami/scylladb](#)

[Sensitivity: bitnami/scylladb](#)

Overview cell: 97

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 390. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.apiVersions``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.hpa``: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.hpa.annotations``: Undocumented values path (warning)
- 384 additional audit findings in JSON.




[bitnami/sealed-secrets](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/sealed-secrets
48 measured changes; 323 pairs (time-limit)



[Topology: bitnami/sealed-secrets](#)

[Sensitivity: bitnami/sealed-secrets](#)

[Sensitivity field key.](#)

Overview cell: 98

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 213. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.additionalNamespaces``: Undocumented values path (warning)
- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.clusterDomain``: Undocumented values path (warning)
- [HH2001](#) at `$.command``: Undocumented values path (warning)
- 207 additional audit findings in JSON.




[bitnami/seaweedfs](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/seaweedfs](#)

bitnami/seaweedfs
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/seaweedfs](#)

Overview cell: 99

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 1241. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.clusterDefault`: Undocumented values path (warning)
- [HH2001](#) at `$.clusterDomain`: Undocumented values path (warning)
- [HH2001](#) at `$.commonAnnotations`: Undocumented values path (warning)
- [HH2001](#) at `$.commonLabels`: Undocumented values path (warning)
- [HH2001](#) at `$.diagnosticMode.args`: Undocumented values path (warning)
- [HH2001](#) at `$.diagnosticMode.command`: Undocumented values path (warning)
- 1235 additional audit findings in JSON.




[bitnami/solr](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/solr](#)

bitnami/solr
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/solr](#)

Overview cell: 100

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 411. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.adminPassword``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.adminUsername``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.enabled``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.existingSecret``: Undocumented values path (warning)
- 405 additional audit findings in JSON.




[bitnami/sonarqube](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/sonarqube](#)

bitnami/sonarqube
0 measured changes; 0 pairs (unavailable)



Command '['helm', 'dependency', 'build',
'/var/folders/dd/pd400p1j4vgf5gv6qp6zfx000000gn/T/hypothesis-
helm-sensitivity-036wwv_d/chart']' timed out after 30 seconds

[Sensitivity: bitnami/sonarqube](#)

Overview cell: 101

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 419. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.enabled``: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.maxReplicas``: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.minReplicas``: Undocumented values path (warning)
- 413 additional audit findings in JSON.




[bitnami/spark](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/spark](#)

bitnami/spark
0 measured changes; 0 pairs (unavailable)



Command '['helm', 'dependency', 'build',
'/var/folders/dd/pd400p1j4vgf5gv6qp6zfx000000gn/T/hypothesis-
helm-sensitivity-heho7igi/chart']' timed out after 30 seconds

[Sensitivity: bitnami/spark](#)

Overview cell: 102

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 350. Full paths and template references are retained in the JSON report.

- [HH2001](#) at ``$.clusterDomain``: Undocumented values path (warning)
- [HH2001](#) at ``$.commonAnnotations``: Undocumented values path (warning)
- [HH2001](#) at ``$.commonLabels``: Undocumented values path (warning)
- [HH2001](#) at ``$.diagnosticMode.args``: Undocumented values path (warning)
- [HH2001](#) at ``$.diagnosticMode.command``: Undocumented values path (warning)
- [HH2001](#) at ``$.diagnosticMode.enabled``: Undocumented values path (warning)
- 344 additional audit findings in JSON.




[bitnami/superset](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/superset
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Topology: bitnami/superset](#)

[Sensitivity: bitnami/superset](#)

Overview cell: 103

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 752. Full paths and template references are retained in the JSON report.

- [HH2001](#) at ``$.apiVersions``: Undocumented values path (warning)
- [HH2001](#) at ``$.auth.email``: Undocumented values path (warning)
- [HH2001](#) at ``$.auth.existingSecret``: Undocumented values path (warning)
- [HH2001](#) at ``$.auth.password``: Undocumented values path (warning)
- [HH2001](#) at ``$.auth.secretKey``: Undocumented values path (warning)
- [HH2001](#) at ``$.auth.usePasswordFiles``: Undocumented values path (warning)
- 746 additional audit findings in JSON.




[bitnami/tensorflow-resnet](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/tensorflow-resnet
43 measured changes; 349 pairs (time-limit)



[Topology: bitnami/tensorflow-resnet](#)

[Sensitivity: bitnami/tensorflow-resnet](#)

[Sensitivity field key.](#)

Overview cell: 104

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 172. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.client.image``: Undocumented values path (warning)
- [HH2001](#) at `$.client.image.digest``: Undocumented values path (warning)
- [HH2001](#) at `$.client.image.pullPolicy``: Undocumented values path (warning)
- 166 additional audit findings in JSON.




[bitnami/thanos](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/thanos
48 measured changes; 223 pairs (time-limit)



[Topology: bitnami/thanos](#)

[Sensitivity: bitnami/thanos](#)

[Sensitivity field key.](#)

Overview cell: 105

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 1750. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.auth.basicAuthUsers``: Undocumented values path (warning)
- [HH2001](#) at `$.auth``: Undocumented values path (warning)
- [HH2001](#) at `$.bucketCacheConfig``: Undocumented values path (warning)
- [HH2001](#) at `$.bucketweb.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.bucketweb.args``: Undocumented values path (warning)
- [HH2001](#) at `$.bucketweb.automountServiceAccountToken``: Undocumented values path (warning)
- 1744 additional audit findings in JSON.




[bitnami/tomcat](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/tomcat](#)

bitnami/tomcat
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/tomcat](#)

Overview cell: 106

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 266. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.catalinaOpts``: Undocumented values path (warning)
- [HH2001](#) at `$.clusterDomain``: Undocumented values path (warning)
- [HH2001](#) at `$.command``: Undocumented values path (warning)
- 260 additional audit findings in JSON.




[bitnami/valkey](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/valkey
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Topology: bitnami/valkey](#)

[Sensitivity: bitnami/valkey](#)

Overview cell: 107

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 686. Full paths and template references are retained in the JSON report.


- [HH2001](#) at ``$.apiVersions``: Undocumented values path (warning)
- [HH2003](#) at ``$.auth.enabled``: Missing values description (info)
- [HH2001](#) at ``$.auth.existingSecret``: Undocumented values path (warning)
- [HH2001](#) at ``$.auth.existingSecretPasswordKey``: Undocumented values path (warning)
- [HH2001](#) at ``$.auth.sentinel``: Undocumented values path (warning)
- [HH2001](#) at ``$.auth.usePasswordFileFromSecret``: Undocumented values path (warning)
- 680 additional audit findings in JSON.



[bitnami/valkey-cluster](#)



bitnami/valkey-cluster
47 measured changes; 249 pairs (time-limit)



[Topology: bitnami/valkey-cluster](#)

[Sensitivity: bitnami/valkey-cluster](#)

[Sensitivity field key.](#)

Overview cell: 108

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 359. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.cluster.externalAccess``: Undocumented values path (warning)
- [HH2001](#) at `$.cluster.externalAccess.enabled``: Undocumented values path (warning)
- [HH2001](#) at `$.cluster.externalAccess.hostMode``: Undocumented values path (warning)
- [HH2001](#) at `$.cluster.externalAccess.service``: Undocumented values path (warning)
- [HH2001](#) at `$.cluster.externalAccess.service.annotations``: Undocumented values path (warning)
- [HH2001](#) at `$.cluster.externalAccess.service.disableLoadBalancerIP``: Undocumented values path (warning)
- 353 additional audit findings in JSON.




[bitnami/vault](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/vault
48 measured changes; 282 pairs (time-limit)



[Topology: bitnami/vault](#)

[Sensitivity: bitnami/vault](#)

[Sensitivity field key.](#)

Overview cell: 109

Status: unsupported-schema | Attempts: N/A



Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 557. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.clusterDomain``: Undocumented values path (warning)
- [HH2001](#) at `$.commonAnnotations``: Undocumented values path (warning)
- [HH2001](#) at `$.commonLabels``: Undocumented values path (warning)
- [HH2001](#) at `$.csiProvider.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.csiProvider.agent``: Undocumented values path (warning)
- [HH2001](#) at `$.csiProvider.agent.args``: Undocumented values path (warning)
- 551 additional audit findings in JSON.



[bitnami/victoriametrics](#)



[Topology: bitnami/victoriametrics](#)

[Sensitivity: bitnami/victoriametrics](#)

[Sensitivity field key.](#)

Overview cell: 110

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 1110. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.apiVersions``: Undocumented values path (warning)
- [HH2001](#) at `$.clusterDomain``: Undocumented values path (warning)
- [HH2001](#) at `$.commonAnnotations``: Undocumented values path (warning)
- [HH2001](#) at `$.commonLabels``: Undocumented values path (warning)
- [HH2001](#) at `$.defaultInitContainers.volumePermissions``: Undocumented values path (warning)
- [HH2001](#) at `$.defaultInitContainers.volumePermissions.containerSecurityContext``: Undocumented values path (warning)
- 1104 additional audit findings in JSON.




[bitnami/whereabouts](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/whereabouts
33 measured changes; 431 pairs (time-limit)



[Topology: bitnami/whereabouts](#)

[Sensitivity: bitnami/whereabouts](#)

[Sensitivity field key.](#)

Overview cell: 111

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 130. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.CNIMountPath``: Undocumented values path (warning)
- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.command``: Undocumented values path (warning)
- [HH2001](#) at `$.commonAnnotations``: Undocumented values path (warning)
- 124 additional audit findings in JSON.




[bitnami/wildfly](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/wildfly
48 measured changes; 612 pairs (time-limit)



[Topology: bitnami/wildfly](#)

[Sensitivity: bitnami/wildfly](#)

[Sensitivity field key.](#)

Overview cell: 112

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 233. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.clusterDomain``: Undocumented values path (warning)
- [HH2001](#) at `$.command``: Undocumented values path (warning)
- [HH2001](#) at `$.commonAnnotations``: Undocumented values path (warning)
- 227 additional audit findings in JSON.




[bitnami/wordpress](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/wordpress](#)

bitnami/wordpress
0 measured changes; 0 pairs (unavailable)



Command '['helm', 'dependency', 'build',
'/var/folders/dd/pd400p1j4vgf5gv6qp6zfx000000gn/T/hypothesis-helm-sensitivity-5cytcak9/chart']' timed out after 30 seconds

[Sensitivity: bitnami/wordpress](#)

Overview cell: 113

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 406. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity`: Undocumented values path (warning)
- [HH2001](#) at `$.allowEmptyPassword`: Undocumented values path (warning)
- [HH2001](#) at `$.allowOverrideNone`: Undocumented values path (warning)
- [HH2001](#) at `$.apacheConfiguration`: Undocumented values path (warning)
- [HH2001](#) at `$.args`: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken`: Undocumented values path (warning)
- 400 additional audit findings in JSON.




[bitnami/zipkin](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/zipkin
0 measured changes; 0 pairs (unavailable)



[HH1101] invalid rendered YAML: ruamel: more indented follow up line than first in a block scalar in "<unicode string>", line 474, column 15: set -o errexit ^ (line: 474)

[Topology: bitnami/zipkin](#)

[Sensitivity: bitnami/zipkin](#)

Overview cell: 114

Status: unsupported-schema | Attempts: N/A


Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 380. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.annotations``: Undocumented values path (warning)
- [HH2001](#) at `$.apiVersions``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.hpa``: Undocumented values path (warning)
- 374 additional audit findings in JSON.




[bitnami/zookeeper](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/zookeeper
46 measured changes; 611 pairs (time-limit)



[Topology: bitnami/zookeeper](#)

[Sensitivity: bitnami/zookeeper](#)

[Sensitivity field key.](#)

Overview cell: 115

Status: unsupported-schema | Attempts: N/A

Testing limitation: permutations need closed objects at (); set additionalProperties: false

Audit findings: 319. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `$.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.args``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.client``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.client.clientPassword``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.client.clientUser``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.client.enabled``: Undocumented values path (warning)
- 313 additional audit findings in JSON.



Appendix: plot guide

Overview matrices

Each numbered cell links to one chart. The left matrix shows findings or test status; the right shows recorded testing time. A dash means no timing was recorded. Incomplete and untested charts have not passed.

Chart topology

Vertices represent values paths, branch conditions, templates and manifest fields. Connections show the relationships the compiler could establish between them. Rendered fields, when available, describe the measured baseline. An absent connection does not prove independence when analysis is incomplete.

Field interactions

Both axes use the field numbers in the chart's sensitivity appendix entry, linked from its plot caption. Each measured cell compares changing two fields together with changing each separately from the same baseline. Manifests are encoded as path-and-value indicators, including empty containers. The color measures the sum of absolute differences in $f(ij) - f(i) - f(j) + f(0)$. A larger value means a stronger interaction for those particular changes; zero means no interaction was measured. Blank cells are unmeasured, not zero. These measurements describe sampled changes, not all possible field values or bug counts.

Graph structure metrics

Each point represents one chart with published graph measurements. The left panel compares vertices with connections. The right counts independent loops after ignoring connection direction: connections minus vertices plus disconnected groups. Parallel connections count separately. The axes compress large values while retaining zero. These counts describe graph structure, not execution loops, runtime or the number of defects.



Appendix: sensitivity field keys

Both heatmap axes use the same field numbers for each chart.

bitnami/apache

- 1: \$.metrics.image.debug
- 2: \$.startupProbe.successThreshold
- 3: \$.automountServiceAccountToken
- 4: \$.pdb.create
- 5: \$.livenessProbe.initialDelaySeconds
- 6: \$.cloneHtdocsFromGit.enabled
- 7: \$.livenessProbe.periodSeconds
- 8: \$.readinessProbe.timeoutSeconds
- 9: \$.readinessProbe.initialDelaySeconds
- 10: \$.livenessProbe.successThreshold
- 11: \$.metrics.service.port
- 12: \$.metrics.enabled
- 13: \$.cloneHtdocsFromGit.interval
- 14: \$.networkPolicy.allowExternalEgress
- 15: \$.metrics.containerPort
- 16: \$.livenessProbe.enabled
- 17: \$.readinessProbe.enabled
- 18: \$.replicaCount
- 19: \$.autoscaling.minReplicas
- 20: \$.containerPorts.http
- 21: \$.startupProbe.initialDelaySeconds
- 22: \$.startupProbe.failureThreshold
- 23: \$.autoscaling.maxReplicas
- 24: \$.networkPolicy.allowExternal
- 25: \$.ingress.tls
- 26: \$.autoscaling.targetMemory
- 27: \$.readinessProbe.periodSeconds
- 28: \$.podSecurityContext.fsGroup
- 29: \$.revisionHistoryLimit
- 30: \$.metrics.prometheusRule.enabled
- 31: \$.startupProbe.timeoutSeconds
- 32: \$.containerSecurityContext.privileged
- 33: \$.cloneHtdocsFromGit.enableAutoRefresh
- 34: \$.containerSecurityContext.runAsGroup
- 35: \$.image.debug
- 36: \$.containerSecurityContext.runAsNonRoot
- 37: \$.service.ports.https
- 38: \$.autoscaling.targetCPU
- 39: \$.serviceAccount.automountServiceAccountToken
- 40: \$.readinessProbe.successThreshold
- 41: \$.livenessProbe.timeoutSeconds
- 42: \$.containerSecurityContext.allowPrivilegeEscalation
- 43: \$.podSecurityContext.enabled
- 44: \$.startupProbe.periodSeconds
- 45: \$.networkPolicy.enabled
- 46: \$.containerPorts.https
- 47: \$.serviceAccount.create
- 48: \$.readinessProbe.failureThreshold

[Back to chart](#)



bitnami/aspnet-core

- 1: \$.startupProbe.successThreshold
- 2: \$.healthIngress.tls
- 3: \$.automountServiceAccountToken
- 4: \$.pdb.create
- 5: \$.livenessProbe.initialDelaySeconds
- 6: \$.livenessProbe.periodSeconds
- 7: \$.healthIngress.enabled
- 8: \$.readinessProbe.timeoutSeconds
- 9: \$.readinessProbe.initialDelaySeconds
- 10: \$.livenessProbe.successThreshold
- 11: \$.networkPolicy.allowExternalEgress
- 12: \$.livenessProbe.enabled
- 13: \$.readinessProbe.enabled
- 14: \$.replicaCount
- 15: \$.autoscaling.minReplicas
- 16: \$.containerPorts.http
- 17: \$.startupProbe.initialDelaySeconds
- 18: \$.startupProbe.failureThreshold
- 19: \$.autoscaling.maxReplicas
- 20: \$.appFromExternalRepo.clone.depth
- 21: \$.networkPolicy.allowExternal
- 22: \$.ingress.tls
- 23: \$.readinessProbe.periodSeconds
- 24: \$.startupProbe.timeoutSeconds
- 25: \$.appFromExternalRepo.enabled
- 26: \$.containerSecurityContext.runAsGroup
- 27: \$.image.debug
- 28: \$.containerSecurityContext.runAsNonRoot
- 29: \$.serviceAccount.automountServiceAccountToken
- 30: \$.readinessProbe.successThreshold
- 31: \$.livenessProbe.timeoutSeconds
- 32: \$.containerSecurityContext.allowPrivilegeEscalation
- 33: \$.podSecurityContext.enabled
- 34: \$.startupProbe.periodSeconds
- 35: \$.networkPolicy.enabled
- 36: \$.serviceAccount.create
- 37: \$.readinessProbe.failureThreshold
- 38: \$.ingress.enabled
- 39: \$.containerSecurityContext.runAsUser
- 40: \$.livenessProbe.failureThreshold
- 41: \$.ingress.selfSigned
- 42: \$.global.security.allowInsecureImages
- 43: \$.service.ports.http
- 44: \$.autoscaling.enabled
- 45: \$.appFromExistingPVC.enabled
- 46: \$.containerSecurityContext.readOnlyRootFilesystem
- 47: \$.containerSecurityContext.enabled
- 48: \$.startupProbe.enabled

[Back to chart](#)



bitnami/cadvisor

- 1: \$.startupProbe.successThreshold
- 2: \$.automountServiceAccountToken
- 3: \$.livenessProbe.initialDelaySeconds
- 4: \$.diagnosticMode.enabled
- 5: \$.livenessProbe.periodSeconds
- 6: \$.readinessProbe.timeoutSeconds
- 7: \$.readinessProbe.initialDelaySeconds
- 8: \$.livenessProbe.successThreshold
- 9: \$.metrics.enabled
- 10: \$.networkPolicy.allowExternalEgress
- 11: \$.livenessProbe.enabled
- 12: \$.defaultMounts.varRun
- 13: \$.readinessProbe.enabled
- 14: \$.containerPorts.http
- 15: \$.startupProbe.initialDelaySeconds
- 16: \$.startupProbe.failureThreshold
- 17: \$.ingress.tls
- 18: \$.networkPolicy.addExternalClientAccess
- 19: \$.readinessProbe.periodSeconds
- 20: \$.defaultMounts.sys
- 21: \$.startupProbe.timeoutSeconds
- 22: \$.containerSecurityContext.privileged
- 23: \$.containerSecurityContext.runAsNonRoot
- 24: \$.serviceAccount.automountServiceAccountToken
- 25: \$.readinessProbe.successThreshold
- 26: \$.livenessProbe.timeoutSeconds
- 27: \$.containerSecurityContext.allowPrivilegeEscalation
- 28: \$.podSecurityContext.enabled
- 29: \$.metrics.serviceMonitor.honorLabels
- 30: \$.startupProbe.periodSeconds
- 31: \$.networkPolicy.enabled
- 32: \$.serviceAccount.create
- 33: \$.readinessProbe.failureThreshold
- 34: \$.ingress.enabled
- 35: \$.livenessProbe.failureThreshold
- 36: \$.ingress.selfSigned
- 37: \$.defaultMounts.devDisk
- 38: \$.ingress.tlsWwwPrefix
- 39: \$.global.security.allowInsecureImages
- 40: \$.service.ports.http
- 41: \$.metrics.serviceMonitor.enabled
- 42: \$.defaultMounts.varLibDocker
- 43: \$.containerSecurityContext.readOnlyRootFilesystem
- 44: \$.containerSecurityContext.enabled
- 45: \$.defaultMounts.rootfs
- 46: \$.startupProbe.enabled
- 47: \$.service.enabled

[Back to chart](#)



bitnami/cert-manager

- 1: \$.webhook.readinessProbe.timeoutSeconds
- 2: \$.controller.networkPolicy.kubeAPIServerPorts[2]
- 3: \$.cainjector.containerSecurityContext.privileged
- 4: \$.controller.livenessProbe.timeoutSeconds
- 5: \$.webhook.containerSecurityContext.runAsUser
- 6: \$.cainjector.startupProbe.periodSeconds
- 7: \$.controller.networkPolicy.allowExternal
- 8: \$.controller.acmesolver.image.debug
- 9: \$.controller.serviceAccount.automountServiceAccountToken
- 10: \$.webhook.podSecurityContext.fsGroup
- 11: \$.cainjector.containerSecurityContext.runAsNonRoot
- 12: \$.controller.livenessProbe.enabled
- 13: \$.metrics.enabled
- 14: \$.cainjector.podSecurityContext.fsGroup
- 15: \$.rbac.create
- 16: \$.webhook.livenessProbe.initialDelaySeconds
- 17: \$.controller.startupProbe.timeoutSeconds
- 18: \$.cainjector.startupProbe.successThreshold
- 19: \$.cainjector.startupProbe.initialDelaySeconds
- 20: \$.cainjector.podSecurityContext.enabled
- 21: \$.metrics.serviceMonitor.targetPort
- 22: \$.cainjector.livenessProbe.failureThreshold
- 23: \$.webhook.readinessProbe.failureThreshold
- 24: \$.cainjector.automountServiceAccountToken
- 25: \$.controller.podSecurityContext.fsGroup
- 26: \$.webhook.networkPolicy.kubeAPIServerPorts[1]
- 27: \$.cainjector.containerSecurityContext.runAsGroup
- 28: \$.controller.automountServiceAccountToken
- 29: \$.webhook.hostNetwork
- 30: \$.replicaCount
- 31: \$.controller.containerSecurityContext.privileged
- 32: \$.cainjector.readinessProbe.timeoutSeconds
- 33: \$.controller.livenessProbe.initialDelaySeconds
- 34: \$.webhook.containerPorts.health
- 35: \$.webhook.podSecurityContext.enabled
- 36: \$.cainjector.containerSecurityContext.enabled
- 37: \$.controller.podSecurityContext.enabled
- 38: \$.controller.containerSecurityContext.readOnlyRootFilesystem
- 39: \$.cainjector.livenessProbe.initialDelaySeconds
- 40: \$.webhook.timeoutSeconds
- 41: \$.controller.readinessProbe.initialDelaySeconds
- 42: \$.cainjector.readinessProbe.enabled
- 43: \$.webhook.serviceAccount.create
- 44: \$.webhook.networkPolicy.kubeAPIServerPorts[2]
- 45: \$.cainjector.livenessProbe.timeoutSeconds
- 46: \$.controller.networkPolicy.allowExternalEgress
- 47: \$.webhook.replicaCount
- 48: \$.controller.containerSecurityContext.enabled

[Back to chart](#)



bitnami/consul

- 1: \$.startupProbe.successThreshold
- 2: \$.automountServiceAccountToken
- 3: \$.pdb.create
- 4: \$.livenessProbe.initialDelaySeconds
- 5: \$.diagnosticMode.enabled
- 6: \$.livenessProbe.periodSeconds
- 7: \$.readinessProbe.timeoutSeconds
- 8: \$.readinessProbe.initialDelaySeconds
- 9: \$.livenessProbe.successThreshold
- 10: \$.metrics.enabled
- 11: \$.metrics.containerSecurityContext.privileged
- 12: \$.networkPolicy.allowExternalEgress
- 13: \$.livenessProbe.enabled
- 14: \$.readinessProbe.enabled
- 15: \$.replicaCount
- 16: \$.containerPorts.http
- 17: \$.startupProbe.failureThreshold
- 18: \$.containerPorts.rpc
- 19: \$.metrics.containerSecurityContext.runAsNonRoot
- 20: \$.networkPolicy.allowExternal
- 21: \$.metrics.containerSecurityContext.enabled
- 22: \$.ingress.tls
- 23: \$.metrics.containerSecurityContext.allowPrivilegeEscalation
- 24: \$.metrics.containerSecurityContext.runAsGroup
- 25: \$.readinessProbe.periodSeconds
- 26: \$.podSecurityContext.fsGroup
- 27: \$.startupProbe.timeoutSeconds
- 28: \$.containerSecurityContext.privileged
- 29: \$.containerSecurityContext.runAsGroup
- 30: \$.image.debug
- 31: \$.containerSecurityContext.runAsNonRoot
- 32: \$.containerPorts.serfWAN
- 33: \$.serviceAccount.automountServiceAccountToken
- 34: \$.metrics.containerSecurityContext.readOnlyRootFilesystem
- 35: \$.readinessProbe.successThreshold
- 36: \$.containerPorts.dns
- 37: \$.livenessProbe.timeoutSeconds
- 38: \$.containerSecurityContext.allowPrivilegeEscalation
- 39: \$.volumePermissions.enabled
- 40: \$.podSecurityContext.enabled
- 41: \$.metrics.serviceMonitor.honorLabels
- 42: \$.startupProbe.periodSeconds
- 43: \$.networkPolicy.enabled
- 44: \$.serviceAccount.create
- 45: \$.readinessProbe.failureThreshold
- 46: \$.ingress.enabled
- 47: \$.containerSecurityContext.runAsUser
- 48: \$.containerPorts.rpcServer

[Back to chart](#)



bitnami/contour

- 1: \$.contour.livenessProbe.initialDelaySeconds
- 2: \$.envoy.hostPorts.metrics
- 3: \$.contour.livenessProbe.enabled
- 4: \$.defaultBackend.containerSecurityContext.runAsUser
- 5: \$.envoy.containerPorts.metrics
- 6: \$.envoy.shutdownManager.startupProbe.successThreshold
- 7: \$.contour.readinessProbe.enabled
- 8: \$.envoy.service.exposeMetrics
- 9: \$.defaultBackend.livenessProbe.successThreshold
- 10: \$.contour.service.ports.xds
- 11: \$.envoy.hostPorts.http
- 12: \$.envoy.shutdownManager.enabled
- 13: \$.contour.networkPolicy.kubeAPIServerPorts[2]
- 14: \$.envoy.useHostPort.metrics
- 15: \$.contour.containerSecurityContext.enabled
- 16: \$.diagnosticMode.enabled
- 17: \$.contour.configPath
- 18: \$.envoy.containerSecurityContext.allowPrivilegeEscalation
- 19: \$.contour.containerSecurityContext.runAsGroup
- 20: \$.configInline.disablePermitInsecure
- 21: \$.contour.serviceAccount.create
- 22: \$.defaultBackend.replicaCount
- 23: \$.envoy.defaultInitContainers.initConfig.containerSecurityContext.allowPrivilegeEscalation
- 24: \$.envoy.shutdownManager.containerSecurityContext.enabled
- 25: \$.rbac.create
- 26: \$.contour.service.ports.metrics
- 27: \$.envoy.containerSecurityContext.runAsGroup
- 28: \$.envoy.readinessProbe.port
- 29: \$.envoy.autoscaling.maxReplicas
- 30: \$.contour.containerSecurityContext.allowPrivilegeEscalation
- 31: \$.contour.certgen.networkPolicy.kubeAPIServerPorts[2]
- 32: \$.defaultBackend.startupProbe.successThreshold
- 33: \$.defaultBackend.containerSecurityContext.allowPrivilegeEscalation
- 34: \$.contour.containerSecurityContext.readOnlyRootFilesystem
- 35: \$.envoy.shutdownManager.startupProbe.periodSeconds
- 36: \$.envoy.livenessProbe.failureThreshold
- 37: \$.envoy.containerPorts.http
- 38: \$.envoy.startupProbe.failureThreshold
- 39: \$.envoy.serviceAccount.automountServiceAccountToken
- 40: \$.contour.readinessProbe.failureThreshold
- 41: \$.envoy.defaultInitContainers.initConfig.containerSecurityContext.readOnlyRootFilesystem
- 42: \$.defaultBackend.podSecurityContext.enabled
- 43: \$.contour.certgen.serviceAccount.automountServiceAccountToken
- 44: \$.contour.networkPolicy.enabled
- 45: \$.defaultBackend.networkPolicy.enabled
- 46: \$.contour.automountServiceAccountToken
- 47: \$.contour.readinessProbe.timeoutSeconds
- 48: \$.contour.containerPorts.xds

[Back to chart](#)



bitnami/elasticsearch

- 1: \$.metrics.podSecurityContext.enabled
- 2: \$.master.podSecurityContext.fsGroup
- 3: \$.data.networkPolicy.allowExternalEgress
- 4: \$.coordinating.networkPolicy.allowExternalEgress
- 5: \$.ingest.autoscaling.minReplicas
- 6: \$.data.startupProbe.initialDelaySeconds
- 7: \$.master.livenessProbe.successThreshold
- 8: \$.data.autoscaling.minReplicas
- 9: \$.ingest.enabled
- 10: \$.security.fipsMode
- 11: \$.master.networkPolicy.allowExternal
- 12: \$.diagnosticMode.enabled
- 13: \$.ingest.livenessProbe.successThreshold
- 14: \$.ingest.readinessProbe.failureThreshold
- 15: \$.master.autoscaling.enabled
- 16: \$.metrics.startupProbe.timeoutSeconds
- 17: \$.data.shareProcessNamespace
- 18: \$.coordinating.readinessProbe.failureThreshold
- 19: \$.useIstioLabels
- 20: \$.data.livenessProbe.initialDelaySeconds
- 21: \$.metrics.service.port
- 22: \$.master.livenessProbe.initialDelaySeconds
- 23: \$.metrics.automountServiceAccountToken
- 24: \$.metrics.livenessProbe.failureThreshold
- 25: \$.master.persistentVolumeClaimRetentionPolicy.enabled
- 26: \$.master.readinessProbe.timeoutSeconds
- 27: \$.master.serviceAccount.automountServiceAccountToken
- 28: \$.ingest.startupProbe.periodSeconds
- 29: \$.master.readinessProbe.initialDelaySeconds
- 30: \$.metrics.enabled
- 31: \$.data.replicaCount
- 32: \$.metrics.containerSecurityContext.privileged
- 33: \$.ingest.livenessProbe.failureThreshold
- 34: \$.coordinating.readinessProbe.successThreshold
- 35: \$.ingest.containerSecurityContext.runAsNonRoot
- 36: \$.coordinating.containerSecurityContext.runAsUser
- 37: \$.coordinating.livenessProbe.failureThreshold
- 38: \$.metrics.networkPolicy.allowExternal
- 39: \$.data.persistence.enabled
- 40: \$.metrics.livenessProbe.timeoutSeconds
- 41: \$.data.containerSecurityContext.privileged
- 42: \$.coordinating.podSecurityContext.fsGroup
- 43: \$.coordinating.networkPolicy.allowExternal
- 44: \$.metrics.livenessProbe.initialDelaySeconds
- 45: \$.usePasswordFiles
- 46: \$.data.persistentVolumeClaimRetentionPolicy.enabled
- 47: \$.security.tls.autoGenerated
- 48: \$.coordinating.containerSecurityContext.readOnlyRootFilesystem

[Back to chart](#)



bitnami/envoy-gateway

- 1: \$.certgen.readinessProbe.periodSeconds
- 2: \$.startupProbe.successThreshold
- 3: \$.automountServiceAccountToken
- 4: \$.pdb.create
- 5: \$.livenessProbe.initialDelaySeconds
- 6: \$.diagnosticMode.enabled
- 7: \$.livenessProbe.periodSeconds
- 8: \$.certgen.networkPolicy.kubeAPIServerPorts[1]
- 9: \$.readinessProbe.timeoutSeconds
- 10: \$.readinessProbe.initialDelaySeconds
- 11: \$.livenessProbe.successThreshold
- 12: \$.certgen.startupProbe.timeoutSeconds
- 13: \$.certgen.networkPolicy.allowExternal
- 14: \$.metrics.enabled
- 15: \$.rbac.create
- 16: \$.certgen.serviceAccount.automountServiceAccountToken
- 17: \$.certgen.networkPolicy.allowExternalEgress
- 18: \$.watchAllNamespaces
- 19: \$.certgen.networkPolicy.kubeAPIServerPorts[2]
- 20: \$.certgen.containerSecurityContext.readOnlyRootFilesystem
- 21: \$.networkPolicy.allowExternalEgress
- 22: \$.exposeAdmin
- 23: \$.topologyInjector.enabled
- 24: \$.livenessProbe.enabled
- 25: \$.certgen.completions
- 26: \$.readinessProbe.enabled
- 27: \$.certgen.readinessProbe.timeoutSeconds
- 28: \$.replicaCount
- 29: \$.certgen.automountServiceAccountToken
- 30: \$.certgen.readinessProbe.enabled
- 31: \$.certgen.containerSecurityContext.allowPrivilegeEscalation
- 32: \$.startupProbe.initialDelaySeconds
- 33: \$.networkPolicy.kubeAPIServerPorts[0]
- 34: \$.startupProbe.failureThreshold
- 35: \$.certgen.containerSecurityContext.privileged
- 36: \$.certgen.containerSecurityContext.enabled
- 37: \$.certgen.enabled
- 38: \$.certgen.livenessProbe.failureThreshold
- 39: \$.networkPolicy.allowExternal
- 40: \$.certgen.startupProbe.initialDelaySeconds
- 41: \$.certgen.podSecurityContext.fsGroup
- 42: \$.certgen.livenessProbe.timeoutSeconds
- 43: \$.readinessProbe.periodSeconds
- 44: \$.podSecurityContext.fsGroup
- 45: \$.certgen.startupProbe.periodSeconds
- 46: \$.startupProbe.timeoutSeconds
- 47: \$.certgen.serviceAccount.create
- 48: \$.certgen.livenessProbe.enabled

[Back to chart](#)



bitnami/external-dns

- 1: \$.rbac.pspEnabled
- 2: \$.startupProbe.successThreshold
- 3: \$.automountServiceAccountToken
- 4: \$.pdb.create
- 5: \$.livenessProbe.initialDelaySeconds
- 6: \$.livenessProbe.periodSeconds
- 7: \$.readinessProbe.timeoutSeconds
- 8: \$.readinessProbe.initialDelaySeconds
- 9: \$.livenessProbe.successThreshold
- 10: \$.metrics.enabled
- 11: \$.rbac.create
- 12: \$.cloudflare.dnsRecordsPerPage
- 13: \$.networkPolicy.allowExternalEgress
- 14: \$.rfc2136.port
- 15: \$.livenessProbe.enabled
- 16: \$.readinessProbe.enabled
- 17: \$.traefik.disableLegacy
- 18: \$.cloudflare.regionalServices
- 19: \$.oci.useWorkloadIdentity
- 20: \$.containerPorts.http
- 21: \$.startupProbe.initialDelaySeconds
- 22: \$.networkPolicy.kubeAPIServerPorts[0]
- 23: \$.metrics.googlePodMonitor.enabled
- 24: \$.aws.apiRetries
- 25: \$.startupProbe.failureThreshold
- 26: \$.networkPolicy.allowExternal
- 27: \$.cloudflare.proxied
- 28: \$.traefik.disableNew
- 29: \$.txtEncrypt.enabled
- 30: \$.readinessProbe.periodSeconds
- 31: \$.podSecurityContext.fsGroup
- 32: \$.revisionHistoryLimit
- 33: \$.startupProbe.timeoutSeconds
- 34: \$.txtNewFormatOnly
- 35: \$.containerSecurityContext.privileged
- 36: \$.dryRun
- 37: \$.containerSecurityContext.runAsGroup
- 38: \$.containerSecurityContext.runAsNonRoot
- 39: \$.crd.create
- 40: \$.rbac.clusterRole
- 41: \$.azure.useWorkloadIdentityExtension
- 42: \$.rfc2136.tsigAxfr
- 43: \$.serviceAccount.automountServiceAccountToken
- 44: \$.forceTxtOwnerId
- 45: \$.triggerLoopOnEvent
- 46: \$.readinessProbe.successThreshold
- 47: \$.aws.batchChangeSize
- 48: \$.rfc2136.rfc3645Enabled

[Back to chart](#)



bitnami/flink

- 1: \$.taskmanager.startupProbe.timeoutSeconds
- 2: \$.taskmanager.readinessProbe.successThreshold
- 3: \$.taskmanager.readinessProbe.failureThreshold
- 4: \$.jobmanager.readinessProbe.initialDelaySeconds
- 5: \$.jobmanager.readinessProbe.enabled
- 6: \$.diagnosticMode.enabled
- 7: \$.jobmanager.readinessProbe.successThreshold
- 8: \$.taskmanager.containerSecurityContext.runAsGroup
- 9: \$.jobmanager.serviceAccount.automountServiceAccountToken
- 10: \$.jobmanager.containerPorts.blob
- 11: \$.jobmanager.readinessProbe.timeoutSeconds
- 12: \$.taskmanager.livenessProbe.enabled
- 13: \$.jobmanager.containerPorts.rpc
- 14: \$.jobmanager.startupProbe.failureThreshold
- 15: \$.taskmanager.service.ports.internalMetrics
- 16: \$.jobmanager.podSecurityContext.enabled
- 17: \$.taskmanager.startupProbe.failureThreshold
- 18: \$.taskmanager.startupProbe.enabled
- 19: \$.taskmanager.containerSecurityContext.privileged
- 20: \$.taskmanager.containerSecurityContext.runAsUser
- 21: \$.taskmanager.startupProbe.periodSeconds
- 22: \$.taskmanager.automountServiceAccountToken
- 23: \$.jobmanager.containerSecurityContext.allowPrivilegeEscalation
- 24: \$.taskmanager.service.ports.data
- 25: \$.jobmanager.containerSecurityContext.runAsGroup
- 26: \$.jobmanager.startupProbe.successThreshold
- 27: \$.jobmanager.startupProbe.initialDelaySeconds
- 28: \$.taskmanager.livenessProbe.periodSeconds
- 29: \$.jobmanager.startupProbe.enabled
- 30: \$.jobmanager.startupProbe.timeoutSeconds
- 31: \$.jobmanager.livenessProbe.successThreshold
- 32: \$.taskmanager.containerSecurityContext.runAsNonRoot
- 33: \$.taskmanager.startupProbe.initialDelaySeconds
- 34: \$.taskmanager.containerPorts.data
- 35: \$.taskmanager.pdb.create
- 36: \$.jobmanager.livenessProbe.initialDelaySeconds
- 37: \$.jobmanager.containerSecurityContext.runAsNonRoot
- 38: \$.jobmanager.networkPolicy.allowExternalEgress
- 39: \$.jobmanager.containerPorts.http
- 40: \$.taskmanager.livenessProbe.failureThreshold
- 41: \$.image.debug
- 42: \$.jobmanager.podSecurityContext.fsGroup
- 43: \$.taskmanager.startupProbe.successThreshold
- 44: \$.taskmanager.replicaCount
- 45: \$.jobmanager.networkPolicy.enabled
- 46: \$.jobmanager.automountServiceAccountToken
- 47: \$.taskmanager.containerSecurityContext.readOnlyRootFilesystem
- 48: \$.taskmanager.livenessProbe.timeoutSeconds

[Back to chart](#)



bitnami/fluent-bit

- 1: \$.startupProbe.successThreshold
- 2: \$.automountServiceAccountToken
- 3: \$.pdb.create
- 4: \$.livenessProbe.initialDelaySeconds
- 5: \$.diagnosticMode.enabled
- 6: \$.livenessProbe.periodSeconds
- 7: \$.autoscaling.hpa.targetCPUUtilizationPercentage
- 8: \$.readinessProbe.timeoutSeconds
- 9: \$.readinessProbe.initialDelaySeconds
- 10: \$.livenessProbe.successThreshold
- 11: \$.metrics.enabled
- 12: \$.rbac.create
- 13: \$.networkPolicy.allowExternalEgress
- 14: \$.livenessProbe.enabled
- 15: \$.readinessProbe.enabled
- 16: \$.replicaCount
- 17: \$.daemonset.podSecurityContext.enabled
- 18: \$.containerPorts.http
- 19: \$.startupProbe.initialDelaySeconds
- 20: \$.networkPolicy.kubeAPIServerPorts[0]
- 21: \$.startupProbe.failureThreshold
- 22: \$.networkPolicy.allowExternal
- 23: \$.ingress.tls
- 24: \$.autoscaling.hpa.minReplicas
- 25: \$.readinessProbe.periodSeconds
- 26: \$.podSecurityContext.fsGroup
- 27: \$.startupProbe.timeoutSeconds
- 28: \$.containerSecurityContext.privileged
- 29: \$.containerSecurityContext.runAsGroup
- 30: \$.image.debug
- 31: \$.containerSecurityContext.runAsNonRoot
- 32: \$.hostNetwork
- 33: \$.serviceAccount.automountServiceAccountToken
- 34: \$.rbac.nodeAccess
- 35: \$.readinessProbe.successThreshold
- 36: \$.autoscaling.vpa.enabled
- 37: \$.livenessProbe.timeoutSeconds
- 38: \$.containerSecurityContext.allowPrivilegeEscalation
- 39: \$.autoscaling.hpa.enabled
- 40: \$.podSecurityContext.enabled
- 41: \$.metrics.serviceMonitor.honorLabels
- 42: \$.networkPolicy.kubeAPIServerPorts[2]
- 43: \$.startupProbe.periodSeconds
- 44: \$.networkPolicy.enabled
- 45: \$.serviceAccount.create
- 46: \$.readinessProbe.failureThreshold
- 47: \$.ingress.enabled
- 48: \$.containerSecurityContext.runAsUser

[Back to chart](#)



bitnami/fluentd

- 1: \$.aggregator.service.ports.http.port
- 2: \$.forwarder.podSecurityContext.enabled
- 3: \$.aggregator.startupProbe.enabled
- 4: \$.forwarder.containerSecurityContext.allowPrivilegeEscalation
- 5: \$.aggregator.port
- 6: \$.aggregator.startupProbe.periodSeconds
- 7: \$.aggregator.containerSecurityContext.runAsGroup
- 8: \$.diagnosticMode.enabled
- 9: \$.aggregator.readinessProbe.timeoutSeconds
- 10: \$.metrics.service.port
- 11: \$.aggregator.networkPolicy.enabled
- 12: \$.metrics.enabled
- 13: \$.forwarder.networkPolicy.enabled
- 14: \$.forwarder.readinessProbe.initialDelaySeconds
- 15: \$.aggregator.autoscaling.enabled
- 16: \$.forwarder.readinessProbe.timeoutSeconds
- 17: \$.aggregator.readinessProbe.periodSeconds
- 18: \$.aggregator.containerSecurityContext.enabled
- 19: \$.forwarder.automountServiceAccountToken
- 20: \$.forwarder.serviceAccount.automountServiceAccountToken
- 21: \$.forwarder.networkPolicy.allowExternalEgress
- 22: \$.forwarder.persistence.enabled
- 23: \$.aggregator.terminationGracePeriodSeconds
- 24: \$.aggregator.livenessProbe.timeoutSeconds
- 25: \$.forwarder.containerSecurityContext.enabled
- 26: \$.forwarder.startupProbe.timeoutSeconds
- 27: \$.aggregator.service.ports.tcp.port
- 28: \$.aggregator.startupProbe.initialDelaySeconds
- 29: \$.aggregator.ingress.enabled
- 30: \$.tls.autoGenerated
- 31: \$.forwarder.enabled
- 32: \$.aggregator.replicaCount
- 33: \$.forwarder.containerSecurityContext.privileged
- 34: \$.forwarder.readinessProbe.periodSeconds
- 35: \$.aggregator.startupProbe.successThreshold
- 36: \$.aggregator.livenessProbe.initialDelaySeconds
- 37: \$.forwarder.startupProbe.periodSeconds
- 38: \$.forwarder.terminationGracePeriodSeconds
- 39: \$.forwarder.networkPolicy.allowExternal
- 40: \$.forwarder.readinessProbe.enabled
- 41: \$.aggregator.persistence.enabled
- 42: \$.varlog.readonly
- 43: \$.forwarder.livenessProbe.failureThreshold
- 44: \$.forwarder.networkPolicy.kubeAPIServerPorts[2]
- 45: \$.aggregator.containerPorts[0].containerPort
- 46: \$.aggregator.livenessProbe.periodSeconds
- 47: \$.forwarder.livenessProbe.periodSeconds
- 48: \$.forwarder.livenessProbe.successThreshold

[Back to chart](#)



bitnami/flux

- 1: \$.imageAutomationController.readinessProbe.periodSeconds
- 2: \$.sourceController.metrics.service.ports.metrics
- 3: \$.imageReflectorController.startupProbe.timeoutSeconds
- 4: \$.kustomizeController.image.debug
- 5: \$.helmController.autoscaling.enabled
- 6: \$.sourceController.readinessProbe.failureThreshold
- 7: \$.sourceController.rbac.create
- 8: \$.imageAutomationController.serviceAccount.automountServiceAccountToken
- 9: \$.sourceController.readinessProbe.successThreshold
- 10: \$.sourceController.containerPorts.http
- 11: \$.sourceController.networkPolicy.allowExternal
- 12: \$.sourceController.livenessProbe.successThreshold
- 13: \$.helmController.rbac.create
- 14: \$.notificationController.automountServiceAccountToken
- 15: \$.helmController.containerSecurityContext.readOnlyRootFilesystem
- 16: \$.kustomizeController.containerPorts.metrics
- 17: \$.notificationController.readinessProbe.failureThreshold
- 18: \$.imageReflectorController.readinessProbe.initialDelaySeconds
- 19: \$.helmController.livenessProbe.periodSeconds
- 20: \$.diagnosticMode.enabled
- 21: \$.imageAutomationController.installCRDs
- 22: \$.kustomizeController.livenessProbe.successThreshold
- 23: \$.kustomizeController.automountServiceAccountToken
- 24: \$.imageAutomationController.podSecurityContext.enabled
- 25: \$.imageReflectorController.containerSecurityContext.privileged
- 26: \$.helmController.containerSecurityContext.runAsGroup
- 27: \$.imageAutomationController.networkPolicy.kubeAPIServerPorts[2]
- 28: \$.imageAutomationController.replicaCount
- 29: \$.helmController.startupProbe.enabled
- 30: \$.helmController.containerSecurityContext.enabled
- 31: \$.volumePermissions.containerSecurityContext.enabled
- 32: \$.helmController.containerSecurityContext.runAsUser
- 33: \$.imageAutomationController.rbac.create
- 34: \$.kustomizeController.containerSecurityContext.readOnlyRootFilesystem
- 35: \$.notificationController.installCRDs
- 36: \$.sourceController.livenessProbe.failureThreshold
- 37: \$.imageReflectorController.networkPolicy.enabled
- 38: \$.imageAutomationController.metrics.service.ports.metrics
- 39: \$.kustomizeController.containerSecurityContext.enabled
- 40: \$.imageReflectorController.livenessProbe.enabled
- 41: \$.sourceController.serviceAccount.automountServiceAccountToken
- 42: \$.imageAutomationController.livenessProbe.initialDelaySeconds
- 43: \$.helmController.networkPolicy.kubeAPIServerPorts[1]
- 44: \$.kustomizeController.containerSecurityContext.privileged
- 45: \$.imageReflectorController.containerSecurityContext.enabled
- 46: \$.kustomizeController.readinessProbe.enabled
- 47: \$.kustomizeController.containerSecurityContext.runAsGroup
- 48: \$.notificationController.livenessProbe.timeoutSeconds

[Back to chart](#)



bitnami/grafana-alloy

- 1: \$.alloy.livenessProbe.periodSeconds
- 2: \$.alloy.clustering.enabled
- 3: \$.configReloader.startupProbe.failureThreshold
- 4: \$.alloy.readinessProbe.successThreshold
- 5: \$.pdb.create
- 6: \$.diagnosticMode.enabled
- 7: \$.configReloader.livenessProbe.successThreshold
- 8: \$.alloy.startupProbe.periodSeconds
- 9: \$.alloy.containerSecurityContext.runAsGroup
- 10: \$.alloy.livenessProbe.enabled
- 11: \$.configReloader.livenessProbe.initialDelaySeconds
- 12: \$.metrics.enabled
- 13: \$.alloy.startupProbe.initialDelaySeconds
- 14: \$.alloy.containerPorts.http
- 15: \$.alloy.readinessProbe.initialDelaySeconds
- 16: \$.rbac.create
- 17: \$.configReloader.readinessProbe.periodSeconds
- 18: \$.configReloader.livenessProbe.enabled
- 19: \$.alloy.containerSecurityContext.runAsNonRoot
- 20: \$.configReloader.containerSecurityContext.privileged
- 21: \$.networkPolicy.allowExternalEgress
- 22: \$.alloy.enableReporting
- 23: \$.alloy.startupProbe.enabled
- 24: \$.alloy.livenessProbe.initialDelaySeconds
- 25: \$.configReloader.readinessProbe.initialDelaySeconds
- 26: \$.configReloader.containerPorts.http
- 27: \$.alloy.readinessProbe.periodSeconds
- 28: \$.alloy.startupProbe.timeoutSeconds
- 29: \$.alloy.containerSecurityContext.readOnlyRootFilesystem
- 30: \$.configReloader.containerSecurityContext.runAsGroup
- 31: \$.replicaCount
- 32: \$.configReloader.startupProbe.initialDelaySeconds
- 33: \$.configReloader.containerSecurityContext.allowPrivilegeEscalation
- 34: \$.alloy.readinessProbe.failureThreshold
- 35: \$.alloy.containerSecurityContext.enabled
- 36: \$.alloy.readinessProbe.enabled
- 37: \$.configReloader.startupProbe.periodSeconds
- 38: \$.configReloader.containerSecurityContext.readOnlyRootFilesystem
- 39: \$.networkPolicy.allowExternal
- 40: \$.ingress.tls
- 41: \$.networkPolicy.addExternalClientAccess
- 42: \$.podSecurityContext.fsGroup
- 43: \$.configReloader.livenessProbe.failureThreshold
- 44: \$.alloy.readinessProbe.timeoutSeconds
- 45: \$.configReloader.readinessProbe.failureThreshold
- 46: \$.configReloader.readinessProbe.enabled
- 47: \$.alloy.containerSecurityContext.allowPrivilegeEscalation
- 48: \$.configReloader.containerSecurityContext.runAsUser

[Back to chart](#)



bitnami/grafana-k6-operator

- 1: \$.containerPorts.health
- 2: \$.startupProbe.successThreshold
- 3: \$.automountServiceAccountToken
- 4: \$.pdb.create
- 5: \$.livenessProbe.initialDelaySeconds
- 6: \$.livenessProbe.periodSeconds
- 7: \$.readinessProbe.timeoutSeconds
- 8: \$.readinessProbe.initialDelaySeconds
- 9: \$.livenessProbe.successThreshold
- 10: \$.metrics.enabled
- 11: \$.rbac.create
- 12: \$.watchAllNamespaces
- 13: \$.networkPolicy.allowExternalEgress
- 14: \$.livenessProbe.enabled
- 15: \$.readinessProbe.enabled
- 16: \$.replicaCount
- 17: \$.startupProbe.initialDelaySeconds
- 18: \$.networkPolicy.kubeAPIServerPorts[0]
- 19: \$.startupProbe.failureThreshold
- 20: \$.networkPolicy.allowExternal
- 21: \$.networkPolicy.addExternalClientAccess
- 22: \$.readinessProbe.periodSeconds
- 23: \$.podSecurityContext.fsGroup
- 24: \$.startupProbe.timeoutSeconds
- 25: \$.containerSecurityContext.privileged
- 26: \$.containerSecurityContext.runAsGroup
- 27: \$.containerSecurityContext.runAsNonRoot
- 28: \$.serviceAccount.automountServiceAccountToken
- 29: \$.readinessProbe.successThreshold
- 30: \$.autoscaling.vpa.enabled
- 31: \$.livenessProbe.timeoutSeconds
- 32: \$.containerSecurityContext.allowPrivilegeEscalation
- 33: \$.autoscaling.hpa.enabled
- 34: \$.containerPorts.metrics
- 35: \$.podSecurityContext.enabled
- 36: \$.metrics.serviceMonitor.honorLabels
- 37: \$.networkPolicy.kubeAPIServerPorts[2]
- 38: \$.startupProbe.periodSeconds
- 39: \$.networkPolicy.enabled
- 40: \$.serviceAccount.create
- 41: \$.readinessProbe.failureThreshold
- 42: \$.containerSecurityContext.runAsUser
- 43: \$.livenessProbe.failureThreshold
- 44: \$.global.security.allowInsecureImages
- 45: \$.metrics.serviceMonitor.enabled
- 46: \$.networkPolicy.kubeAPIServerPorts[1]
- 47: \$.metrics.service.ports.metrics
- 48: \$.containerSecurityContext.readOnlyRootFilesystem

[Back to chart](#)



bitnami/grafana-loki

- 1: \$.ingester.readinessProbe.enabled
- 2: \$.loki.gossipRing.service.ports.http
- 3: \$.queryScheduler.networkPolicy.allowExternalEgress
- 4: \$.indexGateway.livenessProbe.successThreshold
- 5: \$.compactor.enableServiceLinks
- 6: \$.indexGateway.livenessProbe.enabled
- 7: \$.queryScheduler.startupProbe.timeoutSeconds
- 8: \$.queryScheduler.containerSecurityContext.privileged
- 9: \$.distributor.livenessProbe.successThreshold
- 10: \$.ruler.livenessProbe.enabled
- 11: \$.queryFrontend.startupProbe.initialDelaySeconds
- 12: \$.queryFrontend.readinessProbe.timeoutSeconds
- 13: \$.queryFrontend.containerSecurityContext.runAsGroup
- 14: \$.distributor.containerSecurityContext.allowPrivilegeEscalation
- 15: \$.tableManager.containerSecurityContext.readOnlyRootFilesystem
- 16: \$.distributor.containerSecurityContext.runAsUser
- 17: \$.queryScheduler.networkPolicy.addExternalClientAccess
- 18: \$.queryScheduler.livenessProbe.initialDelaySeconds
- 19: \$.querier.livenessProbe.periodSeconds
- 20: \$.queryFrontend.startupProbe.timeoutSeconds
- 21: \$.queryScheduler.startupProbe.failureThreshold
- 22: \$.gateway.containerSecurityContext.runAsNonRoot
- 23: \$.diagnosticMode.enabled
- 24: \$.ruler.startupProbe.successThreshold
- 25: \$.ingester.replicaCount
- 26: \$.gateway.startupProbe.periodSeconds
- 27: \$.ingester.startupProbe.periodSeconds
- 28: \$.loki.containerPorts.grpc
- 29: \$.ingester.pdb.create
- 30: \$.ruler.livenessProbe.initialDelaySeconds
- 31: \$.ruler.containerSecurityContext.allowPrivilegeEscalation
- 32: \$.ingester.containerSecurityContext.privileged
- 33: \$.indexGateway.readinessProbe.timeoutSeconds
- 34: \$.tableManager.enabled
- 35: \$.gateway.replicaCount
- 36: \$.distributor.pdb.create
- 37: \$.compactor.containerSecurityContext.runAsGroup
- 38: \$.ingester.containerSecurityContext.runAsNonRoot
- 39: \$.compactor.podSecurityContext.enabled
- 40: \$.tableManager.readinessProbe.timeoutSeconds
- 41: \$.indexGateway.containerSecurityContext.enabled
- 42: \$.compactor.readinessProbe.periodSeconds
- 43: \$.metrics.enabled
- 44: \$.indexGateway.replicaCount
- 45: \$.ingester.networkPolicy.allowExternalEgress
- 46: \$.tableManager.readinessProbe.enabled
- 47: \$.indexGateway.startupProbe.initialDelaySeconds
- 48: \$.ingester.startupProbe.failureThreshold

[Back to chart](#)



bitnami/grafana-tempo

- 1: \$.memcached.auth.enabled
- 2: \$.queryFrontend.query.containerSecurityContext.runAsUser
- 3: \$.ingester.readinessProbe.enabled
- 4: \$.queryFrontend.query.containerSecurityContext.readOnlyRootFilesystem
- 5: \$.metricsGenerator.containerSecurityContext.allowPrivilegeEscalation
- 6: \$.vulture.readinessProbe.enabled
- 7: \$.compactor.enableServiceLinks
- 8: \$.distributor.livenessProbe.successThreshold
- 9: \$.queryFrontend.startupProbe.initialDelaySeconds
- 10: \$.queryFrontend.readinessProbe.timeoutSeconds
- 11: \$.queryFrontend.containerSecurityContext.runAsGroup
- 12: \$.tempo.memBallastSizeMbs
- 13: \$.distributor.containerSecurityContext.allowPrivilegeEscalation
- 14: \$.tempo.containerPorts.gossipRing
- 15: \$.distributor.containerSecurityContext.runAsUser
- 16: \$.metricsGenerator.readinessProbe.timeoutSeconds
- 17: \$.querier.livenessProbe.periodSeconds
- 18: \$.queryFrontend.startupProbe.timeoutSeconds
- 19: \$.metricsGenerator.livenessProbe.enabled
- 20: \$.metricsGenerator.readinessProbe.periodSeconds
- 21: \$.diagnosticMode.enabled
- 22: \$.ingester.replicaCount
- 23: \$.ingester.startupProbe.periodSeconds
- 24: \$.ingester.pdb.create
- 25: \$.ingester.containerSecurityContext.privileged
- 26: \$.vulture.readinessProbe.periodSeconds
- 27: \$.distributor.pdb.create
- 28: \$.metricsGenerator.containerSecurityContext.readOnlyRootFilesystem
- 29: \$.vulture.readinessProbe.timeoutSeconds
- 30: \$.compactor.containerSecurityContext.runAsGroup
- 31: \$.queryFrontend.query.containerSecurityContext.privileged
- 32: \$.queryFrontend.query.startupProbe.initialDelaySeconds
- 33: \$.ingester.containerSecurityContext.runAsNonRoot
- 34: \$.compactor.podSecurityContext.enabled
- 35: \$.vulture.networkPolicy.addExternalClientAccess
- 36: \$.compactor.readinessProbe.periodSeconds
- 37: \$.metrics.enabled
- 38: \$.ingester.networkPolicy.allowExternalEgress
- 39: \$.ingester.startupProbe.failureThreshold
- 40: \$.queryFrontend.readinessProbe.enabled
- 41: \$.querier.livenessProbe.successThreshold
- 42: \$.queryFrontend.startupProbe.failureThreshold
- 43: \$.tempo.traces.jaeger.thriftBinary
- 44: \$.querier.podSecurityContext.enabled
- 45: \$.vulture.startupProbe.failureThreshold
- 46: \$.compactor.startupProbe.failureThreshold
- 47: \$.queryFrontend.livenessProbe.periodSeconds
- 48: \$.compactor.livenessProbe.initialDelaySeconds

[Back to chart](#)



bitnami/haproxy

- 1: \$.startupProbe.successThreshold
- 2: \$.automountServiceAccountToken
- 3: \$.pdb.create
- 4: \$.livenessProbe.initialDelaySeconds
- 5: \$.diagnosticMode.enabled
- 6: \$.livenessProbe.periodSeconds
- 7: \$.readinessProbe.timeoutSeconds
- 8: \$.readinessProbe.initialDelaySeconds
- 9: \$.livenessProbe.successThreshold
- 10: \$.enableServiceLinks
- 11: \$.networkPolicy.allowExternalEgress
- 12: \$.livenessProbe.enabled
- 13: \$.readinessProbe.enabled
- 14: \$.replicaCount
- 15: \$.autoscaling.minReplicas
- 16: \$.startupProbe.initialDelaySeconds
- 17: \$.startupProbe.failureThreshold
- 18: \$.autoscaling.maxReplicas
- 19: \$.networkPolicy.allowExternal
- 20: \$.ingress.tls
- 21: \$.autoscaling.targetMemory
- 22: \$.readinessProbe.periodSeconds
- 23: \$.podSecurityContext.fsGroup
- 24: \$.startupProbe.timeoutSeconds
- 25: \$.containerSecurityContext.privileged
- 26: \$.containerSecurityContext.runAsGroup
- 27: \$.containerSecurityContext.runAsNonRoot
- 28: \$.autoscaling.targetCPU
- 29: \$.serviceAccount.automountServiceAccountToken
- 30: \$.readinessProbe.successThreshold
- 31: \$.livenessProbe.timeoutSeconds
- 32: \$.containerSecurityContext.allowPrivilegeEscalation
- 33: \$.podSecurityContext.enabled
- 34: \$.startupProbe.periodSeconds
- 35: \$.networkPolicy.enabled
- 36: \$.serviceAccount.create
- 37: \$.readinessProbe.failureThreshold
- 38: \$.ingress.enabled
- 39: \$.service.ports[0].port
- 40: \$.containerSecurityContext.runAsUser
- 41: \$.livenessProbe.failureThreshold
- 42: \$.ingress.selfSigned
- 43: \$.global.security.allowInsecureImages
- 44: \$.autoscaling.enabled
- 45: \$.containerPorts[0].containerPort
- 46: \$.containerSecurityContext.readOnlyRootFilesystem
- 47: \$.containerSecurityContext.enabled
- 48: \$.startupProbe.enabled

[Back to chart](#)



bitnami/influxdb

- 1: \$.createAdminTokenJob.containerSecurityContext.enabled
- 2: \$.useHelmHooks
- 3: \$.startupProbe.successThreshold
- 4: \$.automountServiceAccountToken
- 5: \$.pdb.create
- 6: \$.livenessProbe.initialDelaySeconds
- 7: \$.diagnosticMode.enabled
- 8: \$.defaultInitContainers.volumePermissions.containerSecurityContext.allowPrivilegeEscalation
- 9: \$.livenessProbe.periodSeconds
- 10: \$.readinessProbe.timeoutSeconds
- 11: \$.readinessProbe.initialDelaySeconds
- 12: \$.livenessProbe.successThreshold
- 13: \$.defaultInitContainers.volumePermissions.containerSecurityContext.privileged
- 14: \$.metrics.enabled
- 15: \$.rbac.create
- 16: \$.tls.autoGenerated.enabled
- 17: \$.networkPolicy.allowExternalEgress
- 18: \$.usePasswordFiles
- 19: \$.livenessProbe.enabled
- 20: \$.readinessProbe.enabled
- 21: \$.createAdminTokenJob.containerSecurityContext.readOnlyRootFilesystem
- 22: \$.replicaCount
- 23: \$.containerPorts.http
- 24: \$.startupProbe.initialDelaySeconds
- 25: \$.startupProbe.failureThreshold
- 26: \$.auth.enabled
- 27: \$.networkPolicy.allowExternal
- 28: \$.ingress.tls
- 29: \$.tls.autoGenerated.certManager.keySize
- 30: \$.createAdminTokenJob.serviceAccount.create
- 31: \$.readinessProbe.periodSeconds
- 32: \$.createAdminTokenJob.containerSecurityContext.privileged
- 33: \$.podSecurityContext.fsGroup
- 34: \$.createAdminTokenJob.containerSecurityContext.allowPrivilegeEscalation
- 35: \$.revisionHistoryLimit
- 36: \$.startupProbe.timeoutSeconds
- 37: \$.containerSecurityContext.privileged
- 38: \$.containerSecurityContext.runAsGroup
- 39: \$.image.debug
- 40: \$.containerSecurityContext.runAsNonRoot
- 41: \$.defaultInitContainers.volumePermissions.enabled
- 42: \$.serviceAccount.automountServiceAccountToken
- 43: \$.tls.enabled
- 44: \$.createAdminTokenJob.enabled
- 45: \$.readinessProbe.successThreshold
- 46: \$.autoscaling.vpa.enabled
- 47: \$.livenessProbe.timeoutSeconds
- 48: \$.createAdminTokenJob.serviceAccount.automountServiceAccountToken

[Back to chart](#)



bitnami/kibana

- 1: \$.elasticsearch.security.tls.usePemCerts
- 2: \$.startupProbe.successThreshold
- 3: \$.automountServiceAccountToken
- 4: \$.pdb.create
- 5: \$.livenessProbe.initialDelaySeconds
- 6: \$.diagnosticMode.enabled
- 7: \$.livenessProbe.periodSeconds
- 8: \$.readinessProbe.timeoutSeconds
- 9: \$.readinessProbe.initialDelaySeconds
- 10: \$.livenessProbe.successThreshold
- 11: \$.metrics.enabled
- 12: \$.tls.usePemCerts
- 13: \$.savedObjects.override
- 14: \$.networkPolicy.allowExternalEgress
- 15: \$.usePasswordFiles
- 16: \$.livenessProbe.enabled
- 17: \$.readinessProbe.enabled
- 18: \$.forceInitScripts
- 19: \$.replicaCount
- 20: \$.containerPorts.http
- 21: \$.startupProbe.initialDelaySeconds
- 22: \$.tls.autoGenerated
- 23: \$.startupProbe.failureThreshold
- 24: \$.networkPolicy.allowExternal
- 25: \$.ingress.tls
- 26: \$.readinessProbe.periodSeconds
- 27: \$.podSecurityContext.fsGroup
- 28: \$.revisionHistoryLimit
- 29: \$.startupProbe.timeoutSeconds
- 30: \$.elasticsearch.security.tls.enabled
- 31: \$.containerSecurityContext.privileged
- 32: \$.containerSecurityContext.runAsGroup
- 33: \$.image.debug
- 34: \$.containerSecurityContext.runAsNonRoot
- 35: \$.serviceAccount.automountServiceAccountToken
- 36: \$.tls.enabled
- 37: \$.readinessProbe.successThreshold
- 38: \$.livenessProbe.timeoutSeconds
- 39: \$.containerSecurityContext.allowPrivilegeEscalation
- 40: \$.volumePermissions.enabled
- 41: \$.podSecurityContext.enabled
- 42: \$.elasticsearch.security.auth.createSystemUser
- 43: \$.metrics.serviceMonitor.honorLabels
- 44: \$.startupProbe.periodSeconds
- 45: \$.networkPolicy.enabled
- 46: \$.configuration.server.rewriteBasePath
- 47: \$.serviceAccount.create
- 48: \$.readinessProbe.failureThreshold

[Back to chart](#)



bitnami/kube-state-metrics

- 1: \$.kubeResources.ingresses
- 2: \$.kubeResources.deployments
- 3: \$.kubeResources.services
- 4: \$.rbac.pspEnabled
- 5: \$.kubeResources.volumeattachments
- 6: \$.startupProbe.successThreshold
- 7: \$.automountServiceAccountToken
- 8: \$.pdb.create
- 9: \$.livenessProbe.initialDelaySeconds
- 10: \$.diagnosticMode.enabled
- 11: \$.kubeResources.certificatesigningrequests
- 12: \$.livenessProbe.periodSeconds
- 13: \$.readinessProbe.timeoutSeconds
- 14: \$.readinessProbe.initialDelaySeconds
- 15: \$.livenessProbe.successThreshold
- 16: \$.kubeResources.limitranges
- 17: \$.kubeResources.persistentvolumes
- 18: \$.kubeResources.mutatingwebhookconfigurations
- 19: \$.rbac.create
- 20: \$.kubeResources.leases
- 21: \$.selfMonitor.enabled
- 22: \$.kubeResources.cronjobs
- 23: \$.networkPolicy.allowExternalEgress
- 24: \$.kubeResources.horizontalpodautoscalers
- 25: \$.livenessProbe.enabled
- 26: \$.readinessProbe.enabled
- 27: \$.kubeResources.validatingwebhookconfigurations
- 28: \$.replicaCount
- 29: \$.containerPorts.http
- 30: \$.startupProbe.initialDelaySeconds
- 31: \$.networkPolicy.kubeAPIServerPorts[0]
- 32: \$.startupProbe.failureThreshold
- 33: \$.kubeResources.endpoints
- 34: \$.networkPolicy.allowExternal
- 35: \$.serviceMonitor.honorLabels
- 36: \$.kubeResources.replicasets
- 37: \$.kubeResources.configmaps
- 38: \$.readinessProbe.periodSeconds
- 39: \$.podSecurityContext.fsGroup
- 40: \$.startupProbe.timeoutSeconds
- 41: \$.kubeResources.storageclasses
- 42: \$.kubeResources.statefulsets
- 43: \$.containerSecurityContext.privileged
- 44: \$.containerSecurityContext.runAsGroup
- 45: \$.containerSecurityContext.runAsNonRoot
- 46: \$.kubeResources.replicationcontrollers
- 47: \$.hostNetwork
- 48: \$.serviceAccount.automountServiceAccountToken

[Back to chart](#)



bitnami/kubernetes-event-exporter

- 1: \$.metrics.service.ports.http
- 2: \$.startupProbe.successThreshold
- 3: \$.automountServiceAccountToken
- 4: \$.pdb.create
- 5: \$.livenessProbe.initialDelaySeconds
- 6: \$.diagnosticMode.enabled
- 7: \$.livenessProbe.periodSeconds
- 8: \$.readinessProbe.timeoutSeconds
- 9: \$.readinessProbe.initialDelaySeconds
- 10: \$.livenessProbe.successThreshold
- 11: \$.metrics.enabled
- 12: \$.rbac.create
- 13: \$.networkPolicy.allowExternalEgress
- 14: \$.livenessProbe.enabled
- 15: \$.readinessProbe.enabled
- 16: \$.autoscaling.vpa.updatePolicy.minReplicas
- 17: \$.replicaCount
- 18: \$.containerPorts.http
- 19: \$.startupProbe.initialDelaySeconds
- 20: \$.networkPolicy.kubeAPIServerPorts[0]
- 21: \$.startupProbe.failureThreshold
- 22: \$.networkPolicy.allowExternal
- 23: \$.readinessProbe.periodSeconds
- 24: \$.podSecurityContext.fsGroup
- 25: \$.revisionHistoryLimit
- 26: \$.metrics.prometheusRule.enabled
- 27: \$.startupProbe.timeoutSeconds
- 28: \$.containerSecurityContext.privileged
- 29: \$.containerSecurityContext.runAsGroup
- 30: \$.containerSecurityContext.runAsNonRoot
- 31: \$.serviceAccount.automountServiceAccountToken
- 32: \$.readinessProbe.successThreshold
- 33: \$.autoscaling.vpa.enabled
- 34: \$.livenessProbe.timeoutSeconds
- 35: \$.containerSecurityContext.allowPrivilegeEscalation
- 36: \$.podSecurityContext.enabled
- 37: \$.metrics.serviceMonitor.honorLabels
- 38: \$.networkPolicy.kubeAPIServerPorts[2]
- 39: \$.startupProbe.periodSeconds
- 40: \$.networkPolicy.enabled
- 41: \$.serviceAccount.create
- 42: \$.readinessProbe.failureThreshold
- 43: \$.containerSecurityContext.runAsUser
- 44: \$.livenessProbe.failureThreshold
- 45: \$.global.security.allowInsecureImages
- 46: \$.metrics.serviceMonitor.enabled
- 47: \$.networkPolicy.kubeAPIServerPorts[1]
- 48: \$.containerSecurityContext.readOnlyRootFilesystem

[Back to chart](#)



bitnami/logstash

- 1: \$.enableMonitoringAPI
- 2: \$.startupProbe.successThreshold
- 3: \$.monitoringAPIPort
- 4: \$.automountServiceAccountToken
- 5: \$.pdb.create
- 6: \$.livenessProbe.initialDelaySeconds
- 7: \$.diagnosticMode.enabled
- 8: \$.livenessProbe.periodSeconds
- 9: \$.readinessProbe.timeoutSeconds
- 10: \$.readinessProbe.initialDelaySeconds
- 11: \$.livenessProbe.successThreshold
- 12: \$.networkPolicy.allowExternalEgress
- 13: \$.livenessProbe.enabled
- 14: \$.readinessProbe.enabled
- 15: \$.replicaCount
- 16: \$.startupProbe.initialDelaySeconds
- 17: \$.startupProbe.failureThreshold
- 18: \$.networkPolicy.allowExternal
- 19: \$.ingress.tls
- 20: \$.readinessProbe.periodSeconds
- 21: \$.podSecurityContext.fsGroup
- 22: \$.startupProbe.timeoutSeconds
- 23: \$.containerSecurityContext.privileged
- 24: \$.containerSecurityContext.runAsGroup
- 25: \$.image.debug
- 26: \$.containerSecurityContext.runAsNonRoot
- 27: \$.serviceAccount.automountServiceAccountToken
- 28: \$.readinessProbe.successThreshold
- 29: \$.livenessProbe.timeoutSeconds
- 30: \$.containerSecurityContext.allowPrivilegeEscalation
- 31: \$.volumePermissions.enabled
- 32: \$.podSecurityContext.enabled
- 33: \$.startupProbe.periodSeconds
- 34: \$.networkPolicy.enabled
- 35: \$.serviceAccount.create
- 36: \$.readinessProbe.failureThreshold
- 37: \$.ingress.enabled
- 38: \$.service.ports[0].port
- 39: \$.containerSecurityContext.runAsUser
- 40: \$.livenessProbe.failureThreshold
- 41: \$.persistence.enabled
- 42: \$.ingress.selfSigned
- 43: \$.global.security.allowInsecureImages
- 44: \$.enableMultiplePipelines
- 45: \$.containerPorts[0].containerPort
- 46: \$.containerSecurityContext.readOnlyRootFilesystem
- 47: \$.containerSecurityContext.enabled
- 48: \$.startupProbe.enabled

[Back to chart](#)



bitnami/mariadb-galera

- 1: \$.startupProbe.successThreshold
- 2: \$.automountServiceAccountToken
- 3: \$.pdb.create
- 4: \$.livenessProbe.initialDelaySeconds
- 5: \$.diagnosticMode.enabled
- 6: \$.livenessProbe.periodSeconds
- 7: \$.readinessProbe.timeoutSeconds
- 8: \$.readinessProbe.initialDelaySeconds
- 9: \$.livenessProbe.successThreshold
- 10: \$.metrics.service.port
- 11: \$.galera.bootstrap.forceBootstrap
- 12: \$.metrics.enabled
- 13: \$.metrics.containerSecurityContext.privileged
- 14: \$.rbac.create
- 15: \$.containerPorts.mysql
- 16: \$.galera.bootstrap.forceSafeToBootstrap
- 17: \$.networkPolicy.allowExternalEgress
- 18: \$.usePasswordFiles
- 19: \$.livenessProbe.enabled
- 20: \$.readinessProbe.enabled
- 21: \$.metrics.prometheusRules.enabled
- 22: \$.containerPorts.sst
- 23: \$.replicaCount
- 24: \$.startupProbe.initialDelaySeconds
- 25: \$.tls.autoGenerated
- 26: \$.startupProbe.failureThreshold
- 27: \$.metrics.containerSecurityContext.runAsNonRoot
- 28: \$.galera.mariabackup.forcePassword
- 29: \$.service.headless.publishNotReadyAddresses
- 30: \$.networkPolicy.allowExternal
- 31: \$.metrics.containerSecurityContext.enabled
- 32: \$.metrics.containerSecurityContext.allowPrivilegeEscalation
- 33: \$.metrics.containerPorts.http
- 34: \$.containerPorts.ist
- 35: \$.metrics.containerSecurityContext.runAsGroup
- 36: \$.readinessProbe.periodSeconds
- 37: \$.podSecurityContext.fsGroup
- 38: \$.ldap.enabled
- 39: \$.startupProbe.timeoutSeconds
- 40: \$.containerSecurityContext.privileged
- 41: \$.containerSecurityContext.runAsGroup
- 42: \$.image.debug
- 43: \$.containerSecurityContext.runAsNonRoot
- 44: \$.containerPorts.galera
- 45: \$.serviceAccount.automountServiceAccountToken
- 46: \$.tls.enabled
- 47: \$.metrics.containerSecurityContext.readOnlyRootFilesystem
- 48: \$.readinessProbe.successThreshold

[Back to chart](#)



bitnami/memcached

- 1: \$.startupProbe.successThreshold
- 2: \$.automountServiceAccountToken
- 3: \$.pdb.create
- 4: \$.livenessProbe.initialDelaySeconds
- 5: \$.diagnosticMode.enabled
- 6: \$.metrics.startupProbe.timeoutSeconds
- 7: \$.livenessProbe.periodSeconds
- 8: \$.readinessProbe.timeoutSeconds
- 9: \$.readinessProbe.initialDelaySeconds
- 10: \$.livenessProbe.successThreshold
- 11: \$.metrics.livenessProbe.failureThreshold
- 12: \$.metrics.enabled
- 13: \$.metrics.containerSecurityContext.privileged
- 14: \$.enableServiceLinks
- 15: \$.metrics.livenessProbe.timeoutSeconds
- 16: \$.networkPolicy.allowExternalEgress
- 17: \$.metrics.livenessProbe.initialDelaySeconds
- 18: \$.livenessProbe.enabled
- 19: \$.metrics.readinessProbe.timeoutSeconds
- 20: \$.readinessProbe.enabled
- 21: \$.metrics.readinessProbe.periodSeconds
- 22: \$.replicaCount
- 23: \$.autoscaling.minReplicas
- 24: \$.metrics.livenessProbe.successThreshold
- 25: \$.startupProbe.initialDelaySeconds
- 26: \$.metrics.livenessProbe.periodSeconds
- 27: \$.startupProbe.failureThreshold
- 28: \$.metrics.readinessProbe.successThreshold
- 29: \$.auth.enabled
- 30: \$.metrics.containerSecurityContext.runAsNonRoot
- 31: \$.autoscaling.maxReplicas
- 32: \$.networkPolicy.allowExternal
- 33: \$.metrics.containerSecurityContext.enabled
- 34: \$.metrics.containerSecurityContext.allowPrivilegeEscalation
- 35: \$.networkPolicy.addExternalClientAccess
- 36: \$.autoscaling.targetMemory
- 37: \$.metrics.containerSecurityContext.runAsGroup
- 38: \$.readinessProbe.periodSeconds
- 39: \$.metrics.containerPorts.metrics
- 40: \$.podSecurityContext.fsGroup
- 41: \$.startupProbe.timeoutSeconds
- 42: \$.metrics.startupProbe.successThreshold
- 43: \$.containerSecurityContext.privileged
- 44: \$.containerSecurityContext.runAsGroup
- 45: \$.image.debug
- 46: \$.containerSecurityContext.runAsNonRoot
- 47: \$.autoscaling.targetCPU
- 48: \$.metrics.startupProbe.failureThreshold

[Back to chart](#)



bitnami/metrics-server

- 1: \$.startupProbe.successThreshold
- 2: \$.automountServiceAccountToken
- 3: \$.pdb.create
- 4: \$.diagnosticMode.enabled
- 5: \$.livenessProbe.periodSeconds
- 6: \$.networkPolicy.kubernetesPorts[3]
- 7: \$.readinessProbe.timeoutSeconds
- 8: \$.livenessProbe.successThreshold
- 9: \$.apiService.create
- 10: \$.networkPolicy.kubernetesPorts[0]
- 11: \$.rbac.create
- 12: \$.networkPolicy.allowExternalEgress
- 13: \$.livenessProbe.enabled
- 14: \$.readinessProbe.enabled
- 15: \$.networkPolicy.kubernetesPorts[1]
- 16: \$.startupProbe.failureThreshold
- 17: \$.apiService.insecureSkipTLSVerify
- 18: \$.networkPolicy.allowExternal
- 19: \$.readinessProbe.periodSeconds
- 20: \$.podSecurityContext.fsGroup
- 21: \$.startupProbe.timeoutSeconds
- 22: \$.containerSecurityContext.privileged
- 23: \$.replicas
- 24: \$.containerSecurityContext.runAsGroup
- 25: \$.containerSecurityContext.runAsNonRoot
- 26: \$.service.ports.https
- 27: \$.networkPolicy.kubernetesPorts[2]
- 28: \$.hostNetwork
- 29: \$.serviceAccount.automountServiceAccountToken
- 30: \$.readinessProbe.successThreshold
- 31: \$.livenessProbe.timeoutSeconds
- 32: \$.containerSecurityContext.allowPrivilegeEscalation
- 33: \$.podSecurityContext.enabled
- 34: \$.startupProbe.periodSeconds
- 35: \$.networkPolicy.enabled
- 36: \$.containerPorts.https
- 37: \$.serviceAccount.create
- 38: \$.readinessProbe.failureThreshold
- 39: \$.containerSecurityContext.runAsUser
- 40: \$.livenessProbe.failureThreshold
- 41: \$.global.security.allowInsecureImages
- 42: \$.containerSecurityContext.readOnlyRootFilesystem
- 43: \$.containerSecurityContext.enabled
- 44: \$.startupProbe.enabled

[Back to chart](#)

bitnami/node-exporter

- 1: \$.rbac.pspEnabled
- 2: \$.startupProbe.successThreshold
- 3: \$.automountServiceAccountToken
- 4: \$.pdb.create
- 5: \$.livenessProbe.initialDelaySeconds
- 6: \$.diagnosticMode.enabled



- 7: \$.livenessProbe.periodSeconds
- 8: \$.readinessProbe.timeoutSeconds
- 9: \$.readinessProbe.initialDelaySeconds
- 10: \$.livenessProbe.successThreshold
- 11: \$.isolatedDeployment
- 12: \$.rbac.create
- 13: \$.hostPID
- 14: \$.networkPolicy.allowExternalEgress
- 15: \$.livenessProbe.enabled
- 16: \$.readinessProbe.enabled
- 17: \$.replicaCount
- 18: \$.startupProbe.initialDelaySeconds
- 19: \$.updateStrategy.rollingUpdate.maxUnavailable
- 20: \$.startupProbe.failureThreshold
- 21: \$.networkPolicy.allowExternal
- 22: \$.serviceMonitor.honorLabels
- 23: \$.readinessProbe.periodSeconds
- 24: \$.podSecurityContext.fsGroup
- 25: \$.startupProbe.timeoutSeconds
- 26: \$.containerSecurityContext.privileged
- 27: \$.containerSecurityContext.runAsGroup
- 28: \$.containerSecurityContext.runAsNonRoot
- 29: \$.hostNetwork
- 30: \$.serviceAccount.automountServiceAccountToken
- 31: \$.readinessProbe.successThreshold
- 32: \$.livenessProbe.timeoutSeconds
- 33: \$.containerSecurityContext.allowPrivilegeEscalation
- 34: \$.serviceMonitor.enabled
- 35: \$.containerPorts.metrics
- 36: \$.podSecurityContext.enabled
- 37: \$.service.addPrometheusScrapeAnnotation
- 38: \$.startupProbe.periodSeconds
- 39: \$.networkPolicy.enabled
- 40: \$.service.ports.metrics
- 41: \$.serviceAccount.create
- 42: \$.readinessProbe.failureThreshold
- 43: \$.containerSecurityContext.runAsUser
- 44: \$.livenessProbe.failureThreshold
- 45: \$.global.security.allowInsecureImages
- 46: \$.containerSecurityContext.readOnlyRootFilesystem
- 47: \$.containerSecurityContext.enabled
- 48: \$.startupProbe.enabled

[Back to chart](#)

bitnami/opensearch

- 1: \$.master.podSecurityContext.fsGroup
- 2: \$.data.networkPolicy.allowExternalEgress
- 3: \$.master.metrics.rules.enabled
- 4: \$.dashboards.image.debug
- 5: \$.dashboards.podSecurityContext.enabled
- 6: \$.coordinating.networkPolicy.allowExternalEgress
- 7: \$.data.autoscaling.hpa.enabled
- 8: \$.dashboards.livenessProbe.successThreshold
- 9: \$.data.startupProbe.initialDelaySeconds
- 10: \$.snapshots.containerSecurityContext.runAsUser
- 11: \$.dashboards.livenessProbe.initialDelaySeconds



- 12: \$.master.livenessProbe.successThreshold
- 13: \$.ingest.autoscaling.hpa.enabled
- 14: \$.ingest.enabled
- 15: \$.security.fipsMode
- 16: \$.ingest.autoscaling.vpa.enabled
- 17: \$.master.networkPolicy.allowExternal
- 18: \$.diagnosticMode.enabled
- 19: \$.ingest.livenessProbe.successThreshold
- 20: \$.ingest.readinessProbe.failureThreshold
- 21: \$.dashboards.containerSecurityContext.runAsNonRoot
- 22: \$.coordinating.readinessProbe.failureThreshold
- 23: \$.useIstioLabels
- 24: \$.coordinating.autoscaling.vpa.enabled
- 25: \$.data.livenessProbe.initialDelaySeconds
- 26: \$.master.livenessProbe.initialDelaySeconds
- 27: \$.master.readinessProbe.timeoutSeconds
- 28: \$.master.serviceAccount.automountServiceAccountToken
- 29: \$.data.autoscaling.hpa.minReplicas
- 30: \$.snapshots.containerSecurityContext.privileged
- 31: \$.ingest.startupProbe.periodSeconds
- 32: \$.master.readinessProbe.initialDelaySeconds
- 33: \$.data.replicaCount
- 34: \$.coordinating.metrics.enabled
- 35: \$.dashboards.livenessProbe.timeoutSeconds
- 36: \$.ingest.livenessProbe.failureThreshold
- 37: \$.coordinating.readinessProbe.successThreshold
- 38: \$.ingest.containerSecurityContext.runAsNonRoot
- 39: \$.coordinating.containerSecurityContext.runAsUser
- 40: \$.coordinating.livenessProbe.failureThreshold
- 41: \$.dashboards.containerPorts.http
- 42: \$.data.persistence.enabled
- 43: \$.dashboards.readinessProbe.enabled
- 44: \$.data.containerSecurityContext.privileged
- 45: \$.coordinating.podSecurityContext.fsGroup
- 46: \$.coordinating.networkPolicy.allowExternal
- 47: \$.usePasswordFiles
- 48: \$.snapshots.persistence.enabled

[Back to chart](#)

bitnami/phpmyadmin

- 1: \$.startupProbe.successThreshold
- 2: \$.automountServiceAccountToken
- 3: \$.pdb.create
- 4: \$.livenessProbe.initialDelaySeconds
- 5: \$.livenessProbe.periodSeconds
- 6: \$.readinessProbe.timeoutSeconds
- 7: \$.readinessProbe.initialDelaySeconds
- 8: \$.livenessProbe.successThreshold
- 9: \$.metrics.service.port
- 10: \$.db.ssl.verify
- 11: \$.metrics.enabled
- 12: \$.db.port
- 13: \$.networkPolicy.allowExternalEgress
- 14: \$.livenessProbe.enabled
- 15: \$.readinessProbe.enabled
- 16: \$.containerPorts.http



- 17: \$.startupProbe.initialDelaySeconds
- 18: \$.db.bundleTestDB
- 19: \$.startupProbe.failureThreshold
- 20: \$.networkPolicy.allowExternal
- 21: \$.ingress.tls
- 22: \$.readinessProbe.periodSeconds
- 23: \$.podSecurityContext.fsGroup
- 24: \$.startupProbe.timeoutSeconds
- 25: \$.containerSecurityContext.privileged
- 26: \$.replicas
- 27: \$.containerSecurityContext.runAsGroup
- 28: \$.image.debug
- 29: \$.containerSecurityContext.runAsNonRoot
- 30: \$.db.enableSsl
- 31: \$.service.ports.https
- 32: \$.service.targetPorts.http
- 33: \$.serviceAccount.automountServiceAccountToken
- 34: \$.readinessProbe.successThreshold
- 35: \$.livenessProbe.timeoutSeconds
- 36: \$.containerSecurityContext.allowPrivilegeEscalation
- 37: \$.db.allowArbitraryServer
- 38: \$.podSecurityContext.enabled
- 39: \$.metrics.serviceMonitor.honorLabels
- 40: \$.startupProbe.periodSeconds
- 41: \$.networkPolicy.enabled
- 42: \$.containerPorts.https
- 43: \$.serviceAccount.create
- 44: \$.readinessProbe.failureThreshold
- 45: \$.ingress.enabled
- 46: \$.containerSecurityContext.runAsUser
- 47: \$.livenessProbe.failureThreshold
- 48: \$.global.security.allowInsecureImages

[Back to chart](#)

bitnami/prometheus

- 1: \$.server.containerSecurityContext.runAsNonRoot
- 2: \$.server.thanos.service.ports.grpc
- 3: \$.server.containerSecurityContext.runAsGroup
- 4: \$.server.startupProbe.timeoutSeconds
- 5: \$.server.ingress.tls
- 6: \$.server.startupProbe.enabled
- 7: \$.alertmanager.ingress.enabled
- 8: \$.server.networkPolicy.allowExternal
- 9: \$.diagnosticMode.enabled
- 10: \$.server.thanos.ingress.selfSigned
- 11: \$.server.enableRemoteWriteReceiver
- 12: \$.alertmanager.networkPolicy.addExternalClientAccess
- 13: \$.alertmanager.startupProbe.periodSeconds
- 14: \$.server.containerSecurityContext.enabled
- 15: \$.alertmanager.enabled
- 16: \$.alertmanager.containerSecurityContext.readOnlyRootFilesystem
- 17: \$.server.networkPolicy.enabled
- 18: \$.server.thanos.containerSecurityContext.privileged
- 19: \$.server.containerSecurityContext.privileged
- 20: \$.server.thanos.readinessProbe.timeoutSeconds
- 21: \$.server.thanos.livenessProbe.successThreshold



- 22: \$.alertmanager.livenessProbe.initialDelaySeconds
- 23: \$.server.pdb.create
- 24: \$.server.replicaCount
- 25: \$.alertmanager.startupProbe.enabled
- 26: \$.server.startupProbe.successThreshold
- 27: \$.server.livenessProbe.enabled
- 28: \$.alertmanager.readinessProbe.periodSeconds
- 29: \$.server.readinessProbe.enabled
- 30: \$.server.networkPolicy.allowExternalEgress
- 31: \$.alertmanager.startupProbe.initialDelaySeconds
- 32: \$.server.livenessProbe.initialDelaySeconds
- 33: \$.server.thanos.readinessProbe.periodSeconds
- 34: \$.server.thanos.livenessProbe.periodSeconds
- 35: \$.alertmanager.networkPolicy.allowExternal
- 36: \$.alertmanager.persistence.enabled
- 37: \$.alertmanager.livenessProbe.periodSeconds
- 38: \$.alertmanager.startupProbe.timeoutSeconds
- 39: \$.alertmanager.serviceAccount.automountServiceAccountToken
- 40: \$.alertmanager.readinessProbe.successThreshold
- 41: \$.server.useStatefulSet
- 42: \$.server.thanos.ingress.tls
- 43: \$.server.thanos.containerSecurityContext.enabled
- 44: \$.server.startupProbe.periodSeconds
- 45: \$.alertmanager.containerSecurityContext.allowPrivilegeEscalation
- 46: \$.alertmanager.containerSecurityContext.runAsUser
- 47: \$.server.podSecurityContext.fsGroup
- 48: \$.server.rbac.create

[Back to chart](#)

bitnami/pytorch

- 1: \$.service.ports.pytorch
- 2: \$.startupProbe.successThreshold
- 3: \$.automountServiceAccountToken
- 4: \$.pdb.create
- 5: \$.livenessProbe.initialDelaySeconds
- 6: \$.diagnosticMode.enabled
- 7: \$.livenessProbe.periodSeconds
- 8: \$.readinessProbe.timeoutSeconds
- 9: \$.readinessProbe.initialDelaySeconds
- 10: \$.livenessProbe.successThreshold
- 11: \$.networkPolicy.allowExternalEgress
- 12: \$.livenessProbe.enabled
- 13: \$.readinessProbe.enabled
- 14: \$.containerPorts.pytorch
- 15: \$.startupProbe.initialDelaySeconds
- 16: \$.startupProbe.failureThreshold
- 17: \$.worldSize
- 18: \$.networkPolicy.allowExternal
- 19: \$.readinessProbe.periodSeconds
- 20: \$.podSecurityContext.fsGroup
- 21: \$.startupProbe.timeoutSeconds
- 22: \$.containerSecurityContext.privileged
- 23: \$.containerSecurityContext.runAsGroup
- 24: \$.containerSecurityContext.runAsNonRoot
- 25: \$.serviceAccount.automountServiceAccountToken
- 26: \$.readinessProbe.successThreshold



- 27: \$.livenessProbe.timeoutSeconds
- 28: \$.containerSecurityContext.allowPrivilegeEscalation
- 29: \$.volumePermissions.enabled
- 30: \$.cloneFilesFromGit.enabled
- 31: \$.podSecurityContext.enabled
- 32: \$.startupProbe.periodSeconds
- 33: \$.networkPolicy.enabled
- 34: \$.serviceAccount.create
- 35: \$.readinessProbe.failureThreshold
- 36: \$.containerSecurityContext.runAsUser
- 37: \$.livenessProbe.failureThreshold
- 38: \$.persistence.enabled
- 39: \$.global.security.allowInsecureImages
- 40: \$.containerSecurityContext.readOnlyRootFilesystem
- 41: \$.containerSecurityContext.enabled
- 42: \$.startupProbe.enabled

[Back to chart](#)

bitnami/redis-cluster

- 1: \$.metrics.service.ports.http
- 2: \$.pdb.create
- 3: \$.diagnosticMode.enabled
- 4: \$.redis.readinessProbe.failureThreshold
- 5: \$.service.ports.redis
- 6: \$.volumePermissions.containerSecurityContext.enabled
- 7: \$.metrics.enabled
- 8: \$.metrics.containerSecurityContext.privileged
- 9: \$.rbac.create
- 10: \$.cluster.replicas
- 11: \$.redis.shareProcessNamespace
- 12: \$.redis.hostNetwork
- 13: \$.networkPolicy.allowExternalEgress
- 14: \$.usePasswordFiles
- 15: \$.redis.startupProbe.periodSeconds
- 16: \$.redis.automountServiceAccountToken
- 17: \$.redis.livenessProbe.failureThreshold
- 18: \$.cluster.update.addNodes
- 19: \$.sysctlImage.mountHostSys
- 20: \$.tls.autoGenerated
- 21: \$.cluster.init
- 22: \$.redis.containerPorts.bus
- 23: \$.redis.startupProbe.failureThreshold
- 24: \$.metrics.containerSecurityContext.runAsNonRoot
- 25: \$.updateJob.activeDeadlineSeconds
- 26: \$.redis.terminationGracePeriodSeconds
- 27: \$.redis.readinessProbe.timeoutSeconds
- 28: \$.networkPolicy.allowExternal
- 29: \$.metrics.containerSecurityContext.enabled
- 30: \$.metrics.containerSecurityContext.allowPrivilegeEscalation
- 31: \$.metrics.containerPorts.http
- 32: \$.updateJob.automountServiceAccountToken
- 33: \$.cluster.externalAccess.hostMode
- 34: \$.metrics.containerSecurityContext.runAsGroup
- 35: \$.podSecurityContext.fsGroup
- 36: \$.redis.startupProbe.initialDelaySeconds
- 37: \$.metrics.prometheusRule.enabled



- 38: \$.serviceBindings.enabled
- 39: \$.redis.livenessProbe.periodSeconds
- 40: \$.persistentVolumeClaimRetentionPolicy.enabled
- 41: \$.redis.startupProbe.enabled
- 42: \$.containerSecurityContext.privileged
- 43: \$.containerSecurityContext.runAsGroup
- 44: \$.image.debug
- 45: \$.containerSecurityContext.runAsNonRoot
- 46: \$.redis.readinessProbe.periodSeconds
- 47: \$.redis.livenessProbe.enabled
- 48: \$.serviceAccount.automountServiceAccountToken

[Back to chart](#)

bitnami/sealed-secrets

- 1: \$.rbac.pspEnabled
- 2: \$.startupProbe.successThreshold
- 3: \$.automountServiceAccountToken
- 4: \$.pdb.create
- 5: \$.livenessProbe.initialDelaySeconds
- 6: \$.rbac.namespacedRoles
- 7: \$.livenessProbe.periodSeconds
- 8: \$.readinessProbe.timeoutSeconds
- 9: \$.readinessProbe.initialDelaySeconds
- 10: \$.livenessProbe.successThreshold
- 11: \$.metrics.enabled
- 12: \$.rbac.create
- 13: \$.livenessProbe.enabled
- 14: \$.readinessProbe.enabled
- 15: \$.containerPorts.http
- 16: \$.startupProbe.initialDelaySeconds
- 17: \$.startupProbe.failureThreshold
- 18: \$.updateStatus
- 19: \$.networkPolicy.allowExternal
- 20: \$.ingress.tls
- 21: \$.readinessProbe.periodSeconds
- 22: \$.podSecurityContext.fsGroup
- 23: \$.startupProbe.timeoutSeconds
- 24: \$.containerSecurityContext.runAsGroup
- 25: \$.image.debug
- 26: \$.metrics.serviceMonitor.port.number
- 27: \$.containerSecurityContext.runAsNonRoot
- 28: \$.rbac.clusterRole
- 29: \$.createController
- 30: \$.serviceAccount.automountServiceAccountToken
- 31: \$.readinessProbe.successThreshold
- 32: \$.livenessProbe.timeoutSeconds
- 33: \$.containerSecurityContext.allowPrivilegeEscalation
- 34: \$.containerPorts.metrics
- 35: \$.podSecurityContext.enabled
- 36: \$.metrics.serviceMonitor.honorLabels
- 37: \$.startupProbe.periodSeconds
- 38: \$.networkPolicy.enabled
- 39: \$.logInfoStdout
- 40: \$.skipRecreate
- 41: \$.serviceAccount.create
- 42: \$.readinessProbe.failureThreshold



- 43: \$.ingress.enabled
- 44: \$.containerSecurityContext.runAsUser
- 45: \$.livenessProbe.failureThreshold
- 46: \$.ingress.selfSigned
- 47: \$.global.security.allowInsecureImages
- 48: \$.service.ports.http

[Back to chart](#)

bitnami/tensorflow-resnet

- 1: \$.startupProbe.successThreshold
- 2: \$.automountServiceAccountToken
- 3: \$.pdb.create
- 4: \$.livenessProbe.initialDelaySeconds
- 5: \$.diagnosticMode.enabled
- 6: \$.livenessProbe.periodSeconds
- 7: \$.readinessProbe.timeoutSeconds
- 8: \$.readinessProbe.initialDelaySeconds
- 9: \$.livenessProbe.successThreshold
- 10: \$.metrics.enabled
- 11: \$.service.ports.server
- 12: \$.networkPolicy.allowExternalEgress
- 13: \$.livenessProbe.enabled
- 14: \$.readinessProbe.enabled
- 15: \$.replicaCount
- 16: \$.startupProbe.initialDelaySeconds
- 17: \$.startupProbe.failureThreshold
- 18: \$.enableDefaultInitContainers
- 19: \$.networkPolicy.allowExternal
- 20: \$.readinessProbe.periodSeconds
- 21: \$.podSecurityContext.fsGroup
- 22: \$.startupProbe.timeoutSeconds
- 23: \$.containerPorts.restApi
- 24: \$.containerSecurityContext.privileged
- 25: \$.containerSecurityContext.runAsGroup
- 26: \$.containerSecurityContext.runAsNonRoot
- 27: \$.containerPorts.server
- 28: \$.serviceAccount.automountServiceAccountToken
- 29: \$.readinessProbe.successThreshold
- 30: \$.livenessProbe.timeoutSeconds
- 31: \$.containerSecurityContext.allowPrivilegeEscalation
- 32: \$.podSecurityContext.enabled
- 33: \$.startupProbe.periodSeconds
- 34: \$.networkPolicy.enabled
- 35: \$.serviceAccount.create
- 36: \$.readinessProbe.failureThreshold
- 37: \$.service.ports.restApi
- 38: \$.containerSecurityContext.runAsUser
- 39: \$.livenessProbe.failureThreshold
- 40: \$.global.security.allowInsecureImages
- 41: \$.containerSecurityContext.readOnlyRootFilesystem
- 42: \$.containerSecurityContext.enabled
- 43: \$.startupProbe.enabled

[Back to chart](#)



bitnami/thanos

- 1: \$.storegateway.livenessProbe.periodSeconds
- 2: \$.ruler.autoscaling.enabled
- 3: \$.queryFrontend.autoscaling.enabled
- 4: \$.receive.livenessProbe.periodSeconds
- 5: \$.receive.startupProbe.successThreshold
- 6: \$.storegateway.podSecurityContext.enabled
- 7: \$.query.podSecurityContext.enabled
- 8: \$.receive.ingress.selfSigned
- 9: \$.ruler.livenessProbe.enabled
- 10: \$.queryFrontend.startupProbe.initialDelaySeconds
- 11: \$.queryFrontend.readinessProbe.timeoutSeconds
- 12: \$.queryFrontend.containerSecurityContext.runAsGroup
- 13: \$.storegateway.automountServiceAccountToken
- 14: \$.receive.startupProbe.enabled
- 15: \$.receive.readinessProbe.initialDelaySeconds
- 16: \$.bucketweb.ingress.enabled
- 17: \$.queryFrontend.startupProbe.timeoutSeconds
- 18: \$.storegateway.persistentVolumeClaimRetentionPolicy.enabled
- 19: \$.storegateway.ingress.grpc.tls
- 20: \$.bucketweb.startupProbe.periodSeconds
- 21: \$.ruler.startupProbe.successThreshold
- 22: \$.bucketweb.startupProbe.timeoutSeconds
- 23: \$.receive.serviceAccount.automountServiceAccountToken
- 24: \$.bucketweb.automountServiceAccountToken
- 25: \$.receiveDistributor.startupProbe.successThreshold
- 26: \$.receiveDistributor.containerSecurityContext.enabled
- 27: \$.query.serviceGrpc.additionalHeadless
- 28: \$.receive.containerSecurityContext.enabled
- 29: \$.bucketweb.containerSecurityContext.readOnlyRootFilesystem
- 30: \$.ruler.livenessProbe.initialDelaySeconds
- 31: \$.receiveDistributor.readinessProbe.failureThreshold
- 32: \$.query.startupProbe.enabled
- 33: \$.ruler.containerSecurityContext.allowPrivilegeEscalation
- 34: \$.receiveDistributor.livenessProbe.failureThreshold
- 35: \$.storegateway.containerSecurityContext.readOnlyRootFilesystem
- 36: \$.receive.containerPorts.remote
- 37: \$.query.networkPolicy.enabled
- 38: \$.compactor.containerSecurityContext.runAsGroup
- 39: \$.compactor.concurrency
- 40: \$.receiveDistributor.startupProbe.failureThreshold
- 41: \$.receiveDistributor.readinessProbe.timeoutSeconds
- 42: \$.compactor.podSecurityContext.enabled
- 43: \$.bucketweb.pdb.create
- 44: \$.bucketweb.readinessProbe.enabled
- 45: \$.compactor.readinessProbe.periodSeconds
- 46: \$.metrics.enabled
- 47: \$.query.externalAutoscaler
- 48: \$.storegateway.autoscaling.enabled

[Back to chart](#)



bitnami/valkey-cluster

- 1: \$.valkey.containerPorts.bus
- 2: \$.metrics.service.ports.http
- 3: \$.pdb.create
- 4: \$.diagnosticMode.enabled
- 5: \$.volumePermissions.containerSecurityContext.enabled
- 6: \$.valkey.shareProcessNamespace
- 7: \$.metrics.enabled
- 8: \$.metrics.containerSecurityContext.privileged
- 9: \$.rbac.create
- 10: \$.cluster.replicas
- 11: \$.networkPolicy.allowExternalEgress
- 12: \$.usePasswordFiles
- 13: \$.valkey.automountServiceAccountToken
- 14: \$.valkey.readinessProbe.timeoutSeconds
- 15: \$.cluster.update.addNodes
- 16: \$.valkey.livenessProbe.periodSeconds
- 17: \$.sysctlImage.mountHostSys
- 18: \$.tls.autoGenerated
- 19: \$.valkey.startupProbe.enabled
- 20: \$.cluster.init
- 21: \$.valkey.readinessProbe.successThreshold
- 22: \$.metrics.containerSecurityContext.runAsNonRoot
- 23: \$.updateJob.activeDeadlineSeconds
- 24: \$.networkPolicy.allowExternal
- 25: \$.metrics.containerSecurityContext.enabled
- 26: \$.metrics.containerSecurityContext.allowPrivilegeEscalation
- 27: \$.metrics.containerPorts.http
- 28: \$.updateJob.automountServiceAccountToken
- 29: \$.cluster.externalAccess.hostMode
- 30: \$.metrics.containerSecurityContext.runAsGroup
- 31: \$.podSecurityContext.fsGroup
- 32: \$.metrics.prometheusRule.enabled
- 33: \$.persistentVolumeClaimRetentionPolicy.enabled
- 34: \$.containerSecurityContext.privileged
- 35: \$.containerSecurityContext.runAsGroup
- 36: \$.image.debug
- 37: \$.containerSecurityContext.runAsNonRoot
- 38: \$.serviceAccount.automountServiceAccountToken
- 39: \$.valkey.containerPorts.valkey
- 40: \$.tls.enabled
- 41: \$.metrics.containerSecurityContext.readOnlyRootFilesystem
- 42: \$.valkey.readinessProbe.failureThreshold
- 43: \$.volumePermissions.containerSecurityContext.privileged
- 44: \$.valkey.startupProbe.successThreshold
- 45: \$.cluster.update.currentNumberOfReplicas
- 46: \$.valkey.readinessProbe.periodSeconds
- 47: \$.containerSecurityContext.allowPrivilegeEscalation
- 48: \$.volumePermissions.enabled

[Back to chart](#)



bitnami/vault

- 1: \$.server.containerSecurityContext.runAsNonRoot
- 2: \$.csiProvider.podSecurityContext.fsGroup
- 3: \$.csiProvider.provider.containerSecurityContext.runAsGroup
- 4: \$.server.containerSecurityContext.runAsGroup
- 5: \$.server.startupProbe.timeoutSeconds
- 6: \$.server.ingress.tls
- 7: \$.injector.networkPolicy.allowExternal
- 8: \$.server.startupProbe.enabled
- 9: \$.csiProvider.networkPolicy.allowExternalEgress
- 10: \$.server.enabled
- 11: \$.server.metrics.enabled
- 12: \$.server.networkPolicy.allowExternal
- 13: \$.diagnosticMode.enabled
- 14: \$.csiProvider.provider.startupProbe.timeoutSeconds
- 15: \$.injector.startupProbe.enabled
- 16: \$.volumePermissions.containerSecurityContext.enabled
- 17: \$.injector.enabled
- 18: \$.injector.containerSecurityContext.runAsNonRoot
- 19: \$.csiProvider.provider.startupProbe.enabled
- 20: \$.csiProvider.provider.startupProbe.initialDelaySeconds
- 21: \$.server.metrics.serviceMonitor.honorLabels
- 22: \$.server.containerSecurityContext.enabled
- 23: \$.csiProvider.provider.livenessProbe.timeoutSeconds
- 24: \$.injector.containerSecurityContext.readOnlyRootFilesystem
- 25: \$.csiProvider.provider.containerSecurityContext.enabled
- 26: \$.csiProvider.agent.livenessProbe.enabled
- 27: \$.server.networkPolicy.enabled
- 28: \$.csiProvider.provider.livenessProbe.enabled
- 29: \$.injector.networkPolicy.kubeAPIServerPorts[1]
- 30: \$.csiProvider.agent.startupProbe.failureThreshold
- 31: \$.csiProvider.agent.containerSecurityContext.privileged
- 32: \$.csiProvider.agent.startupProbe.enabled
- 33: \$.server.rbac.createClusterRoleBinding
- 34: \$.csiProvider.agent.livenessProbe.periodSeconds
- 35: \$.injector.networkPolicy.kubeAPIServerPorts[0]
- 36: \$.csiProvider.provider.readinessProbe.timeoutSeconds
- 37: \$.csiProvider.agent.containerSecurityContext.allowPrivilegeEscalation
- 38: \$.csiProvider.serviceAccount.create
- 39: \$.server.containerSecurityContext.privileged
- 40: \$.csiProvider.provider.readinessProbe.initialDelaySeconds
- 41: \$.injector.livenessProbe.initialDelaySeconds
- 42: \$.server.pdb.create
- 43: \$.server.replicaCount
- 44: \$.csiProvider.provider.livenessProbe.successThreshold
- 45: \$.csiProvider.provider.startupProbe.periodSeconds
- 46: \$.server.startupProbe.successThreshold
- 47: \$.csiProvider.agent.readinessProbe.enabled
- 48: \$.csiProvider.agent.containerSecurityContext.runAsUser

[Back to chart](#)



bitnami/victoriametrics

- 1: \$.vmalert.readinessProbe.timeoutSeconds
- 2: \$.vmagent.namespaced
- 3: \$.vmselect.containerSecurityContext.runAsUser
- 4: \$.vminsert.livenessProbe.enabled
- 5: \$.vmalert.networkPolicy.allowExternalEgress
- 6: \$.vmauth.livenessProbe.failureThreshold
- 7: \$.vmauth.startupProbe.timeoutSeconds
- 8: \$.vmagent.autoscaling.vpa.enabled
- 9: \$.vmstorage.livenessProbe.timeoutSeconds
- 10: \$.vmselect.startupProbe.initialDelaySeconds
- 11: \$.vmauth.containerSecurityContext.runAsNonRoot
- 12: \$.vmagent.containerSecurityContext.readOnlyRootFilesystem
- 13: \$.vminsert.metrics.serviceMonitor.enabled
- 14: \$.vmauth.readinessProbe.initialDelaySeconds
- 15: \$.vmalert.containerPorts.http
- 16: \$.vmstorage.autoscaling.vpa.enabled
- 17: \$.vmalert.containerSecurityContext.privileged
- 18: \$.vminsert.startupProbe.timeoutSeconds
- 19: \$.vmstorage.readinessProbe.initialDelaySeconds
- 20: \$.vminsert.startupProbe.enabled
- 21: \$.vmauth.containerSecurityContext.readOnlyRootFilesystem
- 22: \$.vmselect.ingress.selfSigned
- 23: \$.vminsert.automountServiceAccountToken
- 24: \$.vmalert.metrics.serviceMonitor.enabled
- 25: \$.vmselect.containerSecurityContext.allowPrivilegeEscalation
- 26: \$.vmauth.replicaCount
- 27: \$.vmstorage.networkPolicy.enabled
- 28: \$.vmselect.autoscaling.hpa.enabled
- 29: \$.vmalert.containerSecurityContext.allowPrivilegeEscalation
- 30: \$.vmagent.startupProbe.timeoutSeconds
- 31: \$.vmselect.livenessProbe.timeoutSeconds
- 32: \$.vmalert.service.ports.http
- 33: \$.vmauth.startupProbe.initialDelaySeconds
- 34: \$.vmselect.ingress.enabled
- 35: \$.vmagent.metrics.serviceMonitor.honorLabels
- 36: \$.vmstorage.serviceAccount.create
- 37: \$.vmauth.livenessProbe.timeoutSeconds
- 38: \$.vminsert.containerSecurityContext.runAsUser
- 39: \$.vmselect.readinessProbe.enabled
- 40: \$.vmstorage.readinessProbe.successThreshold
- 41: \$.vminsert.readinessProbe.periodSeconds
- 42: \$.vmselect.serviceAccount.create
- 43: \$.vmagent.readinessProbe.enabled
- 44: \$.vmauth.enabled
- 45: \$.vminsert.podSecurityContext.enabled
- 46: \$.vminsert.readinessProbe.enabled
- 47: \$.vmalert.readinessProbe.successThreshold
- 48: \$.vminsert.metrics.serviceMonitor.honorLabels

[Back to chart](#)



bitnami/whereabouts

- 1: \$.startupProbe.successThreshold
- 2: \$.automountServiceAccountToken
- 3: \$.livenessProbe.initialDelaySeconds
- 4: \$.diagnosticMode.enabled
- 5: \$.livenessProbe.periodSeconds
- 6: \$.readinessProbe.timeoutSeconds
- 7: \$.readinessProbe.initialDelaySeconds
- 8: \$.livenessProbe.successThreshold
- 9: \$.rbac.create
- 10: \$.networkPolicy.allowExternalEgress
- 11: \$.livenessProbe.enabled
- 12: \$.readinessProbe.enabled
- 13: \$.startupProbe.initialDelaySeconds
- 14: \$.startupProbe.failureThreshold
- 15: \$.readinessProbe.periodSeconds
- 16: \$.startupProbe.timeoutSeconds
- 17: \$.containerSecurityContext.privileged
- 18: \$.image.debug
- 19: \$.containerSecurityContext.runAsNonRoot
- 20: \$.serviceAccount.automountServiceAccountToken
- 21: \$.readinessProbe.successThreshold
- 22: \$.livenessProbe.timeoutSeconds
- 23: \$.containerSecurityContext.allowPrivilegeEscalation
- 24: \$.podSecurityContext.enabled
- 25: \$.startupProbe.periodSeconds
- 26: \$.networkPolicy.enabled
- 27: \$.serviceAccount.create
- 28: \$.readinessProbe.failureThreshold
- 29: \$.livenessProbe.failureThreshold
- 30: \$.global.security.allowInsecureImages
- 31: \$.containerSecurityContext.readOnlyRootFilesystem
- 32: \$.containerSecurityContext.enabled
- 33: \$.startupProbe.enabled

[Back to chart](#)

bitnami/wildfly

- 1: \$.startupProbe.successThreshold
- 2: \$.automountServiceAccountToken
- 3: \$.pdb.create
- 4: \$.livenessProbe.initialDelaySeconds
- 5: \$.diagnosticMode.enabled
- 6: \$.livenessProbe.periodSeconds
- 7: \$.readinessProbe.timeoutSeconds
- 8: \$.readinessProbe.initialDelaySeconds
- 9: \$.livenessProbe.successThreshold
- 10: \$.networkPolicy.allowExternalEgress
- 11: \$.usePasswordFiles
- 12: \$.livenessProbe.enabled
- 13: \$.readinessProbe.enabled
- 14: \$.replicaCount
- 15: \$.containerPorts.http
- 16: \$.startupProbe.initialDelaySeconds
- 17: \$.exposeManagementConsole



- 18: \$.startupProbe.failureThreshold
- 19: \$.networkPolicy.allowExternal
- 20: \$.ingress.tls
- 21: \$.readinessProbe.periodSeconds
- 22: \$.podSecurityContext.fsGroup
- 23: \$.startupProbe.timeoutSeconds
- 24: \$.containerPorts.mgmt
- 25: \$.containerSecurityContext.privileged
- 26: \$.containerSecurityContext.runAsGroup
- 27: \$.image.debug
- 28: \$.containerSecurityContext.runAsNonRoot
- 29: \$.serviceAccount.automountServiceAccountToken
- 30: \$.readinessProbe.successThreshold
- 31: \$.livenessProbe.timeoutSeconds
- 32: \$.containerSecurityContext.allowPrivilegeEscalation
- 33: \$.volumePermissions.enabled
- 34: \$.podSecurityContext.enabled
- 35: \$.startupProbe.periodSeconds
- 36: \$.networkPolicy.enabled
- 37: \$.containerPorts.https
- 38: \$.serviceAccount.create
- 39: \$.readinessProbe.failureThreshold
- 40: \$.ingress.enabled
- 41: \$.containerSecurityContext.runAsUser
- 42: \$.livenessProbe.failureThreshold
- 43: \$.persistence.enabled
- 44: \$.mgmtIngress.enabled
- 45: \$.global.security.allowInsecureImages
- 46: \$.service.ports.http
- 47: \$.mgmtIngress.tls
- 48: \$.containerSecurityContext.readOnlyRootFilesystem

[Back to chart](#)

bitnami/zookeeper

- 1: \$.startupProbe.successThreshold
- 2: \$.automountServiceAccountToken
- 3: \$.pdb.create
- 4: \$.livenessProbe.initialDelaySeconds
- 5: \$.service.ports.election
- 6: \$.diagnosticMode.enabled
- 7: \$.livenessProbe.periodSeconds
- 8: \$.readinessProbe.timeoutSeconds
- 9: \$.readinessProbe.initialDelaySeconds
- 10: \$.livenessProbe.successThreshold
- 11: \$.metrics.service.port
- 12: \$.volumePermissions.containerSecurityContext.enabled
- 13: \$.tls.quorum.enabled
- 14: \$.heapSize
- 15: \$.metrics.enabled
- 16: \$.enableServiceLinks
- 17: \$.tls.client.enabled
- 18: \$.service.disableBaseClientPort
- 19: \$.snapCount
- 20: \$.networkPolicy.allowExternalEgress
- 21: \$.usePasswordFiles
- 22: \$.service.ports.tls



- 23: \$.livenessProbe.enabled
- 24: \$.autopurge.snapRetainCount
- 25: \$.readinessProbe.enabled
- 26: \$.containerPorts.adminServer
- 27: \$.livenessProbe.probeCommandTimeout
- 28: \$.replicaCount
- 29: \$.startupProbe.initialDelaySeconds
- 30: \$.startupProbe.failureThreshold
- 31: \$.syncLimit
- 32: \$.tls.client.autoGenerated
- 33: \$.service.headless.publishNotReadyAddresses
- 34: \$.networkPolicy.allowExternal
- 35: \$.readinessProbe.periodSeconds
- 36: \$.podSecurityContext.fsGroup
- 37: \$.revisionHistoryLimit
- 38: \$.metrics.prometheusRule.enabled
- 39: \$.startupProbe.timeoutSeconds
- 40: \$.containerSecurityContext.privileged
- 41: \$.containerSecurityContext.runAsGroup
- 42: \$.image.debug
- 43: \$.initLimit
- 44: \$.tls.quorum.autoGenerated
- 45: \$.maxClientCnxns
- 46: \$.containerSecurityContext.runAsNonRoot
- 47: \$.containerPorts.tls
- 48: \$.preAllocSize

[Back to chart](#)



Appendix: finding codes

HH codes identify finding categories. Numbered E entries, when present, identify recorded diagnostics.

Severities below are defaults; configured overrides are shown with the findings above.

HH2001 - Undocumented values path

Default severity: warning | Category: values | Evidence type: warning

The audit finds a values path with no matching schema declaration.

Suggested action: Document the path in values.schema.json, including its accepted values.

HH2002 - Unspecified values type

Default severity: warning | Category: values | Evidence type: warning

A schema path declares no type, enum or const.

Suggested action: Declare the accepted type or a finite set of values.

HH2003 - Missing values description

Default severity: info | Category: values | Evidence type: warning

A typed schema path has no description.

Suggested action: Describe the field's behavior and any requirements shared with other fields.

HH2004 - No supplied default for a values path

Default severity: warning | Category: values | Evidence type: warning

A discovered path is absent from the original values file.

Suggested action: Supply a default or document when users must provide the field. Render the relevant configurations to check its requirements.

HH2006 - Opaque object schema

Default severity: warning | Category: values | Evidence type: warning

An object permits unspecified entries without named fields, patterned fields or a typed map-value schema.

Suggested action: Describe fields with properties, patternProperties or typed additionalProperties. Ignore [HH2006](#) for intentional free-form configuration; tests still sample those values.