



Scan results from Helm Hypothesis testing

github.com/bitnami/charts

Started (UTC)

2026-09-22 19:55:31.000

Finished (UTC)

2026-09-22 20:49:27.508

Source commit

[6a8cccf3c29a1faabf0c34c8276a09ed14f3c5b3](https://github.com/bitnami/charts/commit/6a8cccf3c29a1faabf0c34c8276a09ed14f3c5b3)

Versions

Hypothesis 6.168.0; hypothesis-helm 0.1.0

Working directory

/Users/emmadoyle/projects/personal/hypothesis-helm

Scan command

```
hypothesis-helm test third_party/bitnami-charts --jobs 8 --chart-timeout 10m  
--max-examples 10 --seed 0 --no-cache --shard none --artifact-dir  
docs/reports/bitnami-runs --report docs/reports/bitnami.md --log-color
```



Table of contents

[Overview](#)

[Graph structure](#)

[Scan summary](#)

[Status counts](#)

[Settings](#)

[Errors](#)

[Charts](#)

[Appendix: plot guide](#)

[Appendix: sensitivity field keys](#)


[Appendix: finding codes](#)

Click a section to jump to it. The PDF bookmarks also link to individual charts and diagnostics.




Overview

Findings by chart



Testing time by chart



- Violation


Warning

Diagnostic

No findings
- Incomplete

Not tested

Testing unfinished / unavailable




Read left to right, then down. Cell numbers match the chart sections; -- means timing unavailable.

Each cell is one chart; both grids follow chart-section order. Click a cell in the PDF for details. Colors show the highest observed finding kind, not a security or business-impact score. Hatching marks unfinished or unavailable testing, even when a finding was recorded. No findings means none in the completed sample, not exhaustive coverage. Testing time excludes dependency preparation. Plot guide: [Overview matrices](#).



Graph structure

Compiler graph structure: 115 of 115 report charts
Each point is one chart in this report



[Published compiler graph invariants](#)

Published graph measurements are available for 115 of 115 report charts. Vertices represent inputs, conditions, templates and manifest fields; edges connect them. The right panel counts independent loops after ignoring edge direction; C is the number of disconnected groups. Parallel edges count separately. These are structural measurements from the published chart diagrams, not bug counts. Plot guide: [Graph structure metrics](#).



Scan summary

Git comparison unavailable; no charts skipped using previous test results.

Directory: /Users/emmad Doyle/projects/personal/hypothesis-helm/third_party/bitnami-charts

Started (Unix epoch): 1790106931

Started (UTC): 2026-09-22T19:55:31.000+00:00

Finished (UTC): 2026-09-22T20:49:27.508+00:00

Run fingerprint (SHA-256): b6d745ce2c5ecbe79f5e09e2f28080005484bf99f02419b2978b75fe1e89b668

Versions: Hypothesis 6.168.0; hypothesis-helm 0.1.0

Elapsed (wall clock): 3235.60 seconds

Chart testing: 3181.60 seconds

Dependency preparation: 49.63 seconds (excluded from testing budgets)

Charts discovered: 115

Manifest test attempts: 208

Scan status: interrupted

Discovery complete: True

Unstarted charts: 110

Results record outcomes for the tested sample and selected checks.

Baseline-only, skipped, blocked, and incomplete charts retain their respective statuses.

Status counts

3 time-limit; 1 failed; 1 interrupted; 110 pending.

Settings

Filtering: False | Seed: 0 | Traversal: random

Chart timeout: 600.0 seconds | Workers: 8

Complete settings are retained in the JSON report.

Command working directory: /Users/emmad Doyle/projects/personal/hypothesis-helm

Scan command:

```
hypothesis-helm test third_party/bitnami-charts --jobs 8 --chart-timeout 10m --max-examples 10
--seed 0 --no-cache --shard none --artifact-dir docs/reports/bitnami-runs --report
docs/reports/bitnami.md --log-color
```

Generated values use the configured input domains and any supported destination constraints.

Coverage excludes inputs outside these domains; supplied defaults are tested unchanged. The JSON report records constraints and unresolved mappings.

Disabled checks: [HH2006](#)

Errors

2 distinct diagnostics across 2 occurrences; 0 repeats grouped.

Diagnostics and their triggering inputs are grouped under each chart below.

Up to two examples per diagnostic and six fields per example are shown. Long values and diagnostics are shortened.


Full inputs, diagnostics, and remaining cases are retained in local run data.

Selected fields identify the inputs varied by the test. Causal attribution requires further investigation.




Charts

[bitnami/airflow](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/airflow
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Topology: bitnami/airflow](#)

[Sensitivity: bitnami/airflow](#)


Overview cell: 01

Status: time-limit | Attempts: 83


Coverage: generated path tests. Finite interaction coverage was unavailable: Cannot enumerate the input domain: permutations need closed objects at (); set additionalProperties: false. The sampled paths do not establish N-way coverage.

Audit findings: 1190. Full paths and template references: [JSON](#).

- [HH2001](#) at `$.apiVersions``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.existingSecret``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.fernetKey``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.jwtSecretKey``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.password``: Undocumented values path (warning)
- [HH2001](#) at `$.auth.secretKey``: Undocumented values path (warning)
- 1184 additional audit findings in [JSON](#).

[bitnami/apache](#)

bitnami/apache
7 measured changes; 21 pairs (complete)

[Topology: bitnami/apache](#)[Sensitivity: bitnami/apache](#)[Sensitivity field key.](#)

Overview cell: 02

Status: failed | Attempts: 29

Coverage: generated path tests. Finite interaction coverage was unavailable: Cannot enumerate the input domain: permutations need closed objects at (); set additionalProperties: false. The sampled paths do not establish N-way coverage.

Audit findings: 245. Full paths and template references: [JSON](#).

- [HH2001](#) at `$.affinity`: Undocumented values path (warning)
- [HH2001](#) at `$.args`: Undocumented values path (warning)
- [HH2001](#) at `$.automountServiceAccountToken`: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.enabled`: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.maxReplicas`: Undocumented values path (warning)
- [HH2001](#) at `$.autoscaling.minReplicas`: Undocumented values path (warning)
- 239 additional audit findings in [JSON](#).

E001 ([HH1101](#))

Invalid YAML in rendered output (manifest / violation). Severity: error. Inspect the failing YAML and template interpolation, including quoting and indentation.

```
[Diagnostic shortened; full text in artifacts] ... ity': None, 'podAntiAffinity':
{'preferredDuringSchedulingIgnoredDuringExecution':
[{'podAffinityTerm': {'labelSelector': {'matchLabels': {'app.kubernetes.io/instance': 'hypothesis',
'app.kubernetes.io/name': 'apache'}}},
'topologyKey': 'kubernetes.io/hostname', 'weight': 1}}], 'nodeAffinity': None}) in "<unicode
string>", line 265, column 7: affinity: ^
(line: 265) To suppress this check see: https://yaml.dev/doc/ruamel.yaml/api/#Duplicate_keys
```

Phase:

```
$.extraPodSpec.affinity.nodeAffinity.preferredDuringSchedulingIgnoredDuringExecution[*].preference |
Status: failed
```

Changed overrides (used together):



- \$.extraPodSpec.affinity.nodeAffinity.preferredDuringSchedulingIgnoredDuringExecution.__hypothesis_key__.preference = {}
 Absent from overrides: \$.extraPodSpec.affinity.nodeAffinity.preferredDuringSchedulingIgnoredDuringExecution[""].preference. Defaults may still apply.

Renderer random inputs (replay tape in artifacts):

E002 ([HH1101](#))

Invalid YAML in rendered output (manifest / violation). Severity: error. Inspect the failing YAML and template interpolation, including quoting and indentation.

[Diagnostic shortened; full text in artifacts] ... bash\n\n. /opt/bitnami/scripts/libfs.sh\n\n# We copy the logs folder because it has symlinks to stdout and stderr\nif ! is_dir_empty /opt/bitnami/apache/logs; then\n cp -r /opt/bitnami/apache/logs /emptydir/app-logs-dir\nfi\n\n', 'volumeMounts': [{'name': 'empty-dir', 'mountPath': '/emptydir'}]]}) in "<unicode string>", line 265, column 7: initContainers: ^ (line: 265) To suppress this check see: https://yaml.dev/doc/ruamel.yaml/api/#Duplicate_keys

Phase: \$.extraPodSpec.initContainers[*].envFrom[*].configMapRef.name | Status: failed


Changed overrides (used together):

- \$.extraPodSpec.initContainers.__hypothesis_key__.envFrom.__hypothesis_key__.configMapRef.name = null

Absent from overrides: \$.extraPodSpec.initContainers[""].envFrom[""].configMapRef.name. Defaults may still apply.


Renderer random inputs (replay tape in artifacts):

[bitnami/apisix](#)



All vertices and connections are retained.
 Connections indicate potential influence, not proven causality.

bitnami/apisix
 0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Topology: bitnami/apisix](#)

[Sensitivity: bitnami/apisix](#)

Overview cell: 03

Status: time-limit | Attempts: 21


Coverage: generated path tests. Finite interaction coverage was unavailable: Cannot enumerate the input domain: permutations need closed objects at (); set additionalProperties: false. The sampled paths do not establish N-way coverage.



Audit findings: 344. Full paths and template references: [JSON](#).


- [HH2001](#) at `$.apiVersions``: Undocumented values path (warning)
- [HH2002](#) at `$.controlPlane.args[*]``: Unspecified values type (warning)
- [HH2001](#) at `$.controlPlane.automountServiceAccountToken``: Undocumented values path (warning)
- [HH2003](#) at `$.controlPlane.autoscaling``: Missing values description (info)
- [HH2003](#) at `$.controlPlane.autoscaling.hpa``: Missing values description (info)
- [HH2003](#) at `$.controlPlane.autoscaling.vpa``: Missing values description (info)
- 338 additional audit findings in [JSON](#).

[bitnami/appsmith](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/appsmith
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Topology: bitnami/appsmith](#)

[Sensitivity: bitnami/appsmith](#)

Overview cell: 04

Status: time-limit | Attempts: 54


Coverage: generated path tests. Finite interaction coverage was unavailable: Cannot enumerate the input domain: permutations need closed objects at (); set additionalProperties: false. The sampled paths do not establish N-way coverage.

Audit findings: 543. Full paths and template references: [JSON](#).

- [HH2001](#) at `$.backend.adminEmail``: Undocumented values path (warning)
- [HH2001](#) at `$.backend.adminPassword``: Undocumented values path (warning)
- [HH2001](#) at `$.backend.adminUser``: Undocumented values path (warning)
- [HH2001](#) at `$.backend.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.backend.args``: Undocumented values path (warning)
- [HH2001](#) at `$.backend.automountServiceAccountToken``: Undocumented values path (warning)
- 537 additional audit findings in [JSON](#).




[bitnami/argo-cd](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

bitnami/argo-cd
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects; controlled renderer does not support native effect: lookup

[Topology: bitnami/argo-cd](#)

[Sensitivity: bitnami/argo-cd](#)

Overview cell: 05

Status: interrupted | Attempts: 21


Coverage: generated path tests. Finite interaction coverage was unavailable: Cannot enumerate the input domain: permutations need closed objects at (); set additionalProperties: false. The sampled paths do not establish N-way coverage.

Audit findings: 1251. Full paths and template references: [JSON](#).

- [HH2001](#) at `$.applicationSet.affinity``: Undocumented values path (warning)
- [HH2001](#) at `$.applicationSet.args``: Undocumented values path (warning)
- [HH2001](#) at `$.applicationSet.clusterAdminAccess``: Undocumented values path (warning)
- [HH2001](#) at `$.applicationSet.clusterRoleRules``: Undocumented values path (warning)
- [HH2001](#) at `$.applicationSet.command``: Undocumented values path (warning)
- [HH2001](#) at `$.applicationSet.containerPorts``: Undocumented values path (warning)
- 1245 additional audit findings in [JSON](#).




[bitnami/argo-workflows](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/argo-workflows](#)

bitnami/argo-workflows
0 measured changes; 0 pairs (unavailable)




Uncontrolled renderer effects: controlled renderer does not
support native effect: lookup

[Sensitivity: bitnami/argo-workflows](#)

Overview cell: 06

Status: pending | Attempts: N/A


[bitnami/aspnet-core](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/aspnet-core](#)

bitnami/aspnet-core
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/aspnet-core](#)


[Sensitivity field key.](#)

Overview cell: 07

Status: pending | Attempts: N/A



[bitnami/cadvisor](#)




[Topology: bitnami/cadvisor](#)

[Sensitivity field key.](#)

Overview cell: 08

Status: pending | Attempts: N/A

[bitnami/cassandra](#)




[Topology: bitnami/cassandra](#)

Overview cell: 09


Status: pending | Attempts: N/A

bitnami/cadvisor
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/cadvisor](#)

bitnami/cassandra
0 measured changes; 0 pairs (unavailable)




Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/cassandra](#)



[bitnami/cert-manager](#)




[Topology: bitnami/cert-manager](#)

[Sensitivity field key.](#)

Overview cell: 10

Status: pending | Attempts: N/A

[bitnami/chainloop](#)




[Topology: bitnami/chainloop](#)

Overview cell: 11


Status: pending | Attempts: N/A

bitnami/cert-manager
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/cert-manager](#)

bitnami/chainloop
0 measured changes; 0 pairs (unavailable)




Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/chainloop](#)



[bitnami/cilium](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/cilium](#)

Overview cell: 12

Status: pending | Attempts: N/A

[bitnami/clickhouse](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/clickhouse](#)

Overview cell: 13

Status: pending | Attempts: N/A


bitnami/cilium
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: genCA

[Sensitivity: bitnami/cilium](#)

bitnami/clickhouse
0 measured changes; 0 pairs (unavailable)




Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/clickhouse](#)



[bitnami/clickhouse-operator](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/clickhouse-operator](#)

Overview cell: 14

Status: pending | Attempts: N/A

[bitnami/cloudnative-pg](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/cloudnative-pg](#)

Overview cell: 15

Status: pending | Attempts: N/A


bitnami/clickhouse-operator
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/clickhouse-operator](#)

bitnami/cloudnative-pg
0 measured changes; 0 pairs (unavailable)




Uncontrolled renderer effects: controlled renderer does not support native effect: genCA

[Sensitivity: bitnami/cloudnative-pg](#)



[bitnami/common](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/common](#)

Overview cell: 16

Status: pending | Attempts: N/A

[bitnami/concourse](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/concourse](#)

Overview cell: 17

Status: pending | Attempts: N/A


bitnami/common
0 measured changes; 0 pairs (unavailable)



Library chart: no standalone rendered baseline.

[Sensitivity: bitnami/common](#)

bitnami/concourse
0 measured changes; 0 pairs (unavailable)




Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/concourse](#)



[bitnami/consul](#)




[Topology: bitnami/consul](#)

[Sensitivity field key.](#)

Overview cell: 18

Status: pending | Attempts: N/A

[bitnami/contour](#)




[Topology: bitnami/contour](#)

[Sensitivity field key.](#)

Overview cell: 19


Status: pending | Attempts: N/A

bitnami/consul
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/consul](#)


bitnami/contour
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/contour](#)



[bitnami/deepspeed](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/deepspeed](#)

Overview cell: 20

Status: pending | Attempts: N/A

[bitnami/discourse](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/discourse](#)

Overview cell: 21

Status: pending | Attempts: N/A


bitnami/deepspeed
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: genPrivateKey

[Sensitivity: bitnami/deepspeed](#)

bitnami/discourse
0 measured changes; 0 pairs (unavailable)




Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/discourse](#)



[bitnami/dremio](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/dremio](#)

Overview cell: 22

Status: pending | Attempts: N/A

[bitnami/drupal](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/drupal](#)

Overview cell: 23

Status: pending | Attempts: N/A


bitnami/dremio
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: genCA

[Sensitivity: bitnami/dremio](#)

bitnami/drupal
0 measured changes; 0 pairs (unavailable)




Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/drupal](#)



[bitnami/ejbca](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/ejbca](#)

Overview cell: 24

Status: pending | Attempts: N/A

[bitnami/elasticsearch](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.


[Topology: bitnami/elasticsearch](#)

[Sensitivity field key.](#)

Overview cell: 25

Status: pending | Attempts: N/A


bitnami/ejbca
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/ejbca](#)


bitnami/elasticsearch
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/elasticsearch](#)



[bitnami/envoy-gateway](#)




[Topology: bitnami/envoy-gateway](#)

[Sensitivity field key.](#)

Overview cell: 26

Status: pending | Attempts: N/A

[bitnami/etcd](#)




[Topology: bitnami/etcd](#)

Overview cell: 27


Status: pending | Attempts: N/A

bitnami/envoy-gateway
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/envoy-gateway](#)

bitnami/etcd
0 measured changes; 0 pairs (unavailable)




Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/etcd](#)



[bitnami/external-dns](#)




[Topology: bitnami/external-dns](#)

[Sensitivity field key.](#)

Overview cell: 28

Status: pending | Attempts: N/A

[bitnami/flink](#)




[Topology: bitnami/flink](#)

[Sensitivity field key.](#)

Overview cell: 29


Status: pending | Attempts: N/A

bitnami/external-dns
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/external-dns](#)


bitnami/flink
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/flink](#)




[bitnami/fluent-bit](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/fluent-bit](#)

bitnami/fluent-bit
8 measured changes; 28 pairs (complete)




[Sensitivity: bitnami/fluent-bit](#)

[Sensitivity field key.](#)

Overview cell: 30

Status: pending | Attempts: N/A


[bitnami/fluentd](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/fluentd](#)

bitnami/fluentd
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/fluentd](#)


[Sensitivity field key.](#)

Overview cell: 31

Status: pending | Attempts: N/A



[bitnami/flux](#)




[Topology: bitnami/flux](#)

[Sensitivity field key.](#)

Overview cell: 32

Status: pending | Attempts: N/A

[bitnami/ghost](#)




[Topology: bitnami/ghost](#)

Overview cell: 33


Status: pending | Attempts: N/A

bitnami/flux
8 measured changes; 19 pairs (time-limit)



[Sensitivity: bitnami/flux](#)

bitnami/ghost
0 measured changes; 0 pairs (unavailable)




Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/ghost](#)



[bitnami/gitea](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/gitea](#)

Overview cell: 34

Status: pending | Attempts: N/A

[bitnami/gitlab-runner](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.


[Topology: bitnami/gitlab-runner](#)

Overview cell: 35

Status: pending | Attempts: N/A



[bitnami/grafana](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/grafana](#)

Overview cell: 36

Status: pending | Attempts: N/A

[bitnami/grafana-alloy](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.


[Topology: bitnami/grafana-alloy](#)

[Sensitivity field key.](#)

Overview cell: 37

Status: pending | Attempts: N/A


bitnami/grafana
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/grafana](#)


bitnami/grafana-alloy
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/grafana-alloy](#)



[bitnami/grafana-k6-operator](#)




[Topology: bitnami/grafana-k6-operator](#)

[Sensitivity field key.](#)

Overview cell: 38

Status: pending | Attempts: N/A

[bitnami/grafana-loki](#)




[Topology: bitnami/grafana-loki](#)

[Sensitivity field key.](#)

Overview cell: 39


Status: pending | Attempts: N/A

bitnami/grafana-k6-operator
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/grafana-k6-operator](#)


bitnami/grafana-loki
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/grafana-loki](#)



[bitnami/grafana-mimir](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

Topology: [bitnami/grafana-mimir](#)

Overview cell: 40

Status: pending | Attempts: N/A

[bitnami/grafana-operator](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

Topology: [bitnami/grafana-operator](#)

Overview cell: 41

Status: pending | Attempts: N/A


bitnami/grafana-mimir
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

Sensitivity: [bitnami/grafana-mimir](#)

bitnami/grafana-operator
0 measured changes; 0 pairs (unavailable)




[HH1108] Custom resource grafana.integreatly.org/v1beta1/Grafana requires an explicit JSON schema in resource_schemas

Sensitivity: [bitnami/grafana-operator](#)



[bitnami/grafana-tempo](#)




[Topology: bitnami/grafana-tempo](#)

[Sensitivity field key.](#)

Overview cell: 42

Status: pending | Attempts: N/A

[bitnami/haproxy](#)




[Topology: bitnami/haproxy](#)

[Sensitivity field key.](#)

Overview cell: 43


Status: pending | Attempts: N/A

bitnami/grafana-tempo
7 measured changes; 21 pairs (complete)



[Sensitivity: bitnami/grafana-tempo](#)


bitnami/haproxy
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/haproxy](#)



[bitnami/harbor](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/harbor](#)

Overview cell: 44

Status: pending | Attempts: N/A

[bitnami/influxdb](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.


[Topology: bitnami/influxdb](#)

[Sensitivity field key.](#)

Overview cell: 45

Status: pending | Attempts: N/A


bitnami/harbor
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/harbor](#)


bitnami/influxdb
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/influxdb](#)



[bitnami/jaeger](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/jaeger](#)

Overview cell: 46

Status: pending | Attempts: N/A

[bitnami/janusgraph](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/janusgraph](#)

Overview cell: 47

Status: pending | Attempts: N/A


bitnami/jaeger
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/jaeger](#)

bitnami/janusgraph
0 measured changes; 0 pairs (unavailable)




Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/janusgraph](#)



[bitnami/jenkins](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/jenkins](#)

Overview cell: 48

Status: pending | Attempts: N/A

[bitnami/jupyterhub](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/jupyterhub](#)

Overview cell: 49

Status: pending | Attempts: N/A


bitnami/jenkins
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/jenkins](#)

bitnami/jupyterhub
0 measured changes; 0 pairs (unavailable)




Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/jupyterhub](#)



[bitnami/kafka](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/kafka](#)

Overview cell: 50

Status: pending | Attempts: N/A

[bitnami/keycloak](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/keycloak](#)

Overview cell: 51

Status: pending | Attempts: N/A


bitnami/kafka
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/kafka](#)

bitnami/keycloak
0 measured changes; 0 pairs (unavailable)




Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/keycloak](#)



[bitnami/keydb](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/keydb](#)

Overview cell: 52

Status: pending | Attempts: N/A

[bitnami/kibana](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.


[Topology: bitnami/kibana](#)

[Sensitivity field key.](#)

Overview cell: 53

Status: pending | Attempts: N/A


bitnami/keydb
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/keydb](#)


bitnami/kibana
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/kibana](#)



[bitnami/kong](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/kong](#)

Overview cell: 54

Status: pending | Attempts: N/A

[bitnami/kube-arangodb](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/kube-arangodb](#)

Overview cell: 55

Status: pending | Attempts: N/A


bitnami/kong
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/kong](#)

bitnami/kube-arangodb
0 measured changes; 0 pairs (unavailable)




Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/kube-arangodb](#)



[bitnami/kube-prometheus](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/kube-prometheus](#)

Overview cell: 56

Status: pending | Attempts: N/A

[bitnami/kube-prometheus/charts/kube-prometheus-crds](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/kube-prometheus/charts/kube-prometheus-crds](#)

Overview cell: 57

Status: pending | Attempts: N/A


bitnami/kube-prometheus
0 measured changes; 0 pairs (unavailable)



[HH1108] Custom resource monitoring.coreos.com/v1/Alertmanager requires an explicit JSON schema in resource_schemas

[Sensitivity: bitnami/kube-prometheus](#)

bitnami/kube-prometheus/charts/kube-prometheus-crds
0 measured changes; 0 pairs (unavailable)




No schema-valid Boolean or integer mutations were available.

[Sensitivity: bitnami/kube-prometheus/charts/kube-prometheus-crds](#)



[bitnami/kube-state-metrics](#)




[Topology: bitnami/kube-state-metrics](#)

[Sensitivity field key.](#)

Overview cell: 58

Status: pending | Attempts: N/A

[bitnami/kuberay](#)




[Topology: bitnami/kuberay](#)

Overview cell: 59


Status: pending | Attempts: N/A

bitnami/kube-state-metrics
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/kube-state-metrics](#)

bitnami/kuberay
0 measured changes; 0 pairs (unavailable)




[HH1108] Custom resource ray.io/v1/RayCluster requires an explicit JSON schema in resource_schemas

[Sensitivity: bitnami/kuberay](#)



[bitnami/kubernetes-event-exporter](#)




[Topology: bitnami/kubernetes-event-exporter](#)

[Sensitivity field key.](#)

Overview cell: 60

Status: pending | Attempts: N/A

[bitnami/logstash](#)




[Topology: bitnami/logstash](#)

[Sensitivity field key.](#)

Overview cell: 61


Status: pending | Attempts: N/A

bitnami/kubernetes-event-exporter
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/kubernetes-event-exporter](#)


bitnami/logstash
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/logstash](#)



[bitnami/mariadb](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/mariadb](#)

Overview cell: 62

Status: pending | Attempts: N/A

[bitnami/mariadb-galera](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.


[Topology: bitnami/mariadb-galera](#)

[Sensitivity field key.](#)

Overview cell: 63

Status: pending | Attempts: N/A


bitnami/mariadb
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/mariadb](#)


bitnami/mariadb-galera
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/mariadb-galera](#)



[bitnami/mastodon](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/mastodon](#)

Overview cell: 64

Status: pending | Attempts: N/A

[bitnami/matomo](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/matomo](#)

Overview cell: 65

Status: pending | Attempts: N/A


bitnami/mastodon
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/mastodon](#)

bitnami/matomo
0 measured changes; 0 pairs (unavailable)




Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/matomo](#)



[bitnami/memcached](#)




[Topology: bitnami/memcached](#)

[Sensitivity field key.](#)

Overview cell: 66

Status: pending | Attempts: N/A

[bitnami/metallb](#)




[Topology: bitnami/metallb](#)

Overview cell: 67


Status: pending | Attempts: N/A

bitnami/memcached
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/memcached](#)

bitnami/metallb
0 measured changes; 0 pairs (unavailable)




Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/metallb](#)



[bitnami/metrics-server](#)




[Topology: bitnami/metrics-server](#)

[Sensitivity field key.](#)

Overview cell: 68

Status: pending | Attempts: N/A

[bitnami/milvus](#)




[Topology: bitnami/milvus](#)

Overview cell: 69


Status: pending | Attempts: N/A

bitnami/metrics-server
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/metrics-server](#)

bitnami/milvus
0 measured changes; 0 pairs (unavailable)




Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/milvus](#)



[bitnami/mlflow](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/mlflow](#)

Overview cell: 70

Status: pending | Attempts: N/A

[bitnami/mongodb](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/mongodb](#)

Overview cell: 71

Status: pending | Attempts: N/A


bitnami/mlflow
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/mlflow](#)

bitnami/mongodb
0 measured changes; 0 pairs (unavailable)




Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/mongodb](#)



[bitnami/mongodb-sharded](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/mongodb-sharded](#)

Overview cell: 72

Status: pending | Attempts: N/A

[bitnami/moodle](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/moodle](#)

Overview cell: 73

Status: pending | Attempts: N/A


bitnami/mongodb-sharded
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/mongodb-sharded](#)

bitnami/moodle
0 measured changes; 0 pairs (unavailable)




Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/moodle](#)



[bitnami/multus-cni](#)




[Topology: bitnami/multus-cni](#)

[Sensitivity field key.](#)

Overview cell: 74

Status: pending | Attempts: N/A

[bitnami/mysql](#)




[Topology: bitnami/mysql](#)

Overview cell: 75


Status: pending | Attempts: N/A

bitnami/multus-cni
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/multus-cni](#)

bitnami/mysql
0 measured changes; 0 pairs (unavailable)




Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/mysql](#)



[bitnami/nats](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/nats](#)

Overview cell: 76

Status: pending | Attempts: N/A

[bitnami/neo4j](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/neo4j](#)

Overview cell: 77

Status: pending | Attempts: N/A


bitnami/nats
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: randAlpha

[Sensitivity: bitnami/nats](#)

bitnami/neo4j
0 measured changes; 0 pairs (unavailable)




Uncontrolled renderer effects: controlled renderer does not support native effect: genCA

[Sensitivity: bitnami/neo4j](#)



[bitnami/nessie](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/nessie](#)

Overview cell: 78

Status: pending | Attempts: N/A

[bitnami/nginx](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/nginx](#)

Overview cell: 79

Status: pending | Attempts: N/A


bitnami/nessie
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/nessie](#)

bitnami/nginx
0 measured changes; 0 pairs (unavailable)




Uncontrolled renderer effects: controlled renderer does not support native effect: genCA

[Sensitivity: bitnami/nginx](#)



[bitnami/node-exporter](#)




[Topology: bitnami/node-exporter](#)

[Sensitivity field key.](#)

Overview cell: 80

Status: pending | Attempts: N/A

[bitnami/oauth2-proxy](#)




[Topology: bitnami/oauth2-proxy](#)

Overview cell: 81


Status: pending | Attempts: N/A

bitnami/node-exporter
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/node-exporter](#)

bitnami/oauth2-proxy
0 measured changes; 0 pairs (unavailable)




Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/oauth2-proxy](#)



[bitnami/odoo](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/odoo](#)

Overview cell: 82

Status: pending | Attempts: N/A

[bitnami/opensearch](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.


[Topology: bitnami/opensearch](#)

[Sensitivity field key.](#)

Overview cell: 83

Status: pending | Attempts: N/A


bitnami/odoo
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/odoo](#)


bitnami/opensearch
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/opensearch](#)



[bitnami/parse](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/parse](#)

Overview cell: 84

Status: pending | Attempts: N/A

[bitnami/phpmyadmin](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.


[Topology: bitnami/phpmyadmin](#)

[Sensitivity field key.](#)

Overview cell: 85

Status: pending | Attempts: N/A


bitnami/parse
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/parse](#)


bitnami/phpmyadmin
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/phpmyadmin](#)



[bitnami/pinniped](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/pinniped](#)

Overview cell: 86

Status: pending | Attempts: N/A

[bitnami/postgresql](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/postgresql](#)

Overview cell: 87

Status: pending | Attempts: N/A


bitnami/pinniped
0 measured changes; 0 pairs (unavailable)



[HH1108] Custom resource
config.concierge.pinniped.dev/v1alpha1/CredentialIssuer requires
an explicit JSON schema in resource_schemas

[Sensitivity: bitnami/pinniped](#)

bitnami/postgresql
0 measured changes; 0 pairs (unavailable)




Uncontrolled renderer effects: controlled renderer does not
support native effect: lookup

[Sensitivity: bitnami/postgresql](#)



[bitnami/postgresql-ha](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

Topology: [bitnami/postgresql-ha](#)

Overview cell: 88

Status: pending | Attempts: N/A

[bitnami/prometheus](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.


Topology: [bitnami/prometheus](#)

[Sensitivity field key.](#)

Overview cell: 89

Status: pending | Attempts: N/A


bitnami/postgresql-ha
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

Sensitivity: [bitnami/postgresql-ha](#)


bitnami/prometheus
8 measured changes; 28 pairs (complete)



Sensitivity: [bitnami/prometheus](#)



[bitnami/pytorch](#)




[Topology: bitnami/pytorch](#)

[Sensitivity field key.](#)

Overview cell: 90

Status: pending | Attempts: N/A

[bitnami/rabbitmq](#)




[Topology: bitnami/rabbitmq](#)

Overview cell: 91


Status: pending | Attempts: N/A

bitnami/pytorch
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/pytorch](#)

bitnami/rabbitmq
0 measured changes; 0 pairs (unavailable)




Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/rabbitmq](#)



[bitnami/rabbitmq-cluster-operator](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

Topology: [bitnami/rabbitmq-cluster-operator](#)

Overview cell: 92

Status: pending | Attempts: N/A

[bitnami/redis](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

Topology: [bitnami/redis](#)

Overview cell: 93

Status: pending | Attempts: N/A


bitnami/rabbitmq-cluster-operator
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: genCA

Sensitivity: [bitnami/rabbitmq-cluster-operator](#)

bitnami/redis
0 measured changes; 0 pairs (unavailable)




Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

Sensitivity: [bitnami/redis](#)



[bitnami/redis-cluster](#)




[Topology: bitnami/redis-cluster](#)

[Sensitivity field key.](#)

Overview cell: 94

Status: pending | Attempts: N/A

[bitnami/redmine](#)




[Topology: bitnami/redmine](#)

Overview cell: 95


Status: pending | Attempts: N/A

bitnami/redis-cluster
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/redis-cluster](#)

bitnami/redmine
0 measured changes; 0 pairs (unavailable)




Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/redmine](#)



[bitnami/schema-registry](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/schema-registry](#)

Overview cell: 96

Status: pending | Attempts: N/A

[bitnami/scylladb](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/scylladb](#)

Overview cell: 97

Status: pending | Attempts: N/A


bitnami/schema-registry
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/schema-registry](#)

bitnami/scylladb
0 measured changes; 0 pairs (unavailable)




Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/scylladb](#)



[bitnami/sealed-secrets](#)




[Topology: bitnami/sealed-secrets](#)

[Sensitivity field key.](#)

Overview cell: 98

Status: pending | Attempts: N/A

[bitnami/seaweedfs](#)




[Topology: bitnami/seaweedfs](#)

Overview cell: 99


Status: pending | Attempts: N/A

bitnami/sealed-secrets
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/sealed-secrets](#)

bitnami/seaweedfs
0 measured changes; 0 pairs (unavailable)




Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/seaweedfs](#)



[bitnami/solr](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/solr](#)

Overview cell: 100
Status: pending | Attempts: N/A

[bitnami/sonarqube](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/sonarqube](#)

Overview cell: 101
Status: pending | Attempts: N/A


bitnami/solr
0 measured changes; 0 pairs (unavailable)



Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/solr](#)

bitnami/sonarqube
0 measured changes; 0 pairs (unavailable)




Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/sonarqube](#)



[bitnami/spark](#)




[Topology: bitnami/spark](#)

[Sensitivity field key.](#)

Overview cell: 102

Status: pending | Attempts: N/A

[bitnami/superset](#)




[Topology: bitnami/superset](#)

Overview cell: 103


Status: pending | Attempts: N/A

bitnami/spark
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/spark](#)

bitnami/superset
0 measured changes; 0 pairs (unavailable)




Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/superset](#)



[bitnami/tensorflow-resnet](#)




[Topology: bitnami/tensorflow-resnet](#)

[Sensitivity field key.](#)

Overview cell: 104

Status: pending | Attempts: N/A

[bitnami/thanos](#)




[Topology: bitnami/thanos](#)

Overview cell: 105


Status: pending | Attempts: N/A

bitnami/tensorflow-resnet
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/tensorflow-resnet](#)

bitnami/thanos
0 measured changes; 0 pairs (unavailable)




Uncontrolled renderer effects: controlled renderer does not support native effect: genCA

[Sensitivity: bitnami/thanos](#)



[bitnami/tomcat](#)




All vertices and connections are retained.
Connections indicate potential influence, not proven causality.

[Topology: bitnami/tomcat](#)

Overview cell: 106

Status: pending | Attempts: N/A

[bitnami/valkey](#)



All vertices and connections are retained.
Connections indicate potential influence, not proven causality.


[Topology: bitnami/valkey](#)

Overview cell: 107

Status: pending | Attempts: N/A



[bitnami/valkey-cluster](#)




[Topology: bitnami/valkey-cluster](#)

[Sensitivity field key.](#)

Overview cell: 108
Status: pending | Attempts: N/A

[bitnami/vault](#)




[Topology: bitnami/vault](#)

[Sensitivity field key.](#)


Overview cell: 109
Status: pending | Attempts: N/A

bitnami/valkey-cluster
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/valkey-cluster](#)


bitnami/vault
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/vault](#)



[bitnami/victoriametrics](#)




[Topology: bitnami/victoriametrics](#)

[Sensitivity field key.](#)

Overview cell: 110

Status: pending | Attempts: N/A

[bitnami/whereabouts](#)




[Topology: bitnami/whereabouts](#)

[Sensitivity field key.](#)

Overview cell: 111


Status: pending | Attempts: N/A

bitnami/victoriametrics
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/victoriametrics](#)


bitnami/whereabouts
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/whereabouts](#)



[bitnami/wildfly](#)




[Topology: bitnami/wildfly](#)

[Sensitivity field key.](#)

Overview cell: 112

Status: pending | Attempts: N/A

[bitnami/wordpress](#)




[Topology: bitnami/wordpress](#)

Overview cell: 113


Status: pending | Attempts: N/A

bitnami/wildfly
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/wildfly](#)

bitnami/wordpress
0 measured changes; 0 pairs (unavailable)




Uncontrolled renderer effects: controlled renderer does not support native effect: lookup

[Sensitivity: bitnami/wordpress](#)



[bitnami/zipkin](#)




[Topology: bitnami/zipkin](#)

Overview cell: 114

Status: pending | Attempts: N/A

[bitnami/zookeeper](#)




[Topology: bitnami/zookeeper](#)

[Sensitivity field key.](#)

Overview cell: 115

Status: pending | Attempts: N/A


bitnami/zipkin
0 measured changes; 0 pairs (unavailable)



[HH1101] invalid rendered YAML: ruamel: more indented follow up line than first in a block scalar in "<unicode string>", line 474, column 15: set -o errexit ^ (line: 474)

[Sensitivity: bitnami/zipkin](#)

bitnami/zookeeper
8 measured changes; 28 pairs (complete)



[Sensitivity: bitnami/zookeeper](#)



Appendix: plot guide

Overview matrices

Each numbered cell links to one chart. The left matrix shows findings or test status; the right shows recorded testing time. A dash means no timing was recorded. Incomplete and untested charts have not passed.

Chart topology

Vertices represent values paths, branch conditions, templates and manifest fields. Connections show the relationships the compiler could establish between them. Rendered fields, when available, describe the measured baseline. An absent connection does not prove independence when analysis is incomplete.

Field interactions

Both axes use the field numbers in the chart's sensitivity appendix entry, linked from its plot caption. Each measured cell compares changing two fields together with changing each separately from the same baseline. Manifests are encoded as path-and-value indicators, including empty containers. The color measures the sum of absolute differences in $f(ij) - f(i) - f(j) + f(0)$. A larger value means a stronger interaction for those particular changes; zero means no interaction was measured. Blank cells are unmeasured, not zero. These measurements describe sampled changes, not all possible field values or bug counts.

Graph structure metrics

Each point represents one chart with published graph measurements. The left panel compares vertices with connections. The right counts independent loops after ignoring connection direction: connections minus vertices plus disconnected groups. Parallel connections count separately. The axes compress large values while retaining zero. These counts describe graph structure, not execution loops, runtime or the number of defects.



Appendix: sensitivity field keys

Both heatmap axes use the same field numbers for each chart.

bitnami/apache

- 1: \$.metrics.image.debug
- 2: \$.startupProbe.successThreshold
- 3: \$.automountServiceAccountToken
- 4: \$.pdb.create
- 5: \$.livenessProbe.initialDelaySeconds
- 6: \$.cloneHtdocsFromGit.enabled
- 7: \$.livenessProbe.periodSeconds
- 8: \$.readinessProbe.timeoutSeconds

[Back to chart](#)

bitnami/aspnet-core

- 1: \$.startupProbe.successThreshold
- 2: \$.healthIngress.tls
- 3: \$.automountServiceAccountToken
- 4: \$.pdb.create
- 5: \$.livenessProbe.initialDelaySeconds
- 6: \$.livenessProbe.periodSeconds
- 7: \$.healthIngress.enabled
- 8: \$.readinessProbe.timeoutSeconds

[Back to chart](#)

bitnami/cadvisor

- 1: \$.startupProbe.successThreshold
- 2: \$.automountServiceAccountToken
- 3: \$.livenessProbe.initialDelaySeconds
- 4: \$.diagnosticMode.enabled
- 5: \$.livenessProbe.periodSeconds
- 6: \$.readinessProbe.timeoutSeconds
- 7: \$.readinessProbe.initialDelaySeconds
- 8: \$.livenessProbe.successThreshold

[Back to chart](#)

bitnami/cert-manager

- 1: \$.webhook.readinessProbe.timeoutSeconds
- 2: \$.controller.networkPolicy.kubeAPIServerPorts[2]
- 3: \$.cainjector.containerSecurityContext.privileged
- 4: \$.controller.livenessProbe.timeoutSeconds
- 5: \$.webhook.containerSecurityContext.runAsUser
- 6: \$.cainjector.startupProbe.periodSeconds
- 7: \$.controller.networkPolicy.allowExternal
- 8: \$.controller.acmesolver.image.debug

[Back to chart](#)



bitnami/consul

- 1: \$.startupProbe.successThreshold
- 2: \$.automountServiceAccountToken
- 3: \$.pdb.create
- 4: \$.livenessProbe.initialDelaySeconds
- 5: \$.diagnosticMode.enabled
- 6: \$.livenessProbe.periodSeconds
- 7: \$.readinessProbe.timeoutSeconds
- 8: \$.readinessProbe.initialDelaySeconds

[Back to chart](#)

bitnami/contour

- 1: \$.contour.livenessProbe.initialDelaySeconds
- 2: \$.envoy.hostPorts.metrics
- 3: \$.contour.livenessProbe.enabled
- 4: \$.defaultBackend.containerSecurityContext.runAsUser
- 5: \$.envoy.containerPorts.metrics
- 6: \$.envoy.shutdownManager.startupProbe.successThreshold
- 7: \$.contour.readinessProbe.enabled
- 8: \$.envoy.service.exposeMetrics

[Back to chart](#)

bitnami/elasticsearch

- 1: \$.metrics.podSecurityContext.enabled
- 2: \$.master.podSecurityContext.fsGroup
- 3: \$.data.networkPolicy.allowExternalEgress
- 4: \$.coordinating.networkPolicy.allowExternalEgress
- 5: \$.ingest.autoscaling.minReplicas
- 6: \$.data.startupProbe.initialDelaySeconds
- 7: \$.master.livenessProbe.successThreshold
- 8: \$.data.autoscaling.minReplicas

[Back to chart](#)

bitnami/envoy-gateway

- 1: \$.certgen.readinessProbe.periodSeconds
- 2: \$.startupProbe.successThreshold
- 3: \$.automountServiceAccountToken
- 4: \$.pdb.create
- 5: \$.livenessProbe.initialDelaySeconds
- 6: \$.diagnosticMode.enabled
- 7: \$.livenessProbe.periodSeconds
- 8: \$.certgen.networkPolicy.kubeAPIServerPorts[1]

[Back to chart](#)

bitnami/external-dns

- 1: \$.rbac.pspEnabled
- 2: \$.startupProbe.successThreshold
- 3: \$.automountServiceAccountToken
- 4: \$.pdb.create
- 5: \$.livenessProbe.initialDelaySeconds
- 6: \$.livenessProbe.periodSeconds



- 7: \$.readinessProbe.timeoutSeconds
- 8: \$.readinessProbe.initialDelaySeconds

[Back to chart](#)

bitnami/flink

- 1: \$.taskmanager.startupProbe.timeoutSeconds
- 2: \$.taskmanager.readinessProbe.successThreshold
- 3: \$.taskmanager.readinessProbe.failureThreshold
- 4: \$.jobmanager.readinessProbe.initialDelaySeconds
- 5: \$.jobmanager.readinessProbe.enabled
- 6: \$.diagnosticMode.enabled
- 7: \$.jobmanager.readinessProbe.successThreshold
- 8: \$.taskmanager.containerSecurityContext.runAsGroup

[Back to chart](#)

bitnami/fluent-bit

- 1: \$.startupProbe.successThreshold
- 2: \$.automountServiceAccountToken
- 3: \$.pdb.create
- 4: \$.livenessProbe.initialDelaySeconds
- 5: \$.diagnosticMode.enabled
- 6: \$.livenessProbe.periodSeconds
- 7: \$.autoscaling.hpa.targetCPUUtilizationPercentage
- 8: \$.readinessProbe.timeoutSeconds

[Back to chart](#)

bitnami/fluentd

- 1: \$.aggregator.service.ports.http.port
- 2: \$.forwarder.podSecurityContext.enabled
- 3: \$.aggregator.startupProbe.enabled
- 4: \$.forwarder.containerSecurityContext.allowPrivilegeEscalation
- 5: \$.aggregator.port
- 6: \$.aggregator.startupProbe.periodSeconds
- 7: \$.aggregator.containerSecurityContext.runAsGroup
- 8: \$.diagnosticMode.enabled

[Back to chart](#)

bitnami/flux

- 1: \$.imageAutomationController.readinessProbe.periodSeconds
- 2: \$.sourceController.metrics.service.ports.metrics
- 3: \$.imageReflectorController.startupProbe.timeoutSeconds
- 4: \$.kustomizeController.image.debug
- 5: \$.helmController.autoscaling.enabled
- 6: \$.sourceController.readinessProbe.failureThreshold
- 7: \$.sourceController.rbac.create
- 8: \$.imageAutomationController.serviceAccount.automountServiceAccountToken

[Back to chart](#)



bitnami/grafana-alloy

- 1: \$.alloy.livenessProbe.periodSeconds
- 2: \$.alloy.clustering.enabled
- 3: \$.configReloader.startupProbe.failureThreshold
- 4: \$.alloy.readinessProbe.successThreshold
- 5: \$.pdb.create
- 6: \$.diagnosticMode.enabled
- 7: \$.configReloader.livenessProbe.successThreshold
- 8: \$.alloy.startupProbe.periodSeconds

[Back to chart](#)

bitnami/grafana-k6-operator

- 1: \$.containerPorts.health
- 2: \$.startupProbe.successThreshold
- 3: \$.automountServiceAccountToken
- 4: \$.pdb.create
- 5: \$.livenessProbe.initialDelaySeconds
- 6: \$.livenessProbe.periodSeconds
- 7: \$.readinessProbe.timeoutSeconds
- 8: \$.readinessProbe.initialDelaySeconds

[Back to chart](#)

bitnami/grafana-loki

- 1: \$.ingester.readinessProbe.enabled
- 2: \$.loki.gossipRing.service.ports.http
- 3: \$.queryScheduler.networkPolicy.allowExternalEgress
- 4: \$.indexGateway.livenessProbe.successThreshold
- 5: \$.compactor.enableServiceLinks
- 6: \$.indexGateway.livenessProbe.enabled
- 7: \$.queryScheduler.startupProbe.timeoutSeconds
- 8: \$.queryScheduler.containerSecurityContext.privileged

[Back to chart](#)

bitnami/grafana-tempo

- 1: \$.memcached.auth.enabled
- 2: \$.queryFrontend.query.containerSecurityContext.runAsUser
- 3: \$.ingester.readinessProbe.enabled
- 4: \$.queryFrontend.query.containerSecurityContext.readOnlyRootFilesystem
- 5: \$.metricsGenerator.containerSecurityContext.allowPrivilegeEscalation
- 6: \$.vulture.readinessProbe.enabled
- 7: \$.compactor.enableServiceLinks
- 8: \$.distributor.livenessProbe.successThreshold

[Back to chart](#)

bitnami/haproxy

- 1: \$.startupProbe.successThreshold
- 2: \$.automountServiceAccountToken
- 3: \$.pdb.create
- 4: \$.livenessProbe.initialDelaySeconds
- 5: \$.diagnosticMode.enabled
- 6: \$.livenessProbe.periodSeconds



- 7: \$.readinessProbe.timeoutSeconds
- 8: \$.readinessProbe.initialDelaySeconds

[Back to chart](#)

bitnami/influxdb

- 1: \$.createAdminTokenJob.containerSecurityContext.enabled
- 2: \$.useHelmHooks
- 3: \$.startupProbe.successThreshold
- 4: \$.automountServiceAccountToken
- 5: \$.pdb.create
- 6: \$.livenessProbe.initialDelaySeconds
- 7: \$.diagnosticMode.enabled
- 8: \$.defaultInitContainers.volumePermissions.containerSecurityContext.allowPrivilegeEscalation

[Back to chart](#)

bitnami/kibana

- 1: \$.elasticsearch.security.tls.usePemCerts
- 2: \$.startupProbe.successThreshold
- 3: \$.automountServiceAccountToken
- 4: \$.pdb.create
- 5: \$.livenessProbe.initialDelaySeconds
- 6: \$.diagnosticMode.enabled
- 7: \$.livenessProbe.periodSeconds
- 8: \$.readinessProbe.timeoutSeconds

[Back to chart](#)

bitnami/kube-state-metrics

- 1: \$.kubeResources.ingresses
- 2: \$.kubeResources.deployments
- 3: \$.kubeResources.services
- 4: \$.rbac.pspEnabled
- 5: \$.kubeResources.volumeattachments
- 6: \$.startupProbe.successThreshold
- 7: \$.automountServiceAccountToken
- 8: \$.pdb.create

[Back to chart](#)

bitnami/kubernetes-event-exporter

- 1: \$.metrics.service.ports.http
- 2: \$.startupProbe.successThreshold
- 3: \$.automountServiceAccountToken
- 4: \$.pdb.create
- 5: \$.livenessProbe.initialDelaySeconds
- 6: \$.diagnosticMode.enabled
- 7: \$.livenessProbe.periodSeconds
- 8: \$.readinessProbe.timeoutSeconds

[Back to chart](#)



bitnami/logstash

- 1: \$.enableMonitoringAPI
- 2: \$.startupProbe.successThreshold
- 3: \$.monitoringAPIPort
- 4: \$.automountServiceAccountToken
- 5: \$.pdb.create
- 6: \$.livenessProbe.initialDelaySeconds
- 7: \$.diagnosticMode.enabled
- 8: \$.livenessProbe.periodSeconds

[Back to chart](#)

bitnami/mariadb-galera

- 1: \$.startupProbe.successThreshold
- 2: \$.automountServiceAccountToken
- 3: \$.pdb.create
- 4: \$.livenessProbe.initialDelaySeconds
- 5: \$.diagnosticMode.enabled
- 6: \$.livenessProbe.periodSeconds
- 7: \$.readinessProbe.timeoutSeconds
- 8: \$.readinessProbe.initialDelaySeconds

[Back to chart](#)

bitnami/memcached

- 1: \$.startupProbe.successThreshold
- 2: \$.automountServiceAccountToken
- 3: \$.pdb.create
- 4: \$.livenessProbe.initialDelaySeconds
- 5: \$.diagnosticMode.enabled
- 6: \$.metrics.startupProbe.timeoutSeconds
- 7: \$.livenessProbe.periodSeconds
- 8: \$.readinessProbe.timeoutSeconds

[Back to chart](#)

bitnami/metrics-server

- 1: \$.startupProbe.successThreshold
- 2: \$.automountServiceAccountToken
- 3: \$.pdb.create
- 4: \$.diagnosticMode.enabled
- 5: \$.livenessProbe.periodSeconds
- 6: \$.networkPolicy.kubernetesPorts[3]
- 7: \$.readinessProbe.timeoutSeconds
- 8: \$.livenessProbe.successThreshold

[Back to chart](#)

bitnami/multus-cni

- 1: \$.startupProbe.successThreshold
- 2: \$.automountServiceAccountToken
- 3: \$.livenessProbe.initialDelaySeconds
- 4: \$.diagnosticMode.enabled
- 5: \$.livenessProbe.periodSeconds
- 6: \$.readinessProbe.timeoutSeconds



- 7: \$.readinessProbe.initialDelaySeconds
- 8: \$.livenessProbe.successThreshold

[Back to chart](#)

bitnami/node-exporter

- 1: \$.rbac.pspEnabled
- 2: \$.startupProbe.successThreshold
- 3: \$.automountServiceAccountToken
- 4: \$.pdb.create
- 5: \$.livenessProbe.initialDelaySeconds
- 6: \$.diagnosticMode.enabled
- 7: \$.livenessProbe.periodSeconds
- 8: \$.readinessProbe.timeoutSeconds

[Back to chart](#)

bitnami/opensearch

- 1: \$.master.podSecurityContext.fsGroup
- 2: \$.data.networkPolicy.allowExternalEgress
- 3: \$.master.metrics.rules.enabled
- 4: \$.dashboards.image.debug
- 5: \$.dashboards.podSecurityContext.enabled
- 6: \$.coordinating.networkPolicy.allowExternalEgress
- 7: \$.data.autoscaling.hpa.enabled
- 8: \$.dashboards.livenessProbe.successThreshold

[Back to chart](#)

bitnami/phpmyadmin

- 1: \$.startupProbe.successThreshold
- 2: \$.automountServiceAccountToken
- 3: \$.pdb.create
- 4: \$.livenessProbe.initialDelaySeconds
- 5: \$.livenessProbe.periodSeconds
- 6: \$.readinessProbe.timeoutSeconds
- 7: \$.readinessProbe.initialDelaySeconds
- 8: \$.livenessProbe.successThreshold

[Back to chart](#)

bitnami/prometheus

- 1: \$.server.containerSecurityContext.runAsNonRoot
- 2: \$.server.thanos.service.ports.grpc
- 3: \$.server.containerSecurityContext.runAsGroup
- 4: \$.server.startupProbe.timeoutSeconds
- 5: \$.server.ingress.tls
- 6: \$.server.startupProbe.enabled
- 7: \$.alertmanager.ingress.enabled
- 8: \$.server.networkPolicy.allowExternal

[Back to chart](#)



bitnami/pytorch

- 1: \$.service.ports.pytorch
- 2: \$.startupProbe.successThreshold
- 3: \$.automountServiceAccountToken
- 4: \$.pdb.create
- 5: \$.livenessProbe.initialDelaySeconds
- 6: \$.diagnosticMode.enabled
- 7: \$.livenessProbe.periodSeconds
- 8: \$.readinessProbe.timeoutSeconds

[Back to chart](#)

bitnami/redis-cluster

- 1: \$.metrics.service.ports.http
- 2: \$.pdb.create
- 3: \$.diagnosticMode.enabled
- 4: \$.redis.readinessProbe.failureThreshold
- 5: \$.service.ports.redis
- 6: \$.volumePermissions.containerSecurityContext.enabled
- 7: \$.metrics.enabled
- 8: \$.metrics.containerSecurityContext.privileged

[Back to chart](#)

bitnami/sealed-secrets

- 1: \$.rbac.pspEnabled
- 2: \$.startupProbe.successThreshold
- 3: \$.automountServiceAccountToken
- 4: \$.pdb.create
- 5: \$.livenessProbe.initialDelaySeconds
- 6: \$.rbac.namespacedRoles
- 7: \$.livenessProbe.periodSeconds
- 8: \$.readinessProbe.timeoutSeconds

[Back to chart](#)

bitnami/spark

- 1: \$.master.podSecurityContext.fsGroup
- 2: \$.master.enabled
- 3: \$.master.livenessProbe.successThreshold
- 4: \$.master.networkPolicy.allowExternal
- 5: \$.worker.readinessProbe.timeoutSeconds
- 6: \$.diagnosticMode.enabled
- 7: \$.worker.containerPorts.https
- 8: \$.master.livenessProbe.initialDelaySeconds

[Back to chart](#)

bitnami/tensorflow-resnet

- 1: \$.startupProbe.successThreshold
- 2: \$.automountServiceAccountToken
- 3: \$.pdb.create
- 4: \$.livenessProbe.initialDelaySeconds
- 5: \$.diagnosticMode.enabled
- 6: \$.livenessProbe.periodSeconds



- 7: \$.readinessProbe.timeoutSeconds
- 8: \$.readinessProbe.initialDelaySeconds

[Back to chart](#)

bitnami/valkey-cluster

- 1: \$.valkey.containerPorts.bus
- 2: \$.metrics.service.ports.http
- 3: \$.pdb.create
- 4: \$.diagnosticMode.enabled
- 5: \$.volumePermissions.containerSecurityContext.enabled
- 6: \$.valkey.shareProcessNamespace
- 7: \$.metrics.enabled
- 8: \$.metrics.containerSecurityContext.privileged

[Back to chart](#)

bitnami/vault

- 1: \$.server.containerSecurityContext.runAsNonRoot
- 2: \$.csiProvider.podSecurityContext.fsGroup
- 3: \$.csiProvider.provider.containerSecurityContext.runAsGroup
- 4: \$.server.containerSecurityContext.runAsGroup
- 5: \$.server.startupProbe.timeoutSeconds
- 6: \$.server.ingress.tls
- 7: \$.injector.networkPolicy.allowExternal
- 8: \$.server.startupProbe.enabled

[Back to chart](#)

bitnami/victoriametrics

- 1: \$.vmalert.readinessProbe.timeoutSeconds
- 2: \$.vmagent.namespaced
- 3: \$.vmselect.containerSecurityContext.runAsUser
- 4: \$.vminsert.livenessProbe.enabled
- 5: \$.vmalert.networkPolicy.allowExternalEgress
- 6: \$.vmauth.livenessProbe.failureThreshold
- 7: \$.vmauth.startupProbe.timeoutSeconds
- 8: \$.vmagent.autoscaling.vpa.enabled

[Back to chart](#)

bitnami/whereabouts

- 1: \$.startupProbe.successThreshold
- 2: \$.automountServiceAccountToken
- 3: \$.livenessProbe.initialDelaySeconds
- 4: \$.diagnosticMode.enabled
- 5: \$.livenessProbe.periodSeconds
- 6: \$.readinessProbe.timeoutSeconds
- 7: \$.readinessProbe.initialDelaySeconds
- 8: \$.livenessProbe.successThreshold

[Back to chart](#)



bitnami/wildfly

- 1: \$.startupProbe.successThreshold
- 2: \$.automountServiceAccountToken
- 3: \$.pdb.create
- 4: \$.livenessProbe.initialDelaySeconds
- 5: \$.diagnosticMode.enabled
- 6: \$.livenessProbe.periodSeconds
- 7: \$.readinessProbe.timeoutSeconds
- 8: \$.readinessProbe.initialDelaySeconds

[Back to chart](#)

bitnami/zookeeper

- 1: \$.startupProbe.successThreshold
- 2: \$.automountServiceAccountToken
- 3: \$.pdb.create
- 4: \$.livenessProbe.initialDelaySeconds
- 5: \$.service.ports.election
- 6: \$.diagnosticMode.enabled
- 7: \$.livenessProbe.periodSeconds
- 8: \$.readinessProbe.timeoutSeconds

[Back to chart](#)



Appendix: finding codes

HH codes identify finding categories. Numbered E entries, when present, identify recorded diagnostics.

Severities below are defaults; configured overrides are shown with the findings above.

HH1101 - Invalid YAML in rendered output

Default severity: error | Category: manifest | Evidence type: violation

The YAML parser rejects rendered output, or Helm reports a YAML parse error.

Suggested action: Inspect the failing YAML and template interpolation, including quoting and indentation.

HH2001 - Undocumented values path

Default severity: warning | Category: values | Evidence type: warning

The audit finds a values path with no matching schema declaration.

Suggested action: Document the path in values.schema.json, including its accepted values.

HH2002 - Unspecified values type

Default severity: warning | Category: values | Evidence type: warning

A schema path declares no type, enum or const.

Suggested action: Declare the accepted type or a finite set of values.

HH2003 - Missing values description

Default severity: info | Category: values | Evidence type: warning

A typed schema path has no description.

Suggested action: Describe the field's behavior and any requirements shared with other fields.

HH2006 - Opaque object schema

Default severity: warning | Category: values | Evidence type: warning

An object permits unspecified entries without named fields, patterned fields or a typed map-value schema.

Suggested action: Describe fields with properties, patternProperties or typed additionalProperties. Ignore [HH2006](#) for intentional free-form configuration; tests still sample those values.