



Table of contents

[Overview](#)

[Scan summary](#)

[Status counts](#)

[Settings](#)

[Errors](#)

[Charts](#)

[Appendix: finding codes](#)


Click a section to jump to it. The PDF bookmarks also link to individual charts and diagnostics.



Overview


Findings by chart

Which charts have violations, warnings, or unresolved diagnostics?



Testing time by chart

Which charts used the most time? Cells match the chart grid above.



Read left to right, then down. Cell numbers match the chart sections; -- means timing unavailable.

Each cell is one chart; both grids follow chart-section order. Click a cell in the PDF for details. Colors show the highest observed finding kind, not a security or business-impact score. Hatching marks unfinished or unavailable testing, even when a finding was recorded. No findings means none in the completed sample, not exhaustive coverage. Testing time excludes dependency preparation.



Scan summary

Git comparison: HEAD^ (ba7b5abc108e60d97302618dbcf21b2dc7d0b924); 0 cached chart successes reused.

Directory: /Users/emmad Doyle/projects/personal/hypothesis-helm/.cache/bitnami-compiler-review-1789844100/charts

Started (Unix epoch): 1789844180

Started (UTC): 2026-09-19T18:56:20.000+00:00

Finished (UTC): 2026-09-19T19:09:18.486+00:00 (estimated from recorded timing)

Run fingerprint (SHA-256): 08b4a9e8f9b99dd8be1bc87c1c8cb89e5f6a99891208f9fc09eb1ebf4d5a3097

Elapsed (wall clock): 778.49 seconds

Chart testing: 777.82 seconds

Dependency preparation: 0.00 seconds (excluded from testing budgets)

Charts discovered: 3

Scan status: completed

Discovery complete: True

Unstarted charts: 0

Results record outcomes for the tested sample and selected checks.

Baseline-only, skipped, blocked, and incomplete charts retain their respective statuses.

Status counts

1 time-limit; 2 failed.

Settings

Filtering: True | Seed: 0 | Traversal: random

Chart timeout: 300.0 seconds | Workers: not recorded

Complete settings are retained in the JSON report.

Generated values use the configured input domains and any supported destination constraints.

Coverage excludes inputs outside these domains;

supplied defaults are tested unchanged. The JSON report records constraints and unresolved mappings.

Disabled checks: [HH2006](#)

Errors

31 distinct diagnostics across 56 occurrences; 25 repeats grouped.

Diagnostics and their triggering inputs are grouped under each chart below.

Up to two examples per diagnostic and six fields per example are shown. Long values and diagnostics are shortened.

Full inputs, diagnostics, and remaining cases are retained in local run data.

Selected fields identify the inputs varied by the test. Causal attribution requires further investigation.

Charts

[airflow](#)

Overview cell: 01

Status: time-limit | Attempts: 341

Audit findings: 1282. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `[\*][\*]`: Undocumented values path
- [HH2004](#) at `[\*][\*]`: No supplied default for a values path
- [HH2001](#) at `[\*][\*][\*]`: Undocumented values path



- [HH2004](#) at ``$[*][*][*]``: No supplied default for a values path
- [HH2001](#) at ``$[*][*][*][*]``: Undocumented values path
- [HH2004](#) at ``$[*][*][*][*]``: No supplied default for a values path
- 1276 additional audit findings in JSON.

[Chart artifacts](#)

[apache](#)

Overview cell: 02

Status: failed | Attempts: 3916

Audit findings: 270. Full paths and template references are retained in the JSON report.

- [HH2001](#) at ``$.affinity``: Undocumented values path
- [HH2001](#) at ``$.args``: Undocumented values path
- [HH2001](#) at ``$.automountServiceAccountToken``: Undocumented values path
- [HH2001](#) at ``$.autoscaling.enabled``: Undocumented values path
- [HH2001](#) at ``$.autoscaling.maxReplicas``: Undocumented values path
- [HH2001](#) at ``$.autoscaling.minReplicas``: Undocumented values path
- 264 additional audit findings in JSON.

E001 ([HH1001](#))

Unclassified template failure (unclassified / diagnostic). Inspect the Helm diagnostic and reproducer; the exit alone does not establish a chart defect.

```
[HH1001] Error: YAML parse error on apache/templates/deployment.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string
```

Phase: `$.commonAnnotations` | Status: failed

Changed overrides (used together):

- `$.commonAnnotations[""]` = []

[Full input and diagnostic](#)

E002 ([HH1001](#))

Unclassified template failure (unclassified / diagnostic). Inspect the Helm diagnostic and reproducer; the exit alone does not establish a chart defect.

```
[HH1001] Error: YAML parse error on apache/templates/extra-list.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go value of type util.SimpleHead
```

Phase: `$.extraDeploy` | Status: failed

Changed overrides (used together):

- `$.extraDeploy` = [[]]

[Full input and diagnostic](#)

Phase: `$.extraDeploy[*]` | Status: failed

Changed overrides (used together):

- `$.extraDeploy` = [[]]

Absent from overrides: `$.extraDeploy[""]`. Defaults may still apply.

[Full input and diagnostic](#)



E003 ([HH1001](#))

Unclassified template failure (unclassified / diagnostic). Inspect the Helm diagnostic and reproducer; the exit alone does not establish a chart defect.

```
[HH1001] Error: YAML parse error on apache/templates/serviceaccount.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string
```

```
Phase: $.serviceAccount.annotations | Status: failed
```

Changed overrides (used together):

```
- $.serviceAccount.annotations[""] = []
```

[Full input and diagnostic](#)

```
Phase: $.serviceAccount | Status: failed
```

Changed overrides (used together):

```
- $.serviceAccount.annotations[""] = []
```

[Full input and diagnostic](#)

E004 ([HH1001](#))

Unclassified template failure (unclassified / diagnostic). Inspect the Helm diagnostic and reproducer; the exit alone does not establish a chart defect.

```
[HH1001] Error: YAML parse error on apache/templates/svc.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string
```

```
Phase: $.service.annotations | Status: failed
```

Changed overrides (used together):

```
- $.service.annotations[""] = []
```

[Full input and diagnostic](#)

```
Phase: $.service | Status: failed
```

Changed overrides (used together):

```
- $.service.annotations[""] = []
```

[Full input and diagnostic](#)

E005 ([HH1001](#))

Unclassified template failure (unclassified / diagnostic). Inspect the Helm diagnostic and reproducer; the exit alone does not establish a chart defect.

```
Source: apache 11.4.30 / templates/NOTES.txt
```

```
execution error at (apache/templates/NOTES.txt:45:4): VALUES VALIDATION: apache: htdocs-git-repository You did not specify a git repository to clone. Please set cloneHtdocsFromGit.repository apache: htdocs-git-branch You did not specify a branch to checkout in the git repository. Please set cloneHtdocsFromGit.branch
```

```
Phase: $.cloneHtdocsFromGit.enabled | Status: failed
```

Changed overrides (used together):

```
- $.cloneHtdocsFromGit.enabled = true (was false)
```

[Full input and diagnostic](#)



E006 (HH1001)

Unclassified template failure (unclassified / diagnostic). Inspect the Helm diagnostic and reproducer; the exit alone does not establish a chart defect.

Source: apache 11.4.30 / templates/NOTES.txt

[Diagnostic shortened; full text in artifacts] ... kely to cause degraded security and performance, broken chart features, and missing environment variables. Unrecognized images: - 00/bitnami/apache-exporter:1.0.10-debian-12-r55 If you are sure you want to proceed with non-standard containers, you can skip container image verification by setting the global parameter 'global.security.allowInsecureImages' to true. Further information can be obtained at <https://github.com/bitnami/charts/issues/30850>

Phase: \$.metrics | Status: failed

Changed overrides (used together):

- \$.metrics.image.registry = "00" (was "docker.io")

[Full input and diagnostic](#)

Phase: \$.metrics.image.registry | Status: failed

Changed overrides (used together):

- \$.metrics.image.registry = "00" (was "docker.io")

[Full input and diagnostic](#)

1 additional occurrences are retained in the JSON report and chart artifacts.

E007 (HH1001)

Unclassified template failure (unclassified / diagnostic). Inspect the Helm diagnostic and reproducer; the exit alone does not establish a chart defect.

Source: apache 11.4.30 / templates/NOTES.txt

[Diagnostic shortened; full text in artifacts] ... ormance, broken chart features, and missing environment variables. Unrecognized images: - 00/bitnami/apache:2.4.65-debian-12-r2 - 00/bitnami/apache-exporter:1.0.10-debian-12-r55 If you are sure you want to proceed with non-standard containers, you can skip container image verification by setting the global parameter 'global.security.allowInsecureImages' to true. Further information can be obtained at <https://github.com/bitnami/charts/issues/30850>

Phase: \$.global.imageRegistry | Status: failed

Changed overrides (used together):

- \$.global.imageRegistry = "00" (was "")

[Full input and diagnostic](#)

Phase: \$.global | Status: failed

Changed overrides (used together):

- \$.global.imageRegistry = "00" (was "")

[Full input and diagnostic](#)

E008 (HH1001)

Unclassified template failure (unclassified / diagnostic). Inspect the Helm diagnostic and reproducer; the exit alone does not establish a chart defect.

Source: apache 11.4.30 / templates/NOTES.txt



[Diagnostic shortened; full text in artifacts] ... ners is likely to cause degraded security and performance, broken chart features, and missing environment variables. Unrecognized images: - 00/bitnami/apache:2.4.65-debian-12-r2 If you are sure you want to proceed with non-standard containers, you can skip container image verification by setting the global parameter 'global.security.allowInsecureImages' to true. Further information can be obtained at <https://github.com/bitnami/charts/issues/30850>

Phase: \$.image.registry | Status: failed

Changed overrides (used together):

- \$.image.registry = "00" (was "docker.io")

[Full input and diagnostic](#)

E009 (HH1001)

Unclassified template failure (unclassified / diagnostic). Inspect the Helm diagnostic and reproducer; the exit alone does not establish a chart defect.

Source: apache 11.4.30 / templates/NOTES.txt

[Diagnostic shortened; full text in artifacts] ... ntainers is likely to cause degraded security and performance, broken chart features, and missing environment variables. Unrecognized images: - docker.io/00:1.0.10-debian-12-r55 If you are sure you want to proceed with non-standard containers, you can skip container image verification by setting the global parameter 'global.security.allowInsecureImages' to true. Further information can be obtained at <https://github.com/bitnami/charts/issues/30850>

Phase: \$.metrics.image.repository | Status: failed

Changed overrides (used together):

- \$.metrics.image.repository = "00" (was "bitnami/apache-exporter")

[Full input and diagnostic](#)

E010 (HH1001)

Unclassified template failure (unclassified / diagnostic). Inspect the Helm diagnostic and reproducer; the exit alone does not establish a chart defect.

Source: apache 11.4.30 / templates/NOTES.txt

[Diagnostic shortened; full text in artifacts] ... ontainers is likely to cause degraded security and performance, broken chart features, and missing environment variables. Unrecognized images: - docker.io/00:2.4.65-debian-12-r2 If you are sure you want to proceed with non-standard containers, you can skip container image verification by setting the global parameter 'global.security.allowInsecureImages' to true. Further information can be obtained at <https://github.com/bitnami/charts/issues/30850>

Phase: \$.image.repository | Status: failed

Changed overrides (used together):

- \$.image.repository = "00" (was "bitnami/apache")

[Full input and diagnostic](#)



E011 ([HH1101](#))

Invalid YAML in rendered output (manifest / violation). Inspect the failing YAML and template interpolation, including quoting and indentation.

```
[HH1101] Error: YAML parse error on apache/templates/deployment.yaml: error converting YAML to JSON:
yaml: line 173: found unexpected end of
stream
```

```
Phase: $.readinessProbe.path | Status: failed
```

Changed overrides (used together):

```
- $.readinessProbe.path = "" (was "/")
```

[Full input and diagnostic](#)

```
Phase: $.livenessProbe | Status: failed
```

Changed overrides (used together):

```
- $.livenessProbe.port = "" (was "http")
```

[Full input and diagnostic](#)

2 additional occurrences are retained in the JSON report and chart artifacts.

E012 ([HH1101](#))

Invalid YAML in rendered output (manifest / violation). Inspect the failing YAML and template interpolation, including quoting and indentation.

```
[HH1101] Error: YAML parse error on apache/templates/deployment.yaml: error converting YAML to JSON:
yaml: line 174: found unexpected end of
stream
```

```
Phase: $.schedulerName | Status: failed
```

Changed overrides (used together):

```
- $.schedulerName = "" (was "")
```

[Full input and diagnostic](#)

E013 ([HH1101](#))

Invalid YAML in rendered output (manifest / violation). Inspect the failing YAML and template interpolation, including quoting and indentation.

```
[HH1101] Error: YAML parse error on apache/templates/deployment.yaml: error converting YAML to JSON:
yaml: line 175: found unexpected end of
stream
```

```
Phase: $.extraEnvVarsSecret | Status: failed
```

Changed overrides (used together):

```
- $.extraEnvVarsSecret = "" (was "")
```

[Full input and diagnostic](#)

```
Phase: $.extraEnvVarsCM | Status: failed
```

Changed overrides (used together):

```
- $.extraEnvVarsCM = "" (was "")
```

[Full input and diagnostic](#)



E014 ([HH1101](#))

Invalid YAML in rendered output (manifest / violation). Inspect the failing YAML and template interpolation, including quoting and indentation.

```
[HH1101] Error: YAML parse error on apache/templates/deployment.yaml: error converting YAML to JSON:
yaml: line 178: found unexpected end of
stream
```

Phase: \$.vhostsConfigMap | Status: failed

Changed overrides (used together):

- \$.vhostsConfigMap = "" (was "")

[Full input and diagnostic](#)

E015 ([HH1101](#))

Invalid YAML in rendered output (manifest / violation). Inspect the failing YAML and template interpolation, including quoting and indentation.

```
[HH1101] Error: YAML parse error on apache/templates/deployment.yaml: error converting YAML to JSON:
yaml: line 179: found unexpected end of
stream
```

Phase: \$.htdocsConfigMap | Status: failed

Changed overrides (used together):

- \$.htdocsConfigMap = "" (was "")

[Full input and diagnostic](#)

Phase: \$.htdocsPVC | Status: failed

Changed overrides (used together):

- \$.htdocsPVC = "" (was "")

[Full input and diagnostic](#)

1 additional occurrences are retained in the JSON report and chart artifacts.

E016 ([HH1101](#))

Invalid YAML in rendered output (manifest / violation). Inspect the failing YAML and template interpolation, including quoting and indentation.

```
[HH1101] Error: YAML parse error on apache/templates/deployment.yaml: error converting YAML to JSON:
yaml: line 31: did not find expected
', ' or ']'
```

Phase: \$.image.pullSecrets | Status: failed

Changed overrides (used together):

- \$.image.pullSecrets = [[null, []]]

[Full input and diagnostic](#)

Phase: \$.global.imagePullSecrets | Status: failed

Changed overrides (used together):

- \$.global.imagePullSecrets = [[null, []]]

[Full input and diagnostic](#)

4 additional occurrences are retained in the JSON report and chart artifacts.



E017 ([HH1101](#))

Invalid YAML in rendered output (manifest / violation). Inspect the failing YAML and template interpolation, including quoting and indentation.

```
[HH1101] Error: YAML parse error on apache/templates/deployment.yaml: error converting YAML to JSON:
yaml: line 62: mapping values are not
allowed in this context
```

Phase: \$.image | Status: failed

Changed overrides (used together):

```
- $.image.tag = "" (was "2.4.65-debian-12-r2")
```

[Full input and diagnostic](#)

Phase: \$.image.tag | Status: failed

Changed overrides (used together):

```
- $.image.tag = "" (was "2.4.65-debian-12-r2")
```

[Full input and diagnostic](#)

E018 ([HH1101](#))

Invalid YAML in rendered output (manifest / violation). Inspect the failing YAML and template interpolation, including quoting and indentation.

```
[HH1101] Error: YAML parse error on apache/templates/deployment.yaml: error converting YAML to JSON:
yaml: line 64: could not find expected
':'
```

Phase: \$.image.digest | Status: failed

Changed overrides (used together):

```
- $.image.digest = "\n0" (was "")
```

[Full input and diagnostic](#)

E019 ([HH1101](#))

Invalid YAML in rendered output (manifest / violation). Inspect the failing YAML and template interpolation, including quoting and indentation.

```
[HH1101] Error: YAML parse error on apache/templates/deployment.yaml: error converting YAML to JSON:
yaml: line 6: could not find expected
':'
```

Phase: \$.nameOverride | Status: failed

Changed overrides (used together):

```
- $.nameOverride = "\n0" (was "")
```

[Full input and diagnostic](#)

E020 ([HH1101](#))

Invalid YAML in rendered output (manifest / violation). Inspect the failing YAML and template interpolation, including quoting and indentation.

```
[HH1101] Error: YAML parse error on apache/templates/pdb.yaml: error converting YAML to JSON: yaml:
line 13: block sequence entries are not
allowed in this context
```

Phase: \$.pdb | Status: failed



Changed overrides (used together):

- \$.pdb.maxUnavailable = "-" (was "")

[Full input and diagnostic](#)

E021 (HH1101)

Invalid YAML in rendered output (manifest / violation). Inspect the failing YAML and template interpolation, including quoting and indentation.

[HH1101] Error: YAML parse error on apache/templates/pdb.yaml: error converting YAML to JSON: yaml: line 18: found unexpected end of stream

Phase: \$.pdb.maxUnavailable | Status: failed

Changed overrides (used together):

- \$.pdb.maxUnavailable = "" (was "")

[Full input and diagnostic](#)

Phase: \$.pdb.minAvailable | Status: failed

Changed overrides (used together):

- \$.pdb.minAvailable = "" (was "")

[Full input and diagnostic](#)

E022 (HH1101)

Invalid YAML in rendered output (manifest / violation). Inspect the failing YAML and template interpolation, including quoting and indentation.

[HH1101] Error: YAML parse error on apache/templates/svc.yaml: error converting YAML to JSON: yaml: line 15: did not find expected ',', ' or ''

Phase: \$.service.loadBalancerSourceRanges[*] | Status: failed

Changed overrides (used together):

- \$.service.loadBalancerSourceRanges = [{}]

Absent from overrides: \$.service.loadBalancerSourceRanges["*"]. Defaults may still apply.

[Full input and diagnostic](#)

Phase: \$.service.loadBalancerSourceRanges | Status: failed

Changed overrides (used together):

- \$.service.loadBalancerSourceRanges = [{}]

[Full input and diagnostic](#)

E023 (HH1101)

Invalid YAML in rendered output (manifest / violation). Inspect the failing YAML and template interpolation, including quoting and indentation.

[HH1101] Error: YAML parse error on apache/templates/svc.yaml: error converting YAML to JSON: yaml: line 26: found unexpected end of stream

Phase: \$.service.type | Status: failed

Changed overrides (used together):

- \$.service.type = "" (was "LoadBalancer")

[Full input and diagnostic](#)



E024 ([HH1101](#))

Invalid YAML in rendered output (manifest / violation). Inspect the failing YAML and template interpolation, including quoting and indentation.

```
[HH1101] Error: YAML parse error on apache/templates/svc.yaml: error converting YAML to JSON: yaml: line 29: found unexpected end of stream
```

```
Phase: $.service.sessionAffinity | Status: failed
```

Changed overrides (used together):

```
- $.service.sessionAffinity = "" (was "None")
```

[Full input and diagnostic](#)

E025 ([HH1101](#))

Invalid YAML in rendered output (manifest / violation). Inspect the failing YAML and template interpolation, including quoting and indentation.

```
[HH1101] Error: YAML parse error on apache/templates/svc.yaml: error converting YAML to JSON: yaml: line 30: found unexpected end of stream
```

```
Phase: $.service.nodePorts.http | Status: failed
```

Changed overrides (used together):

```
- $.service.nodePorts.http = "" (was "")
```

[Full input and diagnostic](#)

```
Phase: $.service.nodePorts | Status: failed
```

Changed overrides (used together):

```
- $.service.nodePorts.http = "" (was "")
```

[Full input and diagnostic](#)

2 additional occurrences are retained in the JSON report and chart artifacts.

E028 ([HH1105](#))

Missing resource name (manifest / violation). Provide a name in each resource branch; ignore this check if your workflow intentionally uses generated names.

```
[HH1105] resource has no metadata.name
```

```
Phase: $.serviceAccount.name | Status: failed
```

Changed overrides (used together):

```
- $.serviceAccount.name = "0" (was "")
```

Manifest changes from rendered defaults (document and list order preserved):

```
- $[2].metadata.name: "hypothesis-apache" -> 0
- $[4].spec.template.spec.serviceAccountName: "hypothesis-apache" -> 0
```

[Full input and diagnostic](#)

```
Phase: $.fullnameOverride | Status: failed
```

Changed overrides (used together):

```
- $.fullnameOverride = "0" (was "")
```

Manifest changes from rendered defaults (document and list order preserved):

```
- $[0].metadata.name: "hypothesis-apache" -> 0
- $[1].metadata.name: "hypothesis-apache" -> 0
- $[2].metadata.name: "hypothesis-apache" -> 0
- $[3].metadata.name: "hypothesis-apache" -> 0
- $[4].metadata.name: "hypothesis-apache" -> 0
```



- `$.spec.template.spec.serviceAccountName: "hypothesis-apache" -> 0`

[Full input and diagnostic](#)

E029 (HH3001)

Template accesses a missing object (template / violation). Guard or default the parent object, or require it in the values schema.

```
[HH3001] Error: apache/templates/ingress.yaml:34:15 executing "apache/templates/ingress.yaml" at
<.name>: nil pointer evaluating interface
{}.name
```

Phase: \$.ingress | Status: failed

Changed overrides (used together):

- \$.ingress.enabled = true (was false)
- \$.ingress.extraHosts = [null]

[Full input and diagnostic](#)

E030 (HH3002)

Incompatible value type in template (template / violation). Align the template operation with the accepted input types, or narrow the schema.

```
[HH3002] Error: apache/templates/networkpolicy.yaml:11:16 executing
"apache/templates/networkpolicy.yaml" at <include
"common.names.namespace" .>: error calling include: apache/charts/common/templates/_names.tpl:64:65
executing "common.names.namespace" at
<63>: wrong type for value; expected string; got []interface {}
```

Phase: \$.namespaceOverride | Status: failed

Changed overrides (used together):

- \$.namespaceOverride = [null]

[Full input and diagnostic](#)

E031 (HH3003)

Undefined named template (template / violation). Check the helper name, its definition and dependency availability.

```
[HH3003] Error: apache/templates/svc.yaml:9:11 executing "apache/templates/svc.yaml" at <include
"common.names.fullname" .>: error calling
include: template: no template "common.names.fullname" associated with template "gotpl"
```

Phase: \$.tags | Status: failed

Changed overrides (used together):

- \$.tags["bitnami-common"] = false

[Full input and diagnostic](#)

Phase: \$.tags["bitnami-common"] | Status: failed

Changed overrides (used together):

- \$.tags["bitnami-common"] = false

[Full input and diagnostic](#)

[Chart artifacts](#)



[apisix](#)

Overview cell: 03

Status: failed | Attempts: 261

Audit findings: 410. Full paths and template references are retained in the JSON report.

- [HH2001](#) at `[\*][\*]`: Undocumented values path
- [HH2004](#) at `[\*][\*]`: No supplied default for a values path
- [HH2001](#) at `[\*][\*][\*]`: Undocumented values path
- [HH2004](#) at `[\*][\*][\*]`: No supplied default for a values path
- [HH2001](#) at `[\*][\*][\*][\*]`: Undocumented values path
- [HH2004](#) at `[\*][\*][\*][\*]`: No supplied default for a values path
- 404 additional audit findings in JSON.

E026 ([HH1101](#))

Invalid YAML in rendered output (manifest / violation). Inspect the failing YAML and template interpolation, including quoting and indentation.

[HH1101] Error: YAML parse error on apisix/charts/etcd/templates/pdb.yaml: error converting YAML to JSON: yaml: line 15: block sequence entries are not allowed in this context

Phase: \$.etcd.pdb | Status: failed

Changed overrides (used together):

- \$.etcd.pdb.maxUnavailable = "-"

[Full input and diagnostic](#)

E027 ([HH1101](#))

Invalid YAML in rendered output (manifest / violation). Inspect the failing YAML and template interpolation, including quoting and indentation.

[HH1101] Error: YAML parse error on apisix/templates/control-plane/dep-ds.yaml: error converting YAML to JSON: yaml: line 335: found unexpected end of stream

Phase: \$.controlPlane.extraConfigExistingConfigMap | Status: failed

Changed overrides (used together):

- \$.controlPlane.extraConfigExistingConfigMap = "" (was "")

[Full input and diagnostic](#)

[Chart artifacts](#)



Appendix: finding codes

HH codes identify finding categories. E001-style numbers identify individual diagnostics within this report.

Severities below are defaults; configured overrides are shown with the findings above.

HH1001 - Unclassified template failure

Default severity: error | Category: unclassified | Evidence type: diagnostic

Helm template exits unsuccessfully without a recognized diagnostic.

Suggested action: Inspect the Helm diagnostic and reproducer; the exit alone does not establish a chart defect.

HH1101 - Invalid YAML in rendered output

Default severity: error | Category: manifest | Evidence type: violation

The YAML parser rejects rendered output, or Helm reports a YAML parse error.

Suggested action: Inspect the failing YAML and template interpolation, including quoting and indentation.

HH1105 - Missing resource name

Default severity: error | Category: manifest | Evidence type: violation

The resource fails the tool's nonempty metadata.name contract.

Suggested action: Provide a name in each resource branch; ignore this check if your workflow intentionally uses generated names.

HH2001 - Undocumented values path

Default severity: warning | Category: values | Evidence type: warning

The audit finds a values path with no matching schema declaration.

Suggested action: Document the path in values.schema.json, including its accepted values.

HH2004 - No supplied default for a values path

Default severity: warning | Category: values | Evidence type: warning

A discovered path is absent from the original values file.

Suggested action: Supply a default or document when users must provide the field. Render the relevant configurations to check its requirements.

HH2006 - Opaque object schema

Default severity: warning | Category: values | Evidence type: warning

An object permits unspecified entries without named fields, patterned fields or a typed map-value schema.

Suggested action: Describe fields with properties, patternProperties or typed additionalProperties. Ignore

[HH2006](#) for intentional free-form configuration; tests still sample those values.



HH3001 - Template accesses a missing object

Default severity: error | Category: template | Evidence type: violation

Helm reports a nil pointer while evaluating a template field.

Suggested action: Guard or default the parent object, or require it in the values schema.

HH3002 - Incompatible value type in template

Default severity: error | Category: template | Evidence type: violation

Helm reports a wrong value type, a field unavailable on a type, or an unsupported range operand.

Suggested action: Align the template operation with the accepted input types, or narrow the schema.

HH3003 - Undefined named template

Default severity: error | Category: template | Evidence type: violation

Helm reports that a called named template is not defined.

Suggested action: Check the helper name, its definition and dependency availability.