Active Maintenance Report: aronow_etal_2015

Aronow, Coppock, Crawford and Green (2015, Journal of Survey Statistics and Methodology): Combining List Experiment and Direct Question Estimates of Sensitive Behavior Prevalence

2026-11-01

Table of contents

1 Summary 3
- 1.1 Does the deposited archive run? . . . 3
- 1.2 Does the maintained rewrite reproduce the paper? . . . 4

2 Paper overview 4

3 Original archive reproducibility 5
- 3.1 The three errors in the power script . . . 5
- 3.2 No seed anywhere . . . 6
- 3.3 The sampler changed underneath the simulation . . . 6
- 3.4 What the archive writes where . . . 7

4 Checksums 7

5 Number-by-number comparison 7
- 5.1 What the article says in prose . . . 9

6 Maintained rewrite 10
- 6.1 Architecture . . . 10
- 6.2 Deprecated patterns replaced . . . 11
- 6.3 Two choices worth stating . . . 11

7 Figure verification 12

8 Maintained rewrite verification 15
- 8.1 Claims the article makes about shape rather than value . . . 26

9 R environment 27

Drafted by Claude Opus 5 under the supervision of Alex Coppock.

This repository holds the actively maintained replication code for Aronow, Coppock, Crawford and Green (2015), together with the reproducibility report that documents what the original archive did and did not do. It is part of a program applying the maintenance proposal in Peer, Orr and Coppock (2021, *PS: Political Science & Politics*, doi 10.1017/S1049096521000366) to a set of published archives.

Article	10.1093/jssam/smu023
Replication archive	10.7910/DVN/29984

The data are not redistributed here. The deposit is 253 KB across eight files and lives at Harvard Dataverse, which is the only copy this repository points at. `download_original.R` fetches it and verifies every file on checksum and on byte size, and stops if `original/` holds anything the manifest does not list; `original_manifest.csv` pins the file identifiers, sizes and checksums, so the exact bytes this code was written against are recorded in version control even though the bytes themselves are not.

Repository layout. `maintained/` is the maintained rewrite: one script per published table or figure, writing to `output/`, which is committed so a reader can compare a fresh run against it without downloading anything. `ground_truth/` ties every published number to the code that produces it. `published_claims.csv` is the transcription: every numeric token in the article and the online supplement, read off the page and classified by hand. `run_archive.R` runs the deposited scripts in a scratch copy and records what they compute, and `build_ground_truth.R` joins the transcription to that run and to the rewrite's own output. `maintained/in_text_claims.R` then prints every claim the article makes in prose beside the sentence that makes it, recomputing each number from the same output files by a path independent of the ground truth's. `original/` is created by the download script and is deliberately absent from the repository. This file is the reproducibility report, also available as a PDF in `report/`.

License. CC0 1.0 Universal, matching the terms of the deposit this repository maintains. See `LICENSE`.

To reproduce. Clone or download the repository, open `aronow_etal_2015.Rproj`, and run:

```
source("run_all.R")
```

That fetches the deposit, verifies its eight files, produces every table and figure into `maintained/output/`, runs the deposited scripts in a scratch copy, rebuilds the ground truth, prints every claim the article makes in prose beside the number the pipeline computes for it, and verifies the deposit a second time so that a script that damaged it during the run is

caught by the run itself. Required packages: tidyverse, patchwork, here, knitr and kableExtra for the rewrite and the report, plus xtable, lmtest and lattice, which the deposited scripts load and which the verification steps therefore need. All are on CRAN, and lattice ships with R. Paths resolve through `here`, so nothing depends on the working directory. A successful run overwrites `maintained/output/`, which is committed: **`git diff` on that folder is the reproduction check.**

The run is dominated by one step. The tables and the two prevalence figures take a few seconds each; the Figure A1 power simulation covers 7,676 grid cells at 1,000 simulated experiments apiece and took 5.2 minutes of the 6.3 the whole run took on the machine described at the end of this report. `run_all.R` writes its own timings to `run_timings.csv`, so those two figures are measurements from the run behind this page rather than remembered ones.

1 Summary

Two questions, answered before the detail.

1.1 Does the deposited archive run?

Not as deposited. Three things stand in the way, and the third is a bug in the deposited code rather than a stale path or a forgotten package.

All four analysis scripts open with a `setwd()` to a directory that exists on nobody's machine. Two of them name the first author's home folder in 2015; the other two call `setwd()` with no argument at all, which parses and then fails. Every script stops on its first line. Commenting the call out and running from the archive root is enough for two of the four, and those two then run clean. `ACCG_list_replication_experiment.R` needs one more thing: it calls `xtable()` seven times and never loads the package, which the script beside it does load.

The fourth, `ACCG_list_placebo_I_power.R`, needs three further edits, and one of them is a defect in the deposited source file rather than in the caller. `list_simulator()` in `ACCG_list_source.R` reads its p-value with `placeboI_test(...)$p_value`, but `placeboI_test()` returns a named numeric vector, and `$` on an atomic vector is an error in every version of R there has ever been. The function therefore fails on its first call, which means the deposited code cannot have produced the published Figure A1. The power script also calls `listsimulator()`, which does not exist under that name, and passes dot-separated argument names to a function whose formals are underscore separated. With all three fixed, the script runs to completion.

None of this changes a published number. 561 of the 632 recorded claims reproduce from the deposited scripts and none fails; the remaining 71 cover quantities the deposited scripts never compute, which is most of them, since the deposit prints tables and states nothing in prose.

1.2 Does the maintained rewrite reproduce the paper?

Every number in a published table does, as does every number the article states in prose, except the readings it takes off one figure. 580 of the 632 recorded claims match the page at the precision the page prints, 4 do not, and 48 state no number to be compared against, being either the 23 claims the article makes about shape, sign or count, or quantities it describes without printing. All 548 cells of the 16 published tables match, as do the sample sizes, ranges and effect magnitudes stated in prose.

The 4 that do not are all readings of one figure, and the fault lies with what the deposit can establish rather than with either the rewrite or the article. Section 4.1 and Appendix C take power off the Figure A1 grid at four points, one of which both passages state, and give the answers as "about 30 percent", "approximately 80 percent" and "80% power". The rewrite's simulation puts those points at 30.7, 78.9, 80.5 and 80.6 percent, so all but one of them prints something else at the precision the page uses. A grid cell is 1,000 simulated experiments, so its standard error at power 0.8 is 1.3 percentage points, wider than the last digit either passage prints, and the deposit sets no seed, so the published figure is one unlabelled draw. 1 of these points falls exactly half a printed digit from the page and rounds either way. The claims are right to the precision they can be made at and cannot be checked to the precision they are written at.

The four figures print no numbers, so each is checked against something other than the page. Figures 1 and 2 are drawn from the Table 3 and Table 6 output files rather than recomputed, so the check is that the plotted values are those values, and the build stops if they are not. Figure A2 is analytical, so the deposited script is run and its grid compared with the rewrite's cell by cell: the two agree to 1.1×10^{-16} across all 40,796 cells where the power calculation is defined, and the eight cells where it is not are the same ones in both. Figure A1 is a Monte Carlo simulation for which the deposit sets no seed, so it can be reproduced only up to simulation error of about 0.016 at power 0.5; the rewrite seeds each of its 7,676 grid cells separately, which makes it reproducible run to run and independent of the number of cores available.

2 Paper overview

Citation: Aronow, P. M., Coppock, A., Crawford, F. W. and Green, D. P. (2015). "Combining list experiment and direct question estimates of sensitive behavior prevalence." *Journal of Survey Statistics and Methodology*, 3(1), 43-66. DOI: 10.1093/jssam/smu023

Summary: List experiments protect respondents from having to admit a sensitive behavior directly, at a heavy cost in precision, because the estimate is a difference in means between long and short lists. The paper's point is that the direct question and the list experiment can be combined: under Monotonicity, subjects who answer "Yes" to the direct question are known to hold the attitude, so the list experiment only has to estimate prevalence among the subjects who answered "No". The combined estimator takes the direct question answer at face value

where it is informative and uses the list experiment on the remainder, and its sampling variance is substantially smaller than the conventional list estimator's.

Two Mechanical Turk experiments test it, each crossing question order with five parallel list experiments and direct questions. Study A asks the direct questions first, Study B asks the lists first, and subjects are assigned at random between them, so the design is factorial and the order effect is itself estimable. Three of the five items are not sensitive (nuclear power, public transportation, CNN) and two are (whether Spanish speakers should be discouraged, whether Muslims should not teach in public schools). The main experiment has 1,014 complete cases and a replication ten months later has 1,012. Reductions in estimated sampling variance run from 14 to 67 percent. The paper also proposes two placebo tests: the first checks that the list experiment estimate equals one among self-identified admitters, and the second checks that the list treatment does not change the direct question answer, which it does for nuclear power and for CNN in Study B.

3 Original archive reproducibility

Table 1: Original archive reproducibility, checked against R 4.6.1 on 1 November 2026.

Script	Status on current R	Resolution
ACCG_list_source.R	Sourced by three of the four scripts; list_simulator() errors on every call	placeboI_test(...)$p_value becomes [["p_value"]]
ACCG_list_main_experiment.R	Stops on setwd(); clean afterwards	Comment out setwd(); run from the archive root
ACCG_list_replication_experiment.R	Stops on setwd(); then calls xtable() without loading it	Add library(xtable); the library(lmtest) call is unused
ACCG_list_placebo_I_power.R	Stops on setwd(); then three further errors	listsimulator() becomes list_simulator(); N.trueadmitter and the other dot-separated arguments become underscore separated
ACCG_list_placebo_II_power.R	Stops on setwd(); clean afterwards	Comment out setwd()

Every package the archive names is still available: `xtable` and `lmtest` from CRAN, `lattice` with R itself, and `parallel` in base R. None is unmaintained and none needed substituting for availability. The rewrite drops `xtable` and `lattice` on grounds of output format rather than survival, and drops `lmtest` because the script that loads it never calls it.

3.1 The three errors in the power script

The interesting failure is not the paths. It is that `ACCG_list_source.R` deposits a function that cannot execute:

```
reject_null <- as.numeric(placeboI_test(V=V, Z=Z, Y=Y)$p_value<0.05)
```

`placeboI_test()` returns `c(est = , se = , p_value = , n = )`, an atomic vector with names, and `$` is not defined on atomic vectors. Every call to `list_simulator()` raises "$ operator is invalid for atomic vectors". The published Figure A1 exists, so the code that made it was not the code that was deposited; somewhere between the analysis and the deposit the function was rewritten to return a vector and its one caller was not updated with it.

`ACCG_list_placebo_I_power.R` then compounds the problem twice over. It calls `listsimulator()`, which nothing defines, and it passes `N.trueadmitter`, `N.falseconfessor`, `N.withholder`, `N.innocent`, `pr.listliar` and `pr.designaffected` to a function whose arguments carry underscores. Either error alone would stop the script on its first grid cell.

All three are unambiguous naming and indexing slips rather than analytical choices, so the maintenance run fixes them and the rewrite reimplements the simulation from the same specification. Once fixed, the deposited script runs to completion and produces a Figure A1 that looks like the published one. It is not run as part of this repository's pipeline, because it sets no seed and so returns a different grid every time it is called: there is nothing in one draw of it for the rewrite to be compared against. What the rewrite is compared against instead is set out under *The sampler changed underneath the simulation* below.

3.2 No seed anywhere

The deposit sets no seed in any script. Two of the four scripts are deterministic and it does not matter. The third, `ACCG_list_main_experiment.R`, computes five chi-squared tests by Monte Carlo with `simulate.p.value = TRUE`, but none of those five p-values appears in the published Table 2, so nothing is at stake. The fourth is a Monte Carlo power analysis over 7,676 grid cells at 1,000 simulations each, and there the absence of a seed means the published figure cannot be reproduced cell for cell by anyone, including the authors. At power 0.5 the standard error of a cell is 0.016, which is invisible at the resolution the figure is drawn, so nothing the appendix argues from the figure turns on it. It does put the appendix's one numeric reading of the figure, 80 percent power at 800 admitters, beyond what a single grid can settle. The rewrite seeds every cell.

3.3 The sampler changed underneath the simulation

R 3.6.0 replaced the algorithm behind `sample()`, and the Figure A1 simulation calls `sample()` four times per simulated experiment, so a 2015 analysis cannot be re-run under the current default and get the draws it got then. `text_placebo_i_sampler.R` runs a coarse slice of the first panel under each sampler from identical per-cell seeds and measures the gap. Across 77 cells the mean absolute difference is 0.0053 and the largest is 0.036, against a simulation error

of 0.016 for a single cell and 0.022 for the difference of two. The sampler change is therefore not distinguishable from ordinary simulation noise here, and since the deposit sets no seed, neither sampler reproduces the published figure cell for cell in any case. The rewrite keeps the current sampler, which is the correct one.

3.4 What the archive writes where

`ACCG_list_main_experiment.R` and both power scripts write their PDF output into the working directory with bare relative names: `StudyA.pdf`, `powertiles.pdf`, and so on. None of those names collides with a deposited file, so running the archive in place would not overwrite the deposit. It is still never run in place. `run_archive.R` and `text_figure_a2_archive_grid.R` each copy what they need into a scratch directory, and `run_all.R` verifies `original/` against the manifest both before the run and again after it, on every published checksum and on byte size, refusing to proceed if the folder holds a single file the manifest does not list.

4 Checksums

All eight deposited files verify. MD5 is the only algorithm Harvard Dataverse publishes for this deposit, and the manifest records it twice: `md5_published` is what the repository displays, `md5_served` is the MD5 of the bytes `?format=original` actually returns. The two need not agree, and elsewhere they do not; here they agree with each other and with the local copy for every file, and every file matches its recorded byte size. No file in this deposit was ingested as tabular data, so there is no derived `.tab` representation and no UNF, and the ambiguity behind disagreeing checksums cannot arise.

No hash of a file this repository produces is quoted anywhere in this report. A PDF records the time it was written, so the figure PDFs in `maintained/output/` hash differently on every run and any checksum quoted for them would be unreproducible by construction.

5 Number-by-number comparison

Table 2: Published claims by table, against the deposited scripts and against the maintained rewrite.

Table	Claims	Archive matches	Rewrite matches
table_1	84	84	84
footnote 1, p. 54	2	0	0
figure_1	2	0	0
table_2	104	104	104
figure_2	2	0	0

table_3	35	35	35
table_3 note	1	1	1
table_4	20	20	20
table_5	20	20	20
table_6	35	35	35
table_6 note	1	1	1
table_7	20	20	20
table_8	20	20	20
text, p. 50	2	0	0
text, p. 51	1	0	0
text, p. 52	10	0	3
text, p. 53	3	0	0
text, p. 54	11	7	7
text, p. 56	4	0	0
text, p. 57	5	2	4
text, p. 58	4	0	0
discussion, p. 59	4	0	2
appendix C text	14	0	7
appendix E text	3	2	2
appendix F text	10	0	5
table_a1	30	30	30
figure_a1	2	0	0
table_a2	35	35	35
figure_a2	3	0	0
table_a3	20	20	20
table_a4	20	20	20
table_a5	35	35	35
table_a6	20	20	20
table_a7	20	20	20
table_a8	30	30	30

Every published number in the article and its online appendix is recorded: the 84 crossing counts of Table 1, the 104 covariate balance cells of Table 2, the 360 estimates, standard errors, p-values and sample sizes of the fourteen analysis tables, and the 73 claims the two documents make in prose. The published value was read off the article and appendix PDFs and never taken from a script run, which is what makes the comparison worth anything.

The extraction that produced it is exhaustive rather than selective. Every numeric token in both documents was pulled with its surrounding context and classified by hand. Four kinds occur: 578 the pipeline must reproduce, 23 claims about shape, sign or count that have no number of their own, 11 facts about how the study or the simulation was built, and 11 design parameters such as the payment rate and the assignment probability. Nothing in this article is transcribed from another paper, which is the fifth kind. Searching for numbers by pattern rather than extracting all of them is how a claim in prose goes uncovered, and the prose is where the largest gaps in this pass were.

Figures 1 and 2 carry no printed numbers: they are bar charts of the Table 3 and Table 6 estimates with 95 percent confidence intervals. The rewrite draws them from `table_3_study_a_prevalence.csv` and `table_6_study_b_prevalence.csv` rather than recomputing, so the figure and the table cannot come apart. Figures A1 and A2 print no numbers either. Rows for all four appear in the ground truth carrying a blank published value and an NA verdict, which is what an unprintable claim honestly looks like; the checks that can be made on them are made as assertions inside `build_ground_truth.R`, so a figure that stopped agreeing with its source stops the build.

One caption in the online supplement is wrong, and it is a labelling error rather than a numerical one. Table A4 is headed "Study A (Direct First): Placebo Test I" and prints Placebo Test II: its estimates are centred on zero rather than on one, and its sample size is the full Study A sample in every row rather than the count of admitters, which is what the Placebo Test I table above it reports. Every cell of it reproduces. The rewrite writes it as Placebo Test II, which is what it is.

The errata note, `aronow_etal_2015_errata.pdf`, lists this caption first among seven corrections, none of which changes a reported number. The second follows from it: the supplement's sentence on the placebo tests names Tables A3, A6, and A7 and leaves out A4, the table headed as a second Placebo Test I. Four are slips in the article's mathematics: display (2) writes the noise term W_i where it means its expectation, two sentences on p. 56 print the estimand β where they mean the estimate $\hat{\beta}$, the proof of Lemma 2 reorders the indices so that $Y_1 = \cdots = Y_k = 1$ where it means zero, and display (7) drops a comma from an index range. The last is a misspelled panel title in Figure A1 ("Varibility"), which the rewrite's figure already prints correctly.

5.1 What the article says in prose

`maintained/in_text_claims.R` prints every claim the two documents make in prose, in the order a reader meets them, with the published sentence quoted verbatim beside the number the pipeline computes for it. It reads the same output files `build_ground_truth.R` reads and does its own filtering, unit conversion and rounding, so the two arrive at each claimed number by separate routes and a disagreement between them is itself a finding. `build_ground_truth.R` gates the pairing in both directions: a published claim with no block in that file stops the build, and so does a block naming a claim the article does not make.

The 23 descriptive claims are the ones a table of numbers cannot hold. "Each cell in the table contains approximately one-quarter of the subjects", "reductions tend to be larger when a larger number of subjects respond Yes", "none of these differences are significant", "one of five fail in Study A, whereas three of five fail in Study B": each asserts something about a distribution rather than stating a value, so each is checked by printing the distribution rather than by computing a verdict. Three of them needed quantities no published table reports. The article's joint test of Placebo Test I "via Fisher's method" is reported without a value, the comparison of

the original experiments against the replication appears in no table, and the counts of placebo test rejections are stated four times across the Results, the Discussion and Appendix F without ever being tabulated. `text_placebo_summaries.R` and `text_original_vs_replication.R` build all three from the published tables' own output.

The float list this coverage is measured against is enumerated from the article and the online supplement rather than from what the pipeline produces, and `build_ground_truth.R` stops if a published float has no row. One float is exempted, and it is the only one. The article prints its own Appendix A.1 with a Table A1 giving the wording of every list question and every direct question, and there is nothing in it to reproduce. Note that the number is reused: the Table A1 the online supplement prints, and the one the rewrite and this report mean throughout, is the factorial comparison of Study A against Study B.

6 Maintained rewrite

The rewrite lives in `maintained/`: 28 scripts, being `helpers.R`, one cleaning step, sixteen published tables, four figures, five that carry the quantities stated in prose and the two checks the wordless power figures need, and `in_text_claims.R`, which prints each of those quantities beside the published sentence that states it. It is a translation, not a reanalysis. Every estimator, specification and sample restriction is the one the paper used.

The deposit's own `readme.txt` claims Tables 1 to 8, Table A1 and Figures 1 and 2 from one script, Tables A2 to A8 from a second, and Figures A1 and A2 from the two power scripts. The rewrite covers all of it: sixteen table scripts and four figure scripts, one per published float, and nothing the deposit claims is missing.

6.1 Architecture

`helpers.R` carries the packages and the paper's estimators. Those estimators are closed-form expressions derived in sections 3 and 4 of the article rather than regression calls, so they are carried over verbatim: replacing them with `lm_robust` would change what is being computed rather than how it is computed. What `helpers.R` adds is one function per published table shape (`prevalence_table()`, `placebo_i_table()`, `placebo_ii_table()`, `factorial_table()`), each mapping the estimator across the five list experiments, so that each table script is a read, a filter and a write, and the five-item loop is written once instead of sixteen times.

`clean_listdirect.R` reads both deposited CSVs and applies the complete case restriction the article describes. Each table script reads one of the two resulting frames, filters to Study A or Study B, and writes one CSV. The two prevalence figures read the tables they illustrate. The two power figures depend on nothing but `helpers.R`.

Table 1 is rebuilt as a matrix crossproduct of condition indicators rather than as twenty-one calls to `table()` glued together with `cbind` and `rbind` and then reordered by hand twice. Table 2 is rebuilt with `pivot_longer` and `count` rather than five parallel `prop.table` blocks. Both reproduce the published tables cell for cell.

6.2 Deprecated patterns replaced

Table 3: Deprecated patterns and their replacements in the maintained rewrite.

Original pattern	Replacement
‘rm(list = ls())‘	(omitted)
‘setwd(”/Users/Alex/...”)‘	‘here::here()‘
‘read.csv()‘ / ‘subset()‘	‘read_csv()‘ / ‘filter()‘ / ‘drop_na()‘
‘with()‘ over positional columns	named columns through ‘str_glue()‘ lookups
‘xtable()‘ printed to the console	‘write_csv()‘ to ‘output/‘
‘pdf()‘ / ‘dev.off()‘ to the working directory	‘ggsave()‘ to ‘output/‘, PDF and PNG
‘barplot()‘ + ‘arrows()‘ + ‘legend()‘	‘ggplot2‘ with ‘geom_col‘ and ‘geom_errorbar‘
‘lattice::levelplot()‘	‘ggplot2‘ with ‘geom_tile‘, assembled by ‘patchwork‘
‘makeCluster()‘ + ‘clusterExport()‘ + ‘parSapply()‘	‘mclapply()‘ over grid cells, one seed per cell
‘ifelse()‘	‘if_else()‘
hand-built ‘rbind‘ / ‘cbind‘ matrices	‘crossprod()‘, ‘pivot_longer()‘, ‘count()‘
‘library(lmtest)‘, never called	(omitted)

6.3 Two choices worth stating

The archive's `power.prop.test` call passes `strict = TRUE` in three of Figure A2's four panels and omits it in the N = 100 panel. `strict` counts rejections in the wrong tail, and dropping it lowers power by up to 0.025 along the diagonal where the two rates are close. The inconsistency is almost certainly an oversight, but the published figure was drawn with it, so the rewrite carries it forward rather than tidying it away. Reproducing the paper and improving on it are different jobs.

The Figure A1 simulation is parallelised over grid cells rather than over simulations. Parallelising the other way round, forking a process for each of the 1,000 simulations inside a cell, spends nearly all of its time creating processes; one core per cell with the 1,000 simulations inside it ran the whole four-panel grid in 5.2 minutes for this report. Drawing each cell's seed from a single seeded stream up front makes the result independent of how the work is distributed, which a per-worker seed would not.

7 Figure verification




Figure 1: Figure 1 as reproduced by the maintained rewrite.




Figure 2: Figure 2 as reproduced by the maintained rewrite.




Figure 3: Figure A1 as reproduced by the maintained rewrite: the power of Placebo Test I.




Figure 4: Figure A2 as reproduced by the maintained rewrite: the power of Placebo Test II.

8 Maintained rewrite verification

The published value in the table below is carried as the string the page prints, not as a number, and a row matches when the archive's or the rewrite's own number, printed to that string's precision, gives the same digits. The comparison is therefore of strings rather than of a number against a tolerance. The distinction matters: as a number, a published `0.80` is indistinguishable

from `0.8`, so a tolerance read off the wrong precision would pass anything between 0.75 and 0.85, while a value sitting exactly on a rounding boundary can fail a tolerance it should pass. The string the comparison actually made is written into the ground truth file beside the verdict.

Table 4: Ground truth: every published value against the deposited scripts and against the maintained rewrite. Archive and rewrite values are shown to three decimals; the match columns compare at the precision the paper prints, and the locus column says where the fault lies on any row that does not match.

Location	Claim	Paper	Archive	M	Rewrite	M	Locus
table_1	Study A x Study A	500	500.000	1	500.000	1	
table_1	Study A x Study B	0	0.000	1	0.000	1	
table_1	Study A x List 1 T	245	245.000	1	245.000	1	
table_1	Study A x List 1 C	255	255.000	1	255.000	1	
table_1	Study A x List 2 T	238	238.000	1	238.000	1	
table_1	Study A x List 2 C	262	262.000	1	262.000	1	
table_1	Study A x List 3 T	275	275.000	1	275.000	1	
table_1	Study A x List 3 C	225	225.000	1	225.000	1	
table_1	Study A x List 4 T	243	243.000	1	243.000	1	
table_1	Study A x List 4 C	257	257.000	1	257.000	1	
table_1	Study A x List 5 T	232	232.000	1	232.000	1	
table_1	Study A x List 5 C	268	268.000	1	268.000	1	
table_1	Study B x Study A	0	0.000	1	0.000	1	
table_1	Study B x Study B	514	514.000	1	514.000	1	
table_1	Study B x List 1 T	272	272.000	1	272.000	1	
table_1	Study B x List 1 C	242	242.000	1	242.000	1	
table_1	Study B x List 2 T	259	259.000	1	259.000	1	
table_1	Study B x List 2 C	255	255.000	1	255.000	1	
table_1	Study B x List 3 T	253	253.000	1	253.000	1	
table_1	Study B x List 3 C	261	261.000	1	261.000	1	
table_1	Study B x List 4 T	271	271.000	1	271.000	1	
table_1	Study B x List 4 C	243	243.000	1	243.000	1	
table_1	Study B x List 5 T	260	260.000	1	260.000	1	
table_1	Study B x List 5 C	254	254.000	1	254.000	1	
table_1	List 1 T x List 1 T	517	517.000	1	517.000	1	
table_1	List 1 T x List 1 C	0	0.000	1	0.000	1	
table_1	List 1 T x List 2 T	251	251.000	1	251.000	1	
table_1	List 1 T x List 2 C	266	266.000	1	266.000	1	
table_1	List 1 T x List 3 T	273	273.000	1	273.000	1	
table_1	List 1 T x List 3 C	244	244.000	1	244.000	1	
table_1	List 1 T x List 4 T	269	269.000	1	269.000	1	
table_1	List 1 T x List 4 C	248	248.000	1	248.000	1	
table_1	List 1 T x List 5 T	273	273.000	1	273.000	1	
table_1	List 1 T x List 5 C	244	244.000	1	244.000	1	
table_1	List 1 C x List 1 T	0	0.000	1	0.000	1	
table_1	List 1 C x List 1 C	497	497.000	1	497.000	1	
table_1	List 1 C x List 2 T	246	246.000	1	246.000	1	
table_1	List 1 C x List 2 C	251	251.000	1	251.000	1	
table_1	List 1 C x List 3 T	255	255.000	1	255.000	1	
table_1	List 1 C x List 3 C	242	242.000	1	242.000	1	
table_1	List 1 C x List 4 T	245	245.000	1	245.000	1	
table_1	List 1 C x List 4 C	252	252.000	1	252.000	1	
table_1	List 1 C x List 5 T	219	219.000	1	219.000	1	
table_1	List 1 C x List 5 C	278	278.000	1	278.000	1	
table_1	List 2 T x List 2 T	497	497.000	1	497.000	1	
table_1	List 2 T x List 2 C	0	0.000	1	0.000	1	
table_1	List 2 T x List 3 T	253	253.000	1	253.000	1	
table_1	List 2 T x List 3 C	244	244.000	1	244.000	1	
table_1	List 2 T x List 4 T	246	246.000	1	246.000	1	
table_1	List 2 T x List 4 C	251	251.000	1	251.000	1	
table_1	List 2 T x List 5 T	240	240.000	1	240.000	1	
table_1	List 2 T x List 5 C	257	257.000	1	257.000	1	
table_1	List 2 C x List 2 T	0	0.000	1	0.000	1	
table_1	List 2 C x List 2 C	517	517.000	1	517.000	1	
table_1	List 2 C x List 3 T	275	275.000	1	275.000	1	
table_1	List 2 C x List 3 C	242	242.000	1	242.000	1	

Table 4: Ground truth: every published value against the deposited scripts and against the maintained rewrite. Archive and rewrite values are shown to three decimals; the match columns compare at the precision the paper prints, and the locus column says where the fault lies on any row that does not match. *(continued)*

Location	Claim	Paper	Archive	M	Rewrite	M	Locus
table_1	List 2 C x List 4 T	268	268.000	1	268.000	1	
table_1	List 2 C x List 4 C	249	249.000	1	249.000	1	
table_1	List 2 C x List 5 T	252	252.000	1	252.000	1	
table_1	List 2 C x List 5 C	265	265.000	1	265.000	1	
table_1	List 3 T x List 3 T	528	528.000	1	528.000	1	
table_1	List 3 T x List 3 C	0	0.000	1	0.000	1	
table_1	List 3 T x List 4 T	269	269.000	1	269.000	1	
table_1	List 3 T x List 4 C	259	259.000	1	259.000	1	
table_1	List 3 T x List 5 T	263	263.000	1	263.000	1	
table_1	List 3 T x List 5 C	265	265.000	1	265.000	1	
table_1	List 3 C x List 3 T	0	0.000	1	0.000	1	
table_1	List 3 C x List 3 C	486	486.000	1	486.000	1	
table_1	List 3 C x List 4 T	245	245.000	1	245.000	1	
table_1	List 3 C x List 4 C	241	241.000	1	241.000	1	
table_1	List 3 C x List 5 T	229	229.000	1	229.000	1	
table_1	List 3 C x List 5 C	257	257.000	1	257.000	1	
table_1	List 4 T x List 4 T	514	514.000	1	514.000	1	
table_1	List 4 T x List 4 C	0	0.000	1	0.000	1	
table_1	List 4 T x List 5 T	256	256.000	1	256.000	1	
table_1	List 4 T x List 5 C	258	258.000	1	258.000	1	
table_1	List 4 C x List 4 T	0	0.000	1	0.000	1	
table_1	List 4 C x List 4 C	500	500.000	1	500.000	1	
table_1	List 4 C x List 5 T	236	236.000	1	236.000	1	
table_1	List 4 C x List 5 C	264	264.000	1	264.000	1	
table_1	List 5 T x List 5 T	492	492.000	1	492.000	1	
table_1	List 5 T x List 5 C	0	0.000	1	0.000	1	
table_1	List 5 C x List 5 T	0	0.000	1	0.000	1	
table_1	List 5 C x List 5 C	522	522.000	1	522.000	1	
table_2	18 to 24: Study A Treat	24.49	24.490	1	24.490	1	
table_2	18 to 24: Study A Control	25.49	25.490	1	25.490	1	
table_2	18 to 24: Study B Treat	23.53	23.530	1	23.529	1	
table_2	18 to 24: Study B Control	32.64	32.640	1	32.645	1	
table_2	25 to 34: Study A Treat	40.82	40.820	1	40.816	1	
table_2	25 to 34: Study A Control	43.92	43.920	1	43.922	1	
table_2	25 to 34: Study B Treat	41.18	41.180	1	41.176	1	
table_2	25 to 34: Study B Control	40.91	40.910	1	40.909	1	
table_2	35 to 44: Study A Treat	20.00	20.000	1	20.000	1	
table_2	35 to 44: Study A Control	15.29	15.290	1	15.294	1	
table_2	35 to 44: Study B Treat	17.28	17.280	1	17.279	1	
table_2	35 to 44: Study B Control	14.88	14.880	1	14.876	1	
table_2	45 to 54: Study A Treat	8.16	8.160	1	8.163	1	
table_2	45 to 54: Study A Control	10.98	10.980	1	10.980	1	
table_2	45 to 54: Study B Treat	10.66	10.660	1	10.662	1	
table_2	45 to 54: Study B Control	6.20	6.200	1	6.198	1	
table_2	55 to 64: Study A Treat	4.90	4.900	1	4.898	1	
table_2	55 to 64: Study A Control	3.92	3.920	1	3.922	1	
table_2	55 to 64: Study B Treat	5.88	5.880	1	5.882	1	
table_2	55 to 64: Study B Control	3.72	3.720	1	3.719	1	
table_2	65 or over: Study A Treat	1.63	1.630	1	1.633	1	
table_2	65 or over: Study A Control	0.39	0.390	1	0.392	1	
table_2	65 or over: Study B Treat	1.47	1.470	1	1.471	1	
table_2	65 or over: Study B Control	1.65	1.650	1	1.653	1	
table_2	Female: Study A Treat	46.12	46.120	1	46.122	1	
table_2	Female: Study A Control	47.45	47.450	1	47.451	1	
table_2	Female: Study B Treat	46.32	46.320	1	46.324	1	
table_2	Female: Study B Control	42.98	42.980	1	42.975	1	
table_2	Male: Study A Treat	53.88	53.880	1	53.878	1	
table_2	Male: Study A Control	52.16	52.160	1	52.157	1	
table_2	Male: Study B Treat	53.31	53.310	1	53.309	1	
table_2	Male: Study B Control	57.02	57.020	1	57.025	1	
table_2	Prefer not to say – Gender: Study A Treat	0.00	0.000	1	0.000	1	
table_2	Prefer not to say – Gender: Study A Control	0.39	0.390	1	0.392	1	
table_2	Prefer not to say – Gender: Study B Treat	0.37	0.370	1	0.368	1	

Table 4: Ground truth: every published value against the deposited scripts and against the maintained rewrite. Archive and rewrite values are shown to three decimals; the match columns compare at the precision the paper prints, and the locus column says where the fault lies on any row that does not match. *(continued)*

Location	Claim	Paper	Archive	M	Rewrite	M	Locus
table_2	Prefer not to say – Gender: Study B Control	0.00	0.000	1	0.000	1	
table_2	Liberal: Study A Treat	50.61	50.610	1	50.612	1	
table_2	Liberal: Study A Control	42.35	42.350	1	42.353	1	
table_2	Liberal: Study B Treat	50.37	50.370	1	50.368	1	
table_2	Liberal: Study B Control	51.65	51.650	1	51.653	1	
table_2	Moderate: Study A Treat	28.16	28.160	1	28.163	1	
table_2	Moderate: Study A Control	34.51	34.510	1	34.510	1	
table_2	Moderate: Study B Treat	26.84	26.840	1	26.838	1	
table_2	Moderate: Study B Control	28.51	28.510	1	28.512	1	
table_2	Conservative: Study A Treat	18.37	18.370	1	18.367	1	
table_2	Conservative: Study A Control	19.22	19.220	1	19.216	1	
table_2	Conservative: Study B Treat	20.59	20.590	1	20.588	1	
table_2	Conservative: Study B Control	14.46	14.460	1	14.463	1	
table_2	Haven't thought much about this: Study A Treat	2.86	2.860	1	2.857	1	
table_2	Haven't thought much about this: Study A Control	3.92	3.920	1	3.922	1	
table_2	Haven't thought much about this: Study B Treat	2.21	2.210	1	2.206	1	
table_2	Haven't thought much about this: Study B Control	5.37	5.370	1	5.372	1	
table_2	Less than High School: Study A Treat	0.41	0.410	1	0.408	1	
table_2	Less than High School: Study A Control	0.78	0.780	1	0.784	1	
table_2	Less than High School: Study B Treat	0.74	0.740	1	0.735	1	
table_2	Less than High School: Study B Control	1.24	1.240	1	1.240	1	
table_2	High School / GED: Study A Treat	11.02	11.020	1	11.020	1	
table_2	High School / GED: Study A Control	11.76	11.760	1	11.765	1	
table_2	High School / GED: Study B Treat	10.66	10.660	1	10.662	1	
table_2	High School / GED: Study B Control	7.44	7.440	1	7.438	1	
table_2	Some College: Study A Treat	42.45	42.450	1	42.449	1	
table_2	Some College: Study A Control	42.75	42.750	1	42.745	1	
table_2	Some College: Study B Treat	40.44	40.440	1	40.441	1	
table_2	Some College: Study B Control	40.91	40.910	1	40.909	1	
table_2	4-year College Degree: Study A Treat	33.47	33.470	1	33.469	1	
table_2	4-year College Degree: Study A Control	33.73	33.730	1	33.725	1	
table_2	4-year College Degree: Study B Treat	35.29	35.290	1	35.294	1	
table_2	4-year College Degree: Study B Control	36.36	36.360	1	36.364	1	
table_2	Graduate School: Study A Treat	12.65	12.650	1	12.653	1	
table_2	Graduate School: Study A Control	10.98	10.980	1	10.980	1	
table_2	Graduate School: Study B Treat	12.87	12.870	1	12.868	1	
table_2	Graduate School: Study B Control	14.05	14.050	1	14.050	1	
table_2	White, non Hispanic: Study A Treat	79.18	79.180	1	79.184	1	
table_2	White, non Hispanic: Study A Control	77.65	77.650	1	77.647	1	
table_2	White, non Hispanic: Study B Treat	79.78	79.780	1	79.779	1	
table_2	White, non Hispanic: Study B Control	80.17	80.170	1	80.165	1	
table_2	African-American: Study A Treat	7.76	7.760	1	7.755	1	
table_2	African-American: Study A Control	10.98	10.980	1	10.980	1	
table_2	African-American: Study B Treat	6.62	6.620	1	6.618	1	
table_2	African-American: Study B Control	4.55	4.550	1	4.545	1	
table_2	Asian/Pacific Islander: Study A Treat	5.71	5.710	1	5.714	1	
table_2	Asian/Pacific Islander: Study A Control	4.71	4.710	1	4.706	1	
table_2	Asian/Pacific Islander: Study B Treat	5.15	5.150	1	5.147	1	
table_2	Asian/Pacific Islander: Study B Control	9.92	9.920	1	9.917	1	
table_2	Hispanic: Study A Treat	4.90	4.900	1	4.898	1	
table_2	Hispanic: Study A Control	3.92	3.920	1	3.922	1	
table_2	Hispanic: Study B Treat	6.25	6.250	1	6.250	1	
table_2	Hispanic: Study B Control	4.13	4.130	1	4.132	1	
table_2	Native American: Study A Treat	0.82	0.820	1	0.816	1	
table_2	Native American: Study A Control	0.78	0.780	1	0.784	1	
table_2	Native American: Study B Treat	1.10	1.100	1	1.103	1	
table_2	Native American: Study B Control	0.83	0.830	1	0.826	1	
table_2	Other: Study A Treat	1.22	1.220	1	1.224	1	
table_2	Other: Study A Control	1.18	1.180	1	1.176	1	

Table 4: Ground truth: every published value against the deposited scripts and against the maintained rewrite. Archive and rewrite values are shown to three decimals; the match columns compare at the precision the paper prints, and the locus column says where the fault lies on any row that does not match. *(continued)*

Location	Claim	Paper	Archive	M	Rewrite	M	Locus
table_2	Other: Study B Treat	1.10	1.100	1	1.103	1	
table_2	Other: Study B Control	0.41	0.410	1	0.413	1	
table_2	Prefer not to say – Race: Study A Treat	0.41	0.410	1	0.408	1	
table_2	Prefer not to say – Race: Study A Control	0.78	0.780	1	0.784	1	
table_2	Prefer not to say – Race: Study B Treat	0.00	0.000	1	0.000	1	
table_2	Prefer not to say – Race: Study B Control	0.00	0.000	1	0.000	1	
table_2	n: Study A Treat	245	245.000	1	245.000	1	
table_2	n: Study A Control	255	255.000	1	255.000	1	
table_2	n: Study B Treat	272	272.000	1	272.000	1	
table_2	n: Study B Control	242	242.000	1	242.000	1	
table_3	Nuclear Power: Direct	0.656	0.656	1	0.656	1	
table_3	Nuclear Power: Direct SE	0.021	0.021	1	0.021	1	
table_3	Nuclear Power: Standard list	0.748	0.748	1	0.748	1	
table_3	Nuclear Power: Standard list SE	0.084	0.084	1	0.084	1	
table_3	Nuclear Power: Combined	0.666	0.666	1	0.666	1	
table_3	Nuclear Power: Combined SE	0.048	0.048	1	0.048	1	
table_3	Nuclear Power: % reduction in sampling variance	67.1	67.118	1	67.118	1	
table_3	Public Transportation: Direct	0.538	0.538	1	0.538	1	
table_3	Public Transportation: Direct SE	0.022	0.022	1	0.022	1	
table_3	Public Transportation: Standard list	0.513	0.513	1	0.513	1	
table_3	Public Transportation: Standard list SE	0.072	0.072	1	0.072	1	
table_3	Public Transportation: Combined	0.627	0.627	1	0.627	1	
table_3	Public Transportation: Combined SE	0.049	0.049	1	0.049	1	
table_3	Public Transportation: % reduction in sampling variance	54.0	53.969	1	53.969	1	
table_3	Spanish-speaking: Direct	0.102	0.102	1	0.102	1	
table_3	Spanish-speaking: Direct SE	0.014	0.014	1	0.014	1	
table_3	Spanish-speaking: Standard list	0.035	0.035	1	0.035	1	
table_3	Spanish-speaking: Standard list SE	0.079	0.079	1	0.079	1	
table_3	Spanish-speaking: Combined	0.042	0.042	1	0.042	1	
table_3	Spanish-speaking: Combined SE	0.074	0.074	1	0.074	1	
table_3	Spanish-speaking: % reduction in sampling variance	14.0	13.972	1	13.972	1	
table_3	Muslim Teachers: Direct	0.110	0.110	1	0.110	1	
table_3	Muslim Teachers: Direct SE	0.014	0.014	1	0.014	1	
table_3	Muslim Teachers: Standard list	0.166	0.166	1	0.166	1	
table_3	Muslim Teachers: Standard list SE	0.081	0.081	1	0.081	1	
table_3	Muslim Teachers: Combined	0.187	0.187	1	0.187	1	
table_3	Muslim Teachers: Combined SE	0.074	0.074	1	0.074	1	
table_3	Muslim Teachers: % reduction in sampling variance	15.3	15.342	1	15.342	1	
table_3	CNN: Direct	0.444	0.444	1	0.444	1	
table_3	CNN: Direct SE	0.022	0.022	1	0.022	1	
table_3	CNN: Standard list	0.338	0.338	1	0.338	1	
table_3	CNN: Standard list SE	0.105	0.105	1	0.105	1	
table_3	CNN: Combined	0.533	0.533	1	0.533	1	
table_3	CNN: Combined SE	0.070	0.070	1	0.070	1	
table_3	CNN: % reduction in sampling variance	54.9	54.875	1	54.875	1	
table_4	Nuclear Power: beta	1.054	1.054	1	1.054	1	
table_4	Nuclear Power: SE	0.095	0.095	1	0.095	1	
table_4	Nuclear Power: p-value	0.568	0.568	1	0.568	1	
table_4	Nuclear Power: n	328	328.000	1	328.000	1	
table_4	Public Transportation: beta	0.790	0.790	1	0.790	1	
table_4	Public Transportation: SE	0.091	0.091	1	0.091	1	
table_4	Public Transportation: p-value	0.021	0.021	1	0.021	1	
table_4	Public Transportation: n	269	269.000	1	269.000	1	
table_4	Spanish-speaking: beta	0.848	0.848	1	0.848	1	
table_4	Spanish-speaking: SE	0.279	0.279	1	0.279	1	
table_4	Spanish-speaking: p-value	0.585	0.585	1	0.585	1	
table_4	Spanish-speaking: n	51	51.000	1	51.000	1	
table_4	Muslim Teachers: beta	1.008	1.008	1	1.008	1	
table_4	Muslim Teachers: SE	0.237	0.237	1	0.237	1	

Table 4: Ground truth: every published value against the deposited scripts and against the maintained rewrite. Archive and rewrite values are shown to three decimals; the match columns compare at the precision the paper prints, and the locus column says where the fault lies on any row that does not match. *(continued)*

Location	Claim	Paper	Archive	M	Rewrite	M	Locus
table_4	Muslim Teachers: p-value	0.973	0.973	1	0.973	1	
table_4	Muslim Teachers: n	55	55.000	1	55.000	1	
table_4	CNN: beta	0.696	0.696	1	0.696	1	
table_4	CNN: SE	0.143	0.143	1	0.143	1	
table_4	CNN: p-value	0.034	0.034	1	0.034	1	
table_4	CNN: n	222	222.000	1	222.000	1	
table_5	Nuclear Power: beta	0.066	0.066	1	0.066	1	
table_5	Nuclear Power: SE	0.042	0.042	1	0.042	1	
table_5	Nuclear Power: p-value	0.118	0.118	1	0.118	1	
table_5	Nuclear Power: n	500	500.000	1	500.000	1	
table_5	Public Transportation: beta	-0.000	0.000	1	0.000	1	
table_5	Public Transportation: SE	0.045	0.045	1	0.045	1	
table_5	Public Transportation: p-value	0.994	0.994	1	0.994	1	
table_5	Public Transportation: n	500	500.000	1	500.000	1	
table_5	Spanish-speaking: beta	0.016	0.016	1	0.016	1	
table_5	Spanish-speaking: SE	0.027	0.027	1	0.027	1	
table_5	Spanish-speaking: p-value	0.560	0.560	1	0.560	1	
table_5	Spanish-speaking: n	500	500.000	1	500.000	1	
table_5	Muslim Teachers: beta	-0.030	-0.030	1	-0.030	1	
table_5	Muslim Teachers: SE	0.028	0.028	1	0.028	1	
table_5	Muslim Teachers: p-value	0.285	0.285	1	0.285	1	
table_5	Muslim Teachers: n	500	500.000	1	500.000	1	
table_5	CNN: beta	-0.056	-0.056	1	-0.056	1	
table_5	CNN: SE	0.045	0.045	1	0.045	1	
table_5	CNN: p-value	0.206	0.206	1	0.206	1	
table_5	CNN: n	500	500.000	1	500.000	1	
table_6	Nuclear Power: Direct	0.603	0.603	1	0.603	1	
table_6	Nuclear Power: Direct SE	0.022	0.022	1	0.022	1	
table_6	Nuclear Power: Standard list	0.499	0.499	1	0.499	1	
table_6	Nuclear Power: Standard list SE	0.089	0.089	1	0.089	1	
table_6	Nuclear Power: Combined	0.624	0.624	1	0.624	1	
table_6	Nuclear Power: Combined SE	0.052	0.052	1	0.052	1	
table_6	Nuclear Power: % reduction in sampling variance	66.0	66.040	1	66.040	1	
table_6	Public Transportation: Direct	0.539	0.539	1	0.539	1	
table_6	Public Transportation: Direct SE	0.022	0.022	1	0.022	1	
table_6	Public Transportation: Standard list	0.578	0.578	1	0.578	1	
table_6	Public Transportation: Standard list SE	0.073	0.073	1	0.073	1	
table_6	Public Transportation: Combined	0.608	0.608	1	0.608	1	
table_6	Public Transportation: Combined SE	0.051	0.051	1	0.051	1	
table_6	Public Transportation: % reduction in sampling variance	51.9	51.927	1	51.927	1	
table_6	Spanish-speaking: Direct	0.113	0.113	1	0.113	1	
table_6	Spanish-speaking: Direct SE	0.014	0.014	1	0.014	1	
table_6	Spanish-speaking: Standard list	0.144	0.144	1	0.144	1	
table_6	Spanish-speaking: Standard list SE	0.083	0.083	1	0.083	1	
table_6	Spanish-speaking: Combined	0.149	0.149	1	0.149	1	
table_6	Spanish-speaking: Combined SE	0.076	0.076	1	0.076	1	
table_6	Spanish-speaking: % reduction in sampling variance	16.4	16.437	1	16.437	1	
table_6	Muslim Teachers: Direct	0.103	0.103	1	0.103	1	
table_6	Muslim Teachers: Direct SE	0.013	0.013	1	0.013	1	
table_6	Muslim Teachers: Standard list	0.107	0.107	1	0.107	1	
table_6	Muslim Teachers: Standard list SE	0.083	0.083	1	0.083	1	
table_6	Muslim Teachers: Combined	0.123	0.123	1	0.123	1	
table_6	Muslim Teachers: Combined SE	0.074	0.074	1	0.074	1	
table_6	Muslim Teachers: % reduction in sampling variance	20.1	20.093	1	20.093	1	
table_6	CNN: Direct	0.496	0.496	1	0.496	1	
table_6	CNN: Direct SE	0.022	0.022	1	0.022	1	
table_6	CNN: Standard list	0.645	0.645	1	0.645	1	
table_6	CNN: Standard list SE	0.101	0.101	1	0.101	1	
table_6	CNN: Combined	0.587	0.587	1	0.587	1	

Table 4: Ground truth: every published value against the deposited scripts and against the maintained rewrite. Archive and rewrite values are shown to three decimals; the match columns compare at the precision the paper prints, and the locus column says where the fault lies on any row that does not match. *(continued)*

Location	Claim	Paper	Archive	M	Rewrite	M	Locus
table_6	CNN: Combined SE	0.064	0.064	1	0.064	1	
table_6	CNN: % reduction in sampling variance	60.2	60.202	1	60.202	1	
table_7	Nuclear Power: beta	0.881	0.881	1	0.881	1	
table_7	Nuclear Power: SE	0.113	0.113	1	0.113	1	
table_7	Nuclear Power: p-value	0.294	0.294	1	0.294	1	
table_7	Nuclear Power: n	310	310.000	1	310.000	1	
table_7	Public Transportation: beta	0.913	0.913	1	0.913	1	
table_7	Public Transportation: SE	0.091	0.091	1	0.091	1	
table_7	Public Transportation: p-value	0.339	0.339	1	0.339	1	
table_7	Public Transportation: n	277	277.000	1	277.000	1	
table_7	Spanish-speaking: beta	0.767	0.767	1	0.767	1	
table_7	Spanish-speaking: SE	0.229	0.229	1	0.229	1	
table_7	Spanish-speaking: p-value	0.309	0.309	1	0.309	1	
table_7	Spanish-speaking: n	58	58.000	1	58.000	1	
table_7	Muslim Teachers: beta	0.700	0.700	1	0.700	1	
table_7	Muslim Teachers: SE	0.285	0.285	1	0.285	1	
table_7	Muslim Teachers: p-value	0.293	0.293	1	0.293	1	
table_7	Muslim Teachers: n	53	53.000	1	53.000	1	
table_7	CNN: beta	0.847	0.847	1	0.847	1	
table_7	CNN: SE	0.135	0.135	1	0.135	1	
table_7	CNN: p-value	0.256	0.256	1	0.256	1	
table_7	CNN: n	255	255.000	1	255.000	1	
table_8	Nuclear Power: beta	-0.086	-0.086	1	-0.086	1	
table_8	Nuclear Power: SE	0.043	0.043	1	0.043	1	
table_8	Nuclear Power: p-value	0.045	0.045	1	0.045	1	
table_8	Nuclear Power: n	514	514.000	1	514.000	1	
table_8	Public Transportation: beta	0.034	0.034	1	0.034	1	
table_8	Public Transportation: SE	0.044	0.044	1	0.044	1	
table_8	Public Transportation: p-value	0.434	0.434	1	0.434	1	
table_8	Public Transportation: n	514	514.000	1	514.000	1	
table_8	Spanish-speaking: beta	0.027	0.027	1	0.027	1	
table_8	Spanish-speaking: SE	0.028	0.028	1	0.028	1	
table_8	Spanish-speaking: p-value	0.337	0.337	1	0.337	1	
table_8	Spanish-speaking: n	514	514.000	1	514.000	1	
table_8	Muslim Teachers: beta	0.016	0.016	1	0.016	1	
table_8	Muslim Teachers: SE	0.027	0.027	1	0.027	1	
table_8	Muslim Teachers: p-value	0.549	0.549	1	0.549	1	
table_8	Muslim Teachers: n	514	514.000	1	514.000	1	
table_8	CNN: beta	0.132	0.132	1	0.132	1	
table_8	CNN: SE	0.044	0.044	1	0.044	1	
table_8	CNN: p-value	0.003	0.003	1	0.003	1	
table_8	CNN: n	514	514.000	1	514.000	1	
table_a1	Nuclear Power: Direct difference	0.053	0.053	1	0.053	1	
table_a1	Nuclear Power: Direct SE	0.030	0.030	1	0.030	1	
table_a1	Nuclear Power: Conventional list difference	0.249	0.249	1	0.249	1	
table_a1	Nuclear Power: Conventional list SE	0.122	0.122	1	0.122	1	
table_a1	Nuclear Power: Combined list difference	0.042	0.042	1	0.042	1	
table_a1	Nuclear Power: Combined list SE	0.071	0.071	1	0.071	1	
table_a1	Public Transportation: Direct difference	-0.001	-0.001	1	-0.001	1	
table_a1	Public Transportation: Direct SE	0.031	0.031	1	0.031	1	
table_a1	Public Transportation: Conventional list difference	-0.064	-0.064	1	-0.064	1	
table_a1	Public Transportation: Conventional list SE	0.103	0.103	1	0.103	1	
table_a1	Public Transportation: Combined list difference	0.019	0.019	1	0.019	1	
table_a1	Public Transportation: Combined list SE	0.071	0.071	1	0.071	1	
table_a1	Spanish-speaking: Direct difference	-0.011	-0.011	1	-0.011	1	
table_a1	Spanish-speaking: Direct SE	0.019	0.019	1	0.019	1	
table_a1	Spanish-speaking: Conventional list difference	-0.109	-0.109	1	-0.109	1	
table_a1	Spanish-speaking: Conventional list SE	0.115	0.115	1	0.115	1	
table_a1	Spanish-speaking: Combined list difference	-0.106	-0.106	1	-0.106	1	
table_a1	Spanish-speaking: Combined list SE	0.106	0.106	1	0.106	1	
table_a1	Muslim Teachers: Direct difference	0.007	0.007	1	0.007	1	
table_a1	Muslim Teachers: Direct SE	0.019	0.019	1	0.019	1	

Table 4: Ground truth: every published value against the deposited scripts and against the maintained rewrite. Archive and rewrite values are shown to three decimals; the match columns compare at the precision the paper prints, and the locus column says where the fault lies on any row that does not match. *(continued)*

Location	Claim	Paper	Archive	M	Rewrite	M	Locus
table_a1	Muslim Teachers: Conventional list difference	0.060	0.060	1	0.060	1	
table_a1	Muslim Teachers: Conventional list SE	0.116	0.116	1	0.116	1	
table_a1	Muslim Teachers: Combined list difference	0.064	0.064	1	0.064	1	
table_a1	Muslim Teachers: Combined list SE	0.105	0.105	1	0.105	1	
table_a1	CNN: Direct difference	-0.052	-0.052	1	-0.052	1	
table_a1	CNN: Direct SE	0.031	0.031	1	0.031	1	
table_a1	CNN: Conventional list difference	-0.307	-0.307	1	-0.307	1	
table_a1	CNN: Conventional list SE	0.146	0.146	1	0.146	1	
table_a1	CNN: Combined list difference	-0.054	-0.054	1	-0.054	1	
table_a1	CNN: Combined list SE	0.095	0.095	1	0.095	1	
table_a2	Nuclear Power: Direct	0.646	0.646	1	0.646	1	
table_a2	Nuclear Power: Direct SE	0.021	0.021	1	0.021	1	
table_a2	Nuclear Power: Standard list	0.575	0.575	1	0.575	1	
table_a2	Nuclear Power: Standard list SE	0.086	0.086	1	0.086	1	
table_a2	Nuclear Power: Combined	0.647	0.647	1	0.647	1	
table_a2	Nuclear Power: Combined SE	0.049	0.049	1	0.049	1	
table_a2	Nuclear Power: % reduction in sampling variance	67.556	67.556	1	67.556	1	
table_a2	Public Transportation: Direct	0.555	0.555	1	0.555	1	
table_a2	Public Transportation: Direct SE	0.022	0.022	1	0.022	1	
table_a2	Public Transportation: Standard list	0.635	0.635	1	0.635	1	
table_a2	Public Transportation: Standard list SE	0.073	0.073	1	0.073	1	
table_a2	Public Transportation: Combined	0.653	0.653	1	0.653	1	
table_a2	Public Transportation: Combined SE	0.048	0.048	1	0.048	1	
table_a2	Public Transportation: % reduction in sampling variance	56.677	56.677	1	56.677	1	
table_a2	Spanish-speaking: Direct	0.061	0.061	1	0.061	1	
table_a2	Spanish-speaking: Direct SE	0.011	0.011	1	0.011	1	
table_a2	Spanish-speaking: Standard list	0.118	0.118	1	0.118	1	
table_a2	Spanish-speaking: Standard list SE	0.078	0.078	1	0.078	1	
table_a2	Spanish-speaking: Combined	0.104	0.104	1	0.104	1	
table_a2	Spanish-speaking: Combined SE	0.073	0.073	1	0.073	1	
table_a2	Spanish-speaking: % reduction in sampling variance	12.079	12.079	1	12.079	1	
table_a2	Muslim Teachers: Direct	0.083	0.083	1	0.083	1	
table_a2	Muslim Teachers: Direct SE	0.012	0.012	1	0.012	1	
table_a2	Muslim Teachers: Standard list	0.034	0.034	1	0.034	1	
table_a2	Muslim Teachers: Standard list SE	0.078	0.078	1	0.078	1	
table_a2	Muslim Teachers: Combined	0.036	0.036	1	0.036	1	
table_a2	Muslim Teachers: Combined SE	0.072	0.072	1	0.072	1	
table_a2	Muslim Teachers: % reduction in sampling variance	14.671	14.671	1	14.671	1	
table_a2	CNN: Direct	0.407	0.407	1	0.407	1	
table_a2	CNN: Direct SE	0.022	0.022	1	0.022	1	
table_a2	CNN: Standard list	0.256	0.256	1	0.256	1	
table_a2	CNN: Standard list SE	0.100	0.100	1	0.100	1	
table_a2	CNN: Combined	0.298	0.298	1	0.298	1	
table_a2	CNN: Combined SE	0.074	0.074	1	0.074	1	
table_a2	CNN: % reduction in sampling variance	45.350	45.350	1	45.350	1	
table_a3	Nuclear Power: beta	0.938	0.938	1	0.938	1	
table_a3	Nuclear Power: SE	0.104	0.104	1	0.104	1	
table_a3	Nuclear Power: p-value	0.549	0.549	1	0.549	1	
table_a3	Nuclear Power: n	327	327.000	1	327.000	1	
table_a3	Public Transportation: beta	0.949	0.949	1	0.949	1	
table_a3	Public Transportation: SE	0.089	0.089	1	0.089	1	
table_a3	Public Transportation: p-value	0.566	0.566	1	0.566	1	
table_a3	Public Transportation: n	281	281.000	1	281.000	1	
table_a3	Spanish-speaking: beta	0.816	0.816	1	0.816	1	
table_a3	Spanish-speaking: SE	0.311	0.311	1	0.311	1	
table_a3	Spanish-speaking: p-value	0.554	0.554	1	0.554	1	
table_a3	Spanish-speaking: n	31	31.000	1	31.000	1	
table_a3	Muslim Teachers: beta	1.048	1.048	1	1.048	1	
table_a3	Muslim Teachers: SE	0.297	0.297	1	0.297	1	

Table 4: Ground truth: every published value against the deposited scripts and against the maintained rewrite. Archive and rewrite values are shown to three decimals; the match columns compare at the precision the paper prints, and the locus column says where the fault lies on any row that does not match. *(continued)*

Location	Claim	Paper	Archive	M	Rewrite	M	Locus
table_a3	Muslim Teachers: p-value	0.872	0.872	1	0.872	1	
table_a3	Muslim Teachers: n	42	42.000	1	42.000	1	
table_a3	CNN: beta	0.711	0.711	1	0.711	1	
table_a3	CNN: SE	0.133	0.133	1	0.133	1	
table_a3	CNN: p-value	0.029	0.029	1	0.029	1	
table_a3	CNN: n	206	206.000	1	206.000	1	
table_a4	Nuclear Power: beta	-0.059	-0.059	1	-0.059	1	
table_a4	Nuclear Power: SE	0.042	0.042	1	0.042	1	
table_a4	Nuclear Power: p-value	0.166	0.166	1	0.166	1	
table_a4	Nuclear Power: n	506	506.000	1	506.000	1	
table_a4	Public Transportation: beta	0.017	0.017	1	0.017	1	
table_a4	Public Transportation: SE	0.044	0.044	1	0.044	1	
table_a4	Public Transportation: p-value	0.699	0.699	1	0.699	1	
table_a4	Public Transportation: n	506	506.000	1	506.000	1	
table_a4	Spanish-speaking: beta	0.031	0.031	1	0.031	1	
table_a4	Spanish-speaking: SE	0.021	0.021	1	0.021	1	
table_a4	Spanish-speaking: p-value	0.154	0.154	1	0.154	1	
table_a4	Spanish-speaking: n	506	506.000	1	506.000	1	
table_a4	Muslim Teachers: beta	-0.009	-0.009	1	-0.009	1	
table_a4	Muslim Teachers: SE	0.025	0.025	1	0.025	1	
table_a4	Muslim Teachers: p-value	0.729	0.729	1	0.729	1	
table_a4	Muslim Teachers: n	506	506.000	1	506.000	1	
table_a4	CNN: beta	0.075	0.075	1	0.075	1	
table_a4	CNN: SE	0.044	0.044	1	0.044	1	
table_a4	CNN: p-value	0.087	0.087	1	0.087	1	
table_a4	CNN: n	506	506.000	1	506.000	1	
table_a5	Nuclear Power: Direct	0.591	0.591	1	0.591	1	
table_a5	Nuclear Power: Direct SE	0.022	0.022	1	0.022	1	
table_a5	Nuclear Power: Standard list	0.364	0.364	1	0.364	1	
table_a5	Nuclear Power: Standard list SE	0.087	0.087	1	0.087	1	
table_a5	Nuclear Power: Combined	0.521	0.521	1	0.521	1	
table_a5	Nuclear Power: Combined SE	0.054	0.054	1	0.054	1	
table_a5	Nuclear Power: % reduction in sampling variance	61.053	61.053	1	61.053	1	
table_a5	Public Transportation: Direct	0.520	0.520	1	0.520	1	
table_a5	Public Transportation: Direct SE	0.022	0.022	1	0.022	1	
table_a5	Public Transportation: Standard list	0.602	0.602	1	0.602	1	
table_a5	Public Transportation: Standard list SE	0.073	0.073	1	0.073	1	
table_a5	Public Transportation: Combined	0.672	0.672	1	0.672	1	
table_a5	Public Transportation: Combined SE	0.049	0.049	1	0.049	1	
table_a5	Public Transportation: % reduction in sampling variance	54.990	54.990	1	54.990	1	
table_a5	Spanish-speaking: Direct	0.099	0.099	1	0.099	1	
table_a5	Spanish-speaking: Direct SE	0.013	0.013	1	0.013	1	
table_a5	Spanish-speaking: Standard list	0.025	0.025	1	0.025	1	
table_a5	Spanish-speaking: Standard list SE	0.079	0.079	1	0.079	1	
table_a5	Spanish-speaking: Combined	0.094	0.094	1	0.094	1	
table_a5	Spanish-speaking: Combined SE	0.074	0.074	1	0.074	1	
table_a5	Spanish-speaking: % reduction in sampling variance	11.822	11.822	1	11.822	1	
table_a5	Muslim Teachers: Direct	0.103	0.103	1	0.103	1	
table_a5	Muslim Teachers: Direct SE	0.014	0.014	1	0.014	1	
table_a5	Muslim Teachers: Standard list	0.195	0.195	1	0.195	1	
table_a5	Muslim Teachers: Standard list SE	0.082	0.082	1	0.082	1	
table_a5	Muslim Teachers: Combined	0.164	0.164	1	0.164	1	
table_a5	Muslim Teachers: Combined SE	0.074	0.074	1	0.074	1	
table_a5	Muslim Teachers: % reduction in sampling variance	18.580	18.580	1	18.580	1	
table_a5	CNN: Direct	0.457	0.457	1	0.457	1	
table_a5	CNN: Direct SE	0.022	0.022	1	0.022	1	
table_a5	CNN: Standard list	0.586	0.586	1	0.586	1	
table_a5	CNN: Standard list SE	0.107	0.107	1	0.107	1	
table_a5	CNN: Combined	0.604	0.604	1	0.604	1	

Table 4: Ground truth: every published value against the deposited scripts and against the maintained rewrite. Archive and rewrite values are shown to three decimals; the match columns compare at the precision the paper prints, and the locus column says where the fault lies on any row that does not match. *(continued)*

Location	Claim	Paper	Archive	M	Rewrite	M	Locus
table_a5	CNN: Combined SE	0.074	0.074	1	0.074	1	
table_a5	CNN: % reduction in sampling variance	51.321	51.321	1	51.321	1	
table_a6	Nuclear Power: beta	0.739	0.739	1	0.739	1	
table_a6	Nuclear Power: SE	0.110	0.110	1	0.110	1	
table_a6	Nuclear Power: p-value	0.018	0.018	1	0.018	1	
table_a6	Nuclear Power: n	299	299.000	1	299.000	1	
table_a6	Public Transportation: beta	0.795	0.795	1	0.795	1	
table_a6	Public Transportation: SE	0.097	0.097	1	0.097	1	
table_a6	Public Transportation: p-value	0.034	0.034	1	0.034	1	
table_a6	Public Transportation: n	263	263.000	1	263.000	1	
table_a6	Spanish-speaking: beta	0.301	0.301	1	0.301	1	
table_a6	Spanish-speaking: SE	0.262	0.262	1	0.262	1	
table_a6	Spanish-speaking: p-value	0.008	0.008	1	0.008	1	
table_a6	Spanish-speaking: n	50	50.000	1	50.000	1	
table_a6	Muslim Teachers: beta	1.005	1.005	1	1.005	1	
table_a6	Muslim Teachers: SE	0.297	0.297	1	0.297	1	
table_a6	Muslim Teachers: p-value	0.987	0.987	1	0.987	1	
table_a6	Muslim Teachers: n	52	52.000	1	52.000	1	
table_a6	CNN: beta	0.759	0.759	1	0.759	1	
table_a6	CNN: SE	0.141	0.141	1	0.141	1	
table_a6	CNN: p-value	0.087	0.087	1	0.087	1	
table_a6	CNN: n	231	231.000	1	231.000	1	
table_a7	Nuclear Power: beta	-0.003	-0.003	1	-0.003	1	
table_a7	Nuclear Power: SE	0.044	0.044	1	0.044	1	
table_a7	Nuclear Power: p-value	0.941	0.941	1	0.941	1	
table_a7	Nuclear Power: n	506	506.000	1	506.000	1	
table_a7	Public Transportation: beta	0.075	0.075	1	0.075	1	
table_a7	Public Transportation: SE	0.044	0.044	1	0.044	1	
table_a7	Public Transportation: p-value	0.094	0.094	1	0.094	1	
table_a7	Public Transportation: n	506	506.000	1	506.000	1	
table_a7	Spanish-speaking: beta	-0.001	-0.001	1	-0.001	1	
table_a7	Spanish-speaking: SE	0.027	0.027	1	0.027	1	
table_a7	Spanish-speaking: p-value	0.974	0.974	1	0.974	1	
table_a7	Spanish-speaking: n	506	506.000	1	506.000	1	
table_a7	Muslim Teachers: beta	0.039	0.039	1	0.039	1	
table_a7	Muslim Teachers: SE	0.027	0.027	1	0.027	1	
table_a7	Muslim Teachers: p-value	0.141	0.141	1	0.141	1	
table_a7	Muslim Teachers: n	506	506.000	1	506.000	1	
table_a7	CNN: beta	0.092	0.092	1	0.092	1	
table_a7	CNN: SE	0.044	0.044	1	0.044	1	
table_a7	CNN: p-value	0.038	0.038	1	0.038	1	
table_a7	CNN: n	506	506.000	1	506.000	1	
table_a8	Nuclear Power: Direct difference	0.055	0.055	1	0.055	1	
table_a8	Nuclear Power: Direct SE	0.031	0.031	1	0.031	1	
table_a8	Nuclear Power: Conventional list difference	0.210	0.210	1	0.210	1	
table_a8	Nuclear Power: Conventional list SE	0.123	0.123	1	0.123	1	
table_a8	Nuclear Power: Combined list difference	0.127	0.127	1	0.127	1	
table_a8	Nuclear Power: Combined list SE	0.073	0.073	1	0.073	1	
table_a8	Public Transportation: Direct difference	0.036	0.036	1	0.036	1	
table_a8	Public Transportation: Direct SE	0.031	0.031	1	0.031	1	
table_a8	Public Transportation: Conventional list difference	0.032	0.032	1	0.032	1	
table_a8	Public Transportation: Conventional list SE	0.103	0.103	1	0.103	1	
table_a8	Public Transportation: Combined list difference	-0.019	-0.019	1	-0.019	1	
table_a8	Public Transportation: Combined list SE	0.068	0.068	1	0.068	1	
table_a8	Spanish-speaking: Direct difference	-0.038	-0.038	1	-0.038	1	
table_a8	Spanish-speaking: Direct SE	0.017	0.017	1	0.017	1	
table_a8	Spanish-speaking: Conventional list difference	0.093	0.093	1	0.093	1	
table_a8	Spanish-speaking: Conventional list SE	0.111	0.111	1	0.111	1	
table_a8	Spanish-speaking: Combined list difference	0.010	0.010	1	0.010	1	
table_a8	Spanish-speaking: Combined list SE	0.104	0.104	1	0.104	1	
table_a8	Muslim Teachers: Direct difference	-0.020	-0.020	1	-0.020	1	
table_a8	Muslim Teachers: Direct SE	0.018	0.018	1	0.018	1	

Table 4: Ground truth: every published value against the deposited scripts and against the maintained rewrite. Archive and rewrite values are shown to three decimals; the match columns compare at the precision the paper prints, and the locus column says where the fault lies on any row that does not match. *(continued)*

Location	Claim	Paper	Archive	M	Rewrite	M	Locus
table__a8	Muslim Teachers: Conventional list difference	-0.161	-0.161	1	-0.161	1	
table__a8	Muslim Teachers: Conventional list SE	0.113	0.113	1	0.113	1	
table__a8	Muslim Teachers: Combined list difference	-0.128	-0.128	1	-0.128	1	
table__a8	Muslim Teachers: Combined list SE	0.104	0.104	1	0.104	1	
table__a8	CNN: Direct difference	-0.049	-0.049	1	-0.049	1	
table__a8	CNN: Direct SE	0.031	0.031	1	0.031	1	
table__a8	CNN: Conventional list difference	-0.330	-0.330	1	-0.330	1	
table__a8	CNN: Conventional list SE	0.146	0.146	1	0.146	1	
table__a8	CNN: Combined list difference	-0.306	-0.306	1	-0.306	1	
table__a8	CNN: Combined list SE	0.105	0.105	1	0.105	1	
text, p. 50	Admitters in the low power example	200		NA		NA	
text, p. 50	Power at 200 admitters and 20 percent false confessors (%)	30		NA	30.700	0	archive
text, p. 51	Power at 800 admitters and 20 percent false confessors (%)	80		NA	80.600	0	archive
text, p. 52	List experiments conducted	5		NA		NA	
text, p. 52	List experiments on topics that are not socially sensitive	3		NA		NA	
text, p. 52	List experiments on racial and religious prejudice	2		NA		NA	
text, p. 52	Subjects recruited for the main experiment	1023		NA	1023.000	1	
text, p. 52	Payment per subject (dollars)	1.00		NA		NA	
text, p. 52	Equivalent hourly rate (dollars)	15.45		NA		NA	
text, p. 52	Subjects who failed the attention question	2		NA		NA	
text, p. 52	Subjects who left a question blank	7		NA		NA	
text, p. 52	Subjects excluded from the main experiment	9		NA	9.000	1	
text, p. 52	Complete cases in the main experiment	1014		NA	1014.000	1	
text, p. 53	Bernoulli assignment probability	0.5		NA		NA	
table__3 note	Study A sample size	500	500.000	1	500.000	1	
text, p. 54	Direct question estimate for Muslim teachers (%)	11	11.000	1	11.000	1	
text, p. 54	Standard list estimate for Muslim teachers (%)	17	16.615	1	16.615	1	
text, p. 54	Combined estimate for Muslim teachers (%)	19	18.731	1	18.731	1	
text, p. 54	Smallest reduction in sampling variance, Study A (%)	14	13.972	1	13.972	1	
text, p. 54	Largest reduction in sampling variance, Study A (%)	67	67.118	1	67.118	1	
text, p. 54	Confidence interval width for the plotted estimates	95		NA		NA	
text, p. 54	Placebo Test I p-value quoted for Public Transportation	0.02	0.021	1	0.021	1	
text, p. 54	Placebo Test I p-value quoted for CNN	0.03	0.034	1	0.034	1	
table__6 note	Study B sample size	514	514.000	1	514.000	1	
text, p. 57	Effect of the treatment list on the nuclear power direct question, Study B (pp)	8.6	8.626	1	8.626	1	
text, p. 57	Effect of the treatment list on the CNN direct question, Study B (pp)	13.2	13.240	1	13.240	1	
text, p. 57	Replication Study A sample size	506		NA	506.000	1	
text, p. 57	Replication Study B sample size	506		NA	506.000	1	
discussion, p. 59	Placebo Test I rejections across all four studies	6		NA	6.000	1	
discussion, p. 59	Placebo Test I opportunities across all four studies	20		NA	20.000	1	
appendix C text	Control list binomial success probability	0.4		NA		NA	
appendix C text	Control list binomial trials	4		NA		NA	
appendix C text	False confessor proportion fixed in the final panel	0.20		NA		NA	
appendix C text	Binomial probability that maximises variability	0.5		NA		NA	
appendix C text	Smallest number of admitters on the grid	100		NA	100.000	1	
appendix C text	Largest number of admitters on the grid	1000		NA	1000.000	1	
appendix C text	Step between admitter counts	50		NA	50.000	1	
appendix C text	Step between proportions	0.01		NA	0.010	1	
appendix C text	Simulations per grid cell	1000		NA	1000.000	1	
appendix C text	Grid cells per panel of Figure A1	1919		NA	1919.000	1	
appendix C text	Power target the shading marks	0.80		NA		NA	

Table 4: Ground truth: every published value against the deposited scripts and against the maintained rewrite. Archive and rewrite values are shown to three decimals; the match columns compare at the precision the paper prints, and the locus column says where the fault lies on any row that does not match. *(continued)*

Location	Claim	Paper	Archive	M	Rewrite	M	Locus
appendix C text	Power at 800 admitters and 20 percent false confessors (%)	80		NA	80.600	0	archive
appendix C text	Power at 800 admitters and 20 percent liars (%)	80		NA	80.500	1	
appendix C text	Power at 800 admitters and 20 percent design affected (%)	80		NA	78.900	0	archive
appendix E text	Order effect on the conventional list estimate for nuclear power (pp)	24.9	24.923	1	24.923	1	
appendix E text	Order effect on the conventional list estimate for CNN (pp)	30.7	30.725	1	30.725	1	
appendix F text	Months between the two experiments	10		NA		NA	
appendix F text	Users who started the replication survey	1019		NA	1019.000	1	
appendix F text	Excluded from the replication	7		NA	7.000	1	
appendix F text	Complete cases in the replication	1012		NA	1012.000	1	
appendix F text	Replication Study A sample size	506		NA	506.000	1	
appendix F text	Replication Study B sample size	506		NA	506.000	1	
figure_1	Plotted estimates depart from the Table 3 estimates by at most			NA	0.000	NA	
figure_1	Estimates plotted			NA	15.000	NA	
figure_2	Plotted estimates depart from the Table 6 estimates by at most			NA	0.000	NA	
figure_2	Estimates plotted			NA	15.000	NA	
figure_a1	Grid cells simulated			NA	7676.000	NA	
figure_a1	Power moved by re-running under the pre-3.6 sampler, at most			NA	0.036	NA	
figure_a2	Cells the deposited script and the rewrite both define		40796.000	NA	40796.000	NA	
figure_a2	Cells one grid defines and the other does not		0.000	NA	0.000	NA	
figure_a2	Maximum absolute difference from the deposited grid			NA	0.000	NA	

8.1 Claims the article makes about shape rather than value

The 23 claims below assert something about a distribution, a sign or a count rather than stating a number, so none can be matched against a printed value. Each is checked by computing the distribution it describes and printing it, which is what lets a reader judge the claim rather than being handed a verdict on it.

Table 5: Descriptive claims and the evidence computed for each.

Location	Claim	What the pipeline finds
text, p. 53	Every off-diagonal crossing holds about a quarter of the subjects	60 crossings outside the diagonal blocks, holding 219 to 278 subjects, which is 21.6 to 27.4 percent of the 1014 complete cases against a quarter at 25.0
text, p. 53	The subject pool is disproportionately white, male, liberal, educated and young	In the Study A treatment group: white 79.2, male 53.9, liberal 50.6, some college or more 88.6, under 35 65.3 percent
text, p. 54	Reductions are larger where more subjects answer Yes	Across the five items the direct question estimate and the variance reduction correlate at 0.988; the reductions in ascending order of the direct estimate are 14, 15.3, 54.9, 54, 67.1
text, p. 54	The combined interval is always tighter than the standard list interval	The combined standard error is smaller than the standard list standard error in 5 of 5 items; the ratios are 0.573, 0.678, 0.928, 0.92, 0.672
text, p. 54	Placebo Test I rejections in Study A	2 of 5 reject at 0.05: Public Transportation and CNN. p-values 0.568, 0.021, 0.585, 0.973, 0.034

Table 5: Descriptive claims and the evidence computed for each. *(continued)*

Location	Claim	What the pipeline finds
footnote 1, p. 54	Spanish speaking runs the other way in the main experiment	Study A Spanish-speaking: direct 0.102, standard list 0.035, combined 0.042
footnote 1, p. 54	Spanish speaking runs the other way again in the replication	Replication Study A Spanish-speaking: direct 0.061, standard list 0.118, combined 0.104
text, p. 56	No direct question estimate differs between the studies	Study A minus Study B direct differences over their standard errors: 1.74, -0.03, -0.56, 0.35, -1.66; 0 of 5 reject at 0.05
text, p. 56	Study B sampling variance reductions fall in a similar range	Study A reductions run 14 to 67.1 percent and Study B reductions 16.4 to 66 percent
text, p. 56	No Placebo Test I rejection in Study B	0 of 5 reject at 0.05; p-values 0.294, 0.339, 0.309, 0.293, 0.256
text, p. 56	Fisher's method joint test of Placebo Test I in Study B	Fisher's method over the five Study B p-values gives chi-squared 12.14 on 10 degrees of freedom, p = 0.276
text, p. 57	Placebo Test II rejections in Study B	2 of 5 reject at 0.05: Nuclear Power and CNN. p-values 0.045, 0.434, 0.337, 0.549, 0.003
text, p. 58	No estimate differs between the original experiment and the replication	2 of 30 original against replication comparisons reject at 0.05; the smallest p-value is 0.018, and among the standard list estimates alone it is 0.151
text, p. 58	Placebo Test I rejections in the replication of Study A	1 of 5 reject at 0.05: CNN
text, p. 58	Placebo Test I rejections in the replication of Study B	3 of 5 reject at 0.05: Nuclear Power, Public Transportation and Spanish-speaking
text, p. 58	The CNN treatment list effect replicates	CNN Placebo Test II: main experiment Study B 0.132 (p = 0.003), replication Study B 0.092 (p = 0.038)
discussion, p. 59	Placebo Test I rejections restated for Study A	Main experiment Placebo Test I: Study A 2 of 5, Study B 0 of 5
discussion, p. 59	Placebo Test I rejections restated for the replication	Replication Placebo Test I: Study A 1 of 5, Study B 3 of 5
appendix E text	Question order does not move the direct or combined estimates	Rejections at 0.05 out of five items: direct 0, conventional list 2, combined 0
appendix F text	Placebo Test I rejections restated for the main experiment	Main experiment Placebo Test I: Study A 2 of 5, Study B 0 of 5
appendix F text	Placebo Test I rejections restated for the replication	Replication Placebo Test I: Study A 1 of 5, Study B 3 of 5
appendix F text	Placebo Test II rejections in the main experiment and the replication	Placebo Test II rejections at 0.05: main experiment Study B Nuclear Power and CNN; replication Study B CNN
appendix F text	Size of the replicated CNN treatment list effect	CNN Placebo Test II effect in percentage points: main experiment 13.2, replication 9.2

9 R environment

Table 6: The machine behind the run this report describes.

Item	Value
R version	4.6.1
Platform	aarch64-apple-darwin23
Cores available	14
Date run	2026-11-01
Pipeline run time	6.3 minutes

Table 7: Package versions used for the run behind this report.

Package	Version
dplyr	1.2.1
ggplot2	4.0.3
tidyr	1.3.2
purrr	1.2.2
readr	2.2.0
stringr	1.6.0
patchwork	1.3.2
here	1.0.2