

Errata

On Coppock (2019), *Journal of Experimental Political Science* 6(1)

This note lists four corrections to “Avoiding Post-Treatment Bias in Audit Experiments,” published in the *Journal of Experimental Political Science* 6(1), 1-4, doi [10.1017/XPS.2018.9](https://doi.org/10.1017/XPS.2018.9). Three are in the reanalysis paragraph on page 3 and the fourth is in Table 2, and **none of them changes a conclusion of the paper**. Two are misstated numbers, in each case the correct value truncated rather than rounded at the last digit the sentence prints; the third is an estimate printed without its unit; the fourth is a table cell printed to one fewer decimal place than the column it sits in, with the value itself unchanged. Every estimate Table 2 reports is right, and the argument the note makes about post-treatment conditioning is unaffected.

Every number in a corrected sentence below is computed from the deposited replication archive ([10.7910/DVN/6NVI9C](https://doi.org/10.7910/DVN/6NVI9C)) at the time this document is rendered, including the numbers that were not wrong. The code and output supporting each correction are at github.com/active-maintenance-aec/coppock_2019b.

Every quantity on the percentage-point scale is stated to one decimal place, and bold marks the corrections. Where the article gives a figure in whole points and the corrected sentence gives it to one decimal, that is marked like any other change: a corrected sentence below differs from the published one only where it is bold. Where a fuller value matters it is given in the note beneath the entry.

1. The Always-Responder estimate disagrees with Table 2

Under the unverifiable assumption that both pair members would also have responded if the treatment assignment had been switched, I estimate the ATE among this subgroup to be **−5.5** points (SE = 2.5 points).

Corrected:

Under the unverifiable assumption that both pair members would also have responded if the treatment assignment had been switched, I estimate the ATE among this subgroup to be **−5.6** points (SE = 2.5 points).

Table 2 prints -0.056 for the same estimate, which is -5.6 points. The estimate is -5.563 points, so the table rounds and the sentence truncates, and the article disagrees with itself about the number a reader would quote. The standard error is 2.482 points and is correct as published.

2. The standard error on the redefined outcome

Finally, using the redefined outcome, I estimate the ATE to be a **6** point decrease in friendliness (SE = **1.7** points).

Corrected:

Finally, using the redefined outcome, I estimate the ATE to be a **6.1** point decrease in friendliness (SE = **1.8** points).

Table 2 prints no standard errors, so this figure appears in the article only here. The standard error is 1.756 points, which rounds to 1.8 ; the sentence truncates it, as the sentence before it does. The point estimate is a decrease of 6.100 points, which the sentence truncates to a whole number in the same way; it is given here at the decimal the corrected standard error is given to.

3. The naive estimate is printed without its unit

(**-3.5 percentage**, SE = 2.0 points)

Corrected:

(**-3.5 percentage points**, SE = 2.0 points)

Found while preparing the remastered edition. Every other quantity in the sentence and in the one before it is given in points, and Table 2 prints -0.035 for this estimate, which is -3.5 percentage points. The missing word is the one the rest of the paragraph uses, so it is supplied rather than guessed at, and the figure itself is correct as published.

4. Table 2's bounds interval drops a digit the rest of its column carries

Table 2's bounds row, whose 95% confidence interval opens at **-0.73**

Corrected:

-0.730 , the same value at the three decimal places the rest of the column is given to

Found while preparing the remastered edition. The value is not in dispute and no estimate moves: the limit is -0.730 , and the five other limits in the same column are printed to three places (-0.075 , 0.005 , -0.095 , -0.027 and 0.726). Line 187 of the deposited `aec_replication_JEPS.R` builds the cell as `paste0("[", round(ci_lower, 3), ", ", round(ci_upper, 3), "]", "`), and `round()` returns a numeric that `paste0` converts with `as.character`, which drops a trailing zero; the other limits keep their three places only because none of them ends in one. This is the one cell of Table 2 the maintained rewrite does not return: R 3.6.0 changed `sample()`, so it is reproduced under the archive's own resampling scheme and the sampler the 2018 run used, which is what `maintained/output/text_bootstrap_sampler.csv` records.