Active Maintenance Report: coppock_green_porter_2026

Coppock, Green, and Porter (2026, Quarterly Journal of Political Science): Americans can imagine changing partisan affiliation

Table of contents

1 Summary 1

2 What was run 2

3 The deposit 2

4 Checks and what they do not cover 2

5 Not done 3

1 Summary

`errata.qmd` lists 14 entries. Entries 1 and 2 are notes on coauthored claims that await the authors. The other 12 are corrections to the text, labels, one table, and the references. No public deposit was located, so the rerun rests on the authors' final replication archive, the 2025-12-29 zip in the local project folder. **A stranger cannot rerun this repository**, because `download_original.R` and `maintained/raw_to_clean.R` read that local folder. Raw exports hold IP addresses and coordinates and are never copied here. This repository has no independent rewrite, which falls short of Stage 3: every computed value comes from the deposit's own code and estimators, apart from the repaired one-sided test.

2 What was run

`maintained/run_archive.R` runs 20 scripts twice in scratch copies. Causes of the as-shipped failures, each shown by its log:

- `table_C5` writes to `../replication_archive/`. The first harness's scratch name caused that failure, so it was not an archive defect, and the scratch copy now has that name.
- `figure_5`, `figure_7`, and `figure_C8` call `format_num` or `make_se_entry`, exported by `rdss`, without attaching `rdss`. They fail as shipped. This is an archive defect. The stripped pass attaches it, and `ggstance` too because `figure_C8` calls `position_dodgev`.
- `figure_A4` logs an error and exits 0. The script's comment says such errors are caught and handled, and the error is inside its `try()` around bootstrap draws.

The five shipped estimate files reproduce on the stripped pass, with a largest numeric difference below 6e-13. `maintained/raw_to_clean.R` rebuilds the four cleaned hypothetical files from the raw exports with no differing shared column (`maintained/output/raw_to_clean.csv`). That test does not reach the survey experiments or the field experiment, whose cleaned files are inputs here.

3 The deposit

The replication archive is deposited at Harvard Dataverse, doi:10.7910/DVN/LBPTEK (in preparation). The deposited copy is the authors' final archive with identifying columns removed and two missing `library()` calls added to three scripts; its README lists the changes.

4 Checks and what they do not cover

- **Prose values.** `ground_truth/build_ground_truth.R` compares 56 claims with the rerun at the page's precision. The mismatches are the spine's. These compare the page with the deposit's own data, so a defect both inherit would pass.
- **Negative controls.** `ground_truth/negative_controls.R` tests that the gate fires on those faults only.
- **Page checks.** Every quote was read on a rendered crop of its key clause, and Figure 2 on the page. The rest of each sentence-long quote rests on the text layer.
- **Crossref.** Family names and years were compared for most article references. The service rate-limited 13 of 48 and 11 were not parsed, mostly books. Only Goren and Chapp was rechecked singly, so the reference list is not fully checked.

5 Not done

- No figure other than Figure 2 was read against its rerun, so the labels of Figures 1 and 3 to 7 are unchecked, though their prose values are in the gate. No table cell outside Table A.2 and the Table B.3 label was compared.
- The appendix prose was searched by known phrases and not read whole. The Table A.1 change made for the journal's replicator was not rechecked.
- Study 4's added Table A.2 cells rest on a subtraction, since its `video_all` does not name the video.
- The page proofs in `QJPS page proofs/` were not compared, so entry 13's hyphenation may be the typesetter's rather than the authors'.
- Queue rows 13 to 15 and 65 are answered: entries 1 and 2 stay in note form, the archive is to be deposited, and row 65 names the columns that leave it first. The deposit itself is Alex's.