Running head: TEMPORAL NETWORK ASSEMBLY

## The assembly of plant-pollinator networks

Lauren C. Ponisio<sup>1</sup>, Marilia P. Gaiarsa<sup>2</sup> and Asher Mullokandov<sup>3</sup>

- Department of Environmental Science, Policy, and Management University of California, Berkeley
  Mulford Hall
  Berkeley, California, USA
  94720
- Departamento de Ecologia Universidade de Sao Paulo Sao Paulo, SP, Brazil 05508-900
- 3. Department of Physics Boston University Boston, MA, USA 02215

Abstract

1

2

3

5

9

10

11

12

13

14

15

16

17

18

19

20

The structure of networks is related to ability of communities to maintain function in the face of species extinction. Understanding network structure and how it relates to network disassembly, therefore, is a priority for system-level conservation biology. We explore the assembly of plant-pollinator communities on native plant restorations in the Central Valley of California. The assembling communities are paired with unrestored field margins (controls) and mature (non-assembling) hedgerows. We determine whether there are change points in the assembly of the communities where the network undergoes significant reorganization. We are also ask how are the individual species changing their interaction patterns? What does this mean for the topology/resilience of the network? We also attempted to adapt a financial model to mutualistic networks. Our biggest difficulty with this approach was to translate the price term to mutualistic systems. We explored a range of approaches, such as number of visits a species performs. However, it seems that financial systems cannot be easily translated to mutualistic systems. In addition, we used a Changing Point Detection Algorithm to assess weather the different communities went through a critical reorganization on their interaction patterns. We were able to identify some changing points in the communities, and also to explore some general patterns commonly used to describe ecological networks. For example, on the network level, networks become increasingly modular and less nested, whereas on the species level, species become more specialized, as resources become more reliable.

Keywords: pollinators, community assembly, networks, changing points, temporal networks