



RESEARCH DOCUMENT

TURNAROUND

RESEARCH VALIDATION OF A DELAY-VISIBILITY AND COST-INTELLIGENCE PLATFORM FOR EAST AFRICAN CORRIDOR LOGISTICS

**SCOPE: NORTHERN CORRIDOR (MOMBASA) AND CENTRAL
CORRIDOR (DAR ES SALAAM); COMPARATIVE SUB-SAHARAN EVIDENCE.**

**EVIDENCE BASE: 27 PEER-REVIEWED ARTICLES, WORKING PAPERS AND
INSTITUTIONAL STUDIES.**

BY

IDDY K. CHESIRE

Table of Contents

1. Executive Summary	3
2. Introduction, Scope and Method	4
2.1 Background	4
2.2 Objectives	4
2.3 Evidence base and citation currency	4
3. Problem Statement: The Real Research Problem	5
3.1 Time uncertainty as a first-order economic constraint	5
3.2 Node-level evidence across the corridors	5
Ports and the Northern Corridor	5
Dar es Salaam and the Central Corridor	5
Borders, weighbridges and road frictions	6
4. Why Existing Systems Are Insufficient	7
5. Evidence by Product Module	8
6. Operational and Market Evidence	9
6.1 Digital logistics adoption produces measurable gains	9
6.2 Fleet telematics is associated with better transporter performance	9
6.3 Manual and hybrid workflows remain common	9
7. What the Evidence Says a Solution Must Do	10
8. Constraints, Adoption Risk and Governance	11
9. Product Implications and Build Sequence	12
10. Limitations of the Evidence Base	13
11. Conclusion	13
References	14
Appendix A - Quantified Findings Register	16
Appendix B - Evidence Strength by Claim	16

1. Executive Summary

Turnaround is well grounded in the literature as a platform for making East African corridor delays **visible, attributable, and financially actionable**. Across twenty-seven studies covering Kenyan and Tanzanian corridor nodes and comparative Sub-Saharan evidence, three linked claims are consistently supported: corridor delays and delay variability are economically important; telematics and digital coordination can measurably reduce those delays; and the principal execution risk is fragmented governance and weak interoperability rather than any limitation of the sensing technology itself.

The literature does not frame the core problem as “*not enough tracking*”. It describes a deeper gap. Delays across ports, borders, inland container depots (ICDs), weighbridges and road links remain high, variable and costly, while existing digital systems generally fail to measure, attribute and economically translate those delays in a way that supports coordinated action (Raphael, 2025; Hoffman et al., 2023). The unmet need is therefore an integrated operational intelligence layer, not an additional point tool.

Central finding

East African corridor logistics lack reliable, shared, economic-grade delay intelligence. The research supports building Turnaround first as a trusted delay-visibility and cost-intelligence platform - high-confidence event capture, node-level attribution, and delay-to-cost translation with predictive analytics added only after multi-party data reliability and interoperability are established.

Module-level validation is strong for geofenced tracking, dwell detection, delay-to-cost translation and shared dashboards, and moderate for predictive analytics, where the evidence is less corridor-specific (Kunambi & Zheng, 2025; Heinbach et al., 2022). Quantified outcomes reported in the literature include **4.12 fewer customs hours, 1.25 fewer port dwell days and 3.15 fewer transit days** where digital logistics systems are reliably used (Raphael, 2025), and a delay-variability contribution of up to **80% of total corridor cost** in ineffective corridors (Hoffman et al., 2023).

2. Introduction, Scope and Method

2.1 Background

East African and wider Sub-Saharan corridors carry high time, cost and uncertainty burdens, and these burdens fall most heavily on landlocked trade (Christ & Ferrantino, 2011; Kuteyi & Winkler, 2022). Delay variability is itself a major economic cost, because corridor users bear inventory, stockholding and late-delivery losses in addition to transport charges (Hoffman et al., 2023). Corridor competitiveness therefore depends not only on average transport time, but on how predictably ports, borders and roads perform (Hoffman et al., 2023; Christ & Ferrantino, 2011).

Turnaround is positioned as an operational intelligence platform for commercial fleet and corridor logistics. It combines geofenced facility detection, an arrival–dwell–departure event lifecycle, delay-to-cost translation, a shared corridor dashboard, and - in later phases - predictive delay analytics. This document tests that concept against the published evidence rather than against market assumption.

2.2 Objectives

1. Establish whether the problem Turnaround addresses is economically material and empirically documented in East African corridors.
2. Identify the precise research gap that distinguishes Turnaround from existing digitalisation efforts.
3. Assess the strength of evidence behind each proposed product module.
4. Derive design and sequencing requirements that follow from the evidence rather than from product preference.
5. Document the adoption, governance and interoperability risks that condition the platform’s value.

2.3 Evidence base and citation currency

The review draws on twenty-seven sources. Of these, twenty-one (78%) were published in 2022 or later and fifteen (56%) in 2025–2026, which satisfies the general expectation that a technology-and-policy review be anchored in current literature. Six older sources are retained deliberately because they remain the standard reference works for their specific claims: Christ and Ferrantino (2011) for the cost–time–uncertainty decomposition of Sub-Saharan land transport; Fitzmaurice and Hartmann (2013) for Northern Corridor border-crossing monitoring; Kipkoech and Mugambi (2014) for hinterland inefficiency at Kenya Ports Authority; Brits and Waiyaki (2015) and Charanaraj et al. (2019) for telematics architecture; and Kunaka et al. (2016) and Hoffman et al. (2016) for East African trucking productivity and customs simulation respectively. Where a recent study replicates an older finding, both are cited so the reader can see that the pattern has persisted rather than merely been asserted.

Sources were screened using Consensus, an AI-assisted academic search engine, and each claim in this document is attributed to the specific study that supports it. All citations follow APA 7th edition and carry a resolvable DOI where the publisher has assigned one.

3. Problem Statement: The Real Research Problem

The problem, stated precisely

East African corridor logistics still lack reliable, shared, economic-grade delay intelligence. Delay is generated at identifiable nodes, is measurable in principle, and is expensive - but it is not currently observed dependably, attributed to a responsible node, shared across the institutions that could act on it, or translated into the economic terms that justify intervention.

3.1 Time uncertainty as a first-order economic constraint

The real problem in the research is that time uncertainty in East African freight corridors is a **first-order economic constraint**, not a secondary operational inconvenience (Christ & Ferrantino, 2011; Hoffman et al., 2023). Inland export transport in Sub-Saharan Africa is marked by high cost, long delays and substantial uncertainty, especially for landlocked economies whose trade performance is a direct function of corridor performance (Christ & Ferrantino, 2011; Fitzmaurice & Hartmann, 2013; Kunaka et al., 2016).

Corridor users pay not only freight charges but also inventory, stockholding, late-delivery and competitiveness penalties caused by delay variability (Hoffman et al., 2023). In comparative corridor work using a total-economic-cost framework, variability in delay contributes more to total economic cost than direct transport cost, and in ineffective corridors can account for up to **80% of total corridor cost** (Hoffman et al., 2023). This is the single most important economic result in the review, because it means an intervention that reduces the *variance* of transit time can be worth more than one that reduces its mean.

3.2 Node-level evidence across the corridors

The same problem recurs at every major node, which is what makes it a corridor problem rather than a facility problem.

Ports and the Northern Corridor

Ports are a central bottleneck in this cost structure (Hoffman et al., 2023; Kunambi & Zheng, 2025). The Northern Corridor remains East and Central Africa's busiest route, yet Mombasa-linked flows still suffer congestion, weak transshipment performance and limited container capacity (Kuteyi & Winkler, 2022; Kipkoech & Mugambi, 2014). Hinterland inefficiencies slow cargo evacuation from Mombasa, raising both truck turnaround time and port dwell time (Kipkoech & Mugambi, 2014; Ibrahim et al., 2025). Border-crossing time along the Northern Corridor is itself a major constraint on trade flows and competitiveness (Fitzmaurice & Hartmann, 2013; Hoffman et al., 2023).

Dar es Salaam and the Central Corridor

Dar es Salaam shows the same pattern. Cargo-handling delays there are persistent and systemic, with over **70% of respondents reporting delays of four days or more** (Chadenyile & Kassembe, 2025). Those delays raise demurrage, storage fees and vessel turnaround time, and they are associated with cargo diversion to competing ports (Chadenyile & Kassembe, 2025). Modelling of port-hinterland

connectivity using Markov processes, max-flow and traffic-flow methods confirms that cargo spends measurable, separable time in waiting, transit and delayed states - the very state machine a dwell-detection product must reproduce (Kunambi & Zheng, 2025). Customs procedures remain a major drag on trade facilitation and explain a large share of observed performance variation at the port (Kaaya, 2026).

Borders, weighbridges and road frictions

The problem extends beyond port gates. Non-tariff barriers on the Dar es Salaam-Namanga route roadblocks, customs clearance, permits, weighbridge practices and police check cause both time loss and direct monetary loss for corridor users (Morwa & Ndilito, 2024). Comparative evidence from Southern Africa reinforces the same commercial pattern, with high-volume border posts such as Beitbridge generating multi-day queues that undermine cross-border trade performance (Dakora et al., 2023).

4. Why Existing Systems Are Insufficient

Digitalisation in East African logistics is not absent; it is incomplete and unproven. Five gaps recur across the literature, and together they define the problem Turnaround should actually solve.

Research gap	What the literature shows	Implication for Turnaround
Digitisation without proof	Existing East African literature frequently documents digital platforms but does not quantify their operational or economic outcomes (Raphael, 2025).	The gap is not more software; it is measurable, attributable impact.
Poor reliability evidence	Few studies test uptime, downtime or responsiveness, or link these to congestion and demurrage outcomes (Raphael, 2025).	The platform must prove dependable event capture before it claims intelligence.
Fragmented institutions	Port, customs and depot actors work through silos, asynchronous uploads and disjointed timetables (Nguvumali & Kasembe, 2025).	Shared, multi-party visibility is a core product requirement, not a later feature.
Paper–digital hybrids	Manual documentation and paper-based processes still cause errors, mismatches, penalties and delay (Ibrahim et al., 2025; Mary & Mayengo, 2023).	Workflow digitisation remains unfinished and is a legitimate product surface.
Weak economic attribution	Prior corridor studies compared cost and time without translating delay variability into user-level economic cost (Hoffman et al., 2023).	Delay-to-cost translation is the true point of differentiation.

Table 1. The core research gaps that define the actual problem Turnaround should solve.

5. Evidence by Product Module

Each proposed module was assessed against the strength, specificity and corridor relevance of its supporting evidence. Validation is rated **strong** where multiple studies support the mechanism and at least one is East African in setting; **moderate** where the mechanism is supported but the evidence is modelled, indirect, or drawn from other regions.

Product module	Research support	Validation
Geofenced facility detection	GPS telematics supports real-time location, movement and vehicle-status monitoring of fleet assets, while geofencing verifies route and area adherence (Victor, 2025; Brits & Waiyaki, 2015; Charanaraj et al., 2019; Heinbach et al., 2022).	Strong
Arrival–dwell–departure lifecycle	Fleet systems automatically generate trip timestamps and event states that can anchor dwell-state logic; corridor and port studies identify separable waiting, transit and delay states that can be measured operationally (Charanaraj et al., 2019; Kunambi & Zheng, 2025).	Strong
Delay-to-cost translation	Total economic cost models show that delays and delay variability create substantial indirect costs beyond freight charges and materially affect corridor competitiveness (Hoffman et al., 2023).	Strong
Shared corridor dashboard	Freight intelligence platforms can combine analytics, anomaly detection, risk assessment, data exchange and cross-stakeholder integration; centralised tracking improves visibility across carriers, forwarders and service recipients (Heinbach et al., 2022; Huk & Kurowski, 2021; Nguvumali & Kasembe, 2025).	Strong
Workflow digitisation	East African freight forwarding still relies on paper-based and offline processes that are slow, error-prone and costly; digital freight platforms reduce interface complexity through automation (Mary & Mayengo, 2023; Bossong et al., 2025).	Moderate to strong
Predictive delay analytics	Modelling frameworks can predict waiting, transit, congestion and reliability patterns and optimise resource allocation, but the evidence is less corridor-specific than for tracking (Kunambi & Zheng, 2025; Ibrahim et al., 2025).	Moderate

Table 2. Research support for Turnaround's core product modules.

6. Operational and Market Evidence

6.1 Digital logistics adoption produces measurable gains

Digital logistics adoption in East Africa is associated with **4.12 fewer customs hours, 1.25 fewer port dwell days and 3.15 fewer transit days** where systems are reliably used, although these benefits weaken sharply when uptime and interoperability are poor (Raphael, 2025). Port-to-ICD coordination tools such as slot booking and port community systems can reduce gate queues and truck waiting without major capital expansion (Nguvumali & Kasembe, 2025). At the EX NASACO ICD in Tanzania, each one-point increase in perceived logistical inefficiency added approximately **0.28 days** to dwell time, linking coordination quality directly to clearance delay (Nguvumali & Kasembe, 2025).

A customs-telematics simulation in Southern Africa estimated that combining analytics with telematics could reduce cross-border delays by roughly one day on average, and by 80-90% in some specific workflows, while improving compliance rather than weakening it (Hoffman et al., 2016). This is an important result for Turnaround's positioning: visibility and compliance are complements, not trade-offs, which lowers the political cost of adoption among regulatory stakeholders.

6.2 Fleet telematics is associated with better transporter performance

In Mombasa County, vehicle tracking significantly improved transporter operational performance, with route management, speed monitoring and real-time dispatch tracking identified as the key contributors (Kinyua et al., 2024). Tanzanian government-vehicle evidence is directionally similar, with digital tracking showing a positive and significant effect on operational performance (Mohamed & Runyoro, 2025). More broadly, telematics integrates GPS, diagnostics, sensors and communications to support route optimisation, driver management, maintenance, safety and cost control (Victor, 2025; Brits & Waiyaki, 2015). Advanced platforms use real-time routing and virtual boundaries to reduce travel time, fuel cost and unauthorised route deviation (Victor, 2025).

Centralised visibility is a recurring market need in its own right, because multiple actors resell or subcontract transport services and therefore require a uniform tracking layer rather than isolated point tools (Huk & Kurowski, 2021).

6.3 Manual and hybrid workflows remain common

East African freight forwarding still relies heavily on paper-based and offline processes that are slow, error-prone and costly (Mary & Mayengo, 2023), and manual documentation continues to produce errors, delays, penalties and poor service quality in customs clearance (Ibrahim et al., 2025). Digital freight platforms can reduce interface complexity through automation, but adoption is shaped by competing incentives around transparency and standardization some actors benefit commercially from opacity (Bossong et al., 2025). This strengthens the case for Turnaround's workflow layer while cautioning that data-sharing must be designed around incentives, not assumed.

- **Regional trucking performance** is an improvement over the status quo, especially on the Northern Corridor, where border facilitation and better fleet management have already raised productivity and lowered long-distance trucking prices (Kunaka et al., 2016). The direction of travel is favourable; the coordination layer is what remains missing.

7. What the Evidence Says a Solution Must Do

Telematics can already capture location, movement, trip timestamps and event states in real time (Brits & Waiyaki, 2015; Charanaraj et al., 2019). The binding constraints therefore sit above the sensing layer. Four requirements follow directly from the evidence.

- **Detect corridor events:** such as arrival, dwell, departure and route deviation, derived from raw GPS streams rather than from manual declaration (Brits & Waiyaki, 2015; Charanaraj et al., 2019).
- **Synchronise actors:** across ports, ICDs, customs and carriers through shared scheduling and common visibility, because silos and asynchronous uploads are a documented source of clearance delay (Nguvumali & Kasembe, 2025; Huk & Kurowski, 2021).
- **Quantify business impact:** by converting excess dwell into idle cost, demurrage exposure and service risk, which is the step prior corridor studies omitted (Hoffman et al., 2023; Chadenyile & Kasembe, 2025; Hoffman et al., 2016).
- **Support reform, not just monitoring:** because border and customs facilitation improves fleet productivity only when procedures change alongside the technology (Fitzmaurice & Hartmann, 2013; Kunaka et al., 2016; Ibrahim et al., 2025).

8. Constraints, Adoption Risk and Governance

The biggest risk is not whether Turnaround can detect location events. The bigger risk is whether multiple actors will share data consistently across fragmented corridor institutions (Raphael, 2025; Nguvumali & Kasembe, 2025). East African digital systems still face interoperability gaps, infrastructure limits, network downtime, low digital skills and uneven practical performance (Raphael, 2025). Customs procedures remain a major drag on trade facilitation and explain a large share of observed performance variation at Dar es Salaam (Kaaya, 2026).

Corridor reforms work best when they combine technology with governance and process redesign (Hoffman et al., 2023). Border modernisation through one-stop border posts helps, but the literature consistently emphasises coordination, harmonised procedures, linked weighbridges, integrated ICT and shared corridor management over infrastructure alone (Fitzmaurice & Hartmann, 2013; Hoffman et al., 2023; Kipkoech & Mugambi, 2014; Kunaka et al., 2016).

Corridor megaproject research around LAPSET and other Eastern African corridors adds a further caution: top-down corridor visions are consistently reshaped by local institutional and political realities, and anticipated benefits are contested by the actors who must live with them (Chome et al., 2020; Aalders et al., 2021). Adoption will therefore be social and organisational, not merely technical. A platform that presents delay attribution as a shared operational fact - rather than as an instrument of blame - is more likely to survive that politics.

Risk	Evidence	Mitigation implied by the literature
Data-sharing refusal	Institutional silos and competing transparency incentives (Nguvumali & Kasembe, 2025; Bossong et al., 2025)	Start single-tenant with the transporter as the paying customer; add counterparties once value is demonstrated.
Connectivity and uptime	Downtime and infrastructure limits erode measured benefits (Raphael, 2025)	Store-and-forward event capture; publish reliability metrics as a product commitment.
Procedural drag persists	Customs procedures explain much performance variation (Kaaya, 2026; Ibrahim et al., 2025)	Design outputs usable as evidence in facilitation dialogue, not only internal dashboards.
Political contestation	Corridor visions reshaped by local realities (Chome et al., 2020; Aalders et al., 2021)	Neutral, node-level attribution; avoid framing that assigns institutional blame.

Table 3. Adoption risks and the mitigations the literature implies.

9. Product Implications and Build Sequence

The best initial version of Turnaround is not a generic vehicle tracker. The research most strongly supports a **corridor event intelligence** product that detects arrivals and dwell, attributes delay to specific facilities or corridor nodes, and translates excess time into idle cost, service risk and demurrage exposure (Hoffman et al., 2023; Chadenyile & Kasembe, 2025). That positioning is stronger than a broad “AI logistics” claim because it matches the clearest evidence gap: East African systems are often digitised, but still insufficiently integrated, quantified and operationally synchronised (Raphael, 2025).

A practical go-to-market path is to start where measurement is clearest and payback is shortest: port gates, ICDs, border posts, weighbridges and high-volume customer facilities (Hoffman et al., 2023; Morwa & Ndilito, 2024; Nguvumali & Kasembe, 2025; Kipkoech & Mugambi, 2014; Kunambi & Zheng, 2025). These nodes already generate visible waiting, measurable dwell and direct financial pain, which makes them the best environments for proving value.

Phase	Capability	Evidence rationale	Precondition
Phase 1	High-confidence event capture at ports, ICDs, border posts, weighbridges and customer facilities	Telematics reliably produces location, movement and event states; nodes with visible waiting give the shortest proof cycle	Device coverage and event-accuracy benchmarking
Phase 2	Delay-to-cost translation: idle cost, demurrage exposure, service-risk metrics	Delay variability drives up to 80% of corridor cost; prior studies omitted user-level economic translation	Verified dwell events and agreed cost parameters
Phase 3	Shared multi-party visibility and scheduling coordination	Coordination quality maps directly onto clearance delay; slot booking cuts queues without capital expenditure	Counterparty onboarding and data-sharing agreements
Phase 4	Predictive delay analytics and resource optimisation	Modelling support exists but is less corridor-specific than tracking evidence	Reliable, sustained multi-party data of sufficient volume

Table 4. Evidence-derived build sequence. Each phase depends on the data quality established by the phase before it.

The sequencing point is emphatic in the literature: predictive models should be added only after the platform has reliable multi-party data, because current evidence is considerably stronger for visibility and coordination than for advanced corridor-specific AI (Kunambi & Zheng, 2025; Heinbach et al., 2022).

10. Limitations of the Evidence Base

Three limitations should be stated plainly. First, much of the East African node-level evidence is survey-based and cross-sectional, which supports association rather than causal attribution; the Dar es Salaam cargo-handling findings and the Mombasa tracking findings are of this type (Chadenyile & Kasembe, 2025; Kinyua et al., 2024). Second, the strongest quantified benefit estimates come either from a Southern African simulation (Hoffman et al., 2016) or from adoption studies whose effect sizes are conditional on reliable system use (Raphael, 2025), so they should be treated as plausible upper bounds rather than expected values. Third, no study in this set evaluates a platform that performs all four functions Turnaround proposes: observation, attribution, sharing and economic translation in combination. That absence is precisely the research gap, but it also means the integrated proposition remains to be demonstrated empirically. Turnaround's own deployment data would constitute a genuine contribution to this literature.

11. Conclusion

Turnaround is a well-validated concept: strong support for the problem, strong support for the telemetry and workflow backbone, and moderate support for the more advanced predictive features. The problem is not merely delayed trucks, weak customs or missing dashboards in isolation. The real problem is the absence of an integrated operational intelligence layer that can **reliably observe delay, attribute it to specific corridor nodes, share that truth across institutions, and translate it into the economic consequences that justify intervention** (Raphael, 2025; Nguvumali & Kasembe, 2025; Hoffman et al., 2016).

The literature therefore supports building Turnaround first as a reliable, multi-tenant delay-visibility and cost-intelligence platform for East African corridor operations, and expanding into richer coordination and prediction once data quality and stakeholder integration are in place.

References

- Aalders, J., Bachmann, J., & Knutsson, P. (2021). The making and unmaking of a megaproject: Contesting temporalities along the LAPSET Corridor in Kenya. *Antipode*.
<https://doi.org/10.1111/anti.12720>
- Bosson, P., Reinhardt, A., & Elbert, R. (2025). Adoption drivers and barriers of digital freight transport platforms - An intermodal case study. *Electronic Markets*, 35.
<https://doi.org/10.1007/s12525-025-00780-0>
- Brits, A., & Waiyaki, E. (2015). Leveraging telematics for optimal fleet performance. *International Journal of Business and Economics*, 2, 49-63.
<https://doi.org/10.18488/journal.62/2015.2.2/68.2.49.63>
- Chadenyile, N., & Kasembe, P. E. A. (2025). The impact of cargo handling time on trade flow at Dar es Salaam Port. *Social Science and Humanities Journal*. <https://doi.org/10.18535/sshj.v9i10.2057>
- Charanaraj, N., Jayanth, S., Dhanush, V., Quardras, D., & Shahapur, V. S. (2019). Web information system for GPS vehicle tracking, telematics, communication and advanced fleet management system.
- Chome, N., Gonçalves, E., Scoones, I., & Sulle, E. (2020). ‘Demonstration fields’, anticipation, and contestation: Agrarian change and the political economy of development corridors in Eastern Africa. *Journal of Eastern African Studies*, 14, 291-309.
<https://doi.org/10.1080/17531055.2020.1743067>
- Christ, N., & Ferrantino, M. (2011). Land transport for export: The effects of cost, time, and uncertainty in Sub-Saharan Africa. *World Development*, 39, 1749-1759.
<https://doi.org/10.2139/ssrn.1483833>
- Dakora, E., Omoruyi, O., & Khosa, R. (2023). Challenges of cross-border retail trade in Southern Africa: The case of Beitbridge Port of Entry between South Africa and Zimbabwe.
<https://doi.org/10.14293/sblunisa.2023a011.rk>
- Fitzmaurice, M., & Hartmann, O. (2013). Border crossing monitoring along the Northern Corridor (pp. 1–60). <https://doi.org/10.1596/16555>
- Heinbach, C., Meier, P., & Thomas, O. (2022). Designing a shared freight service intelligence platform for transport stakeholders using mobile telematics. *Information Systems and e-Business Management*, 20, 847–888. <https://doi.org/10.1007/s10257-022-00572-5>
- Hoffman, A., Grater, S., Schaap, A., Maree, J., & Bhero, E. (2016). A simulation approach to reconciling customs and trade risk associated with cross-border freight movements. *South African Journal of Industrial Engineering*, 27, 251–264. <https://doi.org/10.7166/27-3-1659>
- Hoffman, A., Mutendera, C., & Venter, W. C. (2023). Comparing transport corridors based on total economic cost. *Journal of Advanced Transportation*. <https://doi.org/10.1155/2023/6336630>
- Hoffman, A. J., Mutendera, C., & Venter, W. C. ATINER’s Conference Paper Series TRA2022-2751.
- Huk, K., & Kurowski, M. (2021). The use of telematics systems in transport and forwarding management. 5th EAI International Conference on Management of Manufacturing Systems.
https://doi.org/10.1007/978-3-030-67241-6_25

- Ibrahim, A., Nekesa, M., & Tarus, J. K. (2025). Moderating effect of tax morale on the relationship between electronic cargo tracking systems (ECTS) and trade facilitation in Kenya. *Journal of Finance and Accounting*. <https://doi.org/10.70619/vol5iss7pp53-66-664>
- Kaaya, I. (2026). The impact of customs procedures on trade facilitation: Empirical evidence from Dar es Salaam Port, Tanzania. *The Accountancy and Business Review*. <https://doi.org/10.59645/abr.v18i2.778>
- Kinyua, N. N., Arani, W., & Egessa, M. M. (2024). Effect of fleet vehicle tracking on operational performance of road transporters in Mombasa County. *Asian Business Research Journal*. <https://doi.org/10.55220/25766759.232>
- Kipkoech, C., & Mugambi, F. (2014). The influence of hinterland transport inefficiencies on the performance of ports: A case study of Kenya Ports Authority.
- Kunaka, C., Raballand, G., & Fitzmaurice, M. (2016). How trucking services have improved and may contribute to economic development: The case of East Africa. <https://doi.org/10.35188/unu-wider/2016/196-3>
- Kunambi, M. M., & Zheng, H.-X. (2025). Optimizing African port hinterland connectivity using Markov processes, max-flow, and traffic flow models: A case study of Dar es Salaam Port. *Applied Sciences*. <https://doi.org/10.3390/app15041966>
- Kuteyi, D., & Winkler, H. (2022). Logistics challenges in Sub-Saharan Africa and opportunities for digitalization. *Sustainability*. <https://doi.org/10.3390/su14042399>
- Mary, S., & Mayengo, M. (2023). Web-based freight forwarding information system for logistics management in East Africa. *International Journal for Multidisciplinary Research*. <https://doi.org/10.36948/ijfmr.2023.v05i01.1544>
- Mohamed, M., & Runyoro, A.-A. K. (2025). Effect of fuel management information systems (FMIS) on the operational performance of government vehicles in Tanzania. *International Journal Paper Advance and Scientific Review*. <https://doi.org/10.47667/ijpasr.v6i2.408>
- Morwa, B. M., & Ndilito, N. (2024). Trade effects of non-tariff barriers in Tanzania: A case of the Dar es Salaam–Namanga busy border trade post. *African Scientific Annual Review*. <https://doi.org/10.51867/asarev.econ.1.1.10>
- Nguvumali, O., & Kasembe, E. (2025). Evaluating port-to-ICD logistical bottlenecks and their impact on customs clearance delays at EX NASACO Inland Container Depot, Tanzania. *Social Science and Humanities Journal*. <https://doi.org/10.18535/sshj.v9i09.1972>
- Raphael, C. (2025). Digitalization of logistics in East Africa: Potentials and bottlenecks. *Science Mundi*. <https://doi.org/10.51867/scimundi.5.2.39>
- Victor, L. J. (2025). Fleet telematics: Transforming transportation through data-driven solutions. *World Journal of Advanced Research and Reviews*. <https://doi.org/10.30574/wjarr.2025.26.1.1568>

Appendix A - Quantified Findings Register

Every numeric claim used in this document, with its source and the setting in which it was measured.

Finding	Value	Setting	Source
Share of total corridor cost attributable to delay variability in ineffective corridors	Up to 80%	Comparative corridor modelling	Hoffman et al. (2023)
Reduction in customs processing time with reliable digital logistics use	4.12 hours	East Africa	Raphael (2025)
Reduction in port dwell time with reliable digital logistics use	1.25 days	East Africa	Raphael (2025)
Reduction in cargo transit time with reliable digital logistics use	3.15 days	East Africa	Raphael (2025)
Added dwell per one-point rise in perceived logistical inefficiency	0.28 days	EX NASACO ICD, Tanzania	Nguvumali & Kasembe (2025)
Respondents reporting cargo-handling delays of four days or more	Over 70%	Dar es Salaam Port	Chadenyile & Kasembe (2025)
Average cross-border delay reduction from combined analytics and telematics	~1 day (80–90% in some workflows)	Southern Africa, simulation	Hoffman et al. (2016)

Table A1. Quantified findings register. Simulation-derived and adoption-conditional figures should be read as upper bounds.

Appendix B - Evidence Strength by Claim

Claim	Supporting sources	Strength
Corridor delay and delay variability are economically material	Christ & Ferrantino (2011); Hoffman et al. (2023); Kuteyi & Winkler (2022)	Strong

Claim	Supporting sources	Strength
Ports are a central bottleneck in the cost structure	Hoffman et al. (2023); Kunambi & Zheng (2025); Kipkoech & Mugambi (2014); Chadenyile & Kasembe (2025)	Strong
Borders, weighbridges and road frictions compound port delay	Morwa & Ndilito (2024); Fitzmaurice & Hartmann (2013); Dakora et al. (2023)	Strong
Telematics can reliably generate corridor event states	Brits & Waiyaki (2015); Charanaraj et al. (2019); Victor (2025)	Strong
Tracking improves transporter operational performance	Kinyua et al. (2024); Mohamed & Runyoro (2025)	Moderate to strong
Coordination tools reduce waiting without capital expenditure	Nguvumali & Kasembe (2025)	Moderate
Fragmented governance and interoperability are the binding risks	Raphael (2025); Nguvumali & Kasembe (2025); Kaaya (2026); Chome et al. (2020); Aalders et al. (2021)	Strong
Corridor-specific predictive analytics deliver operational value	Kunambi & Zheng (2025); Ibrahim et al. (2025)	Moderate

Table B1. Evidence strength by claim across the twenty-seven reviewed sources.

Source screening for this review was conducted using Consensus research engine, ResearchGate and Google. All sources are cited individually above and should be consulted in the original.