The OpenSMOKE++ Suite Version 0.2

May 22, 2015

OpenSMOKE++ is a general framework for numerical simulations of reacting systems with detailed kinetic mechanisms, including thousands of chemical species and reactions. The framework is entirely written in object-oriented C++ and can be easily extended and customized by the user for specific systems, without having to modify the core functionality of the program. The OpenSMOKE++ framework can handle simulations of ideal chemical reactors (plug-flow, batch, and jet stirred reactors), shock-tubes, rapid compression machines, and can be easily incorporated into multi-dimensional CFD codes for the modeling of reacting flows. OpenSMOKE++ provides useful numerical tools such as the sensitivity and rate of production analyses, needed to recognize the main chemical paths and to interpret the numerical results from a kinetic point of view. Since simulations involving large kinetic mechanisms are very time consuming, OpenSMOKE++ adopts advanced numerical techniques able to reduce the computational cost, without sacrificing the accuracy and the robustness of the calculations.

Copyrights

OpenSMOKE++ Suite © Copyright 2006-2015 by Alberto Cuoci All rights reserved

This software is subject to the terms of the license agreement hereinafter. This software may be used or copied only in accordance with the terms of this agreement. The software is and remains the sole property of Alberto Cuoci. Whenever the OpenSMOKE++ Suite is used to produce any publication, a detailed reference to the OpenSMOKE++ Suite should be reported.

The OpenSMOKE++ Suite can be used for non-commercial purposes only and cannot be freely distributed. The user is not allowed to use the OpenSMOKE++ Suite for commercial purposes. For any commercial use please contact the author at the following email address: alberto.cuociOpolimi.it

License agreement

Using this software implies the following terms and conditions acceptance. Any publication written using the OpenSMOKE++ Suite must report the following references:

- 1. Cuoci, A., Frassoldati, A., Faravelli, T., Ranzi E., OpenSMOKE++: An object-oriented framework for the numerical modeling of reactive systems with detailed kinetic mechanisms, Computer Physics Communications, 192, p. 237-264 (2015), DOI: 10.1016/j.cpc.2015.02.014
- 2. Cuoci, A., Frassoldati, A., Faravelli, T., Ranzi E., A computational tool for the detailed kinetic modeling of laminar flames: Application to C2H4/CH4 coflow flames, Combustion and Flame, 160(5), p. 870-887 (2013), DOI: 10.1016/j.combustflame.2013.01.011

Limited warranty

THIS SOFTWARE IS PROVIDED "AS IS" AND WITHOUT WARRANTIES AS TO PERFORMANCE OF MERCHANTABILITY OR ANY OTHER WARRANTIES WHETHER EXPRESSED OR IMPLIED. BECAUSE OF THE VARIOUS HARDWARE AND SOFTWARE ENVIRONMENTS INTO WHICH THIS LIBRARY MAY BE INSTALLED, NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS OFFERED. THE USER MUST ASSUME THE ENTIRE RISK OF USING THE LIBRARY.

Main developers

- Alberto Cuoci: kernel and core functions, ideal reactors, ODE solvers, CHEMKIN interpreter, graphical post-processor
- Mattia Bissoli: interfaces with third-party ODE and DAE solvers, internal combustion enegines, sensitivity analysis
- Alessandro Stagni: analysis and reduction of kinetic mechansims, portability to Mac OSX and Linux

Acknowledgments

We thank the members of CRECK Modeling Group at Politecnico di Milano for their many suggestions, bug reports, valuable comments on the source code, functionality, and documentation.

Contents

Co	ntents	3
1	Introduction	6
	1.1 Organization	
2	Installation	9
	2.1 List of supported operating systems	. 9
	2.2 Microsoft Windows	
	2.2.1 Installation of solvers	. 9
	2.2.2 Installation of license file	
	2.2.3 Notes about the OpenSMOKE++ Graphical Post-Processor	
	2.3 Linux	
	2.3.1 Installation of solvers	
	2.3.2 Installation of license file	
	2.3.3 Notes about the OpenSMOKE++ Graphical Post-Processor	
	2.3.4 Check your installation	
	2.3.5 Notes about shared libraries	
	2.4 Mac OS X	
	2.4.1 Installation of solvers	
	2.4.2 Installation of license file	
	2.4.3 Notes about the OpenSMOKE++ Graphical Post-Processor	
	2.4.4 Check your installation	
	2.4.4 Oncok your installation	. 17
3	Quick start	16
	3.1 Selection of thermodynamic data and kinetic mechanism	. 16
	3.2 Pre-processing of kinetic mechanism	. 17
	3.3 Preparation of batch reactor simulation	. 17
	3.4 Analysis of results (without graphical post-processor)	
	3.5 Analysis of results with OpenSMOKE++ graphical post-processor	
	3.6 Sensitivity analysis	
4	Kinetic pre-processor	23
5	Ideal reactors	24
6	Main dictionaries	25
U	3.1 Dictionary: CHEMKIN-PreProcessor	
	6.1.1 Additional comments	
	5.2 Dictionary: Batch Reactor	
	· ·	
	-	
	6.3 Dictionary: Perfectly Stirred Reactor	
	6.3.1 Additional comments	
	5.4 Dictionary: Shock Tube Reactor	
	*·	
	3.5 Dictionary: Plug Flow Reactor	. 35

CONTENTS 4

		6.5.1 Additional comments	35
	6.6	Dictionary: PremixedLaminarFlame1D (under development)	37
			39
7	Sub	-Dictionaries	11
	7.1		41
	•	v	41
			$\frac{11}{43}$
	7.2		43
	1.4	v	43
			43 43
	- 0		
	7.3	v i i	45
			45
			45
	7.4		45
			45
		7.4.2 Example	48
	7.5	Sub-Dictionary: Gas-Status	48
		7.5.1 Additional comments	48
		7.5.2 Examples	51
	7.6	•	51
		v 1	51
			51
	7.7		51
	1.1	· ·	54
			54
	70	1	54
	7.8		
			54
			56
	7.9	v 1	56
			56
		<u> •</u>	58
	7.10	·	58
		7.10.1 Additional comments	58
		7.10.2 Example	60
	7.11	Sub-Dictionary: NLS-TridiagonalBlock-Parameters	60
			62
			62
	7.12	*	- 63
		v	63
			65
		1.12.2 Diampie	50
8	Tute	orials	36
0	8.1		66
	0.1		66
		•	
			66 co
	0.0		68
	8.2		68
		•	69
			69
		8.2.3 Note	69
	8.3	Simulating a Shock-Tube experiment	69
		8.3.1 Setup	71
		8.3.2 Results	71
			72
	8 4		. – 72

5
5

		Setup	
9	Publication	ons using $OpenSMOKE++$	7 6
В	ibliography	7	78

Introduction

The OpenSMOKE++ Suite is a collection of "standard solvers" for performing kinetic analyses with detailed kinetic mechanisms, with hundreds of species and thousands of reactions. The word "solver" has to be intended as an independent program, built with the aim to perform a specific task (for example to simulate a batch reactor, or to model a shock-wave, etc.). Thus, in the following, the OpenSMOKE++ Suite definition will be used to refer to the collection of OpenSMOKE++ standard solvers. The list of available solvers (which is continuously growing) includes:

- 1. a kinetic pre-processor, a utility which is able to read, pre-process and analyze kinetic mechanisms written in the CHEMKIN format [3, 4, 2]. Its main purpose is to rewrite the kinetic scheme in a XML format which can be efficiently used by the OpenSMOKE++ Suite solvers;
- 2. a collection of solvers (i.e. independent executable files), one for each system to simulate. In other words, the OpenSMOKE++ Suite provides the solver dedicated to the simulation of plug flow reactors, the solver dedicated to the simulation of batch reactors, and so on. These solvers are completely independent from each other, but need the same pre-processed kinetic mechanism in XML format generated by the kinetic pre-processor described above;
- 3. a graphical post-processor, to easily post-process the simulation results. It is able not only to plot the usual profiles of temperature, pressure, composition, etc. along the time or space coordinate, but it is extremely useful to rapidly perform sensitivity analyses, rate of production analyses, and to draw flux diagrams. The figure below show a schematic diagram of the OpenSMOKE++ Suite.




Figure 1.1: The OpenSMOKE++ Suite structure

1.1 Organization

The OpenSMOKE++ Suite consists of several executable files, libraries and utilities which are organized in several folders, as reported in the following:

- bin
- docs
- examples
- kinetic-mechanisms
- lib
- quick-start
- tutorials

bin

The bin folder contains the executable files to pre-process kinetic schemes in CHEMKIN format, to simulate ideal reactors (batch, perfectly stirred, plug-flow reactors, and shock tubes) and to graphically post-process the results. Together with the executables, the bin folder includes the needed dll libraries (for Microsoft Windows users) or the needed shared libraries (for Linux users) are available. We recommend to leave these libraries in the same bin folder containing the executable files.

docs

The docs folder contains documentation files.

examples

The examples folder, as suggested by the name, contains several examples to learn how to run the simulation for the ideal reactors available in the OpenSMOKE++ Suite. We strongly recommend to look at the examples reported in this folder to have more information about the most advanced options. All the examples can be simulated by simply double-clicking on the Run.bat file (for Microsoft Windows users) or running the Run.sh file (for Linux users).

kinetic-mechanisms

The kinetic-mechanisms folder contains several kinetic schemes in CHEMKIN format freely available from the web. Most of them are from the CRECK Modeling Group at Politecnico di Milano and can be downloaded at the following address: http://creckmodeling.chem.polimi.it/. For each kinetic scheme, at least the thermodynamic and the kinetic files are provided.

lib

The lib folder (available only for Linux platforms) contains the shared libraries needed to run the solvers and the graphical post-processor. In particular, the current version of OpenSMOKE++ Suite includes shared libraries for Boost C++, Intel MKL, and Sundials Suite.

quick-start

The quick-start folder contains the examples described in the Quick-Start Section (Chapter 3) of this User's Guide.

tutorials

The Tutorial folder contains the examples described in the Tutorials Section (Chapter 8) of this User's Guide.

1.2 How the OpenSMOKE++ Solvers work

All the OpenSMOKE++ Suite solvers, together with the kinetic pre-processor, do not have any graphical interface. They are based on input files in ASCII format. Only the graphical post-processor works with a GUI (Graphical User Interface), based on the QT libraries. This means that if you want to pre-process a kinetic mechanism (together with the thermodynamic and transport properties) or you want to simulate a reactor, your input conditions must be provided through one or more input files. These are simple ASCII files which can be written and modified using a generic text editor, like Notepad, Notepad++, Microsoft Word, gedit, etc. In the following lines, an example of perfectly stirred reactor is reported:

```
Example of input file for OpenSMOKE++
1
2
   Dictionary Perfectly Stirred Reactor
3
   {
4
            @KineticsFolder POLIMI H2CO NOX 1311;
5
                              Adiabatic — Constant Pressure;
            @InletStatus
                              Inlet-Composition;
            @Residence Time
                              1 s:
8
            @Volume
                              100 cm3;
9
   }
10
11
   Dictionary Inlet - Composition
12
   {
13
14
            @Temperature
                                1000 K ;
            @Pressure
                                101325 Pa;
15
            @EquivalenceRatio 1.;
16
                                H2 1.;
            @FuelMoles
17
            @OxidizerMoles
                                O2 21 N2 79;
18
   }
19
```

The main rules to write the input files are listed below:

- 1. The comments must be preceded by the // keyword. A comment can be inserted at the beginning or in the middle of a line. Every word or number reported after the // keyword is considered as a comment and ignored.
- 2. The input data must be organized in Dictionaries, i.e. homogeneous input data have to be collected together in the same structure (see the example above).
- 3. Each dictionary is defined by the Dictionary word, followed by the name of the dictionary. The options belonging to this dictionary have to be reported between the { and the } symbols.
- 4. Each keyword begins with the @ symbol, usually requires one or more options (bool variables, number, strings, etc.)
- 5. Each input line must end with the; symbol.

In the example reported above, which refers to a steady-state, perfectly stirred reactor, two different dictionaries were defined, with names equal to PerfectlyStirredReactor and Inlet-Composition, respectively. In each of these two dictionaries, several input data are specified through different keywords. The available options depend on the solver you are using. Please, look at Chapters 6 and 7, where the complete list of options available for each kind of reactor are reported and explained.

Installation

This section describes in details the procedure to install the OpenSMOKE++ Suite on your machine.

2.1 List of supported operating systems

Microsoft Windows family

- Microsoft Windows 8 (32/64 bit)
- Microsoft Windows 7 (32/64 bit)
- Microsoft Windows XP (32/64 bit)

Linux family

- OpenSuse 13 (64 bit)
- Fedora 21 (64 bit)
- Ubuntu 12.04 (64 bit) and higher
- Xubuntu 12.04 (64 bit) and higher

Mac OS X

• Mac OS X 10.7 (64 bit) and higher

If your operating system does not appear in the list reported above, we suggest to install an Oracle VirtualBox (https://www.virtualbox.org/) running Ubuntu 14.04 or 15.04 (http://www.ubuntu.com/).

2.2 Microsoft Windows

Prerequisites for the graphical post-processor:

- Irfanview: http://www.irfanview.com/
- Graphiviz: http://www.graphviz.org

2.2.1 Installation of solvers

In order to install the OpenSMOKE++ Suite, simply double-click on the msi file. If you want to replace the existing version of OpenSMOKE++ Suite with a newer version, before proceeding with the new installation, we recommend to uninstall the previous version through the Control Panel -> Add/Remove Programs utility available in Microsoft Windows.

Once you installed the software, the environment variables have to be updated using the following procedure:

- 1. From the Start button, select Computer, right-click on it and select Properties
- 2. Click the Advanced System Settings link in the left column.
- 3. In the System Properties window, click on the Environment Variables button near the bottom of that tab.
- 4. In the Environment Variables window, create a new variable with name OPENSMOKEPP_EXE_FOLDER in the User variables section and click the Edit button. This variable has to point to the bin folder of your OpenSMOKE++ Suite installation. Of course the path depends on your system (i.e. on the location where you installed the OpenSMOKE++ Suite). As an example, if you installed the OpenSMOKE++ Suite in the C:\OpenSMOKE++ Suite folder, the following string should be assigned to the OPENSMOKEPP_EXE_FOLDER:

```
"C:\OpenSMOKE++_{\sqcup}Suite\bin"
```

Remember to use the " " symbols if your path contains empty spaces.

2.2.2 Installation of license file

The solvers belonging to OpenSMOKE++ Suite can be used only if a suitable license file (called license.dat) is available. The license.dat file must be present in the bin folder.

2.2.3 Notes about the OpenSMOKE++ Graphical Post-Processor

In order to use all the features of the graphical post-processor, the installation of the Graphviz library and the Irfanview software are strongly recommended. Without them, you cannot perform automatic generation of flux diagrams. However, all the other features of graphical post-processor work correctly even without the Graphviz library and the Irfanview software.

Instructions to install the Graphviz library

In order to create the flux analysis plots, the Graphviz software must be installed on your machine. You can download it from http://www.graphviz.org/. Once you installed the software, you have to update the environment variables using the following procedure:

- 1. From the Start button, select Computer, right-click on it and select Properties
- 2. Click the Advanced System Settings link in the left column.
- 3. In the System Properties window, click on the Environment Variables button near the bottom of that
- 4. In the Environment Variables window, highlight the PATH variable in the User variables section and click the Edit button. Add or modify the path lines with the paths you want the computer to access. Each different directory is separated with a semicolon. In particular, modify the PATH variable by adding the path to the bin folder contained in the main Graphviz folder. Of course the path depends on your system (i.e. on the location where you installed the Graphviz library). As an example, if you installed the GraphViz library in the C:\Program Files (x86)\Graphviz2.38 folder, the following string should be appended to the PATH variable:

```
C:\Program Files (x86)\Graphviz2.38\bin;
```

Instructions to install the Irfanyiew software

In order to automatically visualize the flux analysis plots, the Irfanview viewer must be installed on your machine. You can download it from http://www.irfanview.com/. Once you installed the software, you have to update the environment variables using the following procedure:

- 1. From the Start button, select Computer, right-click on it and select Properties
- 2. Click the Advanced System Settings link in the left column.

- 3. In the System Properties window, click on the Environment Variables button near the bottom of that tab.
- 4. In the Environment Variables window, highlight the PATH variable in the User variables section and click the Edit button. Add or modify the path lines with the paths you want the computer to access. Each different directory is separated with a semicolon. In particular, modify the PATH variable by adding the path to the main Irfanview folder. Of course the path depends on your system (i.e. on the location where you installed the Irfanview library). As an example, if you installed the Irfanview library in the C:\Program Files (x86)\IrfanView folder, the following string should be appended to the PATH variable:

```
C:\Program Files (x86)\IrfanView;
```

2.3 Linux

Prerequisites for OpenSMOKE++ Suite Solvers:

• gfortran libraries: https://gcc.gnu.org/wiki/GFortran

Prerequisites for the graphical post-processor:

- Qt4 libraries: https://www.qt.io/download-open-source/
- Graphiviz: http://www.graphviz.org/

2.3.1 Installation of solvers

- 1. Be sure that **gfortran** libraries are available on your machine. If not, you can easily find precompiled packages for most Linux distributions (see paragraph 2.3.5).
- 2. Unpack the opensmoke++suite-0.2.tar.gz file using the following command:

```
tar -xzf opensmoke++suite -0.2.tar.gz
```

- 3. Update the environment variable settings:
 - a) if running bash or ksh (if in doubt type: echo \$SHELL): edit your \$HOME/.bashrc file by adding the following line:

```
export PATH=$PATH:/path_to_opensmoke_suite/bin
export LD_LIBRARY_PATH=$LD_LIBRARY_PATH:/path_to_opensmoke_suite/|ib
```

b) if running tcsh or csh:

edit your \$HOME/.cshrc file by adding the following line:

```
setenv PATH $PATH\:/path_to_opensmoke_suite/bin
setenv LD_LIBRARY_PATH $LD_LIBRARY_PATH\:/path_to_opensmoke_suite/|ib
```

As an example, if you unpacked the opensmoke++suite-0.2.tar.gz file directly in your home folder, the following line has to be added (in case of bash):

```
export PATH=$PATH:$HOME/opensmoke++suite -0.2/bin
```

4. Close the terminal and open a new terminal or source the updated \$HOME/.bashrc or \$HOME/.cshrc

2.3.2 Installation of license file

The OpenSMOKE++ Suite solvers can be used only if a suitable license file (called license.dat) is available. The license.dat file must be present in the bin folder.

2.3.3 Notes about the OpenSMOKE++ Graphical Post-Processor

In order to use all the features of the graphical post-processor, the QT4 libraries are needed. Moreover, the installation of the Graphviz library (even if not strictly needed) is strongly recommended. Without it, you cannot perform automatic generation of flux diagrams. However, all the other features of graphical post-processor work correctly even without the Graphviz library.

Instructions to install the Qt4 libraries

Precompiled Qt4 libraries are already available in most Linux distributions (e.g. Ubuntu, Xubuntu, Debian, Mandriva), which means that you do not have to install them. Thus, the instructions below refer to Linux distributions which are distributed without Qt4 libraries (e.g. OpenSuse).

1. Installation of pre-compiled libraries (recommended)

Even if not available in the basic distribution, precompiled Qt4 libraries available for most Linux distributions. Please, follow the instructions specific to the distribution you are using.

2. Compilation from source code

If no pre-compiled libraries are available for your Linux distribution, you need to compile the source code. It can be download it from https://www.qt.io/download-open-source/. Please, follow the instructions provided in the source code to compile and install the library. Be sure that the LD_LIBRARY_PATH environment variable includes the lib folder of installed Qt4 library.

Instructions to install the Graphviz library

In order to create the flux analysis plots, the Graphviz software must be installed on your machine. Two options are possible: installation of pre-compiled binaries (if available for your Linux distribution) or compilation from source code.

1. Installation of pre-compiled binaries

If available for your Linux distribution, you can simply install the Graphviz library directly from the pre-compiled binaries.

Fedora

The easiest way to install and maintain graphviz on Fedora is to use yum. To set up yum, download the graphviz-fedora.repo http://www.graphviz.org/graphviz-fedora.repo. Save it (as root) in /etc/yum.repos.d/ Then you can (as root) type:

```
yum list available 'graphviz*'
yum install 'graphviz*'
```

OpenSuse

Use the Yast utility to install GraphViz.

Ubuntu and Xubuntu

type the following command in a terminal:

```
sudo apt—get install graphviz
```

2. Compilation from source code

If no pre-compiled binaries are aviable for your Linux distribution, you need to compile the source code. It can be download it from http://www.graphviz.org/. Please, follow the instructions provided in the source code to compile and install the library. Be sure that the PATH environment variable includes the bin folder of installed GraphViz library.

2.3.4 Check your installation

1. Check if installation of solvers was done properly: go to the quick-start\01-adiabatic-batch-reactor folder and run the simulation by typing

```
./Run.sh
```

2. Check if installation of graphical post-processor was done properly: from the same folder, type

```
OpenSMOKE_PostProcessor . sh
```

If error messages about missing shared libraries appear, have a look at the Notes reported below.

2.3.5 Notes about shared libraries

You may experience some in running OpenSMOKE++ Suite solvers and/or graphical post processor, especially if you use are not using a Ubuntu Linux distribution. In most cases, the typical errors are about missing shared libraries:

```
error while loading shared libraries: name_of_library.so
```

In that cases you need to install the missing library/libraries. In particular, be sure to have the Qt4 and fortran libraries properly installed on your machine.

Here below we reported a list of known issues, together with possible solutions:

• Fedora

```
Error message: error while loading shared libraries: libgfortran.so.x Solution: su -c 'yum install gcc-gfortran'
```

• OpenSuse

```
Error message: error while loading shared libraries: libQtGui.so.x Solution: install libqt4 using Yast
```

• Ubuntu and Xubuntu

```
Error message: error while loading shared libraries: libgfortran.so.x Solution: sudo apt-get install libgfortran
```

• Xubuntu

```
Error message: error while loading shared libraries: libaudio.so.x Solution: sudo apt-get install libaudio2
```

2.4 Mac OS X

Prerequisites for OpenSMOKE++ Suite Solvers:

• gfortran libraries: https://gcc.gnu.org/wiki/GFortranBinaries#MacOS

Prerequisites for the graphical post-processor:

• Graphiviz: http://www.graphviz.org/Download_macos.php

2.4.1 Installation of solvers

1. Be sure that gfortran libraries are available on your machine. If not, you can download and installed precompiled libraries for your Mac OS X at the following web-address:

https://gcc.gnu.org/wiki/GFortranBinaries#MacOS

2. Unpack the opensmoke++suite-0.2-macos.tar.gz file using the following command:

```
tar -xzf opensmoke++suite -0.2-macos.tar.gz
```

3. Update the environment variable settings:

edit your \$HOME/.bashrc_profile file (or your \$HOME/.profile file, depending on your settings) by adding the following line:

```
export PATH=$PATH:/path_to_opensmoke_suite/bin
```

As an example, if you unpacked the opensmoke++suite-0.2-macos.tar.gz file directly in your home folder, the following line has to be added:

export PATH=\$PATH:\$HOME/opensmoke++suite-0.2-macos/bin

4. Close the terminal and open a new terminal (or source the updated \$HOME/.bashrc_profile or your \$HOME/.profile, depending on your settings)

2.4.2 Installation of license file

The OpenSMOKE++ Suite solvers can be used only if a suitable license file (called license.dat) is available. The license.dat file must be present in the bin folder.

2.4.3 Notes about the OpenSMOKE++ Graphical Post-Processor

In order to use all the features of the graphical post-processor, the installation of the Graphviz library (even if not strictly needed) is strongly recommended. Without it, you cannot perform automatic generation of flux diagrams. However, all the remaining features of graphical post-processor work correctly even without the Graphviz library.

Instructions to install the Graphviz library

In order to create the flux analysis plots, the Graphviz software must be installed on your machine. Two options are possible: installation of pre-compiled binaries (recommended) or compilation from source code.

1. Installation of pre-compiled binaries

Precompiled Graphviz is available at the following web address: http://www.graphviz.org/Download_macos.php

2. Compilation from source code

The source code can be download it from http://www.graphviz.org/. Please, follow the instructions provided in the source code to compile and install the library. Be sure that the PATH environment variable includes the bin folder of installed GraphViz library.

2.4.4 Check your installation

1. Check if installation of solvers was done properly: go to the quick-start\01-adiabatic-batch-reactor folder and run the simulation by typing

```
./Run.sh
```

2. Check if installation of graphical post-processor was done properly: from the same folder, type

open /path_to_opensmoke_suite/bin/OpenSMOKE_PostProcessor.sh.app

As an example, if you installed OpenSMOKE++ in your home directory, you can type: \$HOME/opensmoke++suite-0.2-macos/bin/bin/OpenSMOKE_PostProcessor.sh.app

Quick start

In this section we describe how to setup and run a typical OpenSMOKE++ simulation. As a first example, the attion will be focused on an adiabatic batch reactor, whose initial composition is a stoichiometric mixture of syngas (40% H2, 60% CO) and air (21% O2, 79% N2) at 10 atm and 600 K.

3.1 Selection of thermodynamic data and kinetic mechanism

In order to run simulations with OpenSMOKE++ Suite solvers, the user needs a kinetic scheme describing the homogeneous (gas-phase) and, optionally, also the heterogeneous (surface) reactions, and the thermodynamic properties for each species included in the kinetic mechanism. The current version of OpenSMOKE++ requires that the kinetic scheme, together with the thermodynamic and (optionally) transport properties, is provided in the CHEMKIN format. Kinetic mechanisms and thermodynamic and transport data in CHEMKIN-compatible format are available from several research groups. In particular, a non exaustive list is reported in the following:

• The CRECK Modeling group at Politecnico di Milano provides detailed kinetic mechanisms describing pyrolysis, combustion, and oxidation of several fuels: hydrogen, methane, propane, PRF, diesels, jet-fuels, biofuels, etc.

http://creckmodeling.chem.polimi.it/

- Lawrence Livermore National Laboratory has posted combustion mechanisms, including thermodynamic data, transport data, and reaction sets for flame simulations with hydrogen and various hydrocarbon fuels.
 - https://www-pls.llnl.gov/?url=science_and_technology-chemistry-combustion-mechanisms
- The Combustion Division of the Center for Energy Research at the University of California-San Diego has
 posted Chemical-kinetic Mechanisms for Combustion Applications, including nitrogen, JP10 and heptane
 chemistry.
 - http://web.eng.ucsd.edu/mae/groups/combustion/mechanism.html
- The Combustion Group at Princeton University provides mechanisms for combustion of chlorinated and fluorinated compound mixtures with methane, and for high-pressure methane and propane flames.
 - http://www.princeton.edu/mae/people/faculty/dryer/homepage/kinetic_models/
- Professor Alexander Burcat of Technion Israeli Institute of Technology has posted his database of thermodynamic properties. The data has been collected from many sources and is critically reviewed and frequently updated. The Burcat. Thr file is in CHEMKIN format but contains comments and descriptive text about each species, so that file would require some user manipulation (commenting out text lines) in order to use directly in CHEMKIN programs.
 - http://garfield.chem.elte.hu/Burcat/burcat.html
- The Gas Research Institute (GRI) funded development of the GRI-mech, which is a CHEMKIN mechanism for natural gas combustion, including thermodynamic properties and rates. You can download the most recent version of GRI-mech from the GRI-mech website.
 - http://combustion.berkeley.edu/gri-mech/

Please, look at the CHEMKIN user's guide to find the syntax rules to correctly write and modify the files describing the kinetic mechanism and the thermodynamic and transport properties.

In this example we will use the POLIMI_H2CO_NOX_1412 kinetic mechanism of CRECK Modeling group at Politecnico di Milano. This is a detailed kinetic mechanism describing the combustion of mixtures of hydrogen and carbon monoxide, consisting of 32 species involved in more than 170 reactions. It is available in the kinetic-mechanisms\POLIMI_1412\Kinetics folder or, alternatively, it can be freely downloaded from the following page: (http://creckmodeling.chem.polimi.it/). The thermodynamic data are available in the kinetic-mechanisms\POLIMI_1412\Thermodynamics folder. In particular, for the purposes of this first example, we need only the thermodynamic data (POLIMI_TOT_NOX_1412.CKT file) and the kinetic mechanism (POLIMI_H2CO_NOX_1412.CKI file). The transport data are not needed for the simulation of a batch reactor.

3.2 Pre-processing of kinetic mechanism

Before using it in OpenSMOKE++ Suite, the kinetic scheme has be pre-processed and re-written in a new format. This operation can also be performed on-the-fly, i.e. directly when the simulation is started (see Section 7.6). However, in this first example, we prefer to perform this pre-processing operation as an independent step. The pre-processing of a kinetic mechanism (together with thermodynamic and transport data, if needed) must be performed only once, using a particular OpenSMOKE++ Suite solver, which is called OpenSMOKE_CHEMKIN_PreProcessor.

- 1. Create a new folder and copy there the the thermodynamic and kinetic files mentioned above (POLIMI_-TOT_NOX_1412.CKT and POLIMI_H2CO_NOX_1412.CKI, respectively).
- 2. Create a new input file (kinetics.dic inthe following, but in principle the user is free to choose the name he prefers) in which you specify the the thermodynamic and kinetic files and the destination folder:

3. Run the kinetic pre-processor using the following command (in Microsoft Windows):

```
%OPENSMOKEPP_EXE_FOLDER%\OpenSMOKE_CHEMKIN_PreProcessor.exe — input kinetics.dic
or (in Linux):
OpenSMOKE_CHEMKIN_PreProcessor.sh — input kinetics.dic
```

4. If everything works properly, you will find the result of this pre-processing operation in the folder you specified through the <code>@Output</code> option in the <code>kinetics.dic</code> file.

3.3 Preparation of batch reactor simulation

We are now ready to write the input file (batch.dic in the following) reporting the input data for the batch reactor simulation.

1. In the same folder where the kinetic mechanism has been pre-processed, create a new text file, called batch.dic:

```
Dictionary BatchReactor
1
2
           @KineticsFolder
                                    POLIMI H2CO NOX 1412;
4
           @Type
                                    NonIsothermal—ConstantVolume;
           @Initia|Status
                                    initial — mixture;
5
           @EndTime
                                    0 01 s;
6
           @Options
                                    output-options;
```

```
}
8
    Dictionary initial - mixture
10
11
             @Temperature
                                   1000.
                                             Κ;
12
                                101325. Pa ;
             @Pressure
13
             @EquivalenceRatio
14
                                  1 ;
             @FuelMoles
                                   H2 40. CO 60.;
15
             @Oxidizer Moles
                                   O2 21 N2 79;
16
   }
17
18
    Dictionary output-options
19
    {
20
                                         2;
             @StepsFile
^{21}
22
```

For the meaning of each option and additional/alternative options, please look at Chapters 6 and 7.

2. Run the OpenSMOKE++ Suite solver for batch reactors (OpenSMOKE_BatchReactor) using the following command (in Microsoft Windows):

```
%OPENSMOKEPP_EXE_FOLDER%\OpenSMOKE_BatchReactor.exe — input batch.dic
or (in Linux):
OpenSMOKE_BatchReactor.sh — input batch.dic
```

3. If everything works properly, you will find the result of this pre-processing operation in the Output folder.

3.4 Analysis of results (without graphical post-processor)

The results of the simulations are written in the Output folder. In this particular example three files are available:

- FinalSummary.out: this file reports the initial and final status of the reacting mixture (temperature, pressure, density, composition, etc.)
- Output.out: it is organized in columns and the first row reports the meaning of each column, together with a number which refers to the column number. Both the mole and mass fractions of species are reported: the mole fractions have the x suffix, while the mass fractions the w suffix. You can easily import this file in Microsoft Excel, Matlab, etc. or you can use Gnuplot to directly plot (also on the fly) the results.
- Output.xml: XML output file to be used by the OpenSMOKE++ graphical post-processor (see next Section)

The profiles reported in the Output.out file can be easily plotted using Gnuplot, Microsoft Excel, Matlab, etc. In particular, we recommend to use Gnuplot. As an example, if you want to plot the mole fraction profiles of H2 versus time, in Gnuplot you can type:

```
p 'Output/Output.out' u 1:22 w | t 'H2'
```

Figure 3.1 shows additional profiles plotted with Gnuplot.

3.5 Analysis of results with OpenSMOKE++ graphical post-processor

In addition, you can analyze the results through the OpenSMOKE++ Graphical PostProcessor.

1. In order to graphically post-process the results you have to run the OpenSMOKE_PostProcessor file (contained in the bin folder of OpenSMOKE++ Suite).




Figure 3.1: Adiabatic batch reactor: Adiabatic batch reactor: examples of profiles of temperature and pressure (left) and main species (right). The plots have been obtained from the Output.out file, using gnuplot.




Figure 3.2: Adiabatic batch reactor: examples of profiles of main species (left) and OH radical and NO (right). The profiles have been obtained directly using the OpenSMOKE++ PostProcessor.

- 2. Select the folder containing the Output.xml file generated by the simulation by clicking on the Select Results... button. The Profiles button becomes now available. If you click on it, you have the possibility to plot the calculated profiles of species, temperature, pressure, etc. As an example, in Figure 3.2 profiles of selected species are reported.
- 3. If you want to perform more interesting post-processing analysis, you have to load also the pre-processed kinetic scheme. In order to do this, you should close the Profiles window and click on the Select Mechanism... button. Then you have to select the folder containing the kinetics.xml file generated by the kinetic pre-processor. Once you did this, the Rate of Production button becomes available. If you click on this button, a new window will be available. Here you have the possibility to plot formation rates for all the species and reaction rates for all the reactions (see Figure 3.3). You can analyze the distribution of characteristic times by looking at the eigenvalues of the Jacobian matrix, by clicking on the Analyze Characteristic Times button.
- 4. More interestingly, you can perform rate of production analysis for each species in the kinetic scheme through the Plot ROPA bars button (see Figure 3.4).
- 5. Eventually, you can also draw directly path diagrams through the Flux Analysis button (this feature is only available if you correctly installed the Graphviz library and the Irfanview solver as described at the beginning of this User's Guide). As an example, in the Type panel select the Local radio button and write 0.022 in the corresponding window (this is the time in seconds at which you want to perform the flux analysis). Select NO from the Species list, N element from the Element list, and Production from the Type panel. If you click on the Flux Analysis button, you should get the flux diagram reported in Figure 3.5.




Figure 3.3: Adiabatic batch reactor: Examples of profiles of reaction rates (left) and formation rates of selected species (right). The profiles have been obtained directly using the OpenSMOKE++ PostProcessor.




Figure 3.4: Adiabatic batch reactor: Examples of rate of production analyses for H2O and NO as calculated by suing the OpenSMOKE++ PostProcessor.




Figure 3.5: Adiabatic batch reactor: Example of flux analysis (NO production, Element N, Depth 1, Width 4)

3.6 Sensitivity analysis

The OpenSMOKE++ Suite provides several useful tools to perform sensitivity analysis, both for unsteady and steady-state problems. Sensitivity analysis is very important for kinetic studies, since it allows the quantitative understanding of how the numerical solution of the governing equations depends on the various parameters contained in the model itself. Only the first-order sensitivity coefficients with respect to the reaction rate coefficients (pre-exponential factors, activation energy or kinetic constant) can be calculated.

Since the calculation of first-order sensitivity coefficient is very time consuming, the user has to request explicitly the sensitivity analysis before running the simulation. Thus, in order to perform the sensitivity analysis we have to modify the batch.dic file, by adding a new dictionary:

```
Dictionary sensitivity—options
1
2
   {
           @Type
                                     arrhenius — parameters;
3
            @DenseSolver
                                     Eigen;
            @DenseFullPivoting
                                     false;
            @SubSteps
                                     NO NO2 CO2;
            @Species
7
  }
```

and enabling the sensitivity analysis calculation in the main BatchReactor dictionary, by adding the following command:

```
@Sensitivity Analysis sensitivity — options;
```

Now you can run the batch reactor simulation using the following command (in Microsoft Windows):

```
%OPENSMOKEPP_EXE_FOLDER%\OpenSMOKE_BatchReactor.exe — input batch.dic
```

or (in Linux):

```
OpenSMOKE_BatchReactor.sh — input batch.dic
```




Figure 3.6: Adiabatic batch reactor: Example of sensitivity analysis of NO.

If everything worked properly, you can now look at the results of sensitivity analysis using the OpenSMOKE++ PostProcessor. In particular, after selecting the folders containing the Output.xml file and the pre-processed kinetic mechanism, the third button, Sensitivity Analysis, will be available. You can now plot the specific sensitivity coefficient profiles for each species and reaction or a bar chart for every species. An example is reported in Figure 3.6.

Kinetic pre-processor

In order to preprocess a kinetic scheme, the OpenSMOKE++ Suite provides the OpenSMOKE_CHEMKIN_PreProcessor utility. The user has to supply the files containing the thermodynamic data, the kinetic mechanism, and (optionally) the transport data. For the simulation of ideal reactors, usually the transport data are not needed and therefore the user could choose to preprocess only the thermodynamic and the kinetic data. This is useful, since in many cases the transport data are not available. In order to run the OpenSMOKE_CHEMKIN_PreProcessor utility, the user has to write an input file containing the instructions (i.e. the dictionary) to perform the preprocessing and/or additional useful operations (checking of the thermodynamic properties, post-processing of reaction rates, etc.). The rules to write the dictionary are reported in Section 6.1. Please look at the tutorials to have more details. The OpenSMOKE_CHEMKIN_PreProcessor utility can be run from the command line using the following instructions, where it is assumed that the file containing the dictionary is called myinput.dic and the dictionary mydictionary:

1. in Microsoft Windows

```
%OPENSMOKEPP_EXE_FOLDER%\OpenSMOKE_CHEMKIN_PreProcessor.exe ——input myinput.dic ——dictionary mydictionary
```

Please, consider that the instruction reported above must be written in a single line. You can use multiple lines using the ^ symbol.

2. in Linux

```
OpenSMOKE_CHEMKIN_PreProcessor.sh — input myinput.dic — dictionary mydictionary
```

Notes

- 1. The --input option can be omitted. In this case the OpenSMOKE_CHEMKIN_PreProcessor assumes that the input file is called input.dic
- 2. The --dictionary option can be omitted. In this case the OpenSMOKE_CHEMKIN_PreProcessor assumes that the dictionary is called CHEMKIN_PreProcessor
- 3. In addition to several ASCII files (depending on the options specified in the dictionary), a kinetics.xml file will be generated by the OpenSMOKE_CHEMKIN_PreProcessor. This is the only file needed by the OpenSMOKE++ Suite solvers.

Ideal reactors

The ideal reactor simulations can be performed using the same approach used for pre-processing the kinetic mechanism, as described in Chapter 4. Thus, the user has to supply a proper dictionary containing the instructions and the options for running the simulation under investigation. As usual, the solver can be run using the following instruction from the command line (where it is assumed that the dictionary is called mydictionary, contained in myinput.dic file):

1. in Microsoft Windows

```
%OPENSMOKEPP_EXE_FOLDER%\OpenSMOKE_SolverName.exe — input myinput.dic — dictionary mydictionary
```

Please, consider that the instruction reported above must be written in a single line. You can use multiple lines using the ^ symbol.

2. in Linux

```
OpenSMOKE_SolverName.sh — input myinput.dic — dictionary mydictionary
```

Notes

- 1. The —input option can be omitted. In this case the OpenSMOKE_SolverName assumes that the input file is called input.dic The rules to write the dictionary for several ideal reactors are reported in Chapter 6. Please look at the tutorials to have more details.
- 2. The kinetic scheme can be provided in 2 different ways:
 - a) If a pre-processed version of the kinetic scheme is already available (i.e. the kinetics.xml file was already generated as described in Chapter4), the user can use directly this file, by providing the folder where it is contained (through the @KineticsFolder option)
 - b) The user can choose to pre-process the kinetic mechanism on the fly, by providing the paths to the kinetic files (usually through the @KineticsPreProcessor option)
- 3. At the end of the simulation, an Output.xml file will be written in the Output folder, together with additional files in ASCII format.

Main dictionaries

As better explained in the previous Chapters, the input data have to be provided through proper dictionaries, depending on the type of solver the user wants to run. In the current version of <code>OpenSMOKE++ Suite</code> six different solvers are available:

- 1. CHEMKIN-PreProcessor
- 2. Batch-Reactor
- 3. Perfectly-Stirred-Reactor
- 4. Shock-Tube-Reactor
- 5. Plug-Flow-Reactor
- 6. PremixedLaminarFlame1D (under development)

Each of the dictionaries reported below usually need additional options, which are based on sub-dictionaries, described in Chapter 7.

6.1 Dictionary: CHEMKIN-PreProcessor

This dictionary is used by the OpenSMOKE_CHEMKIN_Preprocessor solver with the aim to preprocess (i.e. interpret) a kinetic mechanism written in the standard CHEMKIN format. Only the thermodynamic file is strictly necessary, but, obviously, a kinetic mechanism must be provided if the aim is to perform simulations of reacting systems. For most of the ideal reactors no transport data are required and therefore the user could choose to pre-process only the thermodynamic and the kinetic files. According to the specified options, additional analysis can be easily and rapidly performed. Please consider that the kinetic and thermodynamic data must be always provided in two different files (i.e. the thermodynamic data cannot be added to the same file where the kinetic scheme is written).

6.1.1 Additional comments

@Thermodynamics

This option requires the name of the file (ASCII) containing the thermodynamic data (in CHEMKIN format). Both local and global paths can be accepted. Several useful files are automatically generated in the Output folder. In particular, the Thermodynamics_Coefficients.out file reports the correlation coefficients for the thermodynamic properties in a readable format. The Thermodynamics_Tables.out file reports the thermodynamic properties (specific heat, enthalpy, entropy, etc.) for each species as function of temperature.

@Kinetics

This option requires the name of the file (ASCII) containing the kinetic mechanism (in CHEMKIN format). Both local and global paths can be accepted. The Kinetics_Summary.out file reports the whole kinetic mechanism written in a more readable format.

Option	Type	Meaning
@Thermodynamics	PATH	Name of the file (ASCII) containing the thermodynamic data (CHEMKIN® format)
@Output	PATH	Name of the folder where the pre-processed data are written
@Transport	PATH	Name of the file (ASCII) containing the transport data (CHEMKIN® format)
©Kinetics	PATH	Name of the file (ASCII) containing the kinetic mechanism (CHEMKIN® format)
@CheckThermodynamics	BOOL	The thermodynamic data are checked and additional files are written in output (together with a consistent reformulation of thermodynamic data)
@OutputOldStyle	BOOL	The output file are written also using the old format used by the OpenSMOKE framework (before 2013)
@TransportFittingCoefficients	BOOL	The fitting coefficients for the transport properties are written on a file. Please consider that this operation is very slow for large kinetic mechanisms (more than 1000 species) and produces huge files
@Reaction Tables	BOOL	For each reaction detailed information is reported on a file (kinetic constants, change of moles, etc.)
@ReverseFitting	BOOL	For each reversible reaction the reverse kinetic constants are estimated assuming the Arrhenius' law
@Comments	SUBDICTIONARY [Comments]	Additional data (author name, comments, etc.) can be added to the pre-processed kinetic mechanism
@SparsityPatternAnalysis	BOOL	Additional analyses about the sparsity pattern of stoichiometric matrix and associated Jacobian matrix

Table 6.1: CHEMKIN-PreProcessor dictionary

@Transport

This option requires the name of the file (ASCII) containing the transport data (in CHEMKIN format). Both local and global paths can be accepted.

@Output

This can specify the name of the folder where the results of the simulation will be written. Both local and global paths can be accepted.

@CheckThermodynamics

This option allows to perform a detailed check of the thermodynamic data, to find possible inconsistent or unphysical data. The Thermodynamics_Status.out file reports a summary of the analysis of the thermodynamic data. In addition, a new file, containing new thermodynamic data, called Thermodynamics_Reformulated.out, will be provided. This new thermodynamic file is generated on the basis of the original thermodynamic data, which are made perfectly consistent at the transition temperature between low and high temperature correlations.

@TransportFittingCoefficients

The fitting coefficients for the transport properties (viscosity, thermal conductivity, mixture-averaged mass diffusion, and mixture-averaged thermal diffusion) for each species in the kinetic file are written on a file. Please consider that this operation is very slow for large kinetic mechanisms (more than 1000 species) and produces huge files (dimensions of Gb).

@ReactionTables

For each reaction detailed information is reported on the Reaction_Tables.out file (kinetic constants, change of moles, etc.). The Reaction_Tables.out file is self-explanatory.

@ReverseFitting

For each reversible reaction the reverse kinetic constants are estimated assuming the Arrhenius' law. The kinetic parameters of the reverse reactions are then written on the Reaction_FittedKinetics.out file.

@SparsityPatternAnalysis

Additional analyses about the sparsity pattern of stoichiometric matrix and associated Jacobian matrix

6.2 Dictionary: Batch Reactor

This dictionary is used for setting the simulation for a Batch Reactor. In the current version of OpenSMOKE++ Suite the user can simulate both isothermal and non-isothermal reactors. Both the constant volume and constant pressure constraints are available.

6.2.1 Additional comments

@KineticsFolder

This option is used to specify the name of the folder containing the kinetic scheme in XML Version (kinetics.xml). This file has to be generated using the OpenSMOKE_CHEMKIN_Preprocessor. Instead of using this option, the user has the possibility to pre-process the kinetic scheme on the fly using the OKineticsPreProcessor option (see below).

Option	Type	Meaning
@KineticsFolder	PATH	Name of the folder containing the kinetic scheme (XML Version)
©KineticsPreProcessor	SUBDICTIONARY [Rapid-Kinetics]	Dictionary containing the list of kinetic files to be interpreted (see Section 7.6)
@Type	STRING	Batch reactor type: Isothermal-ConstantVolume NonIsothermal-ConstantVolume Isothermal-ConstantPressure NonIsothermal-ConstantPressure
@InitialStatus	SUBDICTIONARY [Gas-Status]	Dictionary defining the initial gas composition, temperature and pressure (see Section 7.5)
@EndTime	MEASURE	Integration time for transient simulation
@StartTime	MEASURE	Start time for transient simulation (default 0)
@Volume	MEASURE	Volume of the reactor
@GlobalThermalExchangeCoefficient	MEASURE	Global thermal exchange coefficient U : $Q = UA(T - T_{env})$
@Environment Temperature	MEASURE	EnvironmentTemperature T_{env} : $Q = UA(T - T_{env})$
@ExchangeArea	MEASURE	Exchange area A: $Q = UA(T - T_{env})$
@VolumeProfile	SUBDICT [XY-Profile]	Dictionary defining the volume profile (see Section 7.7)
@PressureCoefficient	MEASURE	Coefficient for pressure increase (example: 1e5 Pa/s)
@SensitivityAnalysis	SUBDICT [Sensitivity-Analysis]	Dictionary containing additional options for sensitivity analysis (see Section 7.4)
@Options	SUBDICT [Output-Options]	Dictionary containing additional options for solving the batch reactor (see Section 7.3)
@OdeParameters	SUBDICT [ODE-Solver]	Dictionary containing the numerical parameters for solving the ODE system (see Section 7.2)
@ParametricAnalysis	SUBDICT [Parametric-Analysis]	Dictionary containing additional options for performing a parametric analysis (see Section 7.8)

Table 6.2: Batch Reactor dictionary

@KineticsPreProcessor

The user can pre-process a kinetic scheme available in CHEMKIN format on the fly, when the reactor simulation is performed (instead of pre-processing the kinetics in a previous step). This option is very useful when the kinetic mechanism is under construction and/or tuning and the user has the need to change often the reactions and the kinetic parameters. Please consider that the pre-processing operation can be quite long for very detailed kinetic schemes (thousands of species). The @KineticsPreProcessor option requires that the user specify the name of the sub-dictionary containing all the information needed to pre-process kinetic mechanisms on the fly. Please look at Section 7.6 to have more details.

@Type

This option is used to specify the type of reactor to simulate. Four different combinations are possible: Isothermal-ConstantVolume, NonIsothermal-ConstantPressure, NonIsothermal-ConstantP

@InitialStatus

This option is used to specify the features (temperature, pressure and composition) of the initial mixture (i.e. at time 0) in the batch reactor. The @InitialStatus option requires that the user specify the name of the corresponding sub-dictionary. Please look at Section 7.5 to have more details.

@EndTime

This is the residence time of the batch reactor.

@StartTime

Start time for transient simulation (default 0).

@Volume

This is the volume of the batch reactor. Please look at Section 7.7 to have more details.

@GlobalThermalExchangeCoefficient

Global thermal exchange coefficient U: $Q = UA(T - T_{env})$

@EnvironmentTemperature

EnvironmentTemperature T_{env} : $Q = UA(T - T_{env})$

@ExchangeArea

Exchange area A: $Q = UA(T - T_{env})$

@VolumeProfile

Dictionary defining the volume profile.

@PressureCoefficien

Coefficient for pressure increase (example: 1e5 Pa/s)

@SensitivityAnalysis

The user has to specify the name of the sub-dictionary in which the options for performing the sensitivity analysis are reported. Please look at Section 7.4 to have more details.

@Options

The user has to specify the name of the sub-dictionary in which the options devoted to the output operations are reported. Please look at Section 7.3 to have more details.

@OdeParameters

The user has to specify the name of the sub-dictionary in which the options about the ODE solver adopted for the solution of the reactor equations. Please look at Section 7.2 to have more details.

@ParametricAnalysis

Dictionary containing additional options for performing a parametric analysis. Please look at Section 7.8 to have more details.

6.3 Dictionary: Perfectly Stirred Reactor

This dictionary is used for setting the simulation for a Perfectly Stirred Reactor operating in unsteady or steady-state conditions. In the current version of OpenSMOKE++ Suite the user can simulate both isothermal and adiabatic reactors, only under the assumption of constant pressure.

6.3.1 Additional comments

@KineticsFolder

This option is used to specify the name of the folder containing the kinetic scheme in XML Version (kinetics.xml). This file has to be generated using the OpenSMOKE_CHEMKIN_Preprocessor. Instead of using this option, the user has the possibility to pre-process the kinetic scheme on the fly using the OKineticsPreProcessor option (see below).

@KineticsPreProcessor

The user can pre-process a kinetic scheme available in CHEMKIN format on the fly, when the reactor simulation is performed (instead of pre-processing the kinetics in a previous step). This option is very useful when the kinetic mechanism is under construction and/or tuning and the user has the need to change often the reactions and the kinetic parameters. Please consider that the pre-processing operation can be quite long for very detailed kinetic schemes (thousands of species). The @KineticsPreProcessor option requires that the user specify the name of the sub-dictionary containing all the information needed to pre-process kinetic mechanisms on the fly. Please look at Section 7.6 to have more details.

@Type

This option is used to specify the type of reactor to simulate. Two different combinations are possible: Isothermal-ConstantPressure, NonIsothermal-ConstantPressure.

@InletStatus

This option is used to specify the features (temperature, pressure and composition) of the inlet mixture in the perfectly stirred reactor. The @InletStatus option requires that the user specify the name of the corresponding sub-dictionary. Please look at Section 7.5 to have more details.

@InitialStatus

This option is used to specify the features (temperature, pressure and composition) of the initial mixture (i.e. at time 0) in the perfectly stirred reactor. This information is used only as a first guess solution to find the steady-state solution. The @InitialStatus option requires that the user specify the name of the corresponding sub-dictionary. Please look at Section 7.5 to have more details.

Option	Type	Meaning
@KineticsFolder	PATH	Name of the folder containing the kinetic scheme (XML Version)
@KineticsPreProcessor	SUBDICT [Rapid-Kinetics]	Dictionary containing the list of kinetic files to be interpreted (see Section 7.6)
@Type	STRING	Perfectly Stirred Reactor type: Isothermal-ConstantPressure NonIsothermal-ConstantPressure
©InletStatus	SUBDICT [Gas-Status]	Dictionary defining the inlet gas composition, temperature, and pressure (see Section 7.5)
@InitialStatus	SUBDICT [Gas-Status]	Dictionary defining the initial gas composition, temperature and pressure inside the reactor (see Section 7.5)
@ResidenceTime	MEASURE	Residence time
@EndTime	MEASURE	Integration time for the ODE solution
@Volume	MEASURE	Initial volume of reactor
@MassFlowRate	MEASURE	Inlet mass flow rate
@GlobalThermalExchangeCoefficient	MEASURE	Global thermal exchange coefficient U : $Q = UA(T - T_{env})$
@EnvironmentTemperature	MEASURE	Environment Temperature T_{env} : $Q = UA(T - T_{env})$
@ExchangeArea	MEASURE	Exchange area A: $Q = UA(T - T_{env})$
@SensitivityAnalysis	SUBDICT [Sensitivity-Analysis]	Dictionary containing additional options for sensitivity analysis (see Section 7.4)
@Options	SUBDICT [Output-Options]	Dictionary containing additional options for solving the perfectly stirred reactor (see Section 7.3)
@OdeParameters	SUBDICT [ODE-Solver]	Dictionary containing the numerical parameters for solving the ODE system (see Section 7.2)
@ Parametric Analysis	SUBDICT [Parametric-Analysis]	Dictionary containing additional options for performing a parametric analysis (see Section 7.8)

Table 6.3: Perfectly Stirred Reactor options

@ResidenceTime

This is the residence time of the perfectly stirred reactor.

@EndTime

This is the integration time for the solution of the ODE system. Since the user is interested in steady-state conditions, this number must be extremely large. The default value is 10^6 s.

@Volume

This is the volume of the perfectly stirred reactor.

@MassFlowRate

This is the mass flow rate of the inlet mixture.

@GlobalThermalExchangeCoefficient

Global thermal exchange coefficient U: $Q = UA(T - T_{env})$

@EnvironmentTemperature

Environment Temperature T_{env} : $Q = UA(T - T_{env})$

@ExchangeArea

Exchange area A: $Q = UA(T - T_{env})$

@Sensitivity Analysis

The user has to specify the name of the sub-dictionary in which the options for performing the sensitivity analysis are reported. Please look at Section 7.4 to have more details.

@Options

The user has to specify the name of the sub-dictionary in which the options devoted to the output operations are reported. Please look at Section 7.3 to have more details.

@OdeParameters

The user has to specify the name of the sub-dictionary in which the options about the ODE solver adopted for the solution of the reactor equations. Please look at Section 7.2 to have more details.

@ParametricAnalysis

Dictionary containing additional options for performing a parametric analysis. Please look at Section 7.8 to have more details.

6.4 Dictionary: Shock Tube Reactor

This dictionary is used for setting the simulation for a Shock Tube Reactor. In the current version of OpenSMOKE++ Suite the user can simulate both incident and reflected shock conditions.

Option	Type	Meaning
@KineticsFolder	PATH	Name of the folder containing the kinetic scheme (XML Version)
@KineticsPreProcessor	SUBDICT [Rapid-Kinetics]	Dictionary containing the list of kinetic files to be interpreted (see Section 7.6)
@Type	STRING	Shock-tube reactor type: IncidentShock, ReflectedShock
@BeforeShockStatus	SUBDICT [Gas-Status]	Dictionary defining the gas composition, temperature and pressure before the shock (see Section 7.5)
@AfterShockStatus	SUBDICT [Gas-Status]	Dictionary defining the gas composition, temperature and pressure after the shock (see Section 7.5)
@ReflectedShockStatus	SUBDICT [Gas-Status]	Dictionary defining the gas composition, temperature and pressure of the reflected shock (see Section 7.5)
@IncidentShockVelocity	MEASURE	Incident shock velocity
@ReflectedShockVelocity	MEASURE	Reflected shock velocity
@EndTime	MEASURE	Time for transient simulation
@Boundary Layer Correction	BOOL	Boundary layer correction
@Diameter	MEASURE	Diameter of the shock tube
@Viscosity	MEASURE	Viscosity of the carrier gas at 300 K
@SensitivityAnalysis	$\begin{array}{c} \text{SUBDICT} \\ [\text{Sensitivity-Analysis}] \end{array}$	Dictionary containing additional options for sensitivity analysis (see Section 7.4)
@Options	$\begin{array}{c} \text{SUBDICT} \\ [\text{Output-Options}] \end{array}$	Dictionary containing additional options for solving the shock tube reactor (see Section 7.3)
@ Ode Parameters	$\begin{array}{c} \text{SUBDICT} \\ [\text{ODE-Solver}] \end{array}$	Dictionary containing the numerical parameters for solving the ODE system (see Section 7.2)

Table 6.4: Shock Tube Reactor dictionary

6.4.1 Additional comments

@KineticsFolder

This option is used to specify the name of the folder containing the kinetic scheme in XML Version (kinetics.xml). This file has to be generated using the OpenSMOKE_CHEMKIN_Preprocessor. Instead of using this option, the user has the possibility to pre-process the kinetic scheme on the fly using the OKineticsPreProcessor option (see below).

@KineticsPreProcessor

The user can pre-process a kinetic scheme available in CHEMKIN format on the fly, when the reactor simulation is performed (instead of pre-processing the kinetics in a previous step). This option is very useful when the kinetic mechanism is under construction and/or tuning and the user has the need to change often the reactions and the kinetic parameters. Please consider that the pre-processing operation can be quite long for very detailed kinetic schemes (thousands of species). The <code>@KineticsPreProcessor</code> option requires that the user specify the name of the sub-dictionary containing all the information needed to pre-process kinetic mechanisms on the fly. Please look at Section 7.6 to have more details.

@Type

This option is used to specify the type of reactor to simulate. Two different combinations are possible: IncidentShock, ReflectedShock.

@BeforeShockStatus @AfterShockStatus @ReflectedShockStatus

These options are used to specify the features (temperature, pressure and composition) of the gas mixture before or after the shock or the features of the reflected shock. These options require that the user specify the name of the corresponding sub-dictionary. Please look at Section 7.5 to have more details.

@IncidentShockVelocity @ReflectedShockVelocity

These options are used to specify the velocity of the incident or the reflected shocks.

@EndTime

Integration time.

@BoundaryLayerCorrection

Boundary layer correction.

@Diameter

Internal diameter of the shock-tube.

@Viscosity

Viscosity of the carrier gas at ambient temperature.

@Sensitivity Analysis

The user has to specify the name of the sub-dictionary in which the options for performing the sensitivity analysis are reported. Please look at Section 7.4 to have more details.

@Options

The user has to specify the name of the sub-dictionary in which the options devoted to the output operations are reported. Please look at Section 7.3 to have more details.

@OdeParameters

The user has to specify the name of the sub-dictionary in which the options about the ODE solver adopted for the solution of the reactor equations. Please look at Section 7.2 to have more details.

6.5 Dictionary: Plug Flow Reactor

This dictionary is used for setting the simulation for a Plug Flow reactor. In the current version of OpenSMOKE++ Suite the user can simulate both isothermal and adiabatic reactors. Both constant pressure and constant velocity conditions are allowed.

6.5.1 Additional comments

@KineticsFolder

This option is used to specify the name of the folder containing the kinetic scheme in XML Version (kinetics.xml). This file has to be generated using the OpenSMOKE_CHEMKIN_Preprocessor. Instead of using this option, the user has the possibility to pre-process the kinetic scheme on the fly using the OKineticsPreProcessor option (see below).

@KineticsPreProcessor

The user can pre-process a kinetic scheme available in CHEMKIN format on the fly, when the reactor simulation is performed (instead of pre-processing the kinetics in a previous step). This option is very useful when the kinetic mechanism is under construction and/or tuning and the user has the need to change often the reactions and the kinetic parameters. Please consider that the pre-processing operation can be quite long for very detailed kinetic schemes (thousands of species). The <code>@KineticsPreProcessor</code> option requires that the user specify the name of the sub-dictionary containing all the information needed to pre-process kinetic mechanisms on the fly. Please look at Section 7.6 to have more details.

@Type

This option is used to specify the type of reactor to simulate. Two different types are possible: Isothermal or NonIsothermal.

@ConstantPressure

When this option is true, a constant pressure simulation will be performed. If this option is false, the simulation will be performed under the assumption of constant velocity.

@InletStatus

This option is used to specify the features (temperature, pressure and composition) of the inlet mixture in the plug flow reactor. The @InletStatus option requires that the user specify the name of the corresponding sub-dictionary. Please look at Section 7.5 to have more details.

@ResidenceTime

This is the residence time for the plug flow reactor.

@Length

This is the length of the plug flow reactor.

@Velocity

This is the velocity of the inlet mixture.

Option	Type	Meaning
@KineticsFolder	PATH	Name of the folder containing the kinetic scheme (XML Version)
@KineticsPreProcessor	SUBDICT [Rapid-Kinetics]	Dictionary containing the list of kinetic files to be interpreted (see Section 7.6)
@Type	STRING	Plug flow reactor type: Isothermal, NonIsothermal
@ResidenceTime	MEASURE	Total residence time
@Length	MEASURE	Total length
@ConstantPressure	BOOL	Constant pressure vs Constant velocity simulation
@InletStatus	SUBDICT [Gas-Status]	Name of the dictionary defining the inlet gas composition, temperature and pressure (see Section 7.5)
@Velocity	MEASURE	Velocity of the inlet stream
@MassFlowRate	MEASURE	Mass flow rate of the inlet stream
@MoleFlowRate	MEASURE	Mole flow rate of the inlet stream
@VolumetricFlowRate	MEASURE	Volumetric flow rate of the inlet stream
@Diameter	MEASURE	Diameter of the tube
@TemperatureProfile	$\begin{array}{c} \text{SUBDICT} \\ \text{[XY-Profile]} \end{array}$	Name of the dictionary defining the temperature profile (See Section 7.7)
@GlobalThermalExchangeCoefficient	MEASURE	Global thermal exchange coefficient $U: Q = UA(T - T_{env})$
@EnvironmentTemperature	MEASURE	Environment Temperature T_{env} : $Q = UA(T - T_{env})$
@CrossSectionOverPerimeter	${f MEASURE}$	Ratio between the cross section and the perimeter (for a circular section it is equal to $D/4$)
@Sensitivity Analysis	SUBDICT [Sensitivity-Analysis]	Dictionary containing additional options for sensitivity analysis (see Section 7.4)
@Options	$\begin{array}{c} {\rm SUBDICT} \\ {\rm [Output-Options]} \end{array}$	Dictionary containing additional options for solving the plug flow reactor (see Section 7.3)
@OdeParameters	$\begin{array}{c} \text{SUBDICT} \\ [\text{ODE-Solver}] \end{array}$	Dictionary containing the numerical parameters for solving the ODE system (see Section 7.2)
@ParametricAnalysis	SUBDICT [Parametric-Analysis]	Dictionary containing additional options for performing a parametric analysis (see Section 7.8)

Table 6.5: Plug Flow Reactor dictionary

@MassFlowRate

This is the mass flow rate of the inlet mixture.

@MoleFlowRate

This is the mole flow rate of the inlet mixture.

@VolumetricFlowRate

This is the volumetric flow rate of the inlet mixture.

@Diameter

This is the internal diameter of the plug flow reactor.

@TemperatureProfile

The user has the possibility to impose a temperature profile along the plug flow reactor. This temperature profile can be imposed by providing a proper sub-dictionary. Please look at Section 7.7 to have more details.

@Global Thermal Exchange Coefficient

Global thermal exchange coefficient U: $Q = UA(T - T_{env})$

@EnvironmentTemperature

Environment Temperature T_{env} : $Q = UA(T - T_{env})$

@CrossSectionOverPerimeter

Ratio between the cross section and the perimeter (for a circular section it is equal to D/4)

@SensitivityAnalysis

The user has to specify the name of the sub-dictionary in which the options for performing the sensitivity analysis are reported. Please look at Section 7.4 to have more details.

@Options

The user has to specify the name of the sub-dictionary in which the options devoted to the output operations are reported. Please look at Section 7.3 to have more details.

@OdeParameters

The user has to specify the name of the sub-dictionary in which the options about the ODE solver adopted for the solution of the reactor equations. Please look at Section 7.2 to have more details.

@ParametricAnalysis

Dictionary containing additional options for performing a parametric analysis. Please look at Section 7.8 to have more details.

6.6 Dictionary: PremixedLaminarFlame1D (under development)

This dictionary is used for setting the simulation for calculating laminar flame speeds. Please, consider that the current version of OpenSMOKE_PremixedLaminarFlame1D tool is only preliminary. The tool is under development.

Option	Type	Meaning
©KineticsFolder	PATH	Name of the folder containing the kinetic scheme (XML Version)
@KineticsPreProcessor	SUBDICT [Rapid-Kinetics]	Dictionary containing the list of kinetic files to be interpreted (see Section 7.6)
@Grid	SUBDICT [AdaptiveGrid-1D]	Dictionary defining the computational 1D grid (see Section 7.9)
@InletStream	SUBDICT [Gas-Status]	Dictionary defining the inlet gas composition, temperature, and pressure (see Section 7.5)
@OutletStream	SUBDICT [Gas-Status]	Dictionary defining the outlet stream (gas composition, temperature and pressure). This information is used only as a first guess solution. See Section 7.5
@InletVelocity	MEASURE	Laminar flame speed: first guess value
@Output	PATH	Folder where to write the results of the simulation
@SensitivityAnalysis	SUBDICT [Sensitivity-Analysis]	Dictionary containing additional options for sensitivity analysis (see Section 7.4)
@DaeParameters	SUBDICT [DAE- TridiagonalBlock- Solver]	Dictionary containing the numerical parameters for solving the Triadiagonal Block DAE system (see Section 7.10)
@NlsParameters	SUBDICT [NLS-TridiagonalBlock-Solver]	Dictionary containing the numerical parameters for solving the Triadiagonal Block non-linear system (see Section 7.11)
@FalseTransientParameters	SUBDICT [FalseTransient-Solver]	Dictionary containing the numerical parameters governing the false-transient approach (see Section 7.12)
@ Check Mass Fractions	BOOL	Force non-negative mass fractions (default: false)
@ Use Dae Solver	BOOL	Use DAE solver (instead of NL solver) to solve the steady-state problems (default: true)

Table 6.6: PremixedLaminarFlame1D options

6.6.1 Additional comments

@KineticsFolder

This option is used to specify the name of the folder containing the kinetic scheme in XML Version (kinetics.xml). This file has to be generated using the OpenSMOKE_CHEMKIN_Preprocessor. Instead of using this option, the user has the possibility to pre-process the kinetic scheme on the fly using the OKineticsPreProcessor option (see below).

@KineticsPreProcessor

The user can pre-process a kinetic scheme available in CHEMKIN format on the fly, when the reactor simulation is performed (instead of pre-processing the kinetics in a previous step). This option is very useful when the kinetic mechanism is under construction and/or tuning and the user has the need to change often the reactions and the kinetic parameters. Please consider that the pre-processing operation can be quite long for very detailed kinetic schemes (thousands of species). The @KineticsPreProcessor option requires that the user specify the name of the sub-dictionary containing all the information needed to pre-process kinetic mechanisms on the fly. Please look at Section 7.6 to have more details.

@Grid

Dictionary defining the computational 1D grid (see Section 7.9)

@InletStream

This option is used to specify the features (temperature, pressure and composition) of the inlet stream. The @InletStatus option requires that the user specify the name of the corresponding sub-dictionary. Please look at Section 7.5 to have more details.

@OutletStream

Dictionary defining the inlet gas composition, temperature, and pressure (see Section 7.5).

@OutletStream

Dictionary defining the outlet stream (gas composition, temperature and pressure). This information is used only as a first guess solution. See Section 7.5

@InletVelocity

First guess laminar flame speed. This value is used only to start the calculations. Obviously, if data are available, it is more convenient to provide a first-guess laminar flame speed close to the real value.

@Output

Folder where to write the results of the simulation

@Sensitivity Analysis

The user has to specify the name of the sub-dictionary in which the options for performing the sensitivity analysis are reported. Please look at Section 7.4 to have more details.

@DaeParameters

The user has to specify the name of the sub-dictionary in which the options about the tridiagonal-block DAE solver adopted for the solution of transport equations. Please look at Section 7.10 to have more details.

@NlsParameters

The user has to specify the name of the sub-dictionary in which the options about the tridiagonal-block non-linear (NL) solver adopted for the solution of transport equations. Please look at Section 7.11 to have more details.

@FalseTransientParameters

The user has to specify the name of the sub-dictionary in which the options about the false-transient method adopted for the solution of transport equations. Please look at Section 7.12 to have more details.

@Check Mass Fractions

Force non-negative mass fractions (default: false).

@UseDaeSolver

Use DAE solver (instead of NL solver) to solve the steady-state problems (default: true)

Chapter 7

Sub-Dictionaries

This Chapter reports the sub-dictionaries which are used by the different solvers (as explained in Chapter 6):

- 1. Comments
- 2. ODE-Solver
- 3. Output-Options
- 4. Sensitivity-Analysis
- 5. Gas-Status
- 6. Rapid-Kinetics
- 7. XY-Profile
- 8. Parametric Analysis
- 9. Adaptive-Grid1D
- 10. Dae-TridiagonalBlock-Parameters
- 11. Nls-TridiagonalBlock-Parameters
- 12. FalseTransient-Parameters

7.1 Sub-Dictionary: Comments

This dictionary can be used to add comments to the output files written by some of the OpenSMOKE++ Suite solvers (see Table 7.1)

7.1.1 Additional comments

@Author

Name of author/authors who developed the kinetic mechanism.

@Place

The place where the kinetic mechanism was developed.

@Comments

Any useful comment to be attached to the kinetic mechanism (i.e. details about modified kinetic parameters, warnings about missing reactions, status of the mechanism, etc.)

Meaning	Name of the author	Name of the place	Comments
Type	STRINGS	STRINGS	STRINGS
Option	@Author	@Place	@Comments

Table 7.1: Comments dictionary

7.1.2 Example

7.2 Sub-Dictionary: ODE-Parameters

This dictionary is used for setting the options for the stiff ODE solvers available in OpenSMOKE++ Suite solvers (see Table 7.2).

7.2.1 Additional comments

@OdeSolver

The user can choose among differen ODE solvers. The OpenSMOKE++ native ODE solver (OpenSMOKE) is quite effective especially with very stiff kinetic mechanisms. We suggest to use it when the kinetic mechanisms from CRECK Modeling Group are adopted, or more in general for kinetic mechanisms based on the lumped procedures. The CVODE solver is the first option for very large kinetic mechanisms (thousands of species). More in general, we suggest to perform some preliminary tests in order to find the faster ODE solver for the kinetic mechanism under investigation.

@RelativeTolerance

Relative tolerance (default 1.2e-5).

@AbsoluteTolerance

Absolute tolerance (default 1.2e-5). For CVODE solver we suggest to use stricter bsolute tolerance (i.e. at least 1e-14).

@MaximumNumberOfSteps

Maximum number of steps (default 500000)

@MaximumStep

Maximum step (default: automatically chosen by the solver)

@MinimumStep

Minimum step (default: automatically chosen by the solver)

@InitialStep

Initial step (default: automatically chosen by the solver)

7.2.2 Example

Meaning	ODE Solver: OpenSMOKE CVODE DASPK DVODE DLSODA DLSODE MEBDF RADAU5	Relative tolerance (default 1.2e-5)	Absolute tolerance (default 1.e-10)	Maximum number of steps (default 500000)	Maximum step (default: automatically chosen by the solver)	Minimum step (default: automatically chosen by the solver)	Initial step (default: automatically chosen by the solver)
Type	STRING	DOUBLE	DOUBLE	INI	DOUBLE	DOUBLE	DOUBLE
Option	@OdeSolver	@RelativeTolerance	@Ab solute Tolerance	@MaximumNumberOfSteps	@MaximumStep	@MinimumStep	@InitialStep

Table 7.2: ODE-Parameters dictionary

6 | }

7.3 Sub-Dictionary: Output-Options

This dictionary is used for setting additional options governing the output for many OpenSMOKE++ Suite solvers (see Table 7.3).

7.3.1 Additional comments

@OutputFolder

Name of the folder where to write the output data (default: Output).

@StepsVideo

Parameter governing the frequency of output on video (default: 50).

@StepsFile

Parameter governing the frequency of output on video (default: 5).

@OutputSpecies

List of species which will be written on ASCII file (default: all the species).

@Verbose

If false, it means that video info and output files will not be written (default: true)

@VerboseASCIIFile

If false, it means that output ASCII file will not be written (default: true).

@VerboseXMLFile

If false, it means that output XML file will not be written (default: true).

7.3.2 Example

7.4 Sub-Dictionary: Sensitivity-Analysis

This dictionary is used for setting the options governing the sensitivity analysis.

7.4.1 Additional comments

@Type

Type of sensitivity analysis. In the current version of OpenSMOKE++ the sensitivity analysis can be performed with respect to the frequency factor corresponding to each reaction (arrhenius-parameters) or with respect to the whole kinetic constant (kinetic-constants);

Option	Type	Meaning
@OutputFolder	PATH	Name of the folder where to write the output data
@StepsVideo	INI	Parameter governing the frequency of output on video
@StepsFile	LNI	Parameter governing the frequency of output on file
@OutputSpecies	STRINGS	List of species which will be written on ASCII file
@Verbose	BOOL	If set false means that video info and output files will not be written
@VerboseASCIIFile	BOOL	If set false means that output ASCII file will not be written
@VerboseXMLFile	BOOL	If set false means that output XML file will not be written

Table 7.3: Output-Options dictionary

Option	Type	Meaning
@Type	STRING	Type of sensitivity analysis: arrhenius-parameters kinetic-constants
@DenseFullPivoting	BOOL	Full pivoting vs Partial pivoting (LU decomposition)
@DenseSolver	STRING	Linear algebra package: Eigen
@SubSteps	LNI	Number of sub-steps when performing sensitivity analysis (default: 2)
@Species	STRINGS	List of species for which the sensitivity coefficients will be written

Table 7.4: Sensitivity-Analysis dictionary

@DenseFullPivoting

Full pivoting vs Partial pivoting (LU decomposition). The solution of linear systems is the most expensive operation of sensitivity analysis. In order to speed-up the calculations, a partial pivoting strategy can be applied when the LU factorization is applied.

@DenseSolver

Linear algebra package. In the current version only the Eigen solver is available.

@SubSteps

Number of sub-steps when performing sensitivity analysis (default: 2)

@Species

List of species for which the sensitivity coefficients will be written. Please consider that for large kinetic mechanism the overall output resulting from the sensitivity analysis can be huge. We suggest to write sensitity coefficients only for species in which the user is really interested.

7.4.2 Example

7.5 Sub-Dictionary: Gas-Status

This dictionary is used for setting the status of a mixture (composition, temperature and pressure).

7.5.1 Additional comments

@Temperature

Temperature of the mixture (must be used together with @Pressure or @Density).

@Pressure

Pressure of the mixture (must be used together with @Temperature or @Density).

@Density

Density of the mixture (must be used together with @Temperature or @Pressure).

@MoleFractions

Mole fractions of the mixture (the sum must be exactly equal to 1). It is enough to completely characterize the mixture composition (i.e. no additional data are needed).

@MassFractions

Mass fractions of the mixture (the sum must be exactly equal to 1). It is enough to completely characterize the mixture composition (i.e. no additional data are needed).

Meaning	Temperature of the mixture	Pressure of the mixture	Density of the mixture	Mole fractions of the mixture (the sum must be equal to 1)	Mass fractions of the mixture (the sum must be equal to 1)	Molar composition of the mixture (the values will be automatically normalized)	Mass composition of the mixture (the values will be automatically normalized)	Equivalence ratio	Mole fractions of the fuel mixture (the sum must be equal to 1)	Mass fractions of the fuel mixture (the sum must be equal to 1)	Molar composition of the fuel mixture (the values will be automatically normalized)	Mass composition of the fuel mixture (the values will be automatically normalized)	Mole fractions of the oxidizer mixture (the sum must be equal to 1)	Mass fractions of the oxidizer mixture (the sum must be equal to 1)	Molar composition of the oxidizer mixture (the values will be automatically normalized)	Mass composition of the oxidizer mixture (the values will be automatically normalized)
Type	MEASURE	MEASURE	MEASURE	STRINGS + DOUBLES	STRINGS + DOUBLES	STRINGS + DOUBLES	STRINGS + DOUBLES	DOUBLE	STRINGS + DOUBLES	STRINGS + DOUBLES	STRINGS + DOUBLES	STRINGS + DOUBLES	STRINGS + DOUBLES	STRINGS + DOUBLES	STRINGS + DOUBLES	STRINGS + DOUBLES
Option	@Temperature	@Pressure	@Density	@MoleFractions	@MassFractions	@Moles	@Masses	@EquivalenceRatio	@FuelMoleFractions	@FuelMassFractions	@FuelMoles	@FuelMasses	@OxidizerMoleFractions	@OxidizerMassFractions	@OxidizerMoles	@OxidizerMasses

Table 7.5: Gas-Status dictionary

@Moles

Molar composition of the mixture. The values will be automatically normalized, i.e. converted in mole fractions. It is enough to completely characterize the mixture composition (i.e. no additional data are needed).

@Masses

Mass composition of the mixture. The values will be automatically normalized, i.e. converted in mass fractions. It is enough to completely characterize the mixture composition (i.e. no additional data are needed).

@EquivalenceRatio

Equivalence ratio of the mixture. It requires the compostion of fuel mixture (defined through one of the following: @FuelMoleFractions | @FuelMassFractions | @FuelMoles | @FuelMasses) and the compostion of oxidizer mixture (defined through one of the following: @OxidizerMoleFractions | @OxidizerMassFractions | @OxidizerMoles | @OxidizerMasses).

@FuelMoleFractions

Mole fractions of the fuel mixture (the sum must be exactly equal to 1). It can be used only in conjuction with <code>@EquivalenceRatio</code>.

@FuelMassFractions

Mass fractions of the fuel mixture (the sum must be exactly equal to 1). It can be used only in conjuction with <code>@EquivalenceRatio</code>.

@FuelMoles

Molar composition of the fuel mixture. The values will be automatically normalized, i.e. converted in mole fractions. It can be used only in conjuction with <code>@EquivalenceRatio</code>.

@FuelMasses

Mass composition of the fuel mixture. The values will be automatically normalized, i.e. converted in mass fractions. It can be used only in conjuction with <code>@EquivalenceRatio</code>.

@OxidizerMoleFractions

Mole fractions of the oxidizer mixture (the sum must be exactly equal to 1). It can be used only in conjuction with <code>@EquivalenceRatio</code>.

@OxidizerMassFractions

Mass fractions of the oxidizer mixture (the sum must be exactly equal to 1). It can be used only in conjuction with <code>@EquivalenceRatio</code>.

@OxidizerMoles

Molar composition of the oxidizer mixture. The values will be automatically normalized, i.e. converted in mole fractions. It can be used only in conjuction with <code>@EquivalenceRatio</code>.

@OxidizerMasses

Mass composition of the oxidizer mixture. The values will be automatically normalized, i.e. converted in mass fractions. It can be used only in conjuction with <code>@EquivalenceRatio</code>.

7.5.2 Examples

```
Dictionary in let - mixture
2
            @Temperature
                               1000.
                                         Κ ;
3
            @Pressure
                                         Pa:
                              101325
4
            @Moles
                              H2 2
5
                          O2 1
                          N2 3.76;
7
   }
```

```
Dictionary inlet-mixture
1
   {
2
            @Temperature
                                    1000.
                                             Κ;
            @Pressure
                                    101325 Pa;
            @ Equivalence Ratio
                                    1 ;
5
6
            @FuelMasses
                                    H2 10.;
            @OxidizerMoles
                                    O<sub>2</sub> 21
7
                               N2 79;
8
```

7.6 Sub-Dictionary: Rapid-Kinetics

This dictionary is used when the user wants to pre-process a kinetic scheme on the fly, i.e. just before running the simulation of a reactor.

7.6.1 Additional comments

@Thermodynamics

Name of the file containing the thermodynamic data (CHEMKIN format)

@Transport

Name of the file containing the transport data (CHEMKIN format)

@Kinetics

Name of the file containing the kinetic mechanism (CHEMKIN format)

@Output

Name of the folder where to write the interpreted kinetic mechanism (XML format) (default: kinetics)

7.6.2 Example

7.7 Sub-Dictionary: XY-Profile

This dictionary is used to define a piece-wise linear profile.

Option	Type	Meaning
@Thermodynamics	PATH	Name of the file containing the thermodynamic data (CHEMKIN format)
@Transport	PATH	Name of the file containing the transport data (CHEMKIN format)
@Kinetics	PATH	Name of the file containing the kinetic mechanism (CHEMKIN format)
@Output	PATH	Name of the folder where to write the interpreted kinetic mechanism (XML format)

Table 7.6: Rapid-Kinetics dictionary

Meaning	Type of variable on the x axis: length time	G Type of variable on the y axis: temperature pressure volume	VG Units of measure of the x variable	VG Units of measure of the y variable	ES + XY Profile (e.g. 0 100. 1 110. 2 200.)
Type	STRING	STRINC	STRING	STRING	DOUBLES -
Option	@XVariable	@YVariable	@XUnits	@YUnits	@Profile

Table 7.7: XY-Profile dictionary

7.7.1 Additional comments

@XVariable

Type of variable on the x axis: length | time.

@YVariable

Type of variable on the y axis: temperature | pressure | volume.

@XUnits

Units of measure of the x variable.

@YUnits

Units of measure of the y variable.

@Profile

XY Profile: pairs of x and y values (look at the example).

7.7.2 Example

```
Dictionary volume-profile
2
   {
             @XVariable
                            time;
             @XUnits
             @YVariable
                            volume;
5
             @YUnits
                            cm3;
6
                                   1.00
             @Profile
                            0.0
7
                       0.1
                              1.15
                       0.2
                              1.35
9
                       0.4
                              1.60;
10
   }
```

7.8 Sub-Dictionary: Parametric-Analysis

This dictionary is used to define the rules for parametric analysis.

7.8.1 Additional comments

@Type

Type of parameter to be analyzed: residence-time | temperature | pressure

@ListOfValues

List of values (together with units of measure, if any). Though this option the user defines explicitly the list of parameter values to be simulated. The alternative is to specify the interval through the following key-words: <code>@MinimumValue</code>, <code>@MaximumValue</code>, and <code>@NumberOfPoints</code>

@MinimumValue

Minimum value of parameter. It must be used in conjuction with <code>@MaximumValue</code> and <code>@NumberOfPoints</code> to specify the interval and the number of points for parametric analysis.

Option	Type	Meaning
@Type	STRING	Type of parameter to be analyzed: residence-time temperature pressure
@ListOfValues	STRINGS	List of values (together with units of measure, if any)
@MinimumValue	MEASURE	Minimum value of parameter
@MaximumValue	MEASURE	Maximum value of parameter
@NumberOfPoints	INI	Number of points
@NumberOfThreads	INI	Number of threads

Table 7.8: Parametric-Analysis dictionary

@MaximumValue

Maximum value of parameter. It must be used in conjuction with <code>@MinimumValue</code> and <code>@NumberOfPoints</code> to specify the interval and the number of points for parametric analysis.

@Number Of Points

Number of points. It must be used in conjuction with @MinimumValue and @MaximumValue to specify the interval and the number of points for parametric analysis.

@NumberOfThreads

Number of threads. If a multicore architecture is available, the user can distribute the parameteric analysis no more than one core, in order to speed-up the calculation.

7.8.2 Examples

```
Dictionary parametric—analysis
1
2
  {
           @Type
3
                                  temperature;
           @NumberOfPoints
                                  10;
4
       @MinimumValue
                             1000 K;
5
       @MaximumValue
                             1200 K:
6
           @NumberOfThreads
7
  }
```

7.9 Sub-Dictionary: Adaptive-Grid1D

This dictionary is used for setting the options for the adaptive grid for 1D problems (see Table 7.9).

7.9.1 Additional comments

@Type

Type of grid: centered | database

@Lenght

Length of computational domain

@InitialPoints

Initial number of points (must be between 7 and 15)

@Center

Center position (default: middle point)

@Width

Estimated (first guess) width of flame (default: 0.2*length)

\neg												
Meaning	Type of grid: centered database	Length of computational domain	Initial number of points (must be between 7 and 15)	Center position (default: middle point)	Estimated (first guess) width of flame (default: 0.2*length)	Coordinate of fixed point (default: center of the grid)	Maximum number of allowed points (default 300)	Maximum number of points that can be added per grid adaptation (default 10)	Controls the maximum gradient allowed between two points (default 0.1)	Controls the maximum curvature allowed between two points (default 0.5)	Controls the minimum amount of each species to be considered active in the adaptive process (default: 1e-7)	Points used for regrid operation (default: 20)
Type	STRING	MEASURE	INI	MEASURE	${ m MEASURE}$	${ m MEASURE}$	INI	INI	DOUBLE	DOUBLE	DOUBLE	INI
Option	@Type	@Length	@InitialPoints	@Center	@ Width	@FixedPoint	@MaxPoints	@MaxAdaptivePoints	@GradientCoefficient	@CurvatureCoefficient	@Threshold	@ Regrid Points

Table 7.9: Adaptive-Grid1D dictionary

@FixedPoint

Coordinate of fixed point (default: center of the grid)

@MaxPoints

Maximum number of allowed points (default 300)

@MaxAdaptivePoints

Maximum number of points that can be added per grid adaptation (default 10)

@GradientCoefficient

Controls the maximum gradient allowed between two points (default 0.1)

@CurvatureCoefficient

Controls the maximum curvature allowed between two points (default 0.5)

@Threshold

Controls the minimum amount of each species to be considered active in the adaptive process (default: 1e-7)

@RegridPoints

Points used for regrid operation (default: 20)

7.9.2 Example

```
Dictionary grid
             @Length
                                         3 cm;
3
             @InitialPoints
                                         12;
            @Type
                                         database;
             @MaxPoints
                                         1000;
             @ Max Adaptive Points
                                         15;
7
             @ Gradient Coefficient
                                         0.05;
8
             @CurvatureCoefficient
                                         0.25;
9
             @Threshold
                                         1e-5;
10
             @RegridPoints
                                         20;
11
12
```

7.10 Sub-Dictionary: DAE-TridiagonalBlock-Parameters

This dictionary is used for setting the options for the stiff tridiagonal-block DAE solvers available in OpenSMOKE++ Suite (see Table 7.10).

7.10.1 Additional comments

@DaeSolver

The user can choose among two different DAE solvers: BzzDae (from the BzzMath library) or IDA (from the Sundials Suite)

@RelativeTolerance

Relative tolerance (default 1.e-6).

Option	Type	Meaning
@DaeSolver	STRING	DAE Solver: BzzDae IDA
@RelativeTolerance	DOUBLE	Relative tolerance (default 1.e-6)
@AbsoluteTolerance	DOUBLE	Absolute tolerance (default 1.e-10)
@MaximumNumberOfSteps	INI	Maximum number of steps (default 500000)
@MaximumStep	DOUBLE	Maximum step (default: automatically chosen by the solver)
@MinimumStep	DOUBLE	Minimum step (default: automatically chosen by the solver)
@InitialStep	DOUBLE	Initial step (default: automatically chosen by the solver)
@MaximumOrder	INI	Maximum order of the method (default 5)
©LinearAlgebra	STRING	Linear algebra package to solve the tridiagonal-block (or banded) linear system: native Lapack
@MeanResidualThreshold	DOUBLE	Stop the integration when the mean residual is below this threshold (default: 0.)
@VerbosityLevel	INI	Verbosity level: 0=no output, 3 maximum level of output

 $Table\ 7.10:\ DAE-Tridiagonal Block-Parameters\ dictionary$

@AbsoluteTolerance

Absolute tolerance (default 1.e-10). For IDA solver we suggest to use stricter absolute tolerance (i.e. at least 1e-12).

@MaximumNumberOfSteps

Maximum number of steps (default 500000)

@MaximumStep

Maximum step (default: automatically chosen by the solver)

@MinimumStep

Minimum step (default: automatically chosen by the solver)

@InitialStep

Initial step (default: automatically chosen by the solver)

@MaximumOrder

Maximum order of the method (default 5)

@LinearAlgebra

Linear algebra package to solve the tridiagonal-block (or banded) linear system: native | Lapack

@MeanResidualThreshold

Stop the integration when the mean residual is below this threshold (default: 0.)

@VerbosityLevel

Verbosity level: 0=no output, 3 maximum level of output

7.10.2 Example

```
Dictionary dae-parameters
2
            @DaeSolver
                                       BzzDae:
            @LinearAlgebra
                                       Lapack;
            @RelativeTolerance
                                       1e-6;
            @ Absolute Tolerance
                                       1e - 10;
            @MaximumNumberOfSteps
                                       100000;
7
8
            @MaximumStep
                                       1e3;
            @MinimumStep
                                       1e - 9:
9
            @Initia|Step
                                       1e - 9:
10
            @MaximumOrder
11
                                       5;
            @MeanResidualThreshold 1e-5;
            @VerbosityLevel
                                       0;
   }
```

7.11 Sub-Dictionary: NLS-TridiagonalBlock-Parameters

This dictionary is used for setting the options for the tridiagonal-block non-linear (NL) solvers available in OpenSMOKE++ Suite (see Table 7.11).

Meaning	NLS Solver: BzzNls KinSol	Function tolerance (default 6.e-6)	Step tolerance (default 3.6e-11)	Relative error (default 1.5e-8)	Maximum number of iterations (default 200)	Maximum number of setup calls (default 10)	Maximum number of setup sub-calls (default 5)	Scaling strategy for evaluation of residuals (default 1)	Numerical methodology: NewtonBasic NewtonGlobalization (default)	Linear algebra package to solve the tridiagonal-block (or banded) linear system: native Lapack	Verbosity level: 0=no output, 3 maximum level of output
Type	STRING	DOUBLE	DOUBLE	DOUBLE	INI	INI	INI	INI	INI	STRING	INT
Option	@NlsSolver	@Tolerance	@StepTolerance	@RelativeError	@Maximum Number Off terations	@MaximumSetupCalls	@MaximumSubSetupCalls	@Scaling	©Strategy	@LinearAlgebra	@VerbosityLevel

Table 7.11: NLS-TridiagonalBlock-Parameters dictionary

7.11.1 Additional comments

@NlsSolver

The user can choose among two different NLS solvers: BzzNls (from the BzzMath library) or KinSol (from the Sundials Suite)

@Tolerance

Function tolerance (default 6.e-6)

@StepTolerance

Step tolerance (default 3.6e-11)

@RelativeError

Relative error (default 1.5e-8)

@MaximumNumberOfIterations

Maximum number of iterations (default 200)

@Maximum Setup Calls

Maximum number of setup calls (default 10)

@Minimum Sub Setup Calls

Maximum number of setup sub-calls (default 5)

@Scaling

Scaling strategy for evaluation of residuals (default 1)

@Strategy

Numerical methodology: NewtonBasic | NewtonGlobalization (default)

@LinearAlgebra

Linear algebra package to solve the tridiagonal-block (or banded) linear system: native | Lapack

@VerbosityLevel

Verbosity level: 0=no output, 3 maximum level of output

7.11.2 Example

```
Dictionary nls—parameters
   {
            @NIsSolver
                                              BzzNls;
            @LinearAlgebra
                                              Lapack;
            @Tolerance
                                             1e-7;
5
                                             3e-11;
            @ToleranceStep
6
            @RelativeError
                                             1.5e-8;
            @ Maximum Number Of Iterations
                                             200;
            @MaximumSetupCalls
                                             10;
            @MaximumSubSetupCalls
                                              5;
10
            @Scaling
                                              1;
11
```

7.12 Sub-Dictionary: FalseTransient-Parameters

This dictionary is used for setting the options governing the false-transient methodology (see Table 7.12).

7.12.1 Additional comments

@FalseTransientSolver

In the current version only the KinSol solver (from the Sundials Suite) is avalable

@Tolerance

Function tolerance (default 6.e-6)

@StepTolerance

Step tolerance (default 3.6e-11)

@RelativeError

Relative error (default 1.5e-8)

@MaximumNumberOfIterations

Maximum number of iterations (default 200)

@MaximumSetupCalls

Maximum number of setup calls (default 10)

@Minimum Sub Setup Calls

Maximum number of setup sub-calls (default 5)

@Scaling

Scaling strategy for evaluation of residuals (default 1)

@Strategy

Numerical methodology: NewtonBasic | NewtonGlobalization (default)

@LinearAlgebra

Linear algebra package to solve the tridiagonal-block (or banded) linear system: native | Lapack

@VerbosityLevel

Verbosity level: 0=no output, 3 maximum level of output

@InitialStep

Initial step (default: 1e-6)

Option	Type	Meaning
@FalseTransientSolver	STRING	NLS Solver: KinSol
@Tolerance	DOUBLE	Function tolerance (default 6.e-6)
@StepTolerance	DOUBLE	Step tolerance (default 3.6e-11)
©RelativeError	DOUBLE	Relative error (default 1.5e-8)
@MaximumNumberOffterations	INI	Maximum number of iterations (default 200)
@MaximumSetupCalls	LNI	Maximum number of setup calls (default 10)
@MaximumSubSetupCalls	INI	Maximum number of setup sub-calls (default 5)
@Scaling	LNI	Scaling strategy for evaluation of residuals (default 1)
©Strategy	INI	Numerical methodology: NewtonBasic NewtonGlobalization (default)
©LinearAlgebra	STRING	Linear algebra package to solve the tridiagonal-block (or banded) linear system: native Lapack
@VerbosityLevel	LNI	Verbosity level: 0=no output, 3 maximum level of output
@InitialStep	DOUBLE	Initial step (default: 1e-6)
@IncrementFactor	DOUBLE	Increment factor (default: 10.)
@MaximumStep	DOUBLE	Maximum step (default: 0.1)
@DecrementFactor	DOUBLE	Decrement factor (default: 2.)
@MinimumStep	DOUBLE	Minimum step (default: 1e-9)
@MinimumNumberSteps	INI	Minimum number of steps (default: 100)
@StepsBeforeIncreasing	INI	Steps to be performed before increasing the step (default: 20)
@StepsReusingJacobian	INI	Steps for which the Jacobian is kept fixed (default: 20)

Table 7.12: False Transient-Parameters dictionary

@IncrementFactor

Increment factor (default: 10.)

@MaximumStep

Maximum step (default: 0.1)

@DecrementFactor

Decrement factor (default: 2.)

@MinimumStep

Minimum step (default: 1e-9)

@MinimumNumberSteps

Minimum number of steps (default: 100)

@StepsBeforeIncreasing

Steps to be performed before increasing the step (default: 20)

@StepsReusingJacobian

Steps for which the Jacobian is kept fixed (default: 20)

7.12.2 Example

```
Dictionary falsetransient—parameters
2
             @FalseTransientSolver
                                              KinSol;
3
            @LinearAlgebra
                                              Lapack;
            @Tolerance
                                             1e-8;
            @ToleranceStep
                                             3e - 11;
            @RelativeError
                                              1.5e-8;
7
            @ Maximum Number Of Iterations
                                              200;
8
            @ MaximumSetupCalls
                                              10;
9
            @MaximumSubSetupCalls
                                              5;
10
            @Scaling
                                             1;
11
            @VerbosityLevel
                                              0;
12
                                              Newton Globalization;
            @Strategy
13
            @StepsReusingJacobian
                                              20;
14
             @StepsBeforeIncreasing
                                              25;
15
            @MinimumNumberSteps
                                              80;
16
             @InitialStep
                                             1e-6;
17
            @IncrementFactor
                                              10.;
18
            @MaximumStep
                                              0.01;
19
            @DecrementFactor
                                              2.;
^{20}
            @MinimumStep
                                              1e-9;
^{21}
22
```

Chapter 8

Tutorials

8.1 Autoignition of a mixture of hydrogen and air

This tutorial presents a transient simulation of the spontaneous ignition of a stoichiometric hydrogen/air mixture at constant pressure. This tutorial uses the POLIMI_H2CO_1412 kinetic mechanism developed by CRECK Modeling Group at Politecnico di Milano. The POLIMI_H2CO_1412 mechanism is distributed with the current version of OpenSMOKE++ Suite or can be downloaded directly from the web site (http://creckmodeling.chem.polimi.it/). Here we are interested in determining the ignition time under a specified set of initial pressure and temperature conditions, assuming no heat loss to the environment (adiabatic conditions). In addition, we would like to determine which reactions contribute most to the autoignition process, using sensitivity analysis. The system is a closed or batch process, which means there is no flow of mass into or out of the reactor.

8.1.1 Setup

This tutorial project is located in the examples\autoignition-h2-air directory. A single, batch reactor at constant pressure will be simulated. The input data are provided though the input.dic file (see Figure 8.1). In paticular, the end time of the simulation is set to 0.25 ms. The initial temperature is equal to 1000 K and the pressure is kept equal to 1 atm (constant pressure). The volume is not important for the results of this simulation, so the default value of 1 cm3 will be used for the initial volume. Since this is a closed homogeneous system, the results in terms of species fraction and temperature will be the same, regardless of the volume value. If surface chemistry were included, the volume-to-surface ratio would be important, but in this case it is gas only.

The starting gas mixture is given in relative moles as 2.0 H2, 1.0 O2, and 3.76 N2. Writing it this way makes it easy to see that the O2/N2 ratio matches the composition of air, and that the fuel/air ratio is stoichiometric (two H2 per one O2). The normalization will occur automatically. The sensitivity analysis is enabled and this results in sensitivity coefficients being calculated for all species and all reactions and saved in the proper XML files. As already reported in the previous sections, this option should be used with care, as the computation time and solution-file sizes increase as a higher power of the size of the reaction mechanism. Except in the case of a very small reaction mechanism, such as the one being used in the sample problem, it is better to use the @Species option to request that sensitivity coefficients be output only for a few species of highest interest.

8.1.2 Results

Output results are located in the Output folder. The OpenSMOKE++ PostProcessor can be conveniently used to post process the results. Alternatively, the Output.out file can be post-processed using different tools, such as Gnuplot, Matlab, etc. Plots reported in the following were obtained using the OpenSMOKE++ PostProcessor.

Figure 8.2 (left) shows the temperature profile as a function of time for this problem. At the end of this simulation, the temperature is still rising; if it is run much longer, the temperature increases another ~300 K, nearing the adiabatic flame temperature. Although not shown, the volume in this constant-pressure system shows a corresponding increase at ignition. The calculated ignition time, defined as the time at which the gas reaches a temperature of 1400 K (i.e. corresponding to an increase of 400 K), is equal to 0.186 ms. Figure 8.2 (right) shows a close-up of species mole fractions as a function of time. Note that zooming in on the x-axis

```
.../../ kinetic -mechanisms/POLIMI_1412/Kinetics/POLIMI_H2CO_1412.CKI; .../../ kinetic -mechanisms/POLIMI_1412/Thermodynamics/POLIMI_TOT_NOX_1412.CKT; kinetics;
                   POLIMI_H2CO_1412;
NonIsoThermal-ConstantPressure;
                                                              sensitivity—options;
                                                                                                                                                                                                                                                                  arrhenius—parameters;
                                         initial—mixture;
                                                                                                                                                                                                             H2 2. O2 1. N2 3.76;
                                                   0.25 ms;
                                                                                                                                                                                                                                                                                                           02 H2O;
                                                                                                                                                                                                    Pa ;
                                                                                                                                                                                                                                                                           Eigen;
                                                                                                                                                                                                                                                                                       false;
                                                                                                                                                                                                   101325.
                                                                                                                                                                                                                                             \begin{array}{ll} \text{Dictionary sensitivity} - \text{options} \\ \{ \end{array}
                                                                                                                                                                                         1000.
                                                                                                                                                                                                                                                                                                           Н2
                   @KineticsPreProcessor
                                                             @SensitivityAnalysis
                                                                                            Dictionary POLIMI_H2CO_1412
                                                                                                                                                                                                                                                                                      @DenseFullPivoting
                                                                                                                                                                     Dictionary initial-mixture
                                                                                                                           @Thermodynamics
Dictionary BatchReactor
                                         @InitialStatus
                                                                                                                                                                                         @Temperature
                                                                                                                                                                                                                                                                            @DenseSolver
                                                                                                                                                                                                                                                                                                @SubSteps
                                                                                                                 @Kinetics
                                                                                                                                                                                                   @Pressure
                                                                                                                                                                                                                                                                                                         @Species
                                                   @EndTime
                                                                                                                                     @Output
                                                                                                                                                                                                             @Moles
  1 2 8 4 6 9 5 8 6
```

Figure 8.1: Input file for adiabatic, constant pressure batch reactor simulation




Figure 8.2: Temperature (left) and mole fraction profiles of main species (right) for the adiabatic, constantpressure batch reactor




Figure 8.3: Sensitivity analysis for the adiabatic, constant-pressure batch reactor

shows the expected increase in radical species and the products at ignition, along with a decrease in hydrogen and oxygen reactants.

Figure 8.3 shows normalized sensitivity coefficients as a function of time for the four reactions that have the largest effect on the gas temperature. As one might expect, the largest sensitivity occurs near the time of ignition, when the most rapid change in temperature is taking place. The results also show that the dominant reaction for determining the temperature during ignition is the exothermic radical-recombination reaction #1: O2 + H = O + OH. The sensitivity coefficient for this reaction is positive, indicating that increasing the rate of this reaction will lead to a higher temperature (more heat production). In contrast, the sensitivity coefficient for reaction #3 is large and negative, indicating that increasing the rate of this reaction will lead to a lower temperature (less heat production).

8.1.3 Note

This tutorial was adapted from the Tutorials Manual (CK-TUT-15082-0809-UG-1) distributed with the CHEMKIN-PRO Software [2].

8.2 Ignition delay times for propane autoignition

This user tutorial presents an ignition-delay time calculation for the homogeneous, isobaric, adiabatic combustion of propane in air. There are various ways of defining the ignition time, experimentally as well as computationally, for combustion applications. For example, it is often defined as the time at which either the maximum or onset of certain species concentrations is reached, the time at which a specified rate of increase of temperature occurs, the time at which luminous radiant output from the system is first observed, etc. The

reported experimental data can vary greatly, depending on which definition was used in the experiments. Thus, it is often useful to select which ignition-delay time definition should be used in numerical computations. In this particular example, the ignition times are computed using two distinct definitions:

- as the time during which the maximum amount of heat is released (as indicated by the inflection point in the temperature profile)
- as the time corresponding to the maximum of a certain species (OH in this case) concentration

Discrepancies between results are presented.

8.2.1 Setup

This tutorial project is located in the examples\autoignition_propane directory. A single, batch reactor at constant pressure will be simulated. The input data are provided though the input.dic file (see Figure 8.4). The initial temperature is equal to 1200 K, while the pressure is kept constant and equal to 1 atm. The volume is not important for the results of this simulation, so the default value of 1 cm3 will be used for the initial volume. Since this is an isobaric closed homogeneous system, the results in terms of species fraction and temperature will be the same, regardless of the volume value. If surface chemistry were included, the volume-tosurface ratio would be important, but in this case only gas-phase chemistry is present. The starting gas mixture is given as 0.02 C3H8, 0.05 O2, and 0.93 Ar. These rather dilute conditions are representative of shock-tube experimental conditions. The end time is specified on through the @EndTime option. It is important to check the resulting output file after the run is complete to make sure that the @EndTime is large enough to allow for ignition to occur. If no ignition time is provided at the end of the output file, ignition has not yet occurred and the @EndTime of the simulation should be adjusted.

8.2.2 Results

Output results are located in the Output folder. The OpenSMOKE++ PostProcessor can be conveniently used to post process the results. Alternatively, the Output.out file can be post-processed using different tools, such as Gnuplot, Matlab, etc. Plots reported in the following were obtained using the OpenSMOKE++ PostProcessor.

Figure 8.5 shows the temperature (left) and OH mole fraction (right) profiles as a function of time. The calculated ignition times, according to the defintiions reported above, are very similar: in particular, the temperature inflection point is located at 13.29 ms, while the peak in the OH mole fraction profile is located at 13.34 ms.

However, this result, is not necessarily true for every operating condition. Some discrepancies can be observed between the two proposed criteria. As an example, we can repeat our calculations using a higher initial temperature, equal to 2600 K. The new results are reported in Figure 8.6. In this case, as evident from the Figure, the calculated ignition times are very different: in particular, the temperature inflection point is located at $0.8 \mu s$, while the peak in the OH mole fraction profile is located at $4.1 \mu s$.

8.2.3 Note

This tutorial was adapted from the Tutorials Manual (CK-TUT-15082-0809-UG-1) distributed with the CHEMKIN-PRO Software [2].

8.3 Simulating a Shock-Tube experiment

Shock tube experiments are often used to obtain chemical kinetic data at high temperatures, which is especially relevant to combustion modeling. In particular, they are commonly used to study reaction paths and to measure reaction rates at elevated temperatures. We can apply the OpenSMOKE++ Shock Tube solver to validate the reaction mechanism or kinetic parameters derived from such experiments. In this tutorial, we want to reproduce one of the shock tube experiments done by Camac and Feinberg [1]. Camac and Feinberg measured the production rates of nitric oxide (NO) in shock-heated air over the temperature range of 2300 K to 6000 K. They also assembled a reaction mechanism with kinetic parameters derived from their experimental results. The reaction N2+M=N+N+M in their mechanism has a different temperature dependency when the third body is a nitrogen atom (N). To properly incorporate different temperature dependencies for different third

```
../../kinetic -mechanisms/POLIMI_1412/Kinetics/POLIMI_C1C3HT_1412.CKI; .../../kinetic -mechanisms/POLIMI_1412/Thermodynamics/\overline{P}OLIMI_TOT_NOX_1412.CKT; kinetics;
                  POLIMI_C1C3HT_1412;
NonIsothermal—ConstantPressure;
                                                                                                                                                                                           AR 0.93;
                                       initial-mixture;
0.30 s;
                                                                                                                                                                                           02 0.05
                                                                                                                                                                       자 <sup>요</sup>
                                                                                                                                                                                           C3H8 0.02
                                                                                                                                                                                101325.
                   @KineticsPreProcessor
                                                                                                                                                                       1200.
                                                                              Dictionary POLIMI_C1C3HT_1412
                                                                                                                                                   Dictionary initial—mixture {
                                                                                                 @Kinetics
@Thermodynamics
Dictionary BatchReactor
                             @Type
@InitialStatus
                                                                                                                                                                       @Temperature
                                                                                                                                                                                @Pressure
                                               @EndTime
                                                                                                                      @Output
                                                                                                                                                                                           @Moles
```

Figure 8.4: Input file for adiabatic, constant pressure batch reactor simulation fed with propane and air




Figure 8.5: Temperature (left) and OH mole fraction (right) profiles for the adiabatic, constant-pressure batch reactor fed with propane and air (initial temperature equal to 1200 K)




Figure 8.6: Temperature (left) and OH mole fraction (right) profiles for the adiabatic, constant-pressure batch reactor fed with propane and air (initial temperature equal to 2600 K)

bodies, we exclude N from participating as a third body in the original reaction, i.e., the effective third body efficiency for N is set to zero. And we add a new reaction N2 + N = N + N to explicitly address the different temperature dependence of nitrogen atom as the third body.

8.3.1 Setup

Setting up a shock tube model requires information from the corresponding experiment. In addition to the conditions of the initial (unshocked) gas mixture, we will need to provide information on the diameter of the shock tube, the viscosity of the gas at 300 K, and the velocity of the incident shock. If we do not know the shock velocity from the experiment, we can estimate it by using the Chapmen-Jouguet detonation model. The shock tube diameter and the gas viscosity at 300 K are only required when the boundary-layer correction is used in the shock simulation.

This tutorial project is located in the projects\shock_tube_experiment directory. The input data are provided though the input.dic file (see Figure 8.7). In this example, we are considering an incident shock problem with boundary layer corrections. The unshocked temperature is 296K, the pressure is 6.58E-3 atm, and the shock velocity is 2.8E5 cm/sec. The initial mole fractions are 0.78118 N2, 0.20948 O2, and 0.00934 Ar. The problem will terminate at 200 microseconds. The shock tube diameter is 3.81 cm, and the viscosity of the gas at 300K is 1.777E-4 gm/cm/s; these parameters are used for the boundary layer corrections.

8.3.2 Results

The NO mole fraction behind the incident shock is shown in Figure 8.8 as a function of time. The NO mole fraction profile rapidly rises to a peak value then gradually falls back to its equilibrium level. Reasons for

```
Dictionary ShockTubeReactor
1
   {
2
             @KineticsPreProcessor
                                            Camac—Feinberg;
3
             @Type
                                            Incident Shock;
4
             @Incident Shock Velocity
                                            2800 m/s;
5
             @\,B\,eforeS\,h\,oc\,kStatus
                                            initial — mixture;
6
             @EndTime
7
                                            2 ms;
             @Options
                                            output-options;
8
9
             @BoundaryLayerCorrection true;
10
             @Diameter
                                            3.81 cm;
11
                                            1.777e-5 \text{ kg/m/s};
             @Viscosity
12
   }
13
14
   Dictionary Camac—Feinberg
15
   {
16
             @Kinetics
                                 .../.../ kinetic — mechanisms / Camac—Feinberg / kinetics . CKI;
17
             @Thermodynamics ... / ... / kinetic — mechanisms / Camac — Feinberg / thermo. CKT;
18
             @Output
                                 kinetics;
19
20
   }
21
   Dictionary initial - mixture
22
   {
23
             @Temperature
                                  296. K;
24
             @Pressure
                                  6.58E-3 atm;
25
             @ MoleFractions
                                  AR 0.00934 N2 0.78118 O2 0.20948;
^{26}
   }
^{27}
28
   Dictionary output-options
29
   {
30
             @StepsFile
                                  1;
31
   }
^{32}
```

Figure 8.7: Input file for simulation of shock tube experiment

the greater-than-equilibrium peak NO concentration can be found in the paper by Camac and Feinberg and references therein. The predicted peak NO mole fraction is 0.046 and is in good agreement with the measured and the computed data by Camac and Feinberg.

8.3.3 Note

This tutorial was adapted from the Tutorials Manual (CK-TUT-15082-0809-UG-1) distributed with the CHEMKIN-PRO Software [2].

8.4 Perfectly Stirred Reactor

This tutorial presents the simulation of the steady-state combustion of a mixture of hydrogen, nitrogen, and oxygen in an adiabatic perfectly-stirred reactor. This tutorial uses the POLIMI_H2CO_1412 kinetic mechanism developed by CRECK Modeling Group at Politecnico di Milano. This project demonstrates the use of parameteric analysis features of OpenSMOKE++ Suite for solving multiple reactors at different operating conditions.

8.4.1 Setup

This tutorial project is located in the tutorials\perfectly-stirred-reactor directory. The input data are provided though the input.dic file (see Figure 8.9). The residence time of the gas in the PSR is assumed to be 0.03 ms, the volume equal to 67.4 cm3, and the pressure is kept constant. The inlet temperature is equal to 298 K and the initial gas temperature in the PSR is equal to 1800 K. No heat loss is taken into account, so the




Figure 8.8: NO mole fraction profile from simulation of shock-tube experiment

system will be treated as adiabatic. No estimate of the gas composition is needed to help the solver converge on a solution. The fuel stream is composed of 60% H2 and 40% N2. The oxidizer is defined as 79% N2 and 21% O2 (air). An equivalence ratio of 1 is assumed.

A parametric analysis is performed, by studying the effects of pressure on the reactor's performances. In particular, the pressure was gradually increased from 1 atm to 10 atm.

8.4.2 Results

Output results are located in the Output folder. Since a parametric analysis was performed, the Output folder contains several subfolders with names CaseO, Case1, Case2, and so on, for each reactor which was simulated (10 in this specific example). In addition, the ParametricAnalysis.out file summarizes the output results for all the reactors simulated. Figure 8.10 shows the temperature (left) and H2O mole fraction (right) of outlet mixture as a function of the reactor pressure (according to the results reported in ParametricAnalysis.out file).

```
.../../ kinetic -mechanisms/POLIMI_1412/Kinetics/POLIMI_H2CO_1412.CKI;
.../../ kinetic -mechanisms/POLIMI_1412/Thermodynamics/POLIMI_TOT_NOX_1412.CKT;
                                                                                                                                                                                                                                                                                                atm;
                                                                                   POLIMI_H2CO_1412;
NonIsoThermal—ConstantPressure;
                                                                                                                                                                                                                                                                                                10.
                                                                                                                                                                                                                                                                                                6
                                                                                                                                                     parametric—analysis;
                                                                                                                                                                                                                                                                                                ∞
                                                                                                                                                                                                                                                                                               7
                                                                                                               initial—mixture;
                                                                                                                                           output-options;
                                                                                                                                                                                                                                                                                                9
                                                                                                       inlet-mixture;
                                                                                                                                                                                                                                                                                               2
                                                                                                                                 67.4 cm3;
                                                                                                                        0.03 ms;
                                                                                                                                                                                                                               40;
                                                                                                                                                                                                                                       79;
                                                                                                                                                                                                                                                                                                4
                                                                                                                                                                                                                                                                                      pressure;
                                                                                                                                                                                                                                                                                               2. 3.
                                                                                                                                                                                                                             H2 60 N2 O2 21 N2
                                                                Dictionary PerfectlyStirredReactor
                                                                                                                                                                                                  298. K
                                                                                                                                                                                                            1. atm
                                                                                                                                                                                                                                                                                                                                                                          false;
                                                                                                                                                                                                                                                                                                                                                      5000;
                                                                                                                                                                                                                                                                                                                                                                 true;
                                                                                                                                                                                                                                                                   Dictionary parametric-analysis
                                                                                   @KineticsPreProcessor
                                                                                                                                                    @ParametricAnalysis
Dictionary POLIMI_H2CO_1412
                                      kinetics;
                                                                                                                                                                                                                                                                                                                                                               @VerboseASCIIFile
                                                                                                                                                                                                                    @EquivalenceRatio
                                                                                                                                                                                                                                                                                                                          Dictionary output-options
                                                                                                                                                                               Dictionary inlet-mixture
                                                                                                              @InitialStatus
                                                                                                                        @Residence Time
                                                                                                                                                                                                                                       @Oxidizer Moles
                                                                                                                                                                                                                                                                                             @ListOfValues
                                                                                                                                                                                                                                                                                                                                                                       @VerboseVideo
                                                                                                     @InletStatus
                                                                                                                                                                                                 @Temperature
                                                                                                                                                                                                                                                                                                                                                      @StepsVideo
                                                                                                                                                                                                                             @FuelMoles
                                                                                                                                                                                                                                                                                                                                             @StepsFile
                                                                                                                                                                                                           @Pressure
                           @Thermodynamics
                                                                                                                                          @Options
                                                                                                                                 @Volume
                                                                                                                                                                                                                                                                                     @Type
                 @Kinetics
                                     @Output
```

Figure 8.9: Input file for simulation of perfectly stirred reactors through parametric analysis




Figure 8.10: Temperature (left) and H2O mole fraction (right) of outlet mixture as a function of reactor pressure

Chapter 9

Publications using OpenSMOKE++

These are most recent publications in which the OpenSMOKE++ framework was adopted. Please send us information about your publications using OpenSMOKE++ (alberto.cuoci@polimi.it).

- Salenbauch, S., Cuoci, A., Frassoldati, A., Saggese, C., Faravelli, T., Hasse, C., Modeling soot formation in premixed flames using an Extended Conditional Quadrature Method of Moments (2015) Combustion and Flame, Article in Press, DOI: 10.1016/j.combustflame.2015.03.002
- Matera, S., Maestri, M., Cuoci, A., Reuter, K., Predictive-quality surface reaction chemistry in real reactor models: Integrating first-principles kinetic monte carlo simulations into computational fluid dynamics (2014) ACS Catalysis, 4 (11), pp. 4081-4092, DOI: 10.1021/cs501154e
- Jin, H., Frassoldati, A., Wang, Y., Zhang, X., Zeng, M., Li, Y., Qi, F., Cuoci, A., Faravelli, T., Kinetic modeling study of benzene and PAH formation in laminar methane flames (2015) Combustion and Flame, Article in Press, DOI: 10.1016/j.combustflame.2014.11.031
- Ranzi, E., Cavallotti, C., Cuoci, A., Frassoldati, A., Pelucchi, M., Faravelli, T., New reaction classes in the kinetic modeling of low temperature oxidation of n-alkanes (2014) Combustion and Flame, Article in Press, DOI: 10.1016/j.combustflame.2014.11.030
- Cuoci, A., Frassoldati, A., Faravelli, T., Ranzi, E., Numerical modeling of auto-ignition of isolated fuel droplets in microgravity (2014) Proceedings of the Combustion Institute, Article in Press, DOI: 10.1016/j.proci.2014.06.035
- Jin, H., Yuan, W., Wang, Y., Li, Y., Qi, F., Cuoci, A., Frassoldati, A., Faravelli, T., Experimental and kinetic modeling study of laminar coflow diffusion methane flames doped with 2-butanol (2014), Proceedings of the Combustion Institute, Article in Press, DOI: 10.1016/j.proci.2014.05.128
- Stagni, A., Cuoci, A., Frassoldati, A., Faravelli, T., Ranzi, E., Lumping and reduction of detailed kinetic schemes: An effective coupling (2014) Industrial and Engineering Chemistry Research, 53 (22), pp. 9004-9016, DOI: 10.1021/ie403272f
- Jin, H., Cuoci, A., Frassoldati, A., Faravelli, T., Wang, Y., Li, Y., Qi, F., Experimental and kinetic modeling study of PAH formation in methane coflow diffusion flames doped with n-butanol (2014) Combustion and Flame, 161 (3), pp. 657-670, DOI: 10.1016/j.combustflame.2013.10.020
- Saggese, C., Sánchez, N.E., Frassoldati, A., Cuoci, A., Faravelli, T., Alzueta, M.U., Ranzi, E., Kinetic modeling study of polycyclic aromatic hydrocarbons and soot formation in acetylene pyrolysis (2014) Energy and Fuels, 28 (2), pp. 1489-1501, DOI: 10.1021/ef402048q
- Stagni, A., Cuoci, A., Frassoldati, A., Faravelli, T., Ranzi, E., A fully coupled, parallel approach for the post-processing of CFD data through reactor network analysis (2014) Computers and Chemical Engineering, 60, pp. 197-212, DOI: 10.1016/j.compchemeng.2013.09.002
- Pelucchi, M., Bissoli, M., Cavallotti, C., Cuoci, A., Faravelli, T., Frassoldati, A., Ranzi, E., Stagni, A., Improved kinetic model of the low-temperature oxidation of n-heptane (2014) Energy and Fuels, 28 (11), pp. 7178-7193, DOI: 10.1021/ef501483f

- Ranzi, E., Frassoldati, A., Stagni, A., Pelucchi, M., Cuoci, A., Faravelli, T., Reduced kinetic schemes of complex reaction systems: Fossil and biomass-derived transportation fuels (2014) International Journal of Chemical Kinetics, 46 (9), pp. 512-542, DOI: 10.1002/kin.20867
- Cuoci, A., Frassoldati, A., Faravelli, T., Ranzi, E., Numerical modeling of laminar flames with detailed kinetics based on the operator-splitting method (2013) Energy and Fuels, 27 (12), pp. 7730-7753, DOI: 10.1021/ef4016334
- Bissoli, M., Cuoci, A., Frassoldati, A., Faravelli, T., Ranzi, E., Lucchini, T., D'Errico, G., Contino, F., Detailed Kinetic Analysis of HCCI Combustion Using a New Multi-Zone Model and CFD Simulations (2013) SAE International Journal of Engines, 6 (3), pp. 1594-1609, DOI: 10.4271/2013-24-0021
- Saggese, C., Frassoldati, A., Cuoci, A., Faravelli, T., Ranzi, E., A wide range kinetic modeling study of pyrolysis and oxidation of benzene (2013) Combustion and Flame, 160 (7), pp. 1168-1190, DOI: 10.1016/j.combustflame.2013.02.013
- Maestri, M., Cuoci, A., Coupling CFD with detailed microkinetic modeling in heterogeneous catalysis (2013) Chemical Engineering Science, 96, pp. 106-117, DOI: 10.1016/j.ces.2013.03.048
- Cuoci, A., Frassoldati, A., Faravelli, T., Jin, H., Wang, Y., Zhang, K., Glarborg, P., Qi, F., Experimental and detailed kinetic modeling study of PAH formation in laminar co-flow methane diffusion flames (2013) Proceedings of the Combustion Institute, 34 (1), pp. 1811-1818, DOI: 10.1016/j.proci.2012.05.085
- Cuoci, A., Frassoldati, A., Faravelli, T., Ranzi, E., A computational tool for the detailed kinetic modeling of laminar flames: Application to C2H4/CH4 coflow flames (2013) Combustion and Flame, 160 (5), pp. 870-886, DOI: 10.1016/j.combustflame.2013.01.011
- Cuoci, A., Frassoldati, A., Faravelli, T., Ranzi, E., Extinction of laminar, premixed, counterflow methane/air flames under unsteady conditions: Effect of H2 addition (2013) Chemical Engineering Science, 93, pp. 266-276, DOI: 10.1016/j.ces.2013.02.009
- Cuoci, A., Frassoldati, A., Stagni, A., Faravelli, T., Ranzi, E., Buzzi-Ferraris, G., Numerical modeling of NOx formation in turbulent flames using a kinetic post-processing technique (2013) Energy and Fuels, 27 (2), pp. 1104-1122, DOI: 10.1021/ef3016987
- Saggese, C., Frassoldati, A., Cuoci, A., Faravelli, T., Ranzi, E., A lumped approach to the kinetic modeling of pyrolysis and combustion of biodiesel fuels (2013) Proceedings of the Combustion Institute, 34 (1), pp. 427-434, DOI: 10.1016/j.proci.2012.05.020

Bibliography

- [1] M. Camac and R.M. Feinberg. Formation of {NO} in shock-heated air. Symposium (International) on Combustion, 11(1):137–145, 1967.
- [2] Reaction Design. Reaction workbench 15082, san diego. Technical report, 2008.
- [3] R.J. Kee, F. Rupley, and J.A. Miller. Chemkin ii: A fortran chemical kinetics package for the analysis of gas-phase chemical kinetics. Sandia Report SAND89-8009 Sandia National Laboratories, 1989.
- [4] R.J. Kee, F.M. Rupley, E. Meeks, and J.A. Miller. Chemkin-iii: A fortran chemical kinetics package for the analysis of gas phase chemical and plasma kinetics. Technical report, 1996.