Creating HTML Tables and Lists

Tables

```
Source Code:
<!DOCTYPE html>
<html>
<body>

<p>
Each table starts with a table tag.
Each table row starts with a tr tag.
Each table data starts with a td tag.
</p>

<h4>Two rows and three columns:</h4>
<table border="1">
<tr>
   <td>100</td>
   <td>200</td>
   <td>300</td>
</tr>
<tr>
   <td>400</td>
   <td>500</td>
   <td>600</td>
</tr>
</table>

</body>
</html>
```

table.html   ✕

C   file:///C:/Users/rbucher/Documents/Spring2014/1150/table.html

Each table starts with a table tag. Each table row starts with a tr tag. Each table data starts with a td tag.

Two rows and three columns:

100	200	300
400	500	600

```
<!DOCTYPE html>
<html>
<body>

<h4>An Unordered List:</h4>
<ul>
  <li>Coffee</li>
  <li>Tea</li>
  <li>Milk</li>
</ul>

</body>
</html>
```

An Unordered List:

- Coffee
- Tea
- Milk

```
<!DOCTYPE html>
<html>
<body>

<h4>An Ordered List:</h4>
<ol>
  <li>Coffee</li>
  <li>Tea</li>
  <li>Milk</li>
</ol>

</body>
</html>
```

An Ordered List:

1. Coffee
2. Tea
3. Milk