

ICPSR 37969

Nursing Home Consumer Preferences, United States, 2017 and 2019

Dana B. Mukamel

*University of California, Irvine. Department of
Medicine. iTEQC Research Program*

David L. Weimer

*University of Wisconsin. Robert M. LaFollette
School of Public Affairs*

Debra Saliba

*University of California, Los Angeles. School
of Medicine. Anna and Harry Borun Center for
Gerontological Research, United States.
Veterans Health Administration. Geriatric
Research Education and Clinical Center, RAND
Corporation*

Heather A. Ladd

*University of California, Irvine. Department of
Medicine. iTEQC Research Program*

ICPSR Codebook for Cohort 1 Data

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/37969/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #37969

Nursing Home Consumer Information Preferences, United States, 2017 and 2019

DS #1: Cohort 1

1. **Documentation Inconsistency:** The variables **HAGE**, **Q205_98_OTHER**, **Q207_98_OTHER**, **Q305DK_99**, **HQ305**, **HXNEWORDER_1**, **HXNEWORDER_2**, **Q1101_98_OTHER**, **HFROMTIME_1**, **LOIM**, and **ID** exist in the dataset but are not in the provided documentation. No additional information was provided.
2. **Stata Limitations:** Several variable labels are truncated in the Stata files due to Stata limitations.

ICPSR 37969

Nursing Home Consumer Preferences, United States, 2017 and 2019

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Cohort 1 Data

Q101: Q101. Are you ...?

Value	Label	Unweighted Frequency	%
1	Male	1201	26.5 %
2	Female	3335	73.5 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1-1 (width: 1; decimal: 0)

Variable Type: numeric

Q102: Q102. In what year were you born?

Value	Label	Unweighted Frequency	%
1900	-	2	0.0 %
1903	-	1	0.0 %
1922	-	1	0.0 %
1923	-	1	0.0 %
1931	-	1	0.0 %
1932	-	2	0.0 %
1934	-	2	0.0 %
1935	-	2	0.0 %
1936	-	3	0.1 %
1937	-	5	0.1 %
1938	-	3	0.1 %
1939	-	2	0.0 %
1940	-	4	0.1 %
1941	-	7	0.2 %
1942	-	12	0.3 %
1943	-	11	0.2 %
1944	-	13	0.3 %
1945	-	16	0.4 %
1946	-	32	0.7 %
1947	-	39	0.9 %
1948	-	52	1.1 %
1949	-	42	0.9 %
1950	-	55	1.2 %

Value	Label	Unweighted Frequency	%
1951	-	45	1.0 %
1952	-	52	1.1 %
1953	-	43	0.9 %
1954	-	49	1.1 %
1955	-	68	1.5 %
1956	-	64	1.4 %
1957	-	66	1.5 %
1958	-	65	1.4 %
1959	-	72	1.6 %
1960	-	60	1.3 %
1961	-	57	1.3 %
1962	-	80	1.8 %
1963	-	67	1.5 %
1964	-	47	1.0 %
1965	-	65	1.4 %
1966	-	53	1.2 %
1967	-	50	1.1 %
1968	-	50	1.1 %
1969	-	62	1.4 %
1970	-	65	1.4 %
1971	-	48	1.1 %
1972	-	61	1.3 %
1973	-	62	1.4 %
1974	-	65	1.4 %
1975	-	62	1.4 %
1976	-	60	1.3 %
1977	-	83	1.8 %
	Total	4,536	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,536 valid cases out of 4,536 total cases.

- Mean: 1977.06
- Median: 1981.00
- Mode: 1990.00
- Minimum: 1900.00
- Maximum: 1999.00
- Standard Deviation: 15.60

Location: 2-5 (width: 4; decimal: 0)

Variable Type: numeric

HAGE: Respondent age: Used for sample qualifications

Value	Label	Unweighted Frequency	%
1	Age 18 - 24	747	16.5 %
2	Age 25 - 34	1405	31.0 %
3	Age 35 - 44	787	17.4 %
4	Age 45 - 54	568	12.5 %
5	Age 55 - 64	624	13.8 %
6	Age 65 - 74	357	7.9 %
7	Age 75+	48	1.1 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 6-6 (width: 1; decimal: 0)

Variable Type: numeric

Q103: Q103. Do you reside in the United States?

Value	Label	Unweighted Frequency	%
1	Yes	4536	100.0 %
2	No	0	0.0 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 7-7 (width: 1; decimal: 0)

Variable Type: numeric

Q106: Q106. What is the highest level of education you have completed or the highest d

Value	Label	Unweighted Frequency	%
1	Less than high school	47	1.0 %
2	Completed some high school	144	3.2 %
3	High school graduate or equivalent (e.g. GED)	883	19.5 %
4	Completed some college, but no degree	1145	25.2 %
5	Completed associates degree	574	12.7 %
6	College graduate (e.g., B.A., A.B., B.S.)	1034	22.8 %
7	Completed some graduate school, but no degree	144	3.2 %
8	Masters degree	436	9.6 %

Value	Label	Unweighted Frequency	%
9	Professional degree (e.g., M.D., Ph.D., J.D.)	129	2.8 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 8-8 (width: 1; decimal: 0)

Variable Type: numeric

Q107: Q107. Are you of Hispanic origin, such as Mexican American, Latin American, Puer

Value	Label	Unweighted Frequency	%
1	Yes, of Hispanic origin	518	11.4 %
2	No, not of Hispanic origin	3948	87.0 %
99	Decline to answer	70	1.5 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 99.00

Location: 9-10 (width: 2; decimal: 0)

Variable Type: numeric

Q108: Q108. Do you consider yourself...?

Value	Label	Unweighted Frequency	%
1	White	3636	80.2 %
2	Black or African American	386	8.5 %
3	Asian or Pacific Islander	143	3.2 %
4	Native American or Alaskan native	41	0.9 %
5	Mixed racial background	167	3.7 %
6	Other race	112	2.5 %
99	Decline to answer	51	1.1 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 99.00

Location: 11-12 (width: 2; decimal: 0)

Variable Type: numeric

Q109: Q109. Which category best describes your annual household income?

Value	Label	Unweighted Frequency	%
1	Less than \$30,000	880	19.4 %
2	\$30,000 to less than \$50,000	1027	22.6 %
3	\$50,000 to less than \$70,000	966	21.3 %
4	\$70,000 to less than \$100,000	735	16.2 %
5	\$100,000 to less than \$150,000	528	11.6 %
6	\$150,000 to less than \$200,000	149	3.3 %
7	\$200,000 to less than \$250,000	57	1.3 %
8	\$250,000 or more	51	1.1 %
9	Decline to answer	143	3.2 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 13-13 (width: 1; decimal: 0)

Variable Type: numeric

Q201: Q201. Are you currently residing in any of the following?

Value	Label	Unweighted Frequency	%
1	Nursing home	222	4.9 %
2	Assisted living center	0	0.0 %
3	Continuing care community	0	0.0 %
4	Rehabilitation facility	0	0.0 %
5	Long term care hospitals	0	0.0 %
6	Hospice center	0	0.0 %
7	None of the above	4314	95.1 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 14-14 (width: 1; decimal: 0)

Variable Type: numeric

Q202: Q202. Are you currently in the nursing home as a short-term or long-term residen

Value	Label	Unweighted Frequency	%
1	Short-term (expected to return home)	156	3.4 %

Value	Label	Unweighted Frequency	%
2	Long-term	66	1.5 %
	Missing Data		
.	-	4314	95.1 %
	Total	4,536	100%

Based upon 222 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 15-15 (width: 1; decimal: 0)

Variable Type: numeric

Q203: Q203. Have you resided in a nursing home in the last 6 months?

Value	Label	Unweighted Frequency	%
1	Yes	240	5.3 %
2	No	4074	89.8 %
	Missing Data		
.	-	222	4.9 %
	Total	4,536	100%

Based upon 4,314 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 16-16 (width: 1; decimal: 0)

Variable Type: numeric

Q204: Q204. Were you in the nursing home as a short-term or long-term resident?

Value	Label	Unweighted Frequency	%
1	Short-term (expected to return home)	218	4.8 %
2	Long-term	22	0.5 %
	Missing Data		
.	-	4296	94.7 %
	Total	4,536	100%

Based upon 240 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 17-17 (width: 1; decimal: 0)

Variable Type: numeric

Q205: Q205. Do you have a family member (such as a grandparent, parent, spouse, or sib

Value	Label	Unweighted Frequency	%
1	Parent	1166	25.7 %
2	Grandparent	1844	40.7 %
3	Partner	51	1.1 %
4	Sibling	121	2.7 %
5	Child	24	0.5 %
98	Other	385	8.5 %
99	None	483	10.6 %
	Missing Data		
.	-	462	10.2 %
	Total	4,536	100%

Based upon 4,074 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 99.00

Location: 18-19 (width: 2; decimal: 0)

Variable Type: numeric

Q205_98_OTHER: Q205_98_other. Other - Do you have a family member (such as a grandparent, paren

Value	Label	Unweighted Frequency	%
	-	4151	91.5 %
2	-	1	0.0 %
Aunt	-	80	1.8 %
Aunt Dads sister	-	1	0.0 %
Aunt/guardian	-	1	0.0 %
Aunts	-	2	0.0 %
Aunty	-	1	0.0 %
Auny	-	1	0.0 %
Brother	-	1	0.0 %
Brother in law	-	1	0.0 %
Client	-	1	0.0 %
Clients	-	1	0.0 %
Co	-	1	0.0 %
Cousin	-	11	0.2 %
Cousin's dad	-	1	0.0 %
DD clients on caseload	-	1	0.0 %
Dependent non-relative	-	1	0.0 %

Value	Label	Unweighted Frequency	%
Ex husband	-	1	0.0 %
Family Friend	-	1	0.0 %
Family friend	-	2	0.0 %
Father I n law	-	1	0.0 %
Father in Law	-	2	0.0 %
Father in law	-	5	0.1 %
Father-in-law	-	2	0.0 %
Fellow church member	-	1	0.0 %
Friend	-	9	0.2 %
Friend of family	-	1	0.0 %
Friends	-	1	0.0 %
God father	-	1	0.0 %
Good frind	-	1	0.0 %
Grand friend	-	1	0.0 %
Grandparent's friend	-	1	0.0 %
Great Aunt	-	4	0.1 %
Great Grandmother	-	1	0.0 %
Great Grandparent	-	2	0.0 %
Great Uncle	-	1	0.0 %
Great aunt	-	11	0.2 %
Great grand parent	-	1	0.0 %
Great grandfather	-	1	0.0 %
Great grandma	-	1	0.0 %
Great grandmother	-	2	0.0 %
Great uncle	-	3	0.1 %
Great uncles	-	1	0.0 %
Great-Grandmother	-	1	0.0 %
Great-Grandparent	-	1	0.0 %
Greatgrand parent	-	1	0.0 %
Homecare	-	1	0.0 %
Husband	-	1	0.0 %
I work in a nursing home	-	1	0.0 %
In law	-	2	0.0 %
	Total	4,536	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,536 valid cases out of 4,536 total cases.

Location: 20-64 (width: 45; decimal: 0)

Variable Type: character

Q205B: Q205b. What is the gender of your (...) currently in a nursing home and for whom

Value	Label	Unweighted Frequency	%
1	Male	1080	23.8 %
2	Female	2511	55.4 %
	Missing Data		
.	-	945	20.8 %
	Total	4,536	100%

Based upon 3,591 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 65-65 (width: 1; decimal: 0)

Variable Type: numeric

Q205C: Q205C. What is the age of your (...) who is currently in a nursing home?

Value	Label	Unweighted Frequency	%
1	-	3	0.1 %
2	-	4	0.1 %
3	-	2	0.0 %
4	-	1	0.0 %
5	-	4	0.1 %
6	-	2	0.0 %
7	-	2	0.0 %
9	-	1	0.0 %
10	-	1	0.0 %
11	-	1	0.0 %
12	-	1	0.0 %
13	-	1	0.0 %
17	-	1	0.0 %
19	-	2	0.0 %
21	-	4	0.1 %
22	-	1	0.0 %
23	-	5	0.1 %
24	-	5	0.1 %
25	-	4	0.1 %
26	-	1	0.0 %
27	-	4	0.1 %
28	-	3	0.1 %
30	-	5	0.1 %

Value	Label	Unweighted Frequency	%
31	-	1	0.0 %
32	-	2	0.0 %
33	-	2	0.0 %
34	-	1	0.0 %
35	-	3	0.1 %
36	-	1	0.0 %
37	-	3	0.1 %
38	-	3	0.1 %
39	-	3	0.1 %
40	-	3	0.1 %
41	-	1	0.0 %
42	-	3	0.1 %
43	-	4	0.1 %
44	-	1	0.0 %
45	-	4	0.1 %
46	-	4	0.1 %
47	-	4	0.1 %
48	-	6	0.1 %
49	-	2	0.0 %
50	-	11	0.2 %
51	-	8	0.2 %
52	-	6	0.1 %
53	-	11	0.2 %
54	-	8	0.2 %
55	-	12	0.3 %
56	-	13	0.3 %
57	-	12	0.3 %
	Missing Data		
.	-	945	20.8 %
	Total	4,536	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,591 valid cases out of 4,536 total cases.

- Mean: 80.13
- Median: 83.00
- Mode: 87.00
- Minimum: 1.00
- Maximum: 112.00
- Standard Deviation: 13.93

Location: 66-68 (width: 3; decimal: 0)

Variable Type: numeric

Q206: Q206. Is this family member currently in a nursing home as a short-term or long-

Value	Label	Unweighted Frequency	%
1	Short-term (expected to return home)	650	14.3 %
2	Long-term	2941	64.8 %
	Missing Data		
.	-	945	20.8 %
	Total	4,536	100%

Based upon 3,591 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 69-69 (width: 1; decimal: 0)

Variable Type: numeric

Q207: Q207. Did you have a family member (such as a grandparent, parent, spouse, or si

Value	Label	Unweighted Frequency	%
1	Parent	176	3.9 %
2	Grandparent	216	4.8 %
3	Partner	10	0.2 %
4	Sibling	18	0.4 %
5	Child	3	0.1 %
98	Other	60	1.3 %
99	None	0	0.0 %
	Missing Data		
.	-	4053	89.4 %
	Total	4,536	100%

Based upon 483 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 98.00

Location: 70-71 (width: 2; decimal: 0)

Variable Type: numeric

Q207_98_OTHER: Q207_98_other. Other - Did you have a family member (such as a grandparent, pare

Value	Label	Unweighted Frequency	%
.	-	4476	98.7 %

Value	Label	Unweighted Frequency	%
Aunt	-	15	0.3 %
Aunt . But she passed away three months ago	-	1	0.0 %
BROTHER IN LAW	-	1	0.0 %
Brother in Law	-	1	0.0 %
Brother in law	-	2	0.0 %
Client	-	1	0.0 %
Cousin	-	1	0.0 %
Father in law	-	3	0.1 %
Father-In-Law	-	1	0.0 %
Father-inlaw	-	1	0.0 %
Friend	-	3	0.1 %
Great aunt	-	2	0.0 %
Great grandparents	-	1	0.0 %
Husband	-	1	0.0 %
Mother In law	-	1	0.0 %
Mother in law	-	3	0.1 %
Mother on law	-	1	0.0 %
Mother-in-law	-	1	0.0 %
Motherinlaw	-	1	0.0 %
Mothers friend	-	1	0.0 %
Parent-In-Law	-	1	0.0 %
Uncle	-	3	0.1 %
aunt	-	5	0.1 %
boyfriend's mother	-	1	0.0 %
cousin	-	1	0.0 %
father in law	-	2	0.0 %
mother in law	-	1	0.0 %
mother-in-law	-	2	0.0 %
spouse	-	1	0.0 %
uncle	-	1	0.0 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

Location: 72-114 (width: 43; decimal: 0)

Variable Type: character

Q207B: Q207b. What is the gender of your (...) who was in a nursing home and for whom y

Value	Label	Unweighted Frequency	%
1	Male	169	3.7 %

Value	Label	Unweighted Frequency	%
2	Female	314	6.9 %
	Missing Data		
.	-	4053	89.4 %
	Total	4,536	100%

Based upon 483 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 115-115 (width: 1; decimal: 0)

Variable Type: numeric

Q207C: Q207C. What is the age of your (...) who was in a nursing home?

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
14	-	1	0.0 %
25	-	1	0.0 %
32	-	2	0.0 %
37	-	1	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %
43	-	1	0.0 %
47	-	1	0.0 %
49	-	1	0.0 %
50	-	2	0.0 %
52	-	1	0.0 %
53	-	1	0.0 %
54	-	2	0.0 %
55	-	1	0.0 %
56	-	5	0.1 %
57	-	5	0.1 %
58	-	3	0.1 %
59	-	4	0.1 %
60	-	4	0.1 %
61	-	1	0.0 %
62	-	4	0.1 %
63	-	3	0.1 %
64	-	4	0.1 %
65	-	10	0.2 %
66	-	6	0.1 %

Value	Label	Unweighted Frequency	%
67	-	5	0.1 %
68	-	7	0.2 %
69	-	3	0.1 %
70	-	19	0.4 %
71	-	1	0.0 %
72	-	14	0.3 %
73	-	9	0.2 %
74	-	8	0.2 %
75	-	17	0.4 %
76	-	13	0.3 %
77	-	9	0.2 %
78	-	16	0.4 %
79	-	12	0.3 %
80	-	23	0.5 %
81	-	7	0.2 %
82	-	15	0.3 %
83	-	14	0.3 %
84	-	16	0.4 %
85	-	22	0.5 %
86	-	25	0.6 %
87	-	17	0.4 %
88	-	9	0.2 %
89	-	15	0.3 %
90	-	21	0.5 %
	Missing Data		
.	-	4053	89.4 %
	Total	4,536	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 483 valid cases out of 4,536 total cases.

- Mean: 79.75
- Median: 82.00
- Mode: 86.00
- Minimum: 1.00
- Maximum: 104.00
- Standard Deviation: 13.07

Location: 116-118 (width: 3; decimal: 0)

Variable Type: numeric

Q208: Q208. Was your family member in a nursing home as a short-term or long-term resi

Value	Label	Unweighted Frequency	%
1	Short-term (he or she were expected to return home)	255	5.6 %
2	Long-term	228	5.0 %
	Missing Data		
.	-	4053	89.4 %
	Total	4,536	100%

Based upon 483 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 119-119 (width: 1; decimal: 0)

Variable Type: numeric

Q209: Q209. Did this family member die while residing in the nursing home?

Value	Label	Unweighted Frequency	%
1	Yes	249	5.5 %
2	No	234	5.2 %
	Missing Data		
.	-	4053	89.4 %
	Total	4,536	100%

Based upon 483 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 120-120 (width: 1; decimal: 0)

Variable Type: numeric

Q209A: Q209a. The remainder of the survey asks about situations that your relative might

Value	Label	Unweighted Frequency	%
1	Yes	249	5.5 %
2	No	0	0.0 %
	Missing Data		
.	-	4287	94.5 %
	Total	4,536	100%

Based upon 249 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 121-121 (width: 1; decimal: 0)

Variable Type: numeric

HGROUP: Respondent type

Value	Label	Unweighted Frequency	%
1:Respondent in NH currently short term	-	156	3.4 %
2:Family member in NH currently short term	-	650	14.3 %
3:Respondent in NH currently Long term respondent	-	66	1.5 %
4:Family member in NH currently long term	-	2941	64.8 %
5:Respondent in NH within last 6 mo short term	-	218	4.8 %
6:Family member in NH within last 6 mo short term	-	208	4.6 %
6A:hgroup=6 and died in NH	-	47	1.0 %
7:Respondent in NH within last 6 mo long term	-	22	0.5 %
8:Family member in NH within last 6 mo long term	-	26	0.6 %
8A:hgroup=8 and died in NH	-	202	4.5 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

Location: 122-170 (width: 49; decimal: 0)

Variable Type: character

Q301_1: Q301. How involved were you in the selection of (...)?

Value	Label	Unweighted Frequency	%
1	Not involved at all	888	19.6 %
2	-	549	12.1 %
3	Somewhat involved	839	18.5 %
4	-	1145	25.2 %
5	Very involved	1103	24.3 %
	Missing Data		
.	-	12	0.3 %
	Total	4,536	100%

Based upon 4,524 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 171-171 (width: 1; decimal: 0)

Variable Type: numeric

Q301B: Q301b. How familiar are you with the quality of care in the nursing home (...)?

Value	Label	Unweighted Frequency	%
1	Not familiar at all	0	0.0 %
2	Hardly at all familiar	259	5.7 %

Value	Label	Unweighted Frequency	%
3	Somewhat familiar	1121	24.7 %
4	Very familiar	1526	33.6 %
5	Extremely familiar	1168	25.7 %
	Missing Data		
.	-	462	10.2 %
	Total	4,536	100%

Based upon 4,074 valid cases out of 4,536 total cases.

- Minimum: 2.00
- Maximum: 5.00

Location: 172-172 (width: 1; decimal: 0)

Variable Type: numeric

Q302_1: Q302_1. Family member - Which of the following were sources of information when

Value	Label	Unweighted Frequency	%
0	No	2443	53.9 %
1	Yes	2093	46.1 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 173-173 (width: 1; decimal: 0)

Variable Type: numeric

Q302_2: Q302_2. Other relative - Which of the following were sources of information when

Value	Label	Unweighted Frequency	%
0	No	3597	79.3 %
1	Yes	939	20.7 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 174-174 (width: 1; decimal: 0)

Variable Type: numeric

Q302_3: Q302_3. Friend - Which of the following were sources of information when choosin

Value	Label	Unweighted Frequency	%
0	No	3426	75.5 %
1	Yes	1110	24.5 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 175-175 (width: 1; decimal: 0)

Variable Type: numeric

Q302_4: Q302_4. Physician - Which of the following were sources of information when choo

Value	Label	Unweighted Frequency	%
0	No	3022	66.6 %
1	Yes	1514	33.4 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 176-176 (width: 1; decimal: 0)

Variable Type: numeric

Q302_5: Q302_5. Clergy member - Which of the following were sources of information when

Value	Label	Unweighted Frequency	%
0	No	4317	95.2 %
1	Yes	219	4.8 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 177-177 (width: 1; decimal: 0)

Variable Type: numeric

Q302_6: Q302_6. Social worker or case manager - Which of the following were sources of i

Value	Label	Unweighted Frequency	%
0	No	3397	74.9 %
1	Yes	1139	25.1 %

Value	Label	Unweighted Frequency	%
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 178-178 (width: 1; decimal: 0)

Variable Type: numeric

Q302_7: Q302_7. Other health care professional - Which of the following were sources of

Value	Label	Unweighted Frequency	%
0	No	3510	77.4 %
1	Yes	1026	22.6 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 179-179 (width: 1; decimal: 0)

Variable Type: numeric

Q302_8: Q302_8. On-line report card (nursing home comparison) - Which of the following w

Value	Label	Unweighted Frequency	%
0	No	3907	86.1 %
1	Yes	629	13.9 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 180-180 (width: 1; decimal: 0)

Variable Type: numeric

Q302_9: Q302_9. Advertising in newspapers - Which of the following were sources of infor

Value	Label	Unweighted Frequency	%
0	No	4324	95.3 %
1	Yes	212	4.7 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 181-181 (width: 1; decimal: 0)

Variable Type: numeric

Q302_10: Q302_10. My prior experience - Which of the following were sources of informatio

Value	Label	Unweighted Frequency	%
0	No	3927	86.6 %
1	Yes	609	13.4 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 182-182 (width: 1; decimal: 0)

Variable Type: numeric

Q302_11: Q302_11. Other - Which of the following were sources of information when choosin

Value	Label	Unweighted Frequency	%
0	No	4202	92.6 %
1	Yes	334	7.4 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 183-183 (width: 1; decimal: 0)

Variable Type: numeric

Q303: Q303. On average, how frequently (...) in the nursing home?

Value	Label	Unweighted Frequency	%
1	Almost never	317	7.0 %
2	Less than once a month	939	20.7 %
3	Less than weekly	682	15.0 %
4	Once a week	976	21.5 %
5	2 to 3 times a week	910	20.1 %
6	4 to 5 times a week	380	8.4 %
7	6 or more times a week	332	7.3 %

Value	Label	Unweighted Frequency	%
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 184-184 (width: 1; decimal: 0)

Variable Type: numeric

Q304: Q304. How (...)?

Value	Label	Unweighted Frequency	%
1	Walk	265	5.8 %
2	Travel by private car	3910	86.2 %
3	Use local public transportation	164	3.6 %
4	Other	197	4.3 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 185-185 (width: 1; decimal: 0)

Variable Type: numeric

Q305: Q305. On average how many MINUTES (...)?

Value	Label	Unweighted Frequency	%
0	-	2	0.0 %
1	-	10	0.2 %
2	-	26	0.6 %
3	-	22	0.5 %
4	-	6	0.1 %
5	-	172	3.8 %
6	-	15	0.3 %
7	-	34	0.7 %
8	-	22	0.5 %
9	-	7	0.2 %
10	-	414	9.1 %
11	-	4	0.1 %
12	-	34	0.7 %
13	-	8	0.2 %

Value	Label	Unweighted Frequency	%
14	-	2	0.0 %
15	-	557	12.3 %
16	-	4	0.1 %
17	-	5	0.1 %
18	-	8	0.2 %
19	-	3	0.1 %
20	-	538	11.9 %
21	-	3	0.1 %
22	-	10	0.2 %
23	-	13	0.3 %
24	-	4	0.1 %
25	-	229	5.0 %
26	-	2	0.0 %
27	-	2	0.0 %
28	-	8	0.2 %
29	-	1	0.0 %
30	-	990	21.8 %
32	-	2	0.0 %
34	-	3	0.1 %
35	-	102	2.2 %
36	-	1	0.0 %
37	-	3	0.1 %
38	-	3	0.1 %
39	-	2	0.0 %
40	-	115	2.5 %
42	-	1	0.0 %
43	-	1	0.0 %
44	-	2	0.0 %
45	-	245	5.4 %
46	-	1	0.0 %
48	-	3	0.1 %
50	-	56	1.2 %
52	-	3	0.1 %
54	-	1	0.0 %
55	-	11	0.2 %
56	-	3	0.1 %
	Total	4,536	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,536 valid cases out of 4,536 total cases.

- Mean: 326.78
- Median: 30.00
- Mode: 30.00
- Minimum: 0.00
- Maximum: 1000000.00
- Standard Deviation: 14984.21

Location: 186-192 (width: 7; decimal: 0)

Variable Type: numeric

Q305DK_99: Q305DK_99. Don't know - On average how many MINUTES (...)?

Value	Label	Unweighted Frequency	%
0	No	4042	89.1 %
1	Yes	297	6.5 %
	Missing Data		
.	-	197	4.3 %
	Total	4,536	100%

Based upon 4,339 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 193-193 (width: 1; decimal: 0)

Variable Type: numeric

HQ305: Summary of q305 and q305dk_99

Value	Label	Unweighted Frequency	%
1	Respondent answered Dont know in Q305 so Q305 is Auto punched with 90	297	6.5 %
2	Respondent didn't enter response neither in Q305 nor DK so Q305 is auto punched with 90	0	0.0 %
3	Q305 is not shown(Q304=4) to the resp so it is auto coded with 90	197	4.3 %
	Missing Data		
.	-	4042	89.1 %
	Total	4,536	100%

Based upon 494 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 194-194 (width: 1; decimal: 0)

Variable Type: numeric

Q401_3: Q401_3. Years - How long (...) in this nursing home?

Value	Label	Unweighted Frequency	%
1	-	945	20.8 %
2	-	784	17.3 %
3	-	366	8.1 %
4	-	188	4.1 %
5	-	254	5.6 %
6	-	84	1.9 %
7	-	50	1.1 %
8	-	50	1.1 %
9	-	10	0.2 %
10	-	59	1.3 %
11	-	7	0.2 %
12	-	12	0.3 %
13	-	5	0.1 %
14	-	2	0.0 %
15	-	14	0.3 %
16	-	1	0.0 %
17	-	3	0.1 %
19	-	1	0.0 %
20	-	4	0.1 %
21	-	1	0.0 %
22	-	2	0.0 %
23	-	1	0.0 %
24	-	1	0.0 %
25	-	2	0.0 %
27	-	1	0.0 %
30	-	2	0.0 %
33	-	1	0.0 %
35	-	1	0.0 %
40	-	1	0.0 %
65	-	1	0.0 %
68	-	1	0.0 %
	Missing Data		
.	-	1682	37.1 %
	Total	4,536	100%

Based upon 2,854 valid cases out of 4,536 total cases.

- Mean: 3.06

- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 68.00
- Standard Deviation: 3.47

Location: 195-196 (width: 2; decimal: 0)

Variable Type: numeric

Q401_2: Q401_2. Months - How long (...) in this nursing home?

Value	Label	Unweighted Frequency	%
0	-	308	6.8 %
1	-	300	6.6 %
2	-	610	13.4 %
3	-	483	10.6 %
4	-	308	6.8 %
5	-	267	5.9 %
6	-	557	12.3 %
7	-	112	2.5 %
8	-	153	3.4 %
9	-	117	2.6 %
10	-	97	2.1 %
11	-	52	1.1 %
12	-	12	0.3 %
13	-	1	0.0 %
15	-	4	0.1 %
17	-	2	0.0 %
18	-	2	0.0 %
19	-	1	0.0 %
20	-	1	0.0 %
21	-	1	0.0 %
22	-	1	0.0 %
24	-	2	0.0 %
46	-	1	0.0 %
48	-	2	0.0 %
60	-	1	0.0 %
184	-	1	0.0 %
2017	-	1	0.0 %
	Missing Data		
.	-	1139	25.1 %
	Total	4,536	100%

Based upon 3,397 valid cases out of 4,536 total cases.

- Mean: 4.80
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2017.00
- Standard Deviation: 34.83

Location: 197-200 (width: 4; decimal: 0)

Variable Type: numeric

Q401_1: Q401_1. Weeks - How long (...) in this nursing home?

Value	Label	Unweighted Frequency	%
0	-	660	14.6 %
1	-	454	10.0 %
2	-	673	14.8 %
3	-	366	8.1 %
4	-	80	1.8 %
5	-	49	1.1 %
6	-	44	1.0 %
7	-	8	0.2 %
8	-	20	0.4 %
9	-	4	0.1 %
10	-	17	0.4 %
11	-	1	0.0 %
12	-	16	0.4 %
13	-	4	0.1 %
14	-	7	0.2 %
15	-	7	0.2 %
16	-	1	0.0 %
17	-	1	0.0 %
18	-	2	0.0 %
20	-	4	0.1 %
23	-	1	0.0 %
24	-	1	0.0 %
25	-	2	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
40	-	1	0.0 %
45	-	1	0.0 %
48	-	2	0.0 %
50	-	2	0.0 %

Value	Label	Unweighted Frequency	%
52	-	1	0.0 %
56	-	1	0.0 %
60	-	1	0.0 %
66	-	1	0.0 %
88	-	1	0.0 %
94	-	1	0.0 %
100	-	2	0.0 %
165	-	1	0.0 %
200	-	1	0.0 %
233	-	1	0.0 %
300	-	1	0.0 %
360	-	1	0.0 %
364	-	1	0.0 %
1939	-	1	0.0 %
1989	-	1	0.0 %
1993	-	1	0.0 %
	Missing Data		
.	-	2089	46.1 %
	Total	4,536	100%

Based upon 2,447 valid cases out of 4,536 total cases.

- Mean: 5.46
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 1993.00
- Standard Deviation: 70.57

Location: 201-204 (width: 4; decimal: 0)

Variable Type: numeric

Q401DK_98: Q401DK_98. Less than one week - How long (...) in this nursing home?

Value	Label	Unweighted Frequency	%
0	No	4288	94.5 %
1	Yes	248	5.5 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 205-205 (width: 1; decimal: 0)

Variable Type: numeric

Q402: Q402. Did (...) reside in another nursing home immediately before entering (...)

Value	Label	Unweighted Frequency	%
1	Yes	813	17.9 %
2	No	3723	82.1 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 206-206 (width: 1; decimal: 0)

Variable Type: numeric

Q403N_1: Q403n_1. Change in physical condition - What was the primary reason (...) change

Value	Label	Unweighted Frequency	%
0	No	507	11.2 %
1	Yes	306	6.7 %
	Missing Data		
.	-	3723	82.1 %
	Total	4,536	100%

Based upon 813 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 207-207 (width: 1; decimal: 0)

Variable Type: numeric

Q403N_2: Q403n_2. Change in mental condition - What was the primary reason (...) changed

Value	Label	Unweighted Frequency	%
0	No	605	13.3 %
1	Yes	208	4.6 %
	Missing Data		
.	-	3723	82.1 %
	Total	4,536	100%

Based upon 813 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 208-208 (width: 1; decimal: 0)

Variable Type: numeric

Q403N_3: Q403n_3. Dissatisfaction with quality - What was the primary reason (...) change

Value	Label	Unweighted Frequency	%
0	No	586	12.9 %
1	Yes	227	5.0 %
	Missing Data		
.	-	3723	82.1 %
	Total	4,536	100%

Based upon 813 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 209-209 (width: 1; decimal: 0)

Variable Type: numeric

Q403N_4: Q403n_4. To reduce cost - What was the primary reason (...) changed nursing home

Value	Label	Unweighted Frequency	%
0	No	665	14.7 %
1	Yes	148	3.3 %
	Missing Data		
.	-	3723	82.1 %
	Total	4,536	100%

Based upon 813 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 210-210 (width: 1; decimal: 0)

Variable Type: numeric

Q403N_5: Q403n_5. To be nearer family members - What was the primary reason (...) changed

Value	Label	Unweighted Frequency	%
0	No	607	13.4 %
1	Yes	206	4.5 %
	Missing Data		
.	-	3723	82.1 %
	Total	4,536	100%

Based upon 813 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 211-211 (width: 1; decimal: 0)

Variable Type: numeric

Q403N_6: Q403n_6. Other - What was the primary reason (...) changed nursing homes?

Value	Label	Unweighted Frequency	%
0	No	724	16.0 %
1	Yes	89	2.0 %
	Missing Data		
.	-	3723	82.1 %
	Total	4,536	100%

Based upon 813 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 212-212 (width: 1; decimal: 0)

Variable Type: numeric

Q403N_7: Q403n_7. Don't know - What was the primary reason (...) changed nursing homes?

Value	Label	Unweighted Frequency	%
0	No	792	17.5 %
1	Yes	21	0.5 %
	Missing Data		
.	-	3723	82.1 %
	Total	4,536	100%

Based upon 813 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 213-213 (width: 1; decimal: 0)

Variable Type: numeric

Q404: Q404_1. What was (...) physical condition (...) entered this (current) nursing h

Value	Label	Unweighted Frequency	%
1	1 - Unable to do any daily activities without assistance	660	14.6 %
2	2	1165	25.7 %
3	3	1094	24.1 %
4	4	1131	24.9 %
5	5 - Able to perform all daily activities without any help from another person	473	10.4 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	13	0.3 %
	Total	4,536	100%

Based upon 4,523 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 214-214 (width: 1; decimal: 0)

Variable Type: numeric

Q405: Q405_1. what was (...) entered this (current) nursing home?

Value	Label	Unweighted Frequency	%
1	1 - Serious mental disability that requires assistance for all daily activities	393	8.7 %
2	2	904	19.9 %
3	3	906	20.0 %
4	4	1268	28.0 %
5	5 - No mental disabilities that affect ability to perform daily activities	1055	23.3 %
	Missing Data		
.	-	10	0.2 %
	Total	4,536	100%

Based upon 4,526 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 215-215 (width: 1; decimal: 0)

Variable Type: numeric

Q406: Q406. Did (...) have serious memory problems before or when (...) entered the nu

Value	Label	Unweighted Frequency	%
1	Yes	2066	45.5 %
2	No	2272	50.1 %
3	Don't Know	197	4.3 %
	Missing Data		
.	-	1	0.0 %
	Total	4,536	100%

Based upon 4,535 valid cases out of 4,536 total cases.

- Minimum: 1.00

- Maximum: 3.00

Location: 216-216 (width: 1; decimal: 0)

Variable Type: numeric

Q406A: Q406a. What was the cause of the memory problem?

Value	Label	Unweighted Frequency	%
1	Alzheimer's Disease	628	13.8 %
2	Dementia	818	18.0 %
3	Stroke	243	5.4 %
4	Something else	246	5.4 %
5	Don't know	132	2.9 %
	Missing Data		
.	-	2469	54.4 %
	Total	4,536	100%

Based upon 2,067 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 217-217 (width: 1; decimal: 0)

Variable Type: numeric

Q407: Q407. Did (...) require complex medical or nursing care (for example, care of a

Value	Label	Unweighted Frequency	%
1	Yes	1757	38.7 %
2	No	2779	61.3 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 218-218 (width: 1; decimal: 0)

Variable Type: numeric

Q601: Q601_1. Please rate the overall quality that you believe (...) nursing home.

Value	Label	Unweighted Frequency	%
0	Extremely overall poor quality	22	0.5 %
5	-	17	0.4 %
10	-	23	0.5 %
15	-	27	0.6 %
20	-	56	1.2 %

Value	Label	Unweighted Frequency	%
25	-	42	0.9 %
30	-	84	1.9 %
35	-	65	1.4 %
40	-	127	2.8 %
45	-	49	1.1 %
50	Adequate overall quality	302	6.7 %
55	-	91	2.0 %
60	-	242	5.3 %
65	-	232	5.1 %
70	-	534	11.8 %
75	-	384	8.5 %
80	-	764	16.8 %
85	-	375	8.3 %
90	-	534	11.8 %
95	-	312	6.9 %
100	Extremely overall high quality	248	5.5 %
	Missing Data		
.	-	6	0.1 %
	Total	4,536	100%

Based upon 4,530 valid cases out of 4,536 total cases.

- Mean: 72.04
- Median: 75.00
- Mode: 80.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 20.39

Location: 219-221 (width: 3; decimal: 0)

Variable Type: numeric

Q602_1: Q602_1. Food quality - On a scale of 0 to 10, where 0 means 'extremely poor' and

Value	Label	Unweighted Frequency	%
0	0 - Extremely poor	51	1.1 %
1	1	56	1.2 %
2	2	86	1.9 %
3	3	155	3.4 %
4	4	235	5.2 %
5	5	428	9.4 %
6	6	580	12.8 %
7	7	814	17.9 %

Value	Label	Unweighted Frequency	%
8	8	914	20.1 %
9	9	652	14.4 %
10	10 - Extremely high	565	12.5 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 222-223 (width: 2; decimal: 0)

Variable Type: numeric

Q602_2: Q602_2. Cleanliness - On a scale of 0 to 10, where 0 means 'extremely poor' and

Value	Label	Unweighted Frequency	%
0	0 - Extremely poor	31	0.7 %
1	1	33	0.7 %
2	2	56	1.2 %
3	3	103	2.3 %
4	4	149	3.3 %
5	5	284	6.3 %
6	6	347	7.6 %
7	7	661	14.6 %
8	8	973	21.5 %
9	9	930	20.5 %
10	10 - Extremely high	969	21.4 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 224-225 (width: 2; decimal: 0)

Variable Type: numeric

Q602_3: Q602_3. Physical environment - On a scale of 0 to 10, where 0 means 'extremely p'

Value	Label	Unweighted Frequency	%
0	0 - Extremely poor	31	0.7 %
1	1	27	0.6 %
2	2	50	1.1 %
3	3	96	2.1 %

Value	Label	Unweighted Frequency	%
4	4	177	3.9 %
5	5	335	7.4 %
6	6	451	9.9 %
7	7	763	16.8 %
8	8	1024	22.6 %
9	9	820	18.1 %
10	10 - Extremely high	762	16.8 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 226-227 (width: 2; decimal: 0)

Variable Type: numeric

Q602_4: Q602_4. Personal Security - On a scale of 0 to 10, where 0 means 'extremely poor'

Value	Label	Unweighted Frequency	%
0	0 - Extremely poor	57	1.3 %
1	1	37	0.8 %
2	2	62	1.4 %
3	3	116	2.6 %
4	4	155	3.4 %
5	5	363	8.0 %
6	6	445	9.8 %
7	7	714	15.7 %
8	8	872	19.2 %
9	9	807	17.8 %
10	10 - Extremely high	908	20.0 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 228-229 (width: 2; decimal: 0)

Variable Type: numeric

Q602_5: Q602_5. Social environment - On a scale of 0 to 10, where 0 means 'extremely poor'

Value	Label	Unweighted Frequency	%
0	0 - Extremely poor	38	0.8 %
1	1	33	0.7 %
2	2	75	1.7 %
3	3	105	2.3 %
4	4	151	3.3 %
5	5	370	8.2 %
6	6	488	10.8 %
7	7	787	17.4 %
8	8	952	21.0 %
9	9	790	17.4 %
10	10 - Extremely high	747	16.5 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 230-231 (width: 2; decimal: 0)

Variable Type: numeric

Q602_6: Q602_6. Activities - On a scale of 0 to 10, where 0 means 'extremely poor' and 1

Value	Label	Unweighted Frequency	%
0	0 - Extremely poor	37	0.8 %
1	1	38	0.8 %
2	2	70	1.5 %
3	3	114	2.5 %
4	4	190	4.2 %
5	5	431	9.5 %
6	6	451	9.9 %
7	7	777	17.1 %
8	8	927	20.4 %
9	9	775	17.1 %
10	10 - Extremely high	726	16.0 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 232-233 (width: 2; decimal: 0)

Variable Type: numeric

Q602_7: Q602_7. Personal care - On a scale of 0 to 10, where 0 means 'extremely poor' an

Value	Label	Unweighted Frequency	%
0	0 - Extremely poor	38	0.8 %
1	1	33	0.7 %
2	2	65	1.4 %
3	3	125	2.8 %
4	4	187	4.1 %
5	5	307	6.8 %
6	6	400	8.8 %
7	7	758	16.7 %
8	8	972	21.4 %
9	9	856	18.9 %
10	10 - Extremely high	795	17.5 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 234-235 (width: 2; decimal: 0)

Variable Type: numeric

Q602_8: Q602_8. Attentive to residents - On a scale of 0 to 10, where 0 means 'extremely'

Value	Label	Unweighted Frequency	%
0	0 - Extremely poor	51	1.1 %
1	1	40	0.9 %
2	2	94	2.1 %
3	3	133	2.9 %
4	4	179	3.9 %
5	5	336	7.4 %
6	6	431	9.5 %
7	7	787	17.4 %
8	8	892	19.7 %
9	9	806	17.8 %
10	10 - Extremely high	787	17.4 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 236-237 (width: 2; decimal: 0)

Variable Type: numeric

Q602_9: Q602_9. Communicate with residents - On a scale of 0 to 10, where 0 means 'extre'

Value	Label	Unweighted Frequency	%
0	0 - Extremely poor	40	0.9 %
1	1	37	0.8 %
2	2	84	1.9 %
3	3	137	3.0 %
4	4	173	3.8 %
5	5	375	8.3 %
6	6	454	10.0 %
7	7	740	16.3 %
8	8	986	21.7 %
9	9	759	16.7 %
10	10 - Extremely high	751	16.6 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 238-239 (width: 2; decimal: 0)

Variable Type: numeric

Q602_10: Q602_10. Communicate with family members - On a scale of 0 to 10, where 0 means

Value	Label	Unweighted Frequency	%
0	0 - Extremely poor	47	1.0 %
1	1	30	0.7 %
2	2	70	1.5 %
3	3	104	2.3 %
4	4	143	3.2 %
5	5	335	7.4 %
6	6	370	8.2 %
7	7	692	15.3 %
8	8	915	20.2 %
9	9	889	19.6 %
10	10 - Extremely high	941	20.7 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 240-241 (width: 2; decimal: 0)

Variable Type: numeric

Q602_11: Q602_11. Routine medical care - On a scale of 0 to 10, where 0 means 'extremely'

Value	Label	Unweighted Frequency	%
0	0 - Extremely poor	38	0.8 %
1	1	26	0.6 %
2	2	58	1.3 %
3	3	86	1.9 %
4	4	137	3.0 %
5	5	304	6.7 %
6	6	386	8.5 %
7	7	783	17.3 %
8	8	1021	22.5 %
9	9	886	19.5 %
10	10 - Extremely high	811	17.9 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 242-243 (width: 2; decimal: 0)

Variable Type: numeric

Q602_12: Q602_12. Emergency medical care - On a scale of 0 to 10, where 0 means 'extremel'

Value	Label	Unweighted Frequency	%
0	0 - Extremely poor	32	0.7 %
1	1	26	0.6 %
2	2	60	1.3 %
3	3	87	1.9 %
4	4	127	2.8 %
5	5	329	7.3 %
6	6	380	8.4 %
7	7	680	15.0 %
8	8	959	21.1 %
9	9	910	20.1 %
10	10 - Extremely high	946	20.9 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 244-245 (width: 2; decimal: 0)

Variable Type: numeric

Q602_13: Q602_13. Physical therapy - On a scale of 0 to 10, where 0 means 'extremely poor'

Value	Label	Unweighted Frequency	%
0	0 - Extremely poor	38	0.8 %
1	1	37	0.8 %
2	2	65	1.4 %
3	3	113	2.5 %
4	4	138	3.0 %
5	5	404	8.9 %
6	6	474	10.4 %
7	7	770	17.0 %
8	8	939	20.7 %
9	9	790	17.4 %
10	10 - Extremely high	768	16.9 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 246-247 (width: 2; decimal: 0)

Variable Type: numeric

Q1106B1: Q1106b1. Major payment source - How (...) pay for the nursing home stay you have

Value	Label	Unweighted Frequency	%
1	Medicare	0	0.0 %
2	Medicaid	1022	22.5 %
3	Private medical insurance (e.g. HMO, PPO)	494	10.9 %
4	Private long term care insurance	357	7.9 %
5	Medicare (including Medicare Advantage)	1436	31.7 %
6	Out of pocket	687	15.1 %
7	No Secondary payment source	0	0.0 %
8	Don't know	540	11.9 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 2.00
- Maximum: 8.00

Location: 248-248 (width: 1; decimal: 0)

Variable Type: numeric

Q1106B2_1: Q1106b2_1. Medicare - Secondary payment source - How (...) pay for the nursing h

Value	Label	Unweighted Frequency	%
0	No	0	0.0 %
1	Yes	0	0.0 %
	Missing Data		
.	-	4536	100.0 %
	Total	4,536	100%

Based upon 0 valid cases out of 4,536 total cases.

Location: 249-249 (width: 1; decimal: 0)

Variable Type: numeric

Q1106B2_2: Q1106b2_2. Medicaid - Secondary payment source - How (...) pay for the nursing h

Value	Label	Unweighted Frequency	%
0	No	3855	85.0 %
1	Yes	681	15.0 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 250-250 (width: 1; decimal: 0)

Variable Type: numeric

Q1106B2_3: Q1106b2_3. Private medical insurance (e.g. HMO, PPO) - Secondary payment source

Value	Label	Unweighted Frequency	%
0	No	3871	85.3 %
1	Yes	665	14.7 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 251-251 (width: 1; decimal: 0)

Variable Type: numeric

Q1106B2_4: Q1106b2_4. Private long term care insurance - Secondary payment source - How (..

Value	Label	Unweighted Frequency	%
0	No	4045	89.2 %
1	Yes	491	10.8 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 252-252 (width: 1; decimal: 0)

Variable Type: numeric

Q1106B2_5: Q1106b2_5. Medicare (including Medicare Advantage) - Secondary payment source -

Value	Label	Unweighted Frequency	%
0	No	3844	84.7 %
1	Yes	692	15.3 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 253-253 (width: 1; decimal: 0)

Variable Type: numeric

Q1106B2_6: Q1106b2_6. Out of pocket - Secondary payment source - How (...) pay for the nurs

Value	Label	Unweighted Frequency	%
0	No	3376	74.4 %
1	Yes	1160	25.6 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 254-254 (width: 1; decimal: 0)

Variable Type: numeric

Q1106B2_7: Q1106b2_7. No Secondary payment source - Secondary payment source - How (...) pa

Value	Label	Unweighted Frequency	%
0	No	3591	79.2 %
1	Yes	945	20.8 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 255-255 (width: 1; decimal: 0)

Variable Type: numeric

Q1106B2_8: Q1106b2_8. Don't know - Secondary payment source - How (...) pay for the nursing

Value	Label	Unweighted Frequency	%
0	No	3773	83.2 %
1	Yes	763	16.8 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 256-256 (width: 1; decimal: 0)

Variable Type: numeric

HQ700_1: =1 (Yes) if respondent assigned scn 1 (q701x1,q703x1,...) - pressure sores

Value	Label	Unweighted Frequency	%
0	No	3403	75.0 %
1	Yes	1133	25.0 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 257-257 (width: 1; decimal: 0)

Variable Type: numeric

HQ700_2: =1 (Yes) if respondent assigned scn 2 (q701x2,q703x2,...) - ADLs low rate

Value	Label	Unweighted Frequency	%
0	No	3401	75.0 %
1	Yes	1135	25.0 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 258-258 (width: 1; decimal: 0)

Variable Type: numeric

HQ700_3: =1 (Yes) if respondent assigned scn 3 (q701x3,q703x3,...) - ADLs high rate

Value	Label	Unweighted Frequency	%
0	No	3403	75.0 %
1	Yes	1133	25.0 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 259-259 (width: 1; decimal: 0)

Variable Type: numeric

HQ700_4: =1 (Yes) if respondent assigned scn 4 (q701x4,q703x4,...) - pain

Value	Label	Unweighted Frequency	%
0	No	3400	75.0 %
1	Yes	1136	25.0 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 260-260 (width: 1; decimal: 0)

Variable Type: numeric

HQ700_5: =1 (Yes) if respondent assigned scn 5 (q701x5,q703x5,...) - re-hospitalization

Value	Label	Unweighted Frequency	%
0	No	3403	75.0 %
1	Yes	1133	25.0 %

Value	Label	Unweighted Frequency	%
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 261-261 (width: 1; decimal: 0)

Variable Type: numeric

HQ700_6: =1 (Yes) if respondent assigned scn 6 (q701x6,q703x6,...) - inspection

Value	Label	Unweighted Frequency	%
0	No	3403	75.0 %
1	Yes	1133	25.0 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 262-262 (width: 1; decimal: 0)

Variable Type: numeric

HQ700_7: =1 (Yes) if respondent assigned scn 7 (q701x7,q703x7,...) - successful discharge

Value	Label	Unweighted Frequency	%
0	No	3402	75.0 %
1	Yes	1134	25.0 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 263-263 (width: 1; decimal: 0)

Variable Type: numeric

HQ700_8: =1 (Yes) if respondent assigned scn 8 (q701x8,q703x8,...) - nursing staffing

Value	Label	Unweighted Frequency	%
0	No	3401	75.0 %
1	Yes	1135	25.0 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 264-264 (width: 1; decimal: 0)

Variable Type: numeric

HXNEW1_10: 10 min additional travel time for 1st scn shown/1st q's asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
0	-	3841	84.7 %
1	-	695	15.3 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

Location: 265-265 (width: 1; decimal: 0)

Variable Type: numeric

HXNEW1_20: 20 min additional travel time for 1st scn shown/1st q's asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
0	-	3860	85.1 %
1	-	676	14.9 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

Location: 266-266 (width: 1; decimal: 0)

Variable Type: numeric

HXNEW1_30: 30 min additional travel time for 1st scn shown/1st q's asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
0	-	3781	83.4 %
1	-	755	16.6 %

Value	Label	Unweighted Frequency	%
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

Location: 267-267 (width: 1; decimal: 0)

Variable Type: numeric

HXNEW1_40: 40 min additional travel time for 1st scn shown/1st q's asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
0	-	3844	84.7 %
1	-	692	15.3 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

Location: 268-268 (width: 1; decimal: 0)

Variable Type: numeric

HXNEW2_10: 10 min additional travel time for 2nd scn shown/2nd q's asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
0	-	3836	84.6 %
1	-	700	15.4 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

Location: 269-269 (width: 1; decimal: 0)

Variable Type: numeric

HXNEW2_20: 20 min additional travel time for 2nd scn shown/2nd q's asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
0	-	3781	83.4 %
1	-	755	16.6 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

Location: 270-270 (width: 1; decimal: 0)

Variable Type: numeric

HXNEW2_30: 30 min additional travel time for 2nd scn shown/2nd q's asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
0	-	3825	84.3 %
1	-	711	15.7 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

Location: 271-271 (width: 1; decimal: 0)

Variable Type: numeric

HXNEW2_40: 40 min additional travel time for 2nd scn shown/2nd q's asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
0	-	3850	84.9 %
1	-	686	15.1 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Mean: 0.15

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

Location: 272-272 (width: 1; decimal: 0)

Variable Type: numeric

HXNEWORDER_1: # min addtnl trvl time offered to 1st scn shown/1st q's asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
5	5	559	12.3 %
10	10	695	15.3 %
20	20	676	14.9 %
30	30	755	16.6 %
40	40	692	15.3 %
50	50	635	14.0 %
60	60	524	11.6 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 5.00
- Maximum: 60.00

Location: 273-274 (width: 2; decimal: 0)

Variable Type: numeric

HXNEWORDER_2: # min addtnl trvl time offered to 2nd scn shown/2nd q's asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
5	-	589	13.0 %
10	10	700	15.4 %
20	20	755	16.6 %
30	30	711	15.7 %
40	40	686	15.1 %
50	-	517	11.4 %
60	-	578	12.7 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 5.00
- Maximum: 60.00

Location: 275-276 (width: 2; decimal: 0)

Variable Type: numeric

Q701X1A: Q701x1a. Would you like to read a short example about pressure sores?

Value	Label	Unweighted Frequency	%
1	Yes	316	7.0 %
2	No	813	17.9 %
	Missing Data		
.	-	3407	75.1 %
	Total	4,536	100%

Based upon 1,129 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 277-277 (width: 1; decimal: 0)

Variable Type: numeric

Q701X1: Q701x1. Did you/you or your family member ever have a pressure sore or a pressur

Value	Label	Unweighted Frequency	%
1	Yes	298	6.6 %
2	No	835	18.4 %
	Missing Data		
.	-	3403	75.0 %
	Total	4,536	100%

Based upon 1,133 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 278-278 (width: 1; decimal: 0)

Variable Type: numeric

Q703X1: Q703x1. In an 'ALTERNATIVE' nursing home, which is further from (...) home, only

Value	Label	Unweighted Frequency	%
1	Yes	572	12.6 %
2	No	442	9.7 %
3	Don't know	118	2.6 %
	Missing Data		
.	-	3404	75.0 %
	Total	4,536	100%

Based upon 1,132 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 279-279 (width: 1; decimal: 0)

Variable Type: numeric

Q704X1: Q704x1. How certain are you about your choice between the 'CURRENT' and the 'ALT'

Value	Label	Unweighted Frequency	%
1	Not certain at all	51	1.1 %
2	Somewhat certain	90	2.0 %
3	Pretty certain	290	6.4 %
4	Very certain	338	7.5 %
5	Extremely certain	364	8.0 %
	Missing Data		
.	-	3403	75.0 %
	Total	4,536	100%

Based upon 1,133 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 280-280 (width: 1; decimal: 0)

Variable Type: numeric

Q701X2A: Q701x2a. Would you like to read a short example about activities of daily living

Value	Label	Unweighted Frequency	%
1	Yes	456	10.1 %
2	No	675	14.9 %
	Missing Data		
.	-	3405	75.1 %
	Total	4,536	100%

Based upon 1,131 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 281-281 (width: 1; decimal: 0)

Variable Type: numeric

Q701X2: Q701x2. Did ever have any limitations in your daily activities/you or your famil

Value	Label	Unweighted Frequency	%
1	Yes	765	16.9 %
2	No	370	8.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	3401	75.0 %
	Total	4,536	100%

Based upon 1,135 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 282-282 (width: 1; decimal: 0)

Variable Type: numeric

Q703X2: Q703x2. In an 'ALTERNATIVE' nursing home, which is further from (...) home, only

Value	Label	Unweighted Frequency	%
1	Yes	497	11.0 %
2	No	477	10.5 %
3	Don't know	161	3.5 %
	Missing Data		
.	-	3401	75.0 %
	Total	4,536	100%

Based upon 1,135 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 283-283 (width: 1; decimal: 0)

Variable Type: numeric

Q704X2: Q704x2. How certain are you about your choice between the 'CURRENT' and the 'ALT'

Value	Label	Unweighted Frequency	%
1	Not certain at all	77	1.7 %
2	Somewhat certain	96	2.1 %
3	Pretty certain	288	6.3 %
4	Very certain	365	8.0 %
5	Extremely certain	309	6.8 %
	Missing Data		
.	-	3401	75.0 %
	Total	4,536	100%

Based upon 1,135 valid cases out of 4,536 total cases.

- Minimum: 1.00

- Maximum: 5.00

Location: 284-284 (width: 1; decimal: 0)

Variable Type: numeric

Q701X3A: Q701x3a. Would you like to read a short example about activities of daily living

Value	Label	Unweighted Frequency	%
1	Yes	481	10.6 %
2	No	650	14.3 %
	Missing Data		
.	-	3405	75.1 %
	Total	4,536	100%

Based upon 1,131 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 285-285 (width: 1; decimal: 0)

Variable Type: numeric

Q701X3: Q701x3. Did ever have any limitations in your daily activities/you or your famil

Value	Label	Unweighted Frequency	%
1	Yes	788	17.4 %
2	No	345	7.6 %
	Missing Data		
.	-	3403	75.0 %
	Total	4,536	100%

Based upon 1,133 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 286-286 (width: 1; decimal: 0)

Variable Type: numeric

Q703X3: Q703x3. In an 'ALTERNATIVE' nursing home, which is further from (...) home, only

Value	Label	Unweighted Frequency	%
1	Yes	557	12.3 %
2	No	430	9.5 %
3	Don't know	146	3.2 %
	Missing Data		
.	-	3403	75.0 %
	Total	4,536	100%

Based upon 1,133 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 287-287 (width: 1; decimal: 0)

Variable Type: numeric

Q704X3: Q704x3. How certain are you about your choice between the 'CURRENT' and the 'ALT'

Value	Label	Unweighted Frequency	%
1	Not certain at all	57	1.3 %
2	Somewhat certain	93	2.1 %
3	Pretty certain	296	6.5 %
4	Very certain	333	7.3 %
5	Extremely certain	354	7.8 %
	Missing Data		
.	-	3403	75.0 %
	Total	4,536	100%

Based upon 1,133 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 288-288 (width: 1; decimal: 0)

Variable Type: numeric

Q701X4A: Q701x4a. Would you like to read a short example about treatment of pain in nursi

Value	Label	Unweighted Frequency	%
1	Yes	429	9.5 %
2	No	701	15.5 %
	Missing Data		
.	-	3406	75.1 %
	Total	4,536	100%

Based upon 1,130 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 289-289 (width: 1; decimal: 0)

Variable Type: numeric

Q701X4: Q701x4. Did you/your family member ever experience moderate to severe pain?

Value	Label	Unweighted Frequency	%
1	Yes	704	15.5 %
2	No	432	9.5 %
	Missing Data		
.	-	3400	75.0 %
	Total	4,536	100%

Based upon 1,136 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 290-290 (width: 1; decimal: 0)

Variable Type: numeric

Q703X4: Q703x4. In an 'ALTERNATIVE' nursing home, which is further from (...) home, only

Value	Label	Unweighted Frequency	%
1	Yes	593	13.1 %
2	No	387	8.5 %
3	Don't know	156	3.4 %
	Missing Data		
.	-	3400	75.0 %
	Total	4,536	100%

Based upon 1,136 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 291-291 (width: 1; decimal: 0)

Variable Type: numeric

Q704X4: Q704x4. How certain are you about your choice between the 'CURRENT' and the 'ALT'

Value	Label	Unweighted Frequency	%
1	Not certain at all	63	1.4 %
2	Somewhat certain	111	2.4 %
3	Pretty certain	282	6.2 %
4	Very certain	353	7.8 %
5	Extremely certain	327	7.2 %
	Missing Data		
.	-	3400	75.0 %
	Total	4,536	100%

Based upon 1,136 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 292-292 (width: 1; decimal: 0)

Variable Type: numeric

Q701X5: Q701x5. Would you like to read a short example about health inspections?

Value	Label	Unweighted Frequency	%
1	Yes	555	12.2 %
2	No	575	12.7 %
	Missing Data		
.	-	3406	75.1 %
	Total	4,536	100%

Based upon 1,130 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 293-293 (width: 1; decimal: 0)

Variable Type: numeric

Q703X5: Q703x5. An 'ALTERNATIVE' nursing home, which is further from (...) home, has rec

Value	Label	Unweighted Frequency	%
1	Yes	690	15.2 %
2	No	320	7.1 %
3	Don't know	123	2.7 %
	Missing Data		
.	-	3403	75.0 %
	Total	4,536	100%

Based upon 1,133 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 294-294 (width: 1; decimal: 0)

Variable Type: numeric

Q704X5: Q704x5. How certain are you about your choice between the 'CURRENT' and the 'ALT'

Value	Label	Unweighted Frequency	%
1	Not certain at all	43	0.9 %
2	Somewhat certain	102	2.2 %
3	Pretty certain	275	6.1 %
4	Very certain	378	8.3 %

Value	Label	Unweighted Frequency	%
5	Extremely certain	335	7.4 %
	Missing Data		
.	-	3403	75.0 %
	Total	4,536	100%

Based upon 1,133 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 295-295 (width: 1; decimal: 0)

Variable Type: numeric

Q701X6A: Q701x6a. Would you like to read a short example about rehospitalization from the

Value	Label	Unweighted Frequency	%
1	Yes	432	9.5 %
2	No	699	15.4 %
	Missing Data		
.	-	3405	75.1 %
	Total	4,536	100%

Based upon 1,131 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 296-296 (width: 1; decimal: 0)

Variable Type: numeric

Q701X6: Q701x6. Have you or your family member/you ever been rehospitalized?

Value	Label	Unweighted Frequency	%
1	Yes	492	10.8 %
2	No	641	14.1 %
	Missing Data		
.	-	3403	75.0 %
	Total	4,536	100%

Based upon 1,133 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 297-297 (width: 1; decimal: 0)

Variable Type: numeric

Q703X6: Q703x6. In an 'ALTERNATIVE' nursing home, which is further from (...) home, only

Value	Label	Unweighted Frequency	%
1	Yes	623	13.7 %
2	No	369	8.1 %
3	Don't know	141	3.1 %
	Missing Data		
.	-	3403	75.0 %
	Total	4,536	100%

Based upon 1,133 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 298-298 (width: 1; decimal: 0)

Variable Type: numeric

Q704X6: Q704x6. How certain are you about your choice between the 'CURRENT' and the 'ALT'

Value	Label	Unweighted Frequency	%
1	Not certain at all	61	1.3 %
2	Somewhat certain	87	1.9 %
3	Pretty certain	287	6.3 %
4	Very certain	379	8.4 %
5	Extremely certain	319	7.0 %
	Missing Data		
.	-	3403	75.0 %
	Total	4,536	100%

Based upon 1,133 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 299-299 (width: 1; decimal: 0)

Variable Type: numeric

Q701X7A: Q701x7a. Would you like to read a short example about successful discharges afte

Value	Label	Unweighted Frequency	%
1	Yes	496	10.9 %
2	No	632	13.9 %
	Missing Data		
.	-	3408	75.1 %
	Total	4,536	100%

Based upon 1,128 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 300-300 (width: 1; decimal: 0)

Variable Type: numeric

Q701X7: Q701x7. Have you ever been discharged from a nursing home to your home or to a r

Value	Label	Unweighted Frequency	%
1	Yes	67	1.5 %
2	No	41	0.9 %
	Missing Data		
.	-	4428	97.6 %
	Total	4,536	100%

Based upon 108 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 301-301 (width: 1; decimal: 0)

Variable Type: numeric

Q703X7: Q703x7. In an 'ALTERNATIVE' nursing home, which is further from (...) home, 65%

Value	Label	Unweighted Frequency	%
1	Yes	524	11.6 %
2	No	462	10.2 %
3	Don't know	148	3.3 %
	Missing Data		
.	-	3402	75.0 %
	Total	4,536	100%

Based upon 1,134 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 302-302 (width: 1; decimal: 0)

Variable Type: numeric

Q704X7: Q704x7. How certain are you about your choice between the 'CURRENT' and the 'ALT'

Value	Label	Unweighted Frequency	%
1	Not certain at all	63	1.4 %
2	Somewhat certain	113	2.5 %

Value	Label	Unweighted Frequency	%
3	Pretty certain	298	6.6 %
4	Very certain	341	7.5 %
5	Extremely certain	319	7.0 %
	Missing Data		
.	-	3402	75.0 %
	Total	4,536	100%

Based upon 1,134 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 303-303 (width: 1; decimal: 0)

Variable Type: numeric

Q701X8: Q701x8. Would you like to read more about the importance of staffing?

Value	Label	Unweighted Frequency	%
1	Yes	479	10.6 %
2	No	652	14.4 %
	Missing Data		
.	-	3405	75.1 %
	Total	4,536	100%

Based upon 1,131 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 304-304 (width: 1; decimal: 0)

Variable Type: numeric

Q703X8: Q703x8. An 'ALTERNATIVE' nursing home, which is further from (...) home, provide

Value	Label	Unweighted Frequency	%
1	Yes	564	12.4 %
2	No	449	9.9 %
3	Don't know	122	2.7 %
	Missing Data		
.	-	3401	75.0 %
	Total	4,536	100%

Based upon 1,135 valid cases out of 4,536 total cases.

- Minimum: 1.00

- Maximum: 3.00

Location: 305-305 (width: 1; decimal: 0)

Variable Type: numeric

Q704X8: Q704x8. How certain are you about your choice between the 'CURRENT' and the 'ALT'

Value	Label	Unweighted Frequency	%
1	Not certain at all	53	1.2 %
2	Somewhat certain	88	1.9 %
3	Pretty certain	276	6.1 %
4	Very certain	345	7.6 %
5	Extremely certain	373	8.2 %
	Missing Data		
.	-	3401	75.0 %
	Total	4,536	100%

Based upon 1,135 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 306-306 (width: 1; decimal: 0)

Variable Type: numeric

HQ700ORDER_1: First scenario shown/first questions asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
1	Q701-1 AND Q703-1	559	12.3 %
2	Q701-2 AND Q703-2	582	12.8 %
3	Q701-3 AND Q703-3	579	12.8 %
4	Q701-4 AND Q703-4	552	12.2 %
5	Q701-5 AND Q703-5	541	11.9 %
6	Q701-6 AND Q703-6	595	13.1 %
7	Q701-7 AND Q703-7	550	12.1 %
8	Q701-8 AND Q703-8	578	12.7 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 307-307 (width: 1; decimal: 0)

Variable Type: numeric

HQ700ORDER_2: Second scenario show/second questions asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
1	Q701-1 AND Q703-1	574	12.7 %
2	Q701-2 AND Q703-2	553	12.2 %
3	Q701-3 AND Q703-3	554	12.2 %
4	Q701-4 AND Q703-4	584	12.9 %
5	Q701-5 AND Q703-5	592	13.1 %
6	Q701-6 AND Q703-6	538	11.9 %
7	Q701-7 AND Q703-7	584	12.9 %
8	Q701-8 AND Q703-8	557	12.3 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 308-308 (width: 1; decimal: 0)

Variable Type: numeric

Q1101: Q1101. What is your relationship to the person who visits/visited you most often

Value	Label	Unweighted Frequency	%
1	Parent	210	4.6 %
2	Grandparent	41	0.9 %
3	Partner	65	1.4 %
4	Sibling	64	1.4 %
5	Child	52	1.1 %
98	Other	22	0.5 %
99	None	8	0.2 %
	Missing Data		
.	-	4074	89.8 %
	Total	4,536	100%

Based upon 462 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 99.00

Location: 309-310 (width: 2; decimal: 0)

Variable Type: numeric

Q1101_98_OTHER: Q1101_98_other. Other - What is your relationship to the person who visits/visit

Value	Label	Unweighted Frequency	%
	-	4514	99.5 %

Value	Label	Unweighted Frequency	%
Aunt	-	1	0.0 %
Cousin	-	1	0.0 %
Friend	-	7	0.2 %
Husband	-	1	0.0 %
Neighbors	-	1	0.0 %
Niece	-	1	0.0 %
Partner	-	1	0.0 %
Relative	-	1	0.0 %
SISTER	-	1	0.0 %
Self	-	1	0.0 %
Sister	-	1	0.0 %
Sister In Law	-	1	0.0 %
friend	-	2	0.0 %
niece	-	1	0.0 %
very good friend	-	1	0.0 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

Location: 311-326 (width: 16; decimal: 0)

Variable Type: character

Q1102: Q1102_1. How many adults (age 19 or over), including themselves, live in that pe

Value	Label	Unweighted Frequency	%
1	-	91	2.0 %
2	-	238	5.2 %
3	-	49	1.1 %
4	-	26	0.6 %
5	-	7	0.2 %
6	-	5	0.1 %
7	-	2	0.0 %
8	-	2	0.0 %
9	-	2	0.0 %
10	-	1	0.0 %
12	-	1	0.0 %
15	-	1	0.0 %
17	-	1	0.0 %
19	-	2	0.0 %
20	-	3	0.1 %
21	-	1	0.0 %

Value	Label	Unweighted Frequency	%
22	-	3	0.1 %
23	-	1	0.0 %
25	-	2	0.0 %
26	-	1	0.0 %
28	-	3	0.1 %
30	-	1	0.0 %
32	-	1	0.0 %
36	-	2	0.0 %
40	-	3	0.1 %
45	-	1	0.0 %
55	-	1	0.0 %
67	-	1	0.0 %
68	-	1	0.0 %
	Missing Data		
.	-	4083	90.0 %
	Total	4,536	100%

Based upon 453 valid cases out of 4,536 total cases.

- Mean: 4.07
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 68.00
- Standard Deviation: 7.87

Location: 327-328 (width: 2; decimal: 0)

Variable Type: numeric

Q1103: Q1103_1. How many children under the age of 18 live in that person's household?

Value	Label	Unweighted Frequency	%
0	-	109	2.4 %
1	-	192	4.2 %
2	-	101	2.2 %
3	-	21	0.5 %
4	-	10	0.2 %
5	-	6	0.1 %
6	-	3	0.1 %
7	-	1	0.0 %
9	-	1	0.0 %
12	-	2	0.0 %
18	-	1	0.0 %

Value	Label	Unweighted Frequency	%
20	-	1	0.0 %
21	-	1	0.0 %
22	-	1	0.0 %
24	-	1	0.0 %
28	-	1	0.0 %
32	-	1	0.0 %
37	-	1	0.0 %
	Missing Data		
.	-	4082	90.0 %
	Total	4,536	100%

Based upon 454 valid cases out of 4,536 total cases.

- Mean: 1.73
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 37.00
- Standard Deviation: 3.53

Location: 329-330 (width: 2; decimal: 0)

Variable Type: numeric

Q1104: Q1104_1. What is the age of the youngest child in that person's household?

Value	Label	Unweighted Frequency	%
0	-	9	0.2 %
1	-	74	1.6 %
2	-	44	1.0 %
3	-	38	0.8 %
4	-	16	0.4 %
5	-	22	0.5 %
6	-	17	0.4 %
7	-	7	0.2 %
8	-	6	0.1 %
9	-	12	0.3 %
10	-	17	0.4 %
11	-	7	0.2 %
12	-	23	0.5 %
13	-	10	0.2 %
14	-	10	0.2 %
15	-	7	0.2 %
16	-	4	0.1 %

Value	Label	Unweighted Frequency	%
17	-	12	0.3 %
18	-	10	0.2 %
	Missing Data		
.	-	4191	92.4 %
	Total	4,536	100%

Based upon 345 valid cases out of 4,536 total cases.

- Mean: 6.10
- Median: 4.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 5.31

Location: 331-332 (width: 2; decimal: 0)

Variable Type: numeric

Q1105: Q1105. What is the employment status of this person who visits/visited you most

Value	Label	Unweighted Frequency	%
1	Employed full-time	308	6.8 %
2	Employed part-time	52	1.1 %
3	Self Employed	19	0.4 %
4	Not employed, but looking for work	8	0.2 %
5	Not employed and not looking for work	7	0.2 %
6	Retired	20	0.4 %
7	Disabled	13	0.3 %
8	Student	17	0.4 %
9	Homemaker	10	0.2 %
	Missing Data		
.	-	4082	90.0 %
	Total	4,536	100%

Based upon 454 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 333-333 (width: 1; decimal: 0)

Variable Type: numeric

Q1106: Q1106. On a scale of 1 to 5, where 1 means 'severe physical impairment that inte'

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2	-	11	0.2 %
3	-	63	1.4 %
4	-	191	4.2 %
5	-	188	4.1 %
	Missing Data		
.	-	4082	90.0 %
	Total	4,536	100%

Based upon 454 valid cases out of 4,536 total cases.

- Mean: 4.22
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.79

Location: 334-334 (width: 1; decimal: 0)

Variable Type: numeric

Q1107: Q1107. Which category best describes the household income of this person who vis

Value	Label	Unweighted Frequency	%
1	Less than \$30,000	58	1.3 %
2	\$30,000 to less than \$50,000	69	1.5 %
3	\$50,000 to less than \$70,000	138	3.0 %
4	\$70,000 to less than \$100,000	95	2.1 %
5	\$100,000 to less than \$150,000	46	1.0 %
6	\$150,000 to less than \$200,000	18	0.4 %
7	\$200,000 to less than \$250,000	11	0.2 %
8	\$250,000 or more	3	0.1 %
9	Decline to answer	3	0.1 %
10	Don't know	13	0.3 %
	Missing Data		
.	-	4082	90.0 %
	Total	4,536	100%

Based upon 454 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 10.00

Location: 335-336 (width: 2; decimal: 0)

Variable Type: numeric

Q1101F: Q1101F. What is your marital status?

Value	Label	Unweighted Frequency	%
1	Married	2209	48.7 %
2	Single	991	21.8 %
3	Divorced	294	6.5 %
4	Separated	46	1.0 %
5	Widowed	86	1.9 %
6	Living with partner	448	9.9 %
	Missing Data		
.	-	462	10.2 %
	Total	4,536	100%

Based upon 4,074 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 337-337 (width: 1; decimal: 0)

Variable Type: numeric

Q1102F: Q1102F_1. Including you, how many adults (age 19 or over) live in your household

Value	Label	Unweighted Frequency	%
1	-	705	15.5 %
2	-	2435	53.7 %
3	-	563	12.4 %
4	-	227	5.0 %
5	-	71	1.6 %
6	-	27	0.6 %
7	-	8	0.2 %
8	-	3	0.1 %
10	-	1	0.0 %
12	-	1	0.0 %
18	-	1	0.0 %
21	-	3	0.1 %
22	-	1	0.0 %
23	-	2	0.0 %
24	-	2	0.0 %
26	-	2	0.0 %
27	-	1	0.0 %
28	-	2	0.0 %
29	-	2	0.0 %

Value	Label	Unweighted Frequency	%
30	-	2	0.0 %
31	-	2	0.0 %
32	-	1	0.0 %
33	-	1	0.0 %
34	-	3	0.1 %
35	-	1	0.0 %
40	-	1	0.0 %
48	-	1	0.0 %
50	-	1	0.0 %
64	-	1	0.0 %
67	-	1	0.0 %
	Missing Data		
.	-	464	10.2 %
	Total	4,536	100%

Based upon 4,072 valid cases out of 4,536 total cases.

- Mean: 2.40
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 67.00
- Standard Deviation: 2.91

Location: 338-339 (width: 2; decimal: 0)

Variable Type: numeric

Q1103F: Q1103F_1. How many children under the age of 18 live in your household?

Value	Label	Unweighted Frequency	%
0	-	2058	45.4 %
1	-	882	19.4 %
2	-	690	15.2 %
3	-	282	6.2 %
4	-	109	2.4 %
5	-	37	0.8 %
6	-	10	0.2 %
7	-	3	0.1 %
8	-	2	0.0 %
33	-	1	0.0 %
	Missing Data		
.	-	462	10.2 %
	Total	4,536	100%

Based upon 4,074 valid cases out of 4,536 total cases.

- Mean: 0.95
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 33.00
- Standard Deviation: 1.30

Location: 340-341 (width: 2; decimal: 0)

Variable Type: numeric

Q1104F: Q1104F_1. What is the age of the youngest child in your household?

Value	Label	Unweighted Frequency	%
0	-	154	3.4 %
1	-	350	7.7 %
2	-	211	4.7 %
3	-	157	3.5 %
4	-	125	2.8 %
5	-	117	2.6 %
6	-	110	2.4 %
7	-	93	2.1 %
8	-	78	1.7 %
9	-	74	1.6 %
10	-	71	1.6 %
11	-	56	1.2 %
12	-	65	1.4 %
13	-	50	1.1 %
14	-	72	1.6 %
15	-	75	1.7 %
16	-	63	1.4 %
17	-	79	1.7 %
18	-	14	0.3 %
	Missing Data		
.	-	2522	55.6 %
	Total	4,536	100%

Based upon 2,014 valid cases out of 4,536 total cases.

- Mean: 6.17
- Median: 5.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 5.30

Location: 342-343 (width: 2; decimal: 0)

Variable Type: numeric

Q1105F: Q1105F. What is your employment status?

Value	Label	Unweighted Frequency	%
1	Employed full-time	1751	38.6 %
2	Employed part-time	450	9.9 %
3	Self Employed	216	4.8 %
4	Not employed, but looking for work	176	3.9 %
5	Not employed and not looking for work	49	1.1 %
6	Retired	467	10.3 %
7	Disabled	203	4.5 %
8	Student	190	4.2 %
9	Homemaker	572	12.6 %
	Missing Data		
.	-	462	10.2 %
	Total	4,536	100%

Based upon 4,074 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 344-344 (width: 1; decimal: 0)

Variable Type: numeric

Q1106F: Q1106F. On a scale of 1 to 5, where 5 is 'excellent physical health' and 1 is 's'

Value	Label	Unweighted Frequency	%
1	-	22	0.5 %
2	-	136	3.0 %
3	-	503	11.1 %
4	-	1655	36.5 %
5	-	1756	38.7 %
	Missing Data		
.	-	464	10.2 %
	Total	4,536	100%

Based upon 4,072 valid cases out of 4,536 total cases.

- Mean: 4.22
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00

- Standard Deviation: 0.83

Location: 345-345 (width: 1; decimal: 0)

Variable Type: numeric

HXADDITIONALTIME_1: # min additional trvl time offered to resp on scn 1 - pressure sores

Value	Label	Unweighted Frequency	%
-	-	3403	75.0 %
10	-	184	4.1 %
20	-	196	4.3 %
30	-	169	3.7 %
40	-	163	3.6 %
5	-	131	2.9 %
50	-	151	3.3 %
60	-	139	3.1 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

Location: 346-347 (width: 2; decimal: 0)

Variable Type: character

HXADDITIONALTIME_2: # min additional trvl time offered to resp on scn 2 - ADLs low rate

Value	Label	Unweighted Frequency	%
-	-	3401	75.0 %
10	-	179	3.9 %
20	-	172	3.8 %
30	-	181	4.0 %
40	-	177	3.9 %
5	-	143	3.2 %
50	-	143	3.2 %
60	-	140	3.1 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

Location: 348-349 (width: 2; decimal: 0)

Variable Type: character

HXADDITIONALTIME_3: # min additional trvl time offered to resp on scn 3 - ADLs high rate

Value	Label	Unweighted Frequency	%
-	-	3403	75.0 %
10	-	176	3.9 %

Value	Label	Unweighted Frequency	%
20	-	172	3.8 %
30	-	163	3.6 %
40	-	192	4.2 %
5	-	139	3.1 %
50	-	154	3.4 %
60	-	137	3.0 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

Location: 350-351 (width: 2; decimal: 0)

Variable Type: character

HXADDITIONALTIME_4: # min additional trvl time offered to resp on scn 4 - pain

Value	Label	Unweighted Frequency	%
	-	3400	75.0 %
10	-	147	3.2 %
20	-	176	3.9 %
30	-	187	4.1 %
40	-	168	3.7 %
5	-	152	3.4 %
50	-	155	3.4 %
60	-	151	3.3 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

Location: 352-353 (width: 2; decimal: 0)

Variable Type: character

HXADDITIONALTIME_5: # min additional trvl time offered to resp on scn 5 - re-hospitalization

Value	Label	Unweighted Frequency	%
	-	3403	75.0 %
10	-	155	3.4 %
20	-	171	3.8 %
30	-	217	4.8 %
40	-	170	3.7 %
5	-	139	3.1 %
50	-	141	3.1 %
60	-	140	3.1 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

Location: 354-355 (width: 2; decimal: 0)

Variable Type: character

HXADDITIONALTIME_6: # min additional trvl time offered to resp on scn 6 - inspection

Value	Label	Unweighted Frequency	%
-	-	3403	75.0 %
10	-	190	4.2 %
20	-	159	3.5 %
30	-	177	3.9 %
40	-	152	3.4 %
5	-	152	3.4 %
50	-	158	3.5 %
60	-	145	3.2 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

Location: 356-357 (width: 2; decimal: 0)

Variable Type: character

HXADDITIONALTIME_7: # min additional trvl time offered to resp on scn 7 - successful discharge

Value	Label	Unweighted Frequency	%
-	-	3402	75.0 %
10	-	179	3.9 %
20	-	196	4.3 %
30	-	179	3.9 %
40	-	173	3.8 %
5	-	159	3.5 %
50	-	123	2.7 %
60	-	125	2.8 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

Location: 358-359 (width: 2; decimal: 0)

Variable Type: character

HXADDITIONALTIME_8: # min additional trvl time offered to resp on scn 8 - nursing staffing

Value	Label	Unweighted Frequency	%
-	-	3401	75.0 %

Value	Label	Unweighted Frequency	%
10	-	185	4.1 %
20	-	189	4.2 %
30	-	193	4.3 %
40	-	183	4.0 %
5	-	133	2.9 %
50	-	127	2.8 %
60	-	125	2.8 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

Location: 360-361 (width: 2; decimal: 0)

Variable Type: character

HFROTIME_1: hFromTime_1

Value	Label	Unweighted Frequency	%
30	-	4535	100.0 %
35	-	1	0.0 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

Location: 362-363 (width: 2; decimal: 0)

Variable Type: character

HTOTIME_1: Total travel time in min to alternative NH (30min+hxaditionaltime_1)

Value	Label	Unweighted Frequency	%
	-	3403	75.0 %
35	-	131	2.9 %
40	-	184	4.1 %
50	-	196	4.3 %
60	-	169	3.7 %
70	-	162	3.6 %
75	-	1	0.0 %
80	-	151	3.3 %
90	-	139	3.1 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

Location: 364-365 (width: 2; decimal: 0)

Variable Type: character

HTOTIME_2: Total travel time in min to alternative NH (30min+hxadditionaltime_2)

Value	Label	Unweighted Frequency	%
-	-	3401	75.0 %
35	-	143	3.2 %
40	-	179	3.9 %
50	-	172	3.8 %
60	-	181	4.0 %
70	-	177	3.9 %
80	-	143	3.2 %
90	-	140	3.1 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

Location: 366-367 (width: 2; decimal: 0)

Variable Type: character

HTOTIME_3: Total travel time in min to alternative NH (30min+hxadditionaltime_3)

Value	Label	Unweighted Frequency	%
-	-	3403	75.0 %
35	-	139	3.1 %
40	-	176	3.9 %
50	-	172	3.8 %
60	-	163	3.6 %
70	-	192	4.2 %
80	-	154	3.4 %
90	-	137	3.0 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

Location: 368-369 (width: 2; decimal: 0)

Variable Type: character

HTOTIME_4: Total travel time in min to alternative NH (30min+hxadditionaltime_4)

Value	Label	Unweighted Frequency	%
-	-	3400	75.0 %
35	-	152	3.4 %
40	-	147	3.2 %
50	-	176	3.9 %
60	-	187	4.1 %

Value	Label	Unweighted Frequency	%
70	-	168	3.7 %
80	-	155	3.4 %
90	-	151	3.3 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

Location: 370-371 (width: 2; decimal: 0)

Variable Type: character

HTOTIME_5: Total travel time in min to alternative NH (30min+hxaditionaltime_5)

Value	Label	Unweighted Frequency	%
	-	3403	75.0 %
35	-	139	3.1 %
40	-	155	3.4 %
50	-	171	3.8 %
60	-	216	4.8 %
65	-	1	0.0 %
70	-	170	3.7 %
80	-	141	3.1 %
90	-	140	3.1 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

Location: 372-373 (width: 2; decimal: 0)

Variable Type: character

HTOTIME_6: Total travel time in min to alternative NH (30min+hxaditionaltime_6)

Value	Label	Unweighted Frequency	%
	-	3403	75.0 %
35	-	152	3.4 %
40	-	190	4.2 %
50	-	159	3.5 %
60	-	177	3.9 %
70	-	152	3.4 %
80	-	158	3.5 %
90	-	145	3.2 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

Location: 374-375 (width: 2; decimal: 0)

Variable Type: character

HTOTIME_7: Total travel time in min to alternative NH (30min+hxadditionaltime_7)

Value	Label	Unweighted Frequency	%
-	-	3402	75.0 %
35	-	159	3.5 %
40	-	179	3.9 %
50	-	196	4.3 %
60	-	179	3.9 %
70	-	173	3.8 %
80	-	123	2.7 %
90	-	125	2.8 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

Location: 376-377 (width: 2; decimal: 0)

Variable Type: character

HTOTIME_8: Total travel time in min to alternative NH (30min+hxadditionaltime_8)

Value	Label	Unweighted Frequency	%
-	-	3401	75.0 %
35	-	133	2.9 %
40	-	185	4.1 %
50	-	189	4.2 %
60	-	193	4.3 %
70	-	183	4.0 %
80	-	127	2.8 %
90	-	125	2.8 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

Location: 378-379 (width: 2; decimal: 0)

Variable Type: character

LOIM: Length of Interview (LOI) in minutes

Value	Label	Unweighted Frequency	%
5.01	-	4	0.1 %
5.02	-	3	0.1 %
5.06	-	2	0.0 %
5.07	-	2	0.0 %

Value	Label	Unweighted Frequency	%
5.09	-	3	0.1 %
5.10	-	3	0.1 %
5.11	-	2	0.0 %
5.12	-	1	0.0 %
5.14	-	3	0.1 %
5.15	-	3	0.1 %
5.16	-	3	0.1 %
5.17	-	2	0.0 %
5.18	-	1	0.0 %
5.19	-	3	0.1 %
5.20	-	1	0.0 %
5.21	-	2	0.0 %
5.22	-	2	0.0 %
5.23	-	2	0.0 %
5.25	-	1	0.0 %
5.26	-	1	0.0 %
5.27	-	4	0.1 %
5.29	-	2	0.0 %
5.30	-	1	0.0 %
5.31	-	3	0.1 %
5.32	-	1	0.0 %
5.35	-	4	0.1 %
5.38	-	2	0.0 %
5.39	-	1	0.0 %
5.42	-	2	0.0 %
5.43	-	3	0.1 %
5.46	-	2	0.0 %
5.49	-	2	0.0 %
5.50	-	4	0.1 %
5.51	-	1	0.0 %
5.52	-	2	0.0 %
5.53	-	1	0.0 %
5.54	-	2	0.0 %
5.55	-	1	0.0 %
5.56	-	3	0.1 %
5.57	-	2	0.0 %
5.58	-	4	0.1 %
5.59	-	3	0.1 %
5.62	-	2	0.0 %

Value	Label	Unweighted Frequency	%
5.63	-	2	0.0 %
5.64	-	3	0.1 %
5.65	-	2	0.0 %
5.66	-	2	0.0 %
5.67	-	4	0.1 %
5.68	-	1	0.0 %
5.70	-	2	0.0 %
	Total	4,536	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 4,536 valid cases out of 4,536 total cases.

- Mean: 13.22
- Minimum: 5.01
- Maximum: 123.67
- Standard Deviation: 8.03

Location: 380-385 (width: 6; decimal: 2)

Variable Type: numeric

HXNEW1_5: 5 min additional travel time for 1st scn shown/1st q's asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
0	-	3356	74.0 %
1	-	559	12.3 %
	Missing Data		
.	-	621	13.7 %
	Total	4,536	100%

Based upon 3,915 valid cases out of 4,536 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

Location: 386-386 (width: 1; decimal: 0)

Variable Type: numeric

HXNEW2_5: 5 min additional travel time for 2nd scn shown/2nd q's asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
0	-	3326	73.3 %

Value	Label	Unweighted Frequency	%
1	-	589	13.0 %
	Missing Data		
.	-	621	13.7 %
	Total	4,536	100%

Based upon 3,915 valid cases out of 4,536 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

Location: 387-387 (width: 1; decimal: 0)

Variable Type: numeric

HXNEW1_50: 50 min additional travel time for 1st scn shown/1st q's asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
0	-	3280	72.3 %
1	-	635	14.0 %
	Missing Data		
.	-	621	13.7 %
	Total	4,536	100%

Based upon 3,915 valid cases out of 4,536 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

Location: 388-388 (width: 1; decimal: 0)

Variable Type: numeric

HXNEW1_60: 60 min additional travel time for 1st scn shown/1st q's asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
0	-	3391	74.8 %
1	-	524	11.6 %
	Missing Data		
.	-	621	13.7 %
	Total	4,536	100%

Based upon 3,915 valid cases out of 4,536 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

Location: 389-389 (width: 1; decimal: 0)

Variable Type: numeric

HXNEW2_50: 50 min additional travel time for 2nd scn shown/2nd q's asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
0	-	3398	74.9 %
1	-	517	11.4 %
	Missing Data		
.	-	621	13.7 %
	Total	4,536	100%

Based upon 3,915 valid cases out of 4,536 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

Location: 390-390 (width: 1; decimal: 0)

Variable Type: numeric

HXNEW2_60: 60 min additional travel time for 2nd scn shown/2nd q's asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
0	-	3337	73.6 %
1	-	578	12.7 %
	Missing Data		
.	-	621	13.7 %
	Total	4,536	100%

Based upon 3,915 valid cases out of 4,536 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

Location: 391-391 (width: 1; decimal: 0)

Variable Type: numeric

BIDS: # travel times used to randomly assign additional time

Value	Label	Unweighted Frequency	%
0	4 Bids	614	13.5 %
1	7 Bids	3922	86.5 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 392-392 (width: 1; decimal: 0)

Variable Type: numeric

ORIGSVYLANG: =1 if survey used original survey language (first 200 after randomization fix)

Value	Label	Unweighted Frequency	%
0	-	4336	95.6 %
1	-	200	4.4 %
	Total	4,536	100%

Based upon 4,536 valid cases out of 4,536 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.21

Location: 393-393 (width: 1; decimal: 0)

Variable Type: numeric

CENSUSRGN: Census region of the nursing home

Value	Label	Unweighted Frequency	%
1	1:New England	231	5.1 %
2	2:Middle Atlantic	703	15.5 %
3	3:East North Central	839	18.5 %
4	4:West North Central	384	8.5 %
5	5:South Atlantic	834	18.4 %
6	6:East South Central	309	6.8 %
7	7:West South Central	469	10.3 %
8	8:Mountain	250	5.5 %

Value	Label	Unweighted Frequency	%
9	9:Pacific	512	11.3 %
	Missing Data		
.	-	5	0.1 %
	Total	4,536	100%

Based upon 4,531 valid cases out of 4,536 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 394-394 (width: 1; decimal: 0)

Variable Type: numeric

ID: Respondent ID

Based upon 4,536 valid cases out of 4,536 total cases.

- Mean: 2268.50
- Minimum: 1.00
- Maximum: 4536.00
- Standard Deviation: 1309.57

Location: 395-398 (width: 4; decimal: 0)

Variable Type: numeric