ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 37969

Nursing Home Consumer Preferences, United States, 2017 and 2019

Dana B. Mukamel
University of California, Irvine. Department of Medicine. iTEQC Research Program

David L. Weimer
University of Wisconsin. Robert M. LaFollette School of Public Affairs

Debra Saliba
University of California, Los Angeles. School of Medicine. Anna and Harry Borun Center for Gerontological Research, United States. Veterans Health Administration. Geriatric Research Education and Clinical Center, RAND Corporation

Heather A. Ladd
University of California, Irvine. Department of Medicine. iTEQC Research Program

ICPSR Codebook for Cohort 2 Data

Terms of Use

Information about Copyrighted Content

ICPSR PROCESSING NOTES FOR #37969
Nursing Home Consumer Information Preferences, United States, 2017 and 2019
DS #2: Cohort 2

1. **Confidentiality/Disclosure Risk:** In order to protect respondent anonymity and prevent disclosure risk, ICPSR recoded the following variables: **Q207D, Q207D0, Q207D1, Q207D2 Q207D3, Q207D4, Q207D5,** and **Q207D6**. Confidential information was replaced with "Masked by ICPSR."

2. **Documentation Inconsistency:** The variables **HAGE, Q205_98_OTHER, Q207_98_OTHER, Q305DK_99, HQ305, HXNEWORDER_1, HXNEWORDER_2, Q1101_98_OTHER, HFROMTIME_1, LOIM,** and **ID** exist in the dataset but are not provided in the documentation. No additional information was provided.

3. **Stata Limitations**: Several variable labels are truncated in the Stata files due to Stata limitations.

ICPSR 37969

Nursing Home Consumer Preferences, United States, 2017 and 2019

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Cohort 2 Data

Q101: Q101. Are you ...?

Value	Label	Unweighted Frequency	%
1	Male	1578	41.5 %
2	Female	2223	58.5 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1-1 (width: 1; decimal: 0)
Variable Type: numeric

Q102: Q102. In what year were you born?

Value	Label	Unweighted Frequency	%
1924	-	1	0.0 %
1927	-	1	0.0 %
1929	-	1	0.0 %
1930	-	2	0.1 %
1932	-	4	0.1 %
1933	-	3	0.1 %
1934	-	3	0.1 %
1935	-	3	0.1 %
1936	-	3	0.1 %
1937	-	6	0.2 %
1938	-	7	0.2 %
1939	-	16	0.4 %
1940	-	9	0.2 %
1941	-	12	0.3 %
1942	-	28	0.7 %
1943	-	22	0.6 %
1944	-	29	0.8 %
1945	-	32	0.8 %
1946	-	61	1.6 %
1947	-	69	1.8 %
1948	-	86	2.3 %
1949	-	99	2.6 %
1950	-	112	2.9 %

Value	Label	Unweighted Frequency	%
1951	-	106	2.8 %
1952	-	148	3.9 %
1953	-	114	3.0 %
1954	-	128	3.4 %
1955	-	135	3.6 %
1956	-	146	3.8 %
1957	-	146	3.8 %
1958	-	127	3.3 %
1959	-	126	3.3 %
1960	-	134	3.5 %
1961	-	101	2.7 %
1962	-	122	3.2 %
1963	-	116	3.1 %
1964	-	76	2.0 %
1965	-	63	1.7 %
1966	-	65	1.7 %
1967	-	50	1.3 %
1968	-	39	1.0 %
1969	-	47	1.2 %
1970	-	67	1.8 %
1971	-	47	1.2 %
1972	-	41	1.1 %
1973	-	34	0.9 %
1974	-	48	1.3 %
1975	-	59	1.6 %
1976	-	52	1.4 %
1977	-	50	1.3 %
	Total	**3,801**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,801 valid cases out of 3,801 total cases.

- Mean: 1964.06
- Median: 1960.00
- Mode: 1952.00
- Minimum: 1924.00
- Maximum: 2001.00
- Standard Deviation: 14.44

Location: 2-5 (width: 4; decimal: 0)
Variable Type: numeric

HAGE: Respondent age: Used for sample qualifications

Value	Label	Unweighted Frequency	%
1	Age 18 - 24	111	2.9 %
2	Age 25 - 34	377	9.9 %
3	Age 35 - 44	478	12.6 %
4	Age 45 - 54	501	13.2 %
5	Age 55 - 64	1229	32.3 %
6	Age 65 - 74	955	25.1 %
7	Age 75+	150	3.9 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 6-6 (width: 1; decimal: 0)
Variable Type: numeric

Q103: Q103. Do you reside in the United States?

Value	Label	Unweighted Frequency	%
1	Yes	3801	100.0 %
2	No	0	0.0 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 7-7 (width: 1; decimal: 0)
Variable Type: numeric

Q106: Q106. What is the highest level of education you have completed or the highest d

Value	Label	Unweighted Frequency	%
1	Less than high school	10	0.3 %
2	Completed some high school	55	1.4 %
3	High school graduate or equivalent (e.g. GED)	400	10.5 %
4	Completed some college, but no degree	666	17.5 %
5	Completed associates degree	383	10.1 %
6	College graduate (e.g., B.A., A.B., B.S.)	1107	29.1 %
7	Completed some graduate school, but no degree	223	5.9 %
8	Masters degree	750	19.7 %

Value	Label	Unweighted Frequency	%
9	Professional degree (e.g., M.D., Ph.D., J.D.)	207	5.4 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 8-8 (width: 1; decimal: 0)
Variable Type: numeric

Q107: Q107. Are you of Hispanic origin, such as Mexican American, Latin American, Puer

Value	Label	Unweighted Frequency	%
1	Yes, of Hispanic origin	302	7.9 %
2	No, not of Hispanic origin	3464	91.1 %
99	Decline to answer	35	0.9 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 99.00

Location: 9-10 (width: 2; decimal: 0)
Variable Type: numeric

Q108: Q108. Do you consider yourself...?

Value	Label	Unweighted Frequency	%
1	White	3172	83.5 %
2	Black or African American	291	7.7 %
3	Asian or Pacific Islander	160	4.2 %
4	Native American or Alaskan native	21	0.6 %
5	Mixed racial background	70	1.8 %
6	Other race	52	1.4 %
99	Decline to answer	35	0.9 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 99.00

Location: 11-12 (width: 2; decimal: 0)
Variable Type: numeric

Q109: Q109. Which category best describes your annual household income?

Value	Label	Unweighted Frequency	%
1	Less than $30,000	356	9.4 %
2	$30,000 to less than $50,000	480	12.6 %
3	$50,000 to less than $70,000	562	14.8 %
4	$70,000 to less than $100,000	775	20.4 %
5	$100,000 to less than $150,000	799	21.0 %
6	$150,000 to less than $200,000	370	9.7 %
7	$200,000 to less than $250,000	166	4.4 %
8	$250,000 or more	128	3.4 %
9	Decline to answer	165	4.3 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 13-13 (width: 1; decimal: 0)
Variable Type: numeric

Q201: Q201. Are you currently residing in any of the following?

Value	Label	Unweighted Frequency	%
1	Nursing home	113	3.0 %
2	Assisted living center	0	0.0 %
3	Continuing care community	0	0.0 %
4	Rehabilitation facility	0	0.0 %
5	Long term care hospitals	0	0.0 %
6	Hospice center	0	0.0 %
7	None of the above	3688	97.0 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 14-14 (width: 1; decimal: 0)
Variable Type: numeric

Q202: Q202. Are you currently in the nursing home as a short-term or long-term residen

Value	Label	Unweighted Frequency	%
1	Short-term (expected to return home)	86	2.3 %

Value	Label	Unweighted Frequency	%
2	Long-term	27	0.7 %
	Missing Data		
.	-	3688	97.0 %
	Total	**3,801**	**100%**

Based upon 113 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 15-15 (width: 1; decimal: 0)
Variable Type: numeric

Q203: Q203. Have you resided in a nursing home in the last 6 months?

Value	Label	Unweighted Frequency	%
1	Yes	216	5.7 %
2	No	3472	91.3 %
	Missing Data		
.	-	113	3.0 %
	Total	**3,801**	**100%**

Based upon 3,688 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 16-16 (width: 1; decimal: 0)
Variable Type: numeric

Q204: Q204. Were you in the nursing home as a short-term or long-term resident?

Value	Label	Unweighted Frequency	%
1	Short-term (expected to return home)	179	4.7 %
2	Long-term	37	1.0 %
	Missing Data		
.	-	3585	94.3 %
	Total	**3,801**	**100%**

Based upon 216 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 17-17 (width: 1; decimal: 0)
Variable Type: numeric

Q205: Q205. Do you have a family member (such as a grandparent, parent, spouse, or sib

Value	Label	Unweighted Frequency	%
1	Parent	1901	50.0 %
2	Grandparent	523	13.8 %
3	Partner	55	1.4 %
4	Sibling	159	4.2 %
5	Child	16	0.4 %
98	Other	363	9.6 %
99	None	455	12.0 %
	Missing Data		
.	-	329	8.7 %
	Total	**3,801**	**100%**

Based upon 3,472 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 99.00

Location: 18-19 (width: 2; decimal: 0)
Variable Type: numeric

Q205_98_OTHER: Q205_98_other. Other - Do you have a family member (such as a grandparent, paren

Value	Label	Unweighted Frequency	%
	-	3438	90.4 %
2 friends	-	1	0.0 %
A very close friend	-	1	0.0 %
AUNT	-	5	0.1 %
Assisted living	-	1	0.0 %
Aunt	-	39	1.0 %
Aunt uncle	-	1	0.0 %
Brother in law	-	1	0.0 %
Brother inlaw	-	1	0.0 %
Brother-In-Law	-	1	0.0 %
Close Aunt	-	1	0.0 %
Cousin	-	2	0.1 %
Ex wife	-	1	0.0 %
Father -in-law	-	1	0.0 %
Father in Law	-	1	0.0 %
Father in law	-	8	0.2 %
Father in laws wife	-	1	0.0 %

Value	Label	Unweighted Frequency	%
Father inlaw	-	1	0.0 %
Father-In-Law	-	1	0.0 %
Father-in -law	-	1	0.0 %
Father-in-law	-	1	0.0 %
Friend	-	6	0.2 %
Godparent	-	1	0.0 %
Grand uncle	-	1	0.0 %
Great Grandparent	-	1	0.0 %
Husband	-	2	0.1 %
I worked in a nursing home	-	1	0.0 %
In Law	-	1	0.0 %
In law	-	1	0.0 %
In laws	-	1	0.0 %
In-laws	-	1	0.0 %
Inlaw	-	1	0.0 %
Maternal Aunt	-	1	0.0 %
Mother -in- Law	-	1	0.0 %
Mother In Law	-	1	0.0 %
Mother in Law	-	7	0.2 %
Mother in independent living facility who for TWO WEEKS is in the rehab section of the facility.	-	1	0.0 %
Mother in lae	-	1	0.0 %
Mother in law	-	16	0.4 %
Mother-In-Law	-	1	0.0 %
Mother-in-Law	-	3	0.1 %
Mother-in-law	-	17	0.4 %
Mother-in-law and father-in-law	-	1	0.0 %
Mother-in-law law	-	1	0.0 %
Motherinlaw	-	1	0.0 %
My Mother was in Nursing Home until she died.	-	1	0.0 %
My first cousin who is more like a Brother	-	1	0.0 %
Niece	-	3	0.1 %
Nuts	-	1	0.0 %
Parent in assisted living	-	1	0.0 %
	Total	**3,801**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,801 valid cases out of 3,801 total cases.

Location: 20-115 (width: 96; decimal: 0)

Q205B: Q205b. What is the gender of your (...) currently in a nursing home and for whom

Value	Label	Unweighted Frequency	%
1	Male	884	23.3 %
2	Female	2133	56.1 %
	Missing Data		
.	-	784	20.6 %
	Total	**3,801**	**100%**

Based upon 3,017 valid cases out of 3,801 total cases.

• Minimum: 1.00
• Maximum: 2.00

Location: 116-116 (width: 1; decimal: 0)
Variable Type: numeric

Q205C: Q205C. What is the age of your (...) who is currently in a nursing home?

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
3	-	1	0.0 %
4	-	1	0.0 %
6	-	1	0.0 %
7	-	1	0.0 %
8	-	2	0.1 %
10	-	1	0.0 %
11	-	2	0.1 %
12	-	1	0.0 %
13	-	1	0.0 %
15	-	1	0.0 %
19	-	1	0.0 %
22	-	2	0.1 %
24	-	1	0.0 %
25	-	1	0.0 %
26	-	1	0.0 %
27	-	1	0.0 %
28	-	3	0.1 %
29	-	3	0.1 %
30	-	4	0.1 %
31	-	1	0.0 %
32	-	1	0.0 %

Value	Label	Unweighted Frequency	%
33	-	9	0.2 %
35	-	4	0.1 %
36	-	3	0.1 %
37	-	3	0.1 %
38	-	2	0.1 %
39	-	1	0.0 %
40	-	1	0.0 %
42	-	1	0.0 %
43	-	2	0.1 %
44	-	1	0.0 %
45	-	2	0.1 %
46	-	1	0.0 %
47	-	3	0.1 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
51	-	4	0.1 %
52	-	4	0.1 %
53	-	1	0.0 %
54	-	3	0.1 %
55	-	7	0.2 %
56	-	7	0.2 %
57	-	6	0.2 %
58	-	4	0.1 %
59	-	7	0.2 %
60	-	18	0.5 %
61	-	6	0.2 %
62	-	11	0.3 %
	Missing Data		
.	-	784	20.6 %
	Total	**3,801**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,017 valid cases out of 3,801 total cases.

- Mean: 84.18
- Median: 87.00
- Mode: 85.00
- Minimum: 1.00
- Maximum: 107.00

- Standard Deviation: 12.42

Location: 117-119 (width: 3; decimal: 0)
Variable Type: numeric

Q206: Q206. Is this family member currently in a nursing home as a short-term or long-

Value	Label	Unweighted Frequency	%
1	Short-term (expected to return home)	509	13.4 %
2	Long-term	2508	66.0 %
	Missing Data		
.	-	784	20.6 %
	Total	**3,801**	**100%**

Based upon 3,017 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 120-120 (width: 1; decimal: 0)
Variable Type: numeric

Q207: Q207. Did you have a family member (such as a grandparent, parent, spouse, or si

Value	Label	Unweighted Frequency	%
1	Parent	293	7.7 %
2	Grandparent	40	1.1 %
3	Partner	19	0.5 %
4	Sibling	37	1.0 %
5	Child	3	0.1 %
98	Other	63	1.7 %
99	None	0	0.0 %
	Missing Data		
.	-	3346	88.0 %
	Total	**3,801**	**100%**

Based upon 455 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 98.00

Location: 121-122 (width: 2; decimal: 0)
Variable Type: numeric

Q207_98_OTHER: Q207_98_other. Other - Did you have a family member (such as a grandparent, pare

Value	Label	Unweighted Frequency	%
	-	3738	98.3 %
Aunt	-	6	0.2 %
Aunt and Uncle	-	1	0.0 %
Brother-in-law	-	1	0.0 %
Cousin	-	1	0.0 %
Elderly friend that i had power of attorney	-	1	0.0 %
FAMILY FRIEND	-	1	0.0 %
Father in law	-	1	0.0 %
Father in low	-	1	0.0 %
Father-in-law	-	1	0.0 %
Me	-	1	0.0 %
Mother in law	-	6	0.2 %
Mother-in-law	-	1	0.0 %
NEIGHBOR	-	1	0.0 %
Roommate	-	1	0.0 %
Spouse	-	1	0.0 %
Step Father	-	1	0.0 %
Step-father	-	1	0.0 %
Uncle	-	3	0.1 %
aunt	-	4	0.1 %
cousin	-	1	0.0 %
daughter's father in law	-	1	0.0 %
ex husband	-	1	0.0 %
ex mother in law	-	1	0.0 %
father in law	-	3	0.1 %
father-in-law	-	3	0.1 %
friend	-	6	0.2 %
godmother	-	1	0.0 %
husband	-	1	0.0 %
long-time friend	-	1	0.0 %
me recovering from knee replacement	-	1	0.0 %
mother in law	-	3	0.1 %
mother n law	-	1	0.0 %
mother-in-law	-	1	0.0 %
parent-in-law	-	1	0.0 %
sister-in-law	-	1	0.0 %
uncle	-	2	0.1 %
Total		**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

Location: 123-165 (width: 43; decimal: 0)
Variable Type: character

Q207B: Q207b. What is the gender of your (...) who was in a nursing home and for whom y

Value	Label	Unweighted Frequency	%
1	Male	172	4.5 %
2	Female	283	7.4 %
	Missing Data		
.	-	3346	88.0 %
	Total	**3,801**	**100%**

Based upon 455 valid cases out of 3,801 total cases.

• Minimum: 1.00
• Maximum: 2.00

Location: 166-166 (width: 1; decimal: 0)
Variable Type: numeric

Q207C: Q207C. What is the age of your (...) who was in a nursing home?

Value	Label	Unweighted Frequency	%
21	-	1	0.0 %
30	-	1	0.0 %
37	-	1	0.0 %
40	-	1	0.0 %
44	-	2	0.1 %
52	-	1	0.0 %
53	-	1	0.0 %
54	-	2	0.1 %
55	-	1	0.0 %
56	-	3	0.1 %
57	-	1	0.0 %
58	-	3	0.1 %
59	-	2	0.1 %
60	-	3	0.1 %
61	-	1	0.0 %
62	-	4	0.1 %
65	-	6	0.2 %
66	-	1	0.0 %
67	-	1	0.0 %
68	-	4	0.1 %

Value	Label	Unweighted Frequency	%
69	-	3	0.1 %
70	-	3	0.1 %
71	-	8	0.2 %
72	-	8	0.2 %
73	-	6	0.2 %
74	-	10	0.3 %
75	-	11	0.3 %
76	-	6	0.2 %
77	-	9	0.2 %
78	-	12	0.3 %
79	-	9	0.2 %
80	-	13	0.3 %
81	-	11	0.3 %
82	-	17	0.4 %
83	-	15	0.4 %
84	-	12	0.3 %
85	-	28	0.7 %
86	-	21	0.6 %
87	-	24	0.6 %
88	-	16	0.4 %
89	-	20	0.5 %
90	-	21	0.6 %
91	-	16	0.4 %
92	-	24	0.6 %
93	-	21	0.6 %
94	-	12	0.3 %
95	-	16	0.4 %
96	-	9	0.2 %
97	-	11	0.3 %
98	-	10	0.3 %
Missing Data			
.	-	3346	88.0 %
Total		**3,801**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 455 valid cases out of 3,801 total cases.

- Mean: 83.65
- Median: 86.00

- Mode: 85.00
- Minimum: 21.00
- Maximum: 104.00
- Standard Deviation: 11.43

Location: 167-169 (width: 3; decimal: 0)
Variable Type: numeric

Q208: Q208. Was your family member in a nursing home as a short-term or long-term resi

Value	Label	Unweighted Frequency	%
1	Short-term (he or she were expected to return home)	315	8.3 %
2	Long-term	140	3.7 %
	Missing Data		
.	-	3346	88.0 %
	Total	**3,801**	**100%**

Based upon 455 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 170-170 (width: 1; decimal: 0)
Variable Type: numeric

Q209: Q209. Did this family member die while residing in the nursing home?

Value	Label	Unweighted Frequency	%
1	Yes	159	4.2 %
2	No	296	7.8 %
	Missing Data		
.	-	3346	88.0 %
	Total	**3,801**	**100%**

Based upon 455 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 171-171 (width: 1; decimal: 0)
Variable Type: numeric

Q209A: Q209a. The remainder of the survey asks about situations that your relative migh

Value	Label	Unweighted Frequency	%
1	Yes	159	4.2 %
2	No	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	3642	95.8 %
	Total	**3,801**	**100%**

Based upon 159 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 172-172 (width: 1; decimal: 0)
Variable Type: numeric

Q207D: Q207d. Please tell us briefly why you/your family member entered the nursing hom

Value	Label	Unweighted Frequency	%
Masked by ICPSR	-	3801	100.0 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

Location: 173-187 (width: 15; decimal: 0)
Variable Type: character

Q207D0: Q207d. Please tell us briefly why you/your family member entered the nursing hom

Value	Label	Unweighted Frequency	%
	-	3771	99.2 %
Masked by ICPSR	-	30	0.8 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

Location: 188-202 (width: 15; decimal: 0)
Variable Type: character

Q207D1: Q207d. Please tell us briefly why you/your family member entered the nursing hom

Value	Label	Unweighted Frequency	%
	-	3799	99.9 %
Masked by ICPSR	-	2	0.1 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

Location: 203-217 (width: 15; decimal: 0)
Variable Type: character

Q207D2: Q207d. Please tell us briefly why you/your family member entered the nursing hom

Value	Label	Unweighted Frequency	%
	-	3799	99.9 %
Masked by ICPSR	-	2	0.1 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

Location: 218-232 (width: 15; decimal: 0)
Variable Type: character

Q207D3: Q207d. Please tell us briefly why you/your family member entered the nursing hom

Value	Label	Unweighted Frequency	%
	-	3800	100.0 %
Masked by ICPSR	-	1	0.0 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

Location: 233-247 (width: 15; decimal: 0)
Variable Type: character

Q207D4: Q207d. Please tell us briefly why you/your family member entered the nursing hom

Value	Label	Unweighted Frequency	%
	-	3800	100.0 %
Masked by ICPSR	-	1	0.0 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

Location: 248-262 (width: 15; decimal: 0)
Variable Type: character

Q207D5: Q207d. Please tell us briefly why you/your family member entered the nursing hom

Value	Label	Unweighted Frequency	%
	-	3800	100.0 %
Masked by ICPSR	-	1	0.0 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

Location: 263-277 (width: 15; decimal: 0)
Variable Type: character

Q207D6: Q207d. Please tell us briefly why you/your family member entered the nursing hom

Value	Label	Unweighted Frequency	%
	-	3800	100.0 %
Masked by ICPSR	-	1	0.0 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

Location: 278-292 (width: 15; decimal: 0)
Variable Type: character

HGROUP: Respondent type

Value	Label	Unweighted Frequency	%
1:Respondent in NH currently short term	-	86	2.3 %
2:Family member in NH currently short term	-	509	13.4 %
3:Respondent in NH currently Long term respondent	-	27	0.7 %
4:Family member in NH currently long term	-	2508	66.0 %
5:Respondent in NH within last 6 mo short term	-	179	4.7 %
6:Family member in NH within last 6 mo short term	-	272	7.2 %
6A:hgroup=6 and died in NH	-	43	1.1 %
7:Respondent in NH within last 6 mo long term	-	37	1.0 %
8:Family member in NH within last 6 mo long term	-	24	0.6 %
8A:hgroup=8 and died in NH	-	116	3.1 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

Location: 293-341 (width: 49; decimal: 0)
Variable Type: character

Q301_1: Q301. How involved were you in the selection of (...)?

Value	Label	Unweighted Frequency	%
1	Not involved at all	549	14.4 %
2	-	342	9.0 %
3	Somewhat involved	651	17.1 %
4	-	991	26.1 %
5	Very involved	1260	33.1 %
	Missing Data		
.	-	8	0.2 %
	Total	**3,801**	**100%**

Based upon 3,793 valid cases out of 3,801 total cases.

• Minimum: 1.00

- Maximum: 5.00

Location: 342-342 (width: 1; decimal: 0)
Variable Type: numeric

Q301B: Q301b. How familiar are you with the quality of care in the nursing home (...)?

Value	Label	Unweighted Frequency	%
1	Not familiar at all	0	0.0 %
2	Hardly at all familiar	141	3.7 %
3	Somewhat familiar	828	21.8 %
4	Very familiar	1412	37.1 %
5	Extremely familiar	1091	28.7 %
	Missing Data		
.	-	329	8.7 %
	Total	**3,801**	**100%**

Based upon 3,472 valid cases out of 3,801 total cases.

- Minimum: 2.00
- Maximum: 5.00

Location: 343-343 (width: 1; decimal: 0)
Variable Type: numeric

Q302_1: Q302_1. Family member - Which of the following were sources of information when

Value	Label	Unweighted Frequency	%
0	No	2340	61.6 %
1	Yes	1461	38.4 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 344-344 (width: 1; decimal: 0)
Variable Type: numeric

Q302_2: Q302_2. Other relative - Which of the following were sources of information when

Value	Label	Unweighted Frequency	%
0	No	3094	81.4 %
1	Yes	707	18.6 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 345-345 (width: 1; decimal: 0)
Variable Type: numeric

Q302_3: Q302_3. Friend - Which of the following were sources of information when choosin

Value	Label	Unweighted Frequency	%
0	No	2929	77.1 %
1	Yes	872	22.9 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 346-346 (width: 1; decimal: 0)
Variable Type: numeric

Q302_4: Q302_4. Physician - Which of the following were sources of information when choo

Value	Label	Unweighted Frequency	%
0	No	2662	70.0 %
1	Yes	1139	30.0 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 347-347 (width: 1; decimal: 0)
Variable Type: numeric

Q302_5: Q302_5. Clergy member - Which of the following were sources of information when

Value	Label	Unweighted Frequency	%
0	No	3607	94.9 %
1	Yes	194	5.1 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 348-348 (width: 1; decimal: 0)
Variable Type: numeric

Q302_6: Q302_6. Social worker or case manager - Which of the following were sources of i

Value	Label	Unweighted Frequency	%
0	No	2599	68.4 %
1	Yes	1202	31.6 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 349-349 (width: 1; decimal: 0)
Variable Type: numeric

Q302_7: Q302_7. Other health care professional - Which of the following were sources of

Value	Label	Unweighted Frequency	%
0	No	2913	76.6 %
1	Yes	888	23.4 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 350-350 (width: 1; decimal: 0)
Variable Type: numeric

Q302_8: Q302_8. On-line report card (nursing home comparison) - Which of the following w

Value	Label	Unweighted Frequency	%
0	No	3238	85.2 %
1	Yes	563	14.8 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 351-351 (width: 1; decimal: 0)
Variable Type: numeric

Q302_9: Q302_9. Advertising in newspapers - Which of the following were sources of infor

Value	Label	Unweighted Frequency	%
0	No	3619	95.2 %

Value	Label	Unweighted Frequency	%
1	Yes	182	4.8 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 352-352 (width: 1; decimal: 0)
Variable Type: numeric

Q302_10: Q302_10. My prior experience - Which of the following were sources of informatio

Value	Label	Unweighted Frequency	%
0	No	3138	82.6 %
1	Yes	663	17.4 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 353-353 (width: 1; decimal: 0)
Variable Type: numeric

Q302_11: Q302_11. Other - Which of the following were sources of information when choosin

Value	Label	Unweighted Frequency	%
0	No	3413	89.8 %
1	Yes	388	10.2 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 354-354 (width: 1; decimal: 0)
Variable Type: numeric

Q303: Q303. On average, how frequently (...) in the nursing home?

Value	Label	Unweighted Frequency	%
1	Almost never	213	5.6 %
2	Less than once a month	745	19.6 %
3	Less than weekly	536	14.1 %

Value	Label	Unweighted Frequency	%
4	Once a week	815	21.4 %
5	2 to 3 times a week	797	21.0 %
6	4 to 5 times a week	373	9.8 %
7	6 or more times a week	322	8.5 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 355-355 (width: 1; decimal: 0)
Variable Type: numeric

Q304: Q304. How (...)?

Value	Label	Unweighted Frequency	%
1	Walk	182	4.8 %
2	Travel by private car	3274	86.1 %
3	Use local public transportation	120	3.2 %
4	Other	225	5.9 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 356-356 (width: 1; decimal: 0)
Variable Type: numeric

Q305: Q305. On average how many MINUTES (...)?

Value	Label	Unweighted Frequency	%
1	-	4	0.1 %
2	-	10	0.3 %
3	-	11	0.3 %
4	-	7	0.2 %
5	-	141	3.7 %
6	-	18	0.5 %
7	-	26	0.7 %
8	-	22	0.6 %
9	-	1	0.0 %
10	-	353	9.3 %

Value	Label	Unweighted Frequency	%
11	-	4	0.1 %
12	-	35	0.9 %
13	-	5	0.1 %
14	-	6	0.2 %
15	-	448	11.8 %
16	-	4	0.1 %
17	-	6	0.2 %
18	-	4	0.1 %
19	-	2	0.1 %
20	-	436	11.5 %
21	-	1	0.0 %
22	-	9	0.2 %
23	-	11	0.3 %
24	-	4	0.1 %
25	-	196	5.2 %
26	-	1	0.0 %
27	-	1	0.0 %
28	-	4	0.1 %
29	-	4	0.1 %
30	-	779	20.5 %
31	-	1	0.0 %
32	-	6	0.2 %
33	-	2	0.1 %
34	-	4	0.1 %
35	-	93	2.4 %
38	-	1	0.0 %
40	-	88	2.3 %
41	-	1	0.0 %
42	-	2	0.1 %
43	-	2	0.1 %
45	-	178	4.7 %
46	-	1	0.0 %
48	-	3	0.1 %
50	-	41	1.1 %
55	-	19	0.5 %
56	-	2	0.1 %
60	-	137	3.6 %
65	-	8	0.2 %
66	-	1	0.0 %

Value	Label	Unweighted Frequency	%
68	-	1	0.0 %
	Total	**3,801**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,801 valid cases out of 3,801 total cases.

- Mean: 94.16
- Median: 30.00
- Mode: 30.00
- Minimum: 1.00
- Maximum: 30000.00
- Standard Deviation: 677.02

Location: 357-361 (width: 5; decimal: 0)
Variable Type: numeric

Q305DK_99: Q305DK_99. Don't know - On average how many MINUTES (...)?

Value	Label	Unweighted Frequency	%
0	No	3347	88.1 %
1	Yes	229	6.0 %
	Missing Data		
.	-	225	5.9 %
	Total	**3,801**	**100%**

Based upon 3,576 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 362-362 (width: 1; decimal: 0)
Variable Type: numeric

HQ305: Summary of q305 and q305dk_99

Value	Label	Unweighted Frequency	%
1	Respondent answered Dont know in Q305 so Q305 is Auto punched with 90	229	6.0 %
2	Respondent didn't enter response neither in Q305 nor DK so Q305 is auto punched with 90	1	0.0 %
3	Q305 is not shown(Q304=4) to the resp so it is auto coded with 90	225	5.9 %
	Missing Data		
.	-	3346	88.0 %
	Total	**3,801**	**100%**

Based upon 455 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 363-363 (width: 1; decimal: 0)
Variable Type: numeric

Q401_3: Q401_3. Years - How long (...) in this nursing home?

Value	Label	Unweighted Frequency	%
0	-	620	16.3 %
1	-	665	17.5 %
2	-	563	14.8 %
3	-	334	8.8 %
4	-	177	4.7 %
5	-	164	4.3 %
6	-	58	1.5 %
7	-	37	1.0 %
8	-	32	0.8 %
9	-	23	0.6 %
10	-	40	1.1 %
11	-	4	0.1 %
12	-	15	0.4 %
13	-	1	0.0 %
14	-	6	0.2 %
15	-	16	0.4 %
17	-	2	0.1 %
18	-	3	0.1 %
19	-	3	0.1 %
20	-	4	0.1 %
21	-	1	0.0 %
24	-	1	0.0 %
30	-	1	0.0 %
31	-	1	0.0 %
49	-	1	0.0 %
	Missing Data		
.	-	1029	27.1 %
	Total	**3,801**	**100%**

Based upon 2,772 valid cases out of 3,801 total cases.

- Mean: 2.43
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00

- Maximum: 49.00
- Standard Deviation: 3.03

Location: 364-365 (width: 2; decimal: 0)
Variable Type: numeric

Q401_2: Q401_2. Months - How long (...) in this nursing home?

Value	Label	Unweighted Frequency	%
0	-	353	9.3 %
1	-	389	10.2 %
2	-	503	13.2 %
3	-	356	9.4 %
4	-	229	6.0 %
5	-	212	5.6 %
6	-	423	11.1 %
7	-	91	2.4 %
8	-	144	3.8 %
9	-	115	3.0 %
10	-	100	2.6 %
11	-	58	1.5 %
	Missing Data		
.	-	828	21.8 %
	Total	**3,801**	**100%**

Based upon 2,973 valid cases out of 3,801 total cases.

- Mean: 3.85
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 2.95

Location: 366-367 (width: 2; decimal: 0)
Variable Type: numeric

Q401_1: Q401_1. Weeks - How long (...) in this nursing home?

Value	Label	Unweighted Frequency	%
0	-	801	21.1 %
1	-	497	13.1 %
2	-	640	16.8 %
3	-	338	8.9 %
4	-	65	1.7 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	1460	38.4 %
	Total	**3,801**	**100%**

Based upon 2,341 valid cases out of 3,801 total cases.

- Mean: 1.30
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 1.16

Location: 368-368 (width: 1; decimal: 0)
Variable Type: numeric

Q401DK_98: Q401DK_98. Less than one week - How long (...) in this nursing home?

Value	Label	Unweighted Frequency	%
0	No	3597	94.6 %
1	Yes	204	5.4 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 369-369 (width: 1; decimal: 0)
Variable Type: numeric

Q402: Q402. Did (...) reside in another nursing home immediately before entering (...)

Value	Label	Unweighted Frequency	%
1	Yes	640	16.8 %
2	No	3161	83.2 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 370-370 (width: 1; decimal: 0)
Variable Type: numeric

Q403N_1: Q403n_1. Change in physical condition - What was the primary reason (...) change

Value	Label	Unweighted Frequency	%
0	No	410	10.8 %
1	Yes	230	6.1 %
	Missing Data		
.	-	3161	83.2 %
	Total	**3,801**	**100%**

Based upon 640 valid cases out of 3,801 total cases.

• Minimum: 0.00
• Maximum: 1.00

Location: 371-371 (width: 1; decimal: 0)
Variable Type: numeric

Q403N_2: Q403n_2. Change in mental condition - What was the primary reason (...) changed

Value	Label	Unweighted Frequency	%
0	No	447	11.8 %
1	Yes	193	5.1 %
	Missing Data		
.	-	3161	83.2 %
	Total	**3,801**	**100%**

Based upon 640 valid cases out of 3,801 total cases.

• Minimum: 0.00
• Maximum: 1.00

Location: 372-372 (width: 1; decimal: 0)
Variable Type: numeric

Q403N_3: Q403n_3. Dissatisfaction with quality - What was the primary reason (...) change

Value	Label	Unweighted Frequency	%
0	No	444	11.7 %
1	Yes	196	5.2 %
	Missing Data		
.	-	3161	83.2 %
	Total	**3,801**	**100%**

Based upon 640 valid cases out of 3,801 total cases.

• Minimum: 0.00
• Maximum: 1.00

Location: 373-373 (width: 1; decimal: 0)
Variable Type: numeric

Q403N_4: Q403n_4. To reduce cost - What was the primary reason (...) changed nursing home

Value	Label	Unweighted Frequency	%
0	No	530	13.9 %
1	Yes	110	2.9 %
	Missing Data		
.	-	3161	83.2 %
	Total	**3,801**	**100%**

Based upon 640 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 374-374 (width: 1; decimal: 0)
Variable Type: numeric

Q403N_5: Q403n_5. To be nearer family members - What was the primary reason (...) changed

Value	Label	Unweighted Frequency	%
0	No	499	13.1 %
1	Yes	141	3.7 %
	Missing Data		
.	-	3161	83.2 %
	Total	**3,801**	**100%**

Based upon 640 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 375-375 (width: 1; decimal: 0)
Variable Type: numeric

Q403N_6: Q403n_6. Other - What was the primary reason (...) changed nursing homes?

Value	Label	Unweighted Frequency	%
0	No	572	15.0 %
1	Yes	68	1.8 %
	Missing Data		
.	-	3161	83.2 %
	Total	**3,801**	**100%**

Based upon 640 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 1.00

Q403N_7: Q403n_7. Don't know - What was the primary reason (...) changed nursing homes?

Value	Label	Unweighted Frequency	%
0	No	632	16.6 %
1	Yes	8	0.2 %
	Missing Data		
.	-	3161	83.2 %
	Total	**3,801**	**100%**

Based upon 640 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 377-377 (width: 1; decimal: 0)
Variable Type: numeric

Q404: Q404_1. What was (...) physical condition (...) entered this (current) nursing h

Value	Label	Unweighted Frequency	%
1	1 - Unable to do any daily activities without assistance	641	16.9 %
2	2	1008	26.5 %
3	3	883	23.2 %
4	4	822	21.6 %
5	5 - Able to perform all daily activities without any help from another person	441	11.6 %
	Missing Data		
.	-	6	0.2 %
	Total	**3,801**	**100%**

Based upon 3,795 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 378-378 (width: 1; decimal: 0)
Variable Type: numeric

Q405: Q405_1. what was (...) entered this (current) nursing home?

Value	Label	Unweighted Frequency	%
1	1 - Serious mental disability that requires assistance for all daily activities	263	6.9 %
2	2	755	19.9 %
3	3	830	21.8 %
4	4	1051	27.7 %

Value	Label	Unweighted Frequency	%
5	5 - No mental disabilities that affect ability to perform daily activities	896	23.6 %
	Missing Data		
.	-	6	0.2 %
	Total	**3,801**	**100%**

Based upon 3,795 valid cases out of 3,801 total cases.

• Minimum: 1.00
• Maximum: 5.00

Location: 379-379 (width: 1; decimal: 0)
Variable Type: numeric

Q406: Q406. Did (...) have serious memory problems before or when (...) entered the nu

Value	Label	Unweighted Frequency	%
1	Yes	1644	43.3 %
2	No	2040	53.7 %
3	Don't Know	117	3.1 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

• Minimum: 1.00
• Maximum: 3.00

Location: 380-380 (width: 1; decimal: 0)
Variable Type: numeric

Q406A: Q406a. What was the cause of the memory problem?

Value	Label	Unweighted Frequency	%
1	Alzheimer's Disease	402	10.6 %
2	Dementia	811	21.3 %
3	Stroke	179	4.7 %
4	Something else	159	4.2 %
5	Don't know	93	2.4 %
	Missing Data		
.	-	2157	56.7 %
	Total	**3,801**	**100%**

Based upon 1,644 valid cases out of 3,801 total cases.

• Minimum: 1.00
• Maximum: 5.00

Location: 381-381 (width: 1; decimal: 0)

Variable Type: numeric

Q407: Q407. Did (...) require complex medical or nursing care (for example, care of a

Value	Label	Unweighted Frequency	%
1	Yes	1273	33.5 %
2	No	2528	66.5 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 382-382 (width: 1; decimal: 0)
Variable Type: numeric

Q601: Q601_1. Please rate the overall quality that you believe (...) nursing home.

Value	Label	Unweighted Frequency	%
0	Extremely overall poor quality	18	0.5 %
5	-	9	0.2 %
10	-	25	0.7 %
15	-	18	0.5 %
20	-	44	1.2 %
25	-	30	0.8 %
30	-	74	1.9 %
35	-	40	1.1 %
40	-	92	2.4 %
45	-	31	0.8 %
50	Adequate overall quality	283	7.4 %
55	-	62	1.6 %
60	-	210	5.5 %
65	-	168	4.4 %
70	-	419	11.0 %
75	-	259	6.8 %
80	-	587	15.4 %
85	-	359	9.4 %
90	-	529	13.9 %
95	-	289	7.6 %
100	Extremely overall high quality	252	6.6 %
	Missing Data		
.	-	3	0.1 %
	Total	**3,801**	**100%**

Based upon 3,798 valid cases out of 3,801 total cases.

- Mean: 73.32
- Median: 80.00
- Mode: 80.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 20.44

Location: 383-385 (width: 3; decimal: 0)
Variable Type: numeric

Q602_1: Q602_1. Food quality - On a scale of 0 to 10, where 0 means 'extremely poor' and

Value	Label	Unweighted Frequency	%
0	0 - Extremely poor	37	1.0 %
1	1	33	0.9 %
2	2	67	1.8 %
3	3	113	3.0 %
4	4	182	4.8 %
5	5	314	8.3 %
6	6	436	11.5 %
7	7	698	18.4 %
8	8	860	22.6 %
9	9	562	14.8 %
10	10 - Extremely high	499	13.1 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 386-387 (width: 2; decimal: 0)
Variable Type: numeric

Q602_2: Q602_2. Cleanliness - On a scale of 0 to 10, where 0 means 'extremely poor' and

Value	Label	Unweighted Frequency	%
0	0 - Extremely poor	16	0.4 %
1	1	15	0.4 %
2	2	27	0.7 %
3	3	63	1.7 %
4	4	86	2.3 %
5	5	263	6.9 %
6	6	297	7.8 %
7	7	560	14.7 %

Value	Label	Unweighted Frequency	%
8	8	872	22.9 %
9	9	822	21.6 %
10	10 - Extremely high	780	20.5 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 388-389 (width: 2; decimal: 0)
Variable Type: numeric

Q602_3: Q602_3. Physical environment - On a scale of 0 to 10, where 0 means 'extremely p'

Value	Label	Unweighted Frequency	%
0	0 - Extremely poor	18	0.5 %
1	1	21	0.6 %
2	2	36	0.9 %
3	3	77	2.0 %
4	4	118	3.1 %
5	5	274	7.2 %
6	6	320	8.4 %
7	7	629	16.5 %
8	8	906	23.8 %
9	9	742	19.5 %
10	10 - Extremely high	660	17.4 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 390-391 (width: 2; decimal: 0)
Variable Type: numeric

Q602_4: Q602_4. Personal Security - On a scale of 0 to 10, where 0 means 'extremely poor'

Value	Label	Unweighted Frequency	%
0	0 - Extremely poor	33	0.9 %
1	1	23	0.6 %
2	2	33	0.9 %
3	3	67	1.8 %

Value	Label	Unweighted Frequency	%
4	4	109	2.9 %
5	5	259	6.8 %
6	6	254	6.7 %
7	7	551	14.5 %
8	8	864	22.7 %
9	9	826	21.7 %
10	10 - Extremely high	782	20.6 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

• Minimum: 0.00
• Maximum: 10.00

Location: 392-393 (width: 2; decimal: 0)
Variable Type: numeric

Q602_5: Q602_5. Social environment - On a scale of 0 to 10, where 0 means 'extremely poo'

Value	Label	Unweighted Frequency	%
0	0 - Extremely poor	20	0.5 %
1	1	18	0.5 %
2	2	38	1.0 %
3	3	107	2.8 %
4	4	139	3.7 %
5	5	318	8.4 %
6	6	373	9.8 %
7	7	640	16.8 %
8	8	899	23.7 %
9	9	676	17.8 %
10	10 - Extremely high	573	15.1 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

• Minimum: 0.00
• Maximum: 10.00

Location: 394-395 (width: 2; decimal: 0)
Variable Type: numeric

Q602_6: Q602_6. Activities - On a scale of 0 to 10, where 0 means 'extremely poor' and 1

Value	Label	Unweighted Frequency	%
0	0 - Extremely poor	26	0.7 %
1	1	23	0.6 %
2	2	44	1.2 %
3	3	85	2.2 %
4	4	125	3.3 %
5	5	341	9.0 %
6	6	394	10.4 %
7	7	677	17.8 %
8	8	832	21.9 %
9	9	654	17.2 %
10	10 - Extremely high	600	15.8 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

• Minimum: 0.00
• Maximum: 10.00

Location: 396-397 (width: 2; decimal: 0)
Variable Type: numeric

Q602_7: Q602_7. Personal care - On a scale of 0 to 10, where 0 means 'extremely poor' an

Value	Label	Unweighted Frequency	%
0	0 - Extremely poor	28	0.7 %
1	1	26	0.7 %
2	2	52	1.4 %
3	3	82	2.2 %
4	4	131	3.4 %
5	5	274	7.2 %
6	6	306	8.1 %
7	7	641	16.9 %
8	8	909	23.9 %
9	9	735	19.3 %
10	10 - Extremely high	617	16.2 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

• Minimum: 0.00
• Maximum: 10.00

Location: 398-399 (width: 2; decimal: 0)
Variable Type: numeric

Q602_8: Q602_8. Attentive to residents - On a scale of 0 to 10, where 0 means 'extremely'

Value	Label	Unweighted Frequency	%
0	0 - Extremely poor	28	0.7 %
1	1	35	0.9 %
2	2	63	1.7 %
3	3	110	2.9 %
4	4	147	3.9 %
5	5	267	7.0 %
6	6	334	8.8 %
7	7	641	16.9 %
8	8	870	22.9 %
9	9	702	18.5 %
10	10 - Extremely high	604	15.9 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 400-401 (width: 2; decimal: 0)
Variable Type: numeric

Q602_9: Q602_9. Communicate with residents - On a scale of 0 to 10, where 0 means 'extre'

Value	Label	Unweighted Frequency	%
0	0 - Extremely poor	28	0.7 %
1	1	27	0.7 %
2	2	48	1.3 %
3	3	91	2.4 %
4	4	138	3.6 %
5	5	319	8.4 %
6	6	375	9.9 %
7	7	644	16.9 %
8	8	872	22.9 %
9	9	672	17.7 %
10	10 - Extremely high	587	15.4 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 10.00

Q602_10: Q602_10. Communicate with family members - On a scale of 0 to 10, where 0 means

Value	Label	Unweighted Frequency	%
0	0 - Extremely poor	39	1.0 %
1	1	37	1.0 %
2	2	58	1.5 %
3	3	95	2.5 %
4	4	112	2.9 %
5	5	267	7.0 %
6	6	341	9.0 %
7	7	584	15.4 %
8	8	851	22.4 %
9	9	702	18.5 %
10	10 - Extremely high	715	18.8 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 10.00

Q602_11: Q602_11. Routine medical care - On a scale of 0 to 10, where 0 means 'extremely '

Value	Label	Unweighted Frequency	%
0	0 - Extremely poor	20	0.5 %
1	1	22	0.6 %
2	2	45	1.2 %
3	3	73	1.9 %
4	4	102	2.7 %
5	5	302	7.9 %
6	6	327	8.6 %
7	7	635	16.7 %
8	8	919	24.2 %
9	9	733	19.3 %
10	10 - Extremely high	623	16.4 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 406-407 (width: 2; decimal: 0)
Variable Type: numeric

Q602_12: Q602_12. Emergency medical care - On a scale of 0 to 10, where 0 means 'extremel'

Value	Label	Unweighted Frequency	%
0	0 - Extremely poor	28	0.7 %
1	1	18	0.5 %
2	2	38	1.0 %
3	3	64	1.7 %
4	4	94	2.5 %
5	5	335	8.8 %
6	6	327	8.6 %
7	7	585	15.4 %
8	8	865	22.8 %
9	9	754	19.8 %
10	10 - Extremely high	693	18.2 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 408-409 (width: 2; decimal: 0)
Variable Type: numeric

Q602_13: Q602_13. Physical therapy - On a scale of 0 to 10, where 0 means 'extremely poor'

Value	Label	Unweighted Frequency	%
0	0 - Extremely poor	44	1.2 %
1	1	29	0.8 %
2	2	46	1.2 %
3	3	77	2.0 %
4	4	129	3.4 %
5	5	328	8.6 %
6	6	368	9.7 %
7	7	628	16.5 %
8	8	874	23.0 %
9	9	677	17.8 %
10	10 - Extremely high	601	15.8 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 410-411 (width: 2; decimal: 0)
Variable Type: numeric

Q1106B1: Q1106b1. Major payment source - How (...) pay for the nursing home stay you have

Value	Label	Unweighted Frequency	%
1	Medicare	0	0.0 %
2	Medicaid	822	21.6 %
3	Private medical insurance (e.g. HMO, PPO)	306	8.1 %
4	Private long term care insurance	346	9.1 %
5	Medicare (including Medicare Advantage)	1240	32.6 %
6	Out of pocket	828	21.8 %
7	No Secondary payment source	0	0.0 %
8	Don't know	259	6.8 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 2.00
- Maximum: 8.00

Location: 412-412 (width: 1; decimal: 0)
Variable Type: numeric

Q1106B2_1: Q1106b2_1. Medicare - Secondary payment source - How (...) pay for the nursing h

Value	Label	Unweighted Frequency	%
0	No	0	0.0 %
1	Yes	0	0.0 %
	Missing Data		
.	-	3801	100.0 %
	Total	**3,801**	**100%**

Based upon 0 valid cases out of 3,801 total cases.

Location: 413-413 (width: 1; decimal: 0)
Variable Type: numeric

Q1106B2_2: Q1106b2_2. Medicaid - Secondary payment source - How (...) pay for the nursing h

Value	Label	Unweighted Frequency	%
0	No	3322	87.4 %

Value	Label	Unweighted Frequency	%
1	Yes	479	12.6 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 414-414 (width: 1; decimal: 0)
Variable Type: numeric

Q1106B2_3: Q1106b2_3. Private medical insurance (e.g. HMO, PPO) - Secondary payment source

Value	Label	Unweighted Frequency	%
0	No	3270	86.0 %
1	Yes	531	14.0 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 415-415 (width: 1; decimal: 0)
Variable Type: numeric

Q1106B2_4: Q1106b2_4. Private long term care insurance - Secondary payment source - How (..

Value	Label	Unweighted Frequency	%
0	No	3424	90.1 %
1	Yes	377	9.9 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 416-416 (width: 1; decimal: 0)
Variable Type: numeric

Q1106B2_5: Q1106b2_5. Medicare (including Medicare Advantage) - Secondary payment source -

Value	Label	Unweighted Frequency	%
0	No	3247	85.4 %

Value	Label	Unweighted Frequency	%
1	Yes	554	14.6 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 417-417 (width: 1; decimal: 0)
Variable Type: numeric

Q1106B2_6: Q1106b2_6. Out of pocket - Secondary payment source - How (...) pay for the nurs

Value	Label	Unweighted Frequency	%
0	No	2881	75.8 %
1	Yes	920	24.2 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 418-418 (width: 1; decimal: 0)
Variable Type: numeric

Q1106B2_7: Q1106b2_7. No Secondary payment source - Secondary payment source - How (...) pa

Value	Label	Unweighted Frequency	%
0	No	2906	76.5 %
1	Yes	895	23.5 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 419-419 (width: 1; decimal: 0)
Variable Type: numeric

Q1106B2_8: Q1106b2_8. Don't know - Secondary payment source - How (...) pay for the nursing

Value	Label	Unweighted Frequency	%
0	No	3307	87.0 %
1	Yes	494	13.0 %

Value	Label	Unweighted Frequency	%
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 420-420 (width: 1; decimal: 0)
Variable Type: numeric

HQ700_1: =1 (Yes) if respondent assigned scn 1 (q701x1,q703x1,...) - pressure sores

Value	Label	Unweighted Frequency	%
0	No	2851	75.0 %
1	Yes	950	25.0 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 421-421 (width: 1; decimal: 0)
Variable Type: numeric

HQ700_2: =1 (Yes) if respondent assigned scn 2 (q701x2,q703x2,...) - ADLs low rate

Value	Label	Unweighted Frequency	%
0	No	2850	75.0 %
1	Yes	951	25.0 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 422-422 (width: 1; decimal: 0)
Variable Type: numeric

HQ700_3: =1 (Yes) if respondent assigned scn 3 (q701x3,q703x3,...) - ADLs high rate

Value	Label	Unweighted Frequency	%
0	No	2851	75.0 %
1	Yes	950	25.0 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 423-423 (width: 1; decimal: 0)
Variable Type: numeric

HQ700_4: =1 (Yes) if respondent assigned scn 4 (q701x4,q703x4,...) - pain

Value	Label	Unweighted Frequency	%
0	No	2850	75.0 %
1	Yes	951	25.0 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 424-424 (width: 1; decimal: 0)
Variable Type: numeric

HQ700_5: =1 (Yes) if respondent assigned scn 5 (q701x5,q703x5,...) - re-hospitalization

Value	Label	Unweighted Frequency	%
0	No	2851	75.0 %
1	Yes	950	25.0 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 425-425 (width: 1; decimal: 0)
Variable Type: numeric

HQ700_6: =1 (Yes) if respondent assigned scn 6 (q701x6,q703x6,...) - inspection

Value	Label	Unweighted Frequency	%
0	No	2850	75.0 %
1	Yes	951	25.0 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 426-426 (width: 1; decimal: 0)

HQ700_7: =1 (Yes) if respondent assigned scn 7 (q701x7,q703x7,...) - successful discharge

Value	Label	Unweighted Frequency	%
0	No	2852	75.0 %
1	Yes	949	25.0 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 427-427 (width: 1; decimal: 0)
Variable Type: numeric

HQ700_8: =1 (Yes) if respondent assigned scn 8 (q701x8,q703x8,...) - nursing staffing

Value	Label	Unweighted Frequency	%
0	No	2851	75.0 %
1	Yes	950	25.0 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 428-428 (width: 1; decimal: 0)
Variable Type: numeric

HXNEW1_10: 10 min additional travel time for 1st scn shown/1st q's asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
0	-	3253	85.6 %
1	-	548	14.4 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

Location: 429-429 (width: 1; decimal: 0)
Variable Type: numeric

HXNEW1_20: 20 min additional travel time for 1st scn shown/1st q's asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
0	-	3293	86.6 %
1	-	508	13.4 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

Location: 430-430 (width: 1; decimal: 0)
Variable Type: numeric

HXNEW1_30: 30 min additional travel time for 1st scn shown/1st q's asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
0	-	3284	86.4 %
1	-	517	13.6 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

Location: 431-431 (width: 1; decimal: 0)
Variable Type: numeric

HXNEW1_40: 40 min additional travel time for 1st scn shown/1st q's asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
0	-	3230	85.0 %
1	-	571	15.0 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Mean: 0.15
- Median: 0.00

- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

Location: 432-432 (width: 1; decimal: 0)
Variable Type: numeric

HXNEW2_10: 10 min additional travel time for 2nd scn shown/2nd q's asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
0	-	3221	84.7 %
1	-	580	15.3 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

Location: 433-433 (width: 1; decimal: 0)
Variable Type: numeric

HXNEW2_20: 20 min additional travel time for 2nd scn shown/2nd q's asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
0	-	3216	84.6 %
1	-	585	15.4 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

Location: 434-434 (width: 1; decimal: 0)
Variable Type: numeric

HXNEW2_30: 30 min additional travel time for 2nd scn shown/2nd q's asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
0	-	3244	85.3 %
1	-	557	14.7 %

Value	Label	Unweighted Frequency	%
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

Location: 435-435 (width: 1; decimal: 0)
Variable Type: numeric

HXNEW2_40: 40 min additional travel time for 2nd scn shown/2nd q's asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
0	-	3270	86.0 %
1	-	531	14.0 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

Location: 436-436 (width: 1; decimal: 0)
Variable Type: numeric

HXNEWORDER_1: # min addtnl trvl time offered to 1st scn shown/1st q's asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
5	5	531	14.0 %
10	10	548	14.4 %
20	20	508	13.4 %
30	30	517	13.6 %
40	40	571	15.0 %
50	50	595	15.7 %
60	60	531	14.0 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 5.00
- Maximum: 60.00

Location: 437-438 (width: 2; decimal: 0)
Variable Type: numeric

HXNEWORDER_2: # min addtnl trvl time offered to 2nd scn shown/2nd q's asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
5	5	491	12.9 %
10	10	580	15.3 %
20	20	585	15.4 %
30	30	557	14.7 %
40	40	531	14.0 %
50	50	531	14.0 %
60	60	526	13.8 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 5.00
- Maximum: 60.00

Location: 439-440 (width: 2; decimal: 0)
Variable Type: numeric

Q701X1A: Q701x1a. Would you like to read a short example about pressure sores?

Value	Label	Unweighted Frequency	%
1	Yes	238	6.3 %
2	No	707	18.6 %
	Missing Data		
.	-	2856	75.1 %
	Total	**3,801**	**100%**

Based upon 945 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 441-441 (width: 1; decimal: 0)
Variable Type: numeric

Q701X1: Q701x1. Did you/you or your family member ever have a pressure sore or a pressur

Value	Label	Unweighted Frequency	%
1	Yes	222	5.8 %

Value	Label	Unweighted Frequency	%
2	No	728	19.2 %
	Missing Data		
.	-	2851	75.0 %
	Total	**3,801**	**100%**

Based upon 950 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 442-442 (width: 1; decimal: 0)
Variable Type: numeric

Q703X1: Q703x1. In an 'ALTERNATIVE' nursing home, which is further from (...) home, only

Value	Label	Unweighted Frequency	%
1	Yes	425	11.2 %
2	No	393	10.3 %
3	Don't know	132	3.5 %
	Missing Data		
.	-	2851	75.0 %
	Total	**3,801**	**100%**

Based upon 950 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 443-443 (width: 1; decimal: 0)
Variable Type: numeric

Q704X1: Q704x1. How certain are you about your choice between the 'CURRENT' and the 'ALT'

Value	Label	Unweighted Frequency	%
1	Not certain at all	53	1.4 %
2	Somewhat certain	104	2.7 %
3	Pretty certain	239	6.3 %
4	Very certain	285	7.5 %
5	Extremely certain	269	7.1 %
	Missing Data		
.	-	2851	75.0 %
	Total	**3,801**	**100%**

Based upon 950 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 444-444 (width: 1; decimal: 0)
Variable Type: numeric

Q701X2A: Q701x2a. Would you like to read a short example about activities of daily living

Value	Label	Unweighted Frequency	%
1	Yes	334	8.8 %
2	No	613	16.1 %
	Missing Data		
.	-	2854	75.1 %
	Total	**3,801**	**100%**

Based upon 947 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 445-445 (width: 1; decimal: 0)
Variable Type: numeric

Q701X2: Q701x2. Did ever have any limitations in your daily activities/you or your famil

Value	Label	Unweighted Frequency	%
1	Yes	663	17.4 %
2	No	288	7.6 %
	Missing Data		
.	-	2850	75.0 %
	Total	**3,801**	**100%**

Based upon 951 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 446-446 (width: 1; decimal: 0)
Variable Type: numeric

Q703X2: Q703x2. In an 'ALTERNATIVE' nursing home, which is further from (...) home, only

Value	Label	Unweighted Frequency	%
1	Yes	378	9.9 %
2	No	463	12.2 %
3	Don't know	110	2.9 %
	Missing Data		
.	-	2850	75.0 %

Value	Label	Unweighted Frequency	%
	Total	**3,801**	**100%**

Based upon 951 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 447-447 (width: 1; decimal: 0)
Variable Type: numeric

Q704X2: Q704x2. How certain are you about your choice between the 'CURRENT' and the 'ALT'

Value	Label	Unweighted Frequency	%
1	Not certain at all	49	1.3 %
2	Somewhat certain	91	2.4 %
3	Pretty certain	254	6.7 %
4	Very certain	278	7.3 %
5	Extremely certain	279	7.3 %
	Missing Data		
.	-	2850	75.0 %
	Total	**3,801**	**100%**

Based upon 951 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 448-448 (width: 1; decimal: 0)
Variable Type: numeric

Q701X3A: Q701x3a. Would you like to read a short example about activities of daily living

Value	Label	Unweighted Frequency	%
1	Yes	348	9.2 %
2	No	598	15.7 %
	Missing Data		
.	-	2855	75.1 %
	Total	**3,801**	**100%**

Based upon 946 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 449-449 (width: 1; decimal: 0)
Variable Type: numeric

Q701X3: Q701x3. Did ever have any limitations in your daily activities/you or your famil

Value	Label	Unweighted Frequency	%
1	Yes	665	17.5 %
2	No	285	7.5 %
	Missing Data		
.	-	2851	75.0 %
	Total	**3,801**	**100%**

Based upon 950 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 450-450 (width: 1; decimal: 0)
Variable Type: numeric

Q703X3: Q703x3. In an 'ALTERNATIVE' nursing home, which is further from (...) home, only

Value	Label	Unweighted Frequency	%
1	Yes	431	11.3 %
2	No	402	10.6 %
3	Don't know	117	3.1 %
	Missing Data		
.	-	2851	75.0 %
	Total	**3,801**	**100%**

Based upon 950 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 451-451 (width: 1; decimal: 0)
Variable Type: numeric

Q704X3: Q704x3. How certain are you about your choice between the 'CURRENT' and the 'ALT'

Value	Label	Unweighted Frequency	%
1	Not certain at all	55	1.4 %
2	Somewhat certain	59	1.6 %
3	Pretty certain	256	6.7 %
4	Very certain	302	7.9 %
5	Extremely certain	278	7.3 %
	Missing Data		
.	-	2851	75.0 %
	Total	**3,801**	**100%**

Based upon 950 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 452-452 (width: 1; decimal: 0)
Variable Type: numeric

Q701X4A: Q701x4a. Would you like to read a short example about treatment of pain in nursi

Value	Label	Unweighted Frequency	%
1	Yes	362	9.5 %
2	No	586	15.4 %
	Missing Data		
.	-	2853	75.1 %
	Total	**3,801**	**100%**

Based upon 948 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 453-453 (width: 1; decimal: 0)
Variable Type: numeric

Q701X4: Q701x4. Did you/your family member ever experience moderate to severe pain?

Value	Label	Unweighted Frequency	%
1	Yes	576	15.2 %
2	No	375	9.9 %
	Missing Data		
.	-	2850	75.0 %
	Total	**3,801**	**100%**

Based upon 951 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 454-454 (width: 1; decimal: 0)
Variable Type: numeric

Q703X4: Q703x4. In an 'ALTERNATIVE' nursing home, which is further from (...) home, only

Value	Label	Unweighted Frequency	%
1	Yes	419	11.0 %
2	No	406	10.7 %
3	Don't know	126	3.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	2850	75.0 %
	Total	**3,801**	**100%**

Based upon 951 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 455-455 (width: 1; decimal: 0)
Variable Type: numeric

Q704X4: Q704x4. How certain are you about your choice between the 'CURRENT' and the 'ALT'

Value	Label	Unweighted Frequency	%
1	Not certain at all	60	1.6 %
2	Somewhat certain	69	1.8 %
3	Pretty certain	260	6.8 %
4	Very certain	302	7.9 %
5	Extremely certain	260	6.8 %
	Missing Data		
.	-	2850	75.0 %
	Total	**3,801**	**100%**

Based upon 951 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 456-456 (width: 1; decimal: 0)
Variable Type: numeric

Q701X5: Q701x5. Would you like to read a short example about health inspections?

Value	Label	Unweighted Frequency	%
1	Yes	430	11.3 %
2	No	515	13.5 %
	Missing Data		
.	-	2856	75.1 %
	Total	**3,801**	**100%**

Based upon 945 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 457-457 (width: 1; decimal: 0)

Q703X5: Q703x5. An 'ALTERNATIVE' nursing home, which is further from (...) home, has rec

Value	Label	Unweighted Frequency	%
1	Yes	541	14.2 %
2	No	263	6.9 %
3	Don't know	146	3.8 %
	Missing Data		
.	-	2851	75.0 %
	Total	**3,801**	**100%**

Based upon 950 valid cases out of 3,801 total cases.

• Minimum: 1.00
• Maximum: 3.00

Location: 458-458 (width: 1; decimal: 0)
Variable Type: numeric

Q704X5: Q704x5. How certain are you about your choice between the 'CURRENT' and the 'ALT'

Value	Label	Unweighted Frequency	%
1	Not certain at all	50	1.3 %
2	Somewhat certain	106	2.8 %
3	Pretty certain	242	6.4 %
4	Very certain	305	8.0 %
5	Extremely certain	247	6.5 %
	Missing Data		
.	-	2851	75.0 %
	Total	**3,801**	**100%**

Based upon 950 valid cases out of 3,801 total cases.

• Minimum: 1.00
• Maximum: 5.00

Location: 459-459 (width: 1; decimal: 0)
Variable Type: numeric

Q701X6A: Q701x6a. Would you like to read a short example about rehospitalization from the

Value	Label	Unweighted Frequency	%
1	Yes	386	10.2 %
2	No	559	14.7 %
	Missing Data		
.	-	2856	75.1 %

Value	Label	Unweighted Frequency	%
	Total	**3,801**	**100%**

Based upon 945 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 460-460 (width: 1; decimal: 0)
Variable Type: numeric

Q701X6: Q701x6. Have you or your family member/you ever been rehospitalized?

Value	Label	Unweighted Frequency	%
1	Yes	372	9.8 %
2	No	579	15.2 %
	Missing Data		
.	-	2850	75.0 %
	Total	**3,801**	**100%**

Based upon 951 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 461-461 (width: 1; decimal: 0)
Variable Type: numeric

Q703X6: Q703x6. In an 'ALTERNATIVE' nursing home, which is further from (...) home, only

Value	Label	Unweighted Frequency	%
1	Yes	451	11.9 %
2	No	354	9.3 %
3	Don't know	146	3.8 %
	Missing Data		
.	-	2850	75.0 %
	Total	**3,801**	**100%**

Based upon 951 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 462-462 (width: 1; decimal: 0)
Variable Type: numeric

Q704X6: Q704x6. How certain are you about your choice between the 'CURRENT' and the 'ALT'

Value	Label	Unweighted Frequency	%
1	Not certain at all	72	1.9 %
2	Somewhat certain	88	2.3 %
3	Pretty certain	250	6.6 %
4	Very certain	291	7.7 %
5	Extremely certain	250	6.6 %
	Missing Data		
.	-	2850	75.0 %
	Total	**3,801**	**100%**

Based upon 951 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 463-463 (width: 1; decimal: 0)
Variable Type: numeric

Q701X7A: Q701x7a. Would you like to read a short example about successful discharges afte

Value	Label	Unweighted Frequency	%
1	Yes	411	10.8 %
2	No	532	14.0 %
	Missing Data		
.	-	2858	75.2 %
	Total	**3,801**	**100%**

Based upon 943 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 464-464 (width: 1; decimal: 0)
Variable Type: numeric

Q701X7: Q701x7. Have you ever been discharged from a nursing home to your home or to a r

Value	Label	Unweighted Frequency	%
1	Yes	58	1.5 %
2	No	24	0.6 %
	Missing Data		
.	-	3719	97.8 %
	Total	**3,801**	**100%**

Based upon 82 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 465-465 (width: 1; decimal: 0)
Variable Type: numeric

Q703X7: Q703x7. In an 'ALTERNATIVE' nursing home, which is further from (...) home, 65%

Value	Label	Unweighted Frequency	%
1	Yes	430	11.3 %
2	No	409	10.8 %
3	Don't know	110	2.9 %
	Missing Data		
.	-	2852	75.0 %
	Total	**3,801**	**100%**

Based upon 949 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 466-466 (width: 1; decimal: 0)
Variable Type: numeric

Q704X7: Q704x7. How certain are you about your choice between the 'CURRENT' and the 'ALT'

Value	Label	Unweighted Frequency	%
1	Not certain at all	51	1.3 %
2	Somewhat certain	71	1.9 %
3	Pretty certain	252	6.6 %
4	Very certain	282	7.4 %
5	Extremely certain	293	7.7 %
	Missing Data		
.	-	2852	75.0 %
	Total	**3,801**	**100%**

Based upon 949 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 467-467 (width: 1; decimal: 0)
Variable Type: numeric

Q701X8: Q701x8. Would you like to read more about the importance of staffing?

Value	Label	Unweighted Frequency	%
1	Yes	350	9.2 %

Value	Label	Unweighted Frequency	%
2	No	597	15.7 %
	Missing Data		
.	-	2854	75.1 %
	Total	**3,801**	**100%**

Based upon 947 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 468-468 (width: 1; decimal: 0)
Variable Type: numeric

Q703X8: Q703x8. An 'ALTERNATIVE' nursing home, which is further from (...) home, provide

Value	Label	Unweighted Frequency	%
1	Yes	407	10.7 %
2	No	422	11.1 %
3	Don't know	121	3.2 %
	Missing Data		
.	-	2851	75.0 %
	Total	**3,801**	**100%**

Based upon 950 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 469-469 (width: 1; decimal: 0)
Variable Type: numeric

Q704X8: Q704x8. How certain are you about your choice between the 'CURRENT' and the 'ALT'

Value	Label	Unweighted Frequency	%
1	Not certain at all	58	1.5 %
2	Somewhat certain	86	2.3 %
3	Pretty certain	265	7.0 %
4	Very certain	296	7.8 %
5	Extremely certain	245	6.4 %
	Missing Data		
.	-	2851	75.0 %
	Total	**3,801**	**100%**

Based upon 950 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 470-470 (width: 1; decimal: 0)
Variable Type: numeric

HQ700ORDER_1: First scenario shown/first questions asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
1	Q701-1 AND Q703-1	461	12.1 %
2	Q701-2 AND Q703-2	489	12.9 %
3	Q701-3 AND Q703-3	450	11.8 %
4	Q701-4 AND Q703-4	505	13.3 %
5	Q701-5 AND Q703-5	472	12.4 %
6	Q701-6 AND Q703-6	475	12.5 %
7	Q701-7 AND Q703-7	459	12.1 %
8	Q701-8 AND Q703-8	490	12.9 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 471-471 (width: 1; decimal: 0)
Variable Type: numeric

HQ700ORDER_2: Second scenario show/second questions asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
1	Q701-1 AND Q703-1	489	12.9 %
2	Q701-2 AND Q703-2	462	12.2 %
3	Q701-3 AND Q703-3	500	13.2 %
4	Q701-4 AND Q703-4	446	11.7 %
5	Q701-5 AND Q703-5	478	12.6 %
6	Q701-6 AND Q703-6	476	12.5 %
7	Q701-7 AND Q703-7	490	12.9 %
8	Q701-8 AND Q703-8	460	12.1 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 472-472 (width: 1; decimal: 0)
Variable Type: numeric

Q1101: Q1101. What is your relationship to the person who visits/visited you most often

Value	Label	Unweighted Frequency	%
1	Parent	121	3.2 %
2	Grandparent	35	0.9 %
3	Partner	77	2.0 %
4	Sibling	36	0.9 %
5	Child	25	0.7 %
98	Other	19	0.5 %
99	None	16	0.4 %
	Missing Data		
.	-	3472	91.3 %
	Total	**3,801**	**100%**

Based upon 329 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 99.00

Location: 473-474 (width: 2; decimal: 0)
Variable Type: numeric

Q1101_98_OTHER: Q1101_98_other. Other - What is your relationship to the person who visits/visit

Value	Label	Unweighted Frequency	%
	-	3782	99.5 %
BEST FRIEND	-	1	0.0 %
BROTHER	-	1	0.0 %
Boyfriend	-	1	0.0 %
Brother in law, Sister in law; friends from church	-	1	0.0 %
Cousin	-	1	0.0 %
Friend	-	3	0.1 %
Friends	-	1	0.0 %
Husband	-	1	0.0 %
I have no family alive and I have never had a visitor ever.	-	1	0.0 %
cousin and he visited 3-4 times per day	-	1	0.0 %
former co worker	-	1	0.0 %
friend	-	1	0.0 %
good friend	-	1	0.0 %
my best friend	-	1	0.0 %
niece	-	1	0.0 %
wife	-	2	0.1 %

Value		Label	Unweighted Frequency	%
		Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

Location: 475-533 (width: 59; decimal: 0)
Variable Type: character

Q1102: Q1102_1. How many adults (age 19 or over), including themselves, live in that pe

Value	Label	Unweighted Frequency	%
1	-	122	3.2 %
2	-	131	3.4 %
3	-	27	0.7 %
4	-	10	0.3 %
5	-	4	0.1 %
6	-	2	0.1 %
7	-	2	0.1 %
10	-	2	0.1 %
12	-	1	0.0 %
19	-	3	0.1 %
20	-	1	0.0 %
21	-	2	0.1 %
25	-	1	0.0 %
29	-	1	0.0 %
33	-	2	0.1 %
51	-	1	0.0 %
61	-	1	0.0 %
	Missing Data		
.	-	3488	91.8 %
	Total	**3,801**	**100%**

Based upon 313 valid cases out of 3,801 total cases.

- Mean: 2.98
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 61.00
- Standard Deviation: 5.99

Location: 534-535 (width: 2; decimal: 0)
Variable Type: numeric

Q1103: Q1103_1. How many children under the age of 18 live in that person's household?

Value	Label	Unweighted Frequency	%
0	-	140	3.7 %
1	-	91	2.4 %
2	-	54	1.4 %
3	-	15	0.4 %
4	-	5	0.1 %
5	-	1	0.0 %
6	-	1	0.0 %
11	-	2	0.1 %
18	-	1	0.0 %
19	-	1	0.0 %
25	-	1	0.0 %
53	-	1	0.0 %
Missing Data			
.	-	3488	91.8 %
Total		**3,801**	**100%**

Based upon 313 valid cases out of 3,801 total cases.

- Mean: 1.32
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 53.00
- Standard Deviation: 3.76

Location: 536-537 (width: 2; decimal: 0)
Variable Type: numeric

Q1104: Q1104_1. What is the age of the youngest child in that person's household?

Value	Label	Unweighted Frequency	%
0	-	3	0.1 %
1	-	25	0.7 %
2	-	21	0.6 %
3	-	10	0.3 %
4	-	14	0.4 %
5	-	14	0.4 %
6	-	12	0.3 %
7	-	2	0.1 %
8	-	4	0.1 %
9	-	6	0.2 %
10	-	19	0.5 %
11	-	8	0.2 %

Value	Label	Unweighted Frequency	%
12	-	13	0.3 %
13	-	5	0.1 %
14	-	3	0.1 %
15	-	2	0.1 %
16	-	5	0.1 %
17	-	5	0.1 %
18	-	2	0.1 %
Missing Data			
.	-	3628	95.4 %
Total		**3,801**	**100%**

Based upon 173 valid cases out of 3,801 total cases.

- Mean: 6.75
- Median: 5.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 4.92

Location: 538-539 (width: 2; decimal: 0)
Variable Type: numeric

Q1105: Q1105. What is the employment status of this person who visits/visited you most

Value	Label	Unweighted Frequency	%
1	Employed full-time	212	5.6 %
2	Employed part-time	29	0.8 %
3	Self Employed	8	0.2 %
4	Not employed, but looking for work	6	0.2 %
5	Not employed and not looking for work	2	0.1 %
6	Retired	30	0.8 %
7	Disabled	8	0.2 %
8	Student	6	0.2 %
9	Homemaker	12	0.3 %
Missing Data			
.	-	3488	91.8 %
Total		**3,801**	**100%**

Based upon 313 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 540-540 (width: 1; decimal: 0)

Variable Type: numeric

Q1106: Q1106. On a scale of 1 to 5, where 1 means 'severe physical impairment that inte'

Value	Label	Unweighted Frequency	%
1	-	3	0.1 %
2	-	9	0.2 %
3	-	34	0.9 %
4	-	128	3.4 %
5	-	139	3.7 %
	Missing Data		
.	-	3488	91.8 %
	Total	**3,801**	**100%**

Based upon 313 valid cases out of 3,801 total cases.

• Mean: 4.25
• Median: 4.00
• Mode: 5.00
• Minimum: 1.00
• Maximum: 5.00
• Standard Deviation: 0.83

Location: 541-541 (width: 1; decimal: 0)
Variable Type: numeric

Q1107: Q1107. Which category best describes the household income of this person who vis

Value	Label	Unweighted Frequency	%
1	Less than $30,000	33	0.9 %
2	$30,000 to less than $50,000	41	1.1 %
3	$50,000 to less than $70,000	42	1.1 %
4	$70,000 to less than $100,000	42	1.1 %
5	$100,000 to less than $150,000	42	1.1 %
6	$150,000 to less than $200,000	37	1.0 %
7	$200,000 to less than $250,000	45	1.2 %
8	$250,000 or more	13	0.3 %
9	Decline to answer	5	0.1 %
10	Don't know	13	0.3 %
	Missing Data		
.	-	3488	91.8 %
	Total	**3,801**	**100%**

Based upon 313 valid cases out of 3,801 total cases.

• Minimum: 1.00

- Maximum: 10.00

Location: 542-543 (width: 2; decimal: 0)
Variable Type: numeric

Q1101F: Q1101F. What is your marital status?

Value	Label	Unweighted Frequency	%
1	Married	2480	65.2 %
2	Single	387	10.2 %
3	Divorced	298	7.8 %
4	Separated	23	0.6 %
5	Widowed	123	3.2 %
6	Living with partner	161	4.2 %
	Missing Data		
.	-	329	8.7 %
	Total	**3,801**	**100%**

Based upon 3,472 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 544-544 (width: 1; decimal: 0)
Variable Type: numeric

Q1102F: Q1102F_1. Including you, how many adults (age 19 or over) live in your household

Value	Label	Unweighted Frequency	%
1	-	606	15.9 %
2	-	2336	61.5 %
3	-	374	9.8 %
4	-	101	2.7 %
5	-	31	0.8 %
6	-	5	0.1 %
7	-	2	0.1 %
19	-	1	0.0 %
20	-	1	0.0 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	2	0.1 %
27	-	1	0.0 %
30	-	2	0.1 %
31	-	1	0.0 %
32	-	1	0.0 %

Value	Label	Unweighted Frequency	%
36	-	1	0.0 %
40	-	1	0.0 %
56	-	1	0.0 %
61	-	1	0.0 %
65	-	1	0.0 %
	Missing Data		
.	-	330	8.7 %
	Total	**3,801**	**100%**

Based upon 3,471 valid cases out of 3,801 total cases.

- Mean: 2.17
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 65.00
- Standard Deviation: 2.46

Location: 545-546 (width: 2; decimal: 0)
Variable Type: numeric

Q1103F: Q1103F_1. How many children under the age of 18 live in your household?

Value	Label	Unweighted Frequency	%
0	-	2659	70.0 %
1	-	384	10.1 %
2	-	322	8.5 %
3	-	74	1.9 %
4	-	23	0.6 %
5	-	10	0.3 %
	Missing Data		
.	-	329	8.7 %
	Total	**3,801**	**100%**

Based upon 3,472 valid cases out of 3,801 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.83

Location: 547-547 (width: 1; decimal: 0)
Variable Type: numeric

Q1104F: Q1104F_1. What is the age of the youngest child in your household?

Value	Label	Unweighted Frequency	%
0	-	15	0.4 %
1	-	48	1.3 %
2	-	43	1.1 %
3	-	33	0.9 %
4	-	45	1.2 %
5	-	39	1.0 %
6	-	44	1.2 %
7	-	37	1.0 %
8	-	50	1.3 %
9	-	32	0.8 %
10	-	55	1.4 %
11	-	40	1.1 %
12	-	56	1.5 %
13	-	53	1.4 %
14	-	39	1.0 %
15	-	56	1.5 %
16	-	45	1.2 %
17	-	74	1.9 %
18	-	9	0.2 %
	Missing Data		
.	-	2988	78.6 %
	Total	**3,801**	**100%**

Based upon 813 valid cases out of 3,801 total cases.

- Mean: 9.47
- Median: 10.00
- Mode: 17.00
- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 5.20

Location: 548-549 (width: 2; decimal: 0)
Variable Type: numeric

Q1105F: Q1105F. What is your employment status?

Value	Label	Unweighted Frequency	%
1	Employed full-time	1521	40.0 %
2	Employed part-time	308	8.1 %
3	Self Employed	182	4.8 %

Value	Label	Unweighted Frequency	%
4	Not employed, but looking for work	53	1.4 %
5	Not employed and not looking for work	23	0.6 %
6	Retired	1086	28.6 %
7	Disabled	113	3.0 %
8	Student	26	0.7 %
9	Homemaker	160	4.2 %
	Missing Data		
.	-	329	8.7 %
	Total	**3,801**	**100%**

Based upon 3,472 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 550-550 (width: 1; decimal: 0)
Variable Type: numeric

Q1106F: Q1106F. On a scale of 1 to 5, where 5 is 'excellent physical health' and 1 is 's'

Value	Label	Unweighted Frequency	%
1	-	16	0.4 %
2	-	98	2.6 %
3	-	392	10.3 %
4	-	1304	34.3 %
5	-	1662	43.7 %
	Missing Data		
.	-	329	8.7 %
	Total	**3,801**	**100%**

Based upon 3,472 valid cases out of 3,801 total cases.

- Mean: 4.30
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 0.81

Location: 551-551 (width: 1; decimal: 0)
Variable Type: numeric

HXADITIONALTIME_1: # min additional trvl time offered to resp on scn 1 - pressure sores

Value	Label	Unweighted Frequency	%
	-	2851	75.0 %

Value	Label	Unweighted Frequency	%
10	-	149	3.9 %
20	-	114	3.0 %
30	-	124	3.3 %
40	-	137	3.6 %
5	-	135	3.6 %
50	-	151	4.0 %
60	-	140	3.7 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

Location: 552-553 (width: 2; decimal: 0)
Variable Type: character

HXADITIONALTIME_2: # min additional trvl time offered to resp on scn 2 - ADLs low rate

Value	Label	Unweighted Frequency	%
	-	2850	75.0 %
10	-	133	3.5 %
20	-	150	3.9 %
30	-	148	3.9 %
40	-	141	3.7 %
5	-	119	3.1 %
50	-	139	3.7 %
60	-	121	3.2 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

Location: 554-555 (width: 2; decimal: 0)
Variable Type: character

HXADITIONALTIME_3: # min additional trvl time offered to resp on scn 3 - ADLs high rate

Value	Label	Unweighted Frequency	%
	-	2851	75.0 %
10	-	148	3.9 %
20	-	132	3.5 %
30	-	147	3.9 %
40	-	140	3.7 %
5	-	118	3.1 %
50	-	124	3.3 %
60	-	141	3.7 %

Value	Label	Unweighted Frequency	%
	Total	3,801	100%

Based upon 3,801 valid cases out of 3,801 total cases.

Location: 556-557 (width: 2; decimal: 0)
Variable Type: character

HXADITIONALTIME_4: # min additional trvl time offered to resp on scn 4 - pain

Value	Label	Unweighted Frequency	%
	-	2850	75.0 %
10	-	143	3.8 %
20	-	148	3.9 %
30	-	109	2.9 %
40	-	121	3.2 %
5	-	140	3.7 %
50	-	153	4.0 %
60	-	137	3.6 %
	Total	3,801	100%

Based upon 3,801 valid cases out of 3,801 total cases.

Location: 558-559 (width: 2; decimal: 0)
Variable Type: character

HXADITIONALTIME_5: # min additional trvl time offered to resp on scn 5 - re-hospitalization

Value	Label	Unweighted Frequency	%
	-	2851	75.0 %
10	-	156	4.1 %
20	-	133	3.5 %
30	-	128	3.4 %
40	-	145	3.8 %
5	-	127	3.3 %
50	-	147	3.9 %
60	-	114	3.0 %
	Total	3,801	100%

Based upon 3,801 valid cases out of 3,801 total cases.

Location: 560-561 (width: 2; decimal: 0)
Variable Type: character

HXADITIONALTIME_6: # min additional trvl time offered to resp on scn 6 - inspection

Value	Label	Unweighted Frequency	%
	-	2850	75.0 %
10	-	132	3.5 %
20	-	118	3.1 %
30	-	150	3.9 %
40	-	160	4.2 %
5	-	125	3.3 %
50	-	134	3.5 %
60	-	132	3.5 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

Location: 562-563 (width: 2; decimal: 0)
Variable Type: character

HXADITIONALTIME_7: # min additional trvl time offered to resp on scn 7 - successful discharge

Value	Label	Unweighted Frequency	%
	-	2852	75.0 %
10	-	130	3.4 %
20	-	144	3.8 %
30	-	146	3.8 %
40	-	130	3.4 %
5	-	137	3.6 %
50	-	135	3.6 %
60	-	127	3.3 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

Location: 564-565 (width: 2; decimal: 0)
Variable Type: character

HXADITIONALTIME_8: # min additional trvl time offered to resp on scn 8 - nursing staffing

Value	Label	Unweighted Frequency	%
	-	2851	75.0 %
10	-	137	3.6 %
20	-	154	4.1 %
30	-	122	3.2 %
40	-	128	3.4 %
5	-	121	3.2 %

Value	Label	Unweighted Frequency	%
50	-	143	3.8 %
60	-	145	3.8 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

Location: 566-567 (width: 2; decimal: 0)
Variable Type: character

HFROMTIME_1: hFromTime_1

Value	Label	Unweighted Frequency	%
30	-	3801	100.0 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

Location: 568-569 (width: 2; decimal: 0)
Variable Type: character

HTOTIME_1: Total travel time in min to alternative NH (30min+hxaditionaltime_1)

Value	Label	Unweighted Frequency	%
	-	2851	75.0 %
35	-	135	3.6 %
40	-	149	3.9 %
50	-	114	3.0 %
60	-	124	3.3 %
70	-	137	3.6 %
80	-	151	4.0 %
90	-	140	3.7 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

Location: 570-571 (width: 2; decimal: 0)
Variable Type: character

HTOTIME_2: Total travel time in min to alternative NH (30min+hxaditionaltime_2)

Value	Label	Unweighted Frequency	%
	-	2850	75.0 %
35	-	119	3.1 %
40	-	133	3.5 %
50	-	150	3.9 %

Value	Label	Unweighted Frequency	%
60	-	148	3.9 %
70	-	141	3.7 %
80	-	139	3.7 %
90	-	121	3.2 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

Location: 572-573 (width: 2; decimal: 0)
Variable Type: character

HTOTIME_3: Total travel time in min to alternative NH (30min+hxaditionaltime_3)

Value	Label	Unweighted Frequency	%
	-	2851	75.0 %
35	-	118	3.1 %
40	-	148	3.9 %
50	-	132	3.5 %
60	-	147	3.9 %
70	-	140	3.7 %
80	-	124	3.3 %
90	-	141	3.7 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

Location: 574-575 (width: 2; decimal: 0)
Variable Type: character

HTOTIME_4: Total travel time in min to alternative NH (30min+hxaditionaltime_4)

Value	Label	Unweighted Frequency	%
	-	2850	75.0 %
35	-	140	3.7 %
40	-	143	3.8 %
50	-	148	3.9 %
60	-	109	2.9 %
70	-	121	3.2 %
80	-	153	4.0 %
90	-	137	3.6 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

Location: 576-577 (width: 2; decimal: 0)

HTOTIME_5: Total travel time in min to alternative NH (30min+hxaditionaltime_5)

Value	Label	Unweighted Frequency	%
	-	2851	75.0 %
35	-	127	3.3 %
40	-	156	4.1 %
50	-	133	3.5 %
60	-	128	3.4 %
70	-	145	3.8 %
80	-	147	3.9 %
90	-	114	3.0 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

Location: 578-579 (width: 2; decimal: 0)
Variable Type: character

HTOTIME_6: Total travel time in min to alternative NH (30min+hxaditionaltime_6)

Value	Label	Unweighted Frequency	%
	-	2850	75.0 %
35	-	125	3.3 %
40	-	132	3.5 %
50	-	118	3.1 %
60	-	150	3.9 %
70	-	160	4.2 %
80	-	134	3.5 %
90	-	132	3.5 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

Location: 580-581 (width: 2; decimal: 0)
Variable Type: character

HTOTIME_7: Total travel time in min to alternative NH (30min+hxaditionaltime_7)

Value	Label	Unweighted Frequency	%
	-	2852	75.0 %
35	-	137	3.6 %
40	-	130	3.4 %
50	-	144	3.8 %

Value	Label	Unweighted Frequency	%
60	-	146	3.8 %
70	-	130	3.4 %
80	-	135	3.6 %
90	-	127	3.3 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

Location: 582-583 (width: 2; decimal: 0)
Variable Type: character

HTOTIME_8: Total travel time in min to alternative NH (30min+hxaditionaltime_8)

Value	Label	Unweighted Frequency	%
	-	2851	75.0 %
35	-	121	3.2 %
40	-	137	3.6 %
50	-	154	4.1 %
60	-	122	3.2 %
70	-	128	3.4 %
80	-	143	3.8 %
90	-	145	3.8 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

Location: 584-585 (width: 2; decimal: 0)
Variable Type: character

LOIM: Length of Interview (LOI) in minutes

Value	Label	Unweighted Frequency	%
2.86	-	1	0.0 %
2.99	-	1	0.0 %
3.13	-	2	0.1 %
3.14	-	2	0.1 %
3.17	-	1	0.0 %
3.20	-	1	0.0 %
3.22	-	1	0.0 %
3.25	-	1	0.0 %
3.28	-	1	0.0 %
3.31	-	1	0.0 %
3.32	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.33	-	1	0.0 %
3.37	-	3	0.1 %
3.41	-	1	0.0 %
3.42	-	1	0.0 %
3.43	-	1	0.0 %
3.44	-	1	0.0 %
3.46	-	1	0.0 %
3.51	-	2	0.1 %
3.54	-	2	0.1 %
3.55	-	1	0.0 %
3.58	-	1	0.0 %
3.60	-	1	0.0 %
3.65	-	1	0.0 %
3.74	-	1	0.0 %
3.77	-	1	0.0 %
3.80	-	1	0.0 %
3.82	-	1	0.0 %
3.83	-	1	0.0 %
3.85	-	1	0.0 %
3.91	-	1	0.0 %
3.92	-	1	0.0 %
3.93	-	1	0.0 %
3.95	-	1	0.0 %
3.97	-	1	0.0 %
3.99	-	1	0.0 %
4.00	-	1	0.0 %
4.02	-	1	0.0 %
4.05	-	1	0.0 %
4.06	-	1	0.0 %
4.07	-	1	0.0 %
4.10	-	1	0.0 %
4.12	-	1	0.0 %
4.15	-	1	0.0 %
4.16	-	1	0.0 %
4.17	-	1	0.0 %
4.18	-	1	0.0 %
4.20	-	2	0.1 %
4.21	-	2	0.1 %
4.25	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Total	**3,801**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,801 valid cases out of 3,801 total cases.

- Mean: 14.04
- Minimum: 2.86
- Maximum: 122.59
- Standard Deviation: 8.70

Location: 586-591 (width: 6; decimal: 2)
Variable Type: numeric

HXNEW1_5: 5 min additional travel time for 1st scn shown/1st q's asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
0	-	3270	86.0 %
1	-	531	14.0 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

Location: 592-592 (width: 1; decimal: 0)
Variable Type: numeric

HXNEW2_5: 5 min additional travel time for 2nd scn shown/2nd q's asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
0	-	3310	87.1 %
1	-	491	12.9 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.34

Location: 593-593 (width: 1; decimal: 0)

Variable Type: numeric

HXNEW1_50: 50 min additional travel time for 1st scn shown/1st q's asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
0	-	3206	84.3 %
1	-	595	15.7 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

Location: 594-594 (width: 1; decimal: 0)
Variable Type: numeric

HXNEW1_60: 60 min additional travel time for 1st scn shown/1st q's asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
0	-	3270	86.0 %
1	-	531	14.0 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

Location: 595-595 (width: 1; decimal: 0)
Variable Type: numeric

HXNEW2_50: 50 min additional travel time for 2nd scn shown/2nd q's asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
0	-	3270	86.0 %
1	-	531	14.0 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Mean: 0.14

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

Location: 596-596 (width: 1; decimal: 0)
Variable Type: numeric

HXNEW2_60: 60 min additional travel time for 2nd scn shown/2nd q's asked (Q701x,Q703x,...)

Value	Label	Unweighted Frequency	%
0	-	3275	86.2 %
1	-	526	13.8 %
	Total	**3,801**	**100%**

Based upon 3,801 valid cases out of 3,801 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

Location: 597-597 (width: 1; decimal: 0)
Variable Type: numeric

CENSUSRGN: Census region of the nursing home

Value	Label	Unweighted Frequency	%
1	1:New England	265	7.0 %
2	2:Middle Atlantic	664	17.5 %
3	3:East North Central	740	19.5 %
4	4:West North Central	347	9.1 %
5	5:South Atlantic	653	17.2 %
6	6:East South Central	156	4.1 %
7	7:West South Central	287	7.6 %
8	8:Mountain	207	5.4 %
9	9:Pacific	480	12.6 %
	Missing Data		
.	-	2	0.1 %
	Total	**3,801**	**100%**

Based upon 3,799 valid cases out of 3,801 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 598-598 (width: 1; decimal: 0)
Variable Type: numeric

ID: Respondent ID

Based upon 3,801 valid cases out of 3,801 total cases.

- Mean: 1901.00
- Minimum: 1.00
- Maximum: 3801.00
- Standard Deviation: 1097.40

Location: 599-602 (width: 4; decimal: 0)
Variable Type: numeric