

Orion search configuration

ENG-007 | Engineering | PRODUCT DOCUMENTATION | Version 2.0

Document control	Value
Access level	INTERNAL
Effective date	2026-04-01
Status	current
Owner	Engineering process owner
Scope	Meridian Works fictional enterprise; all locations unless stated otherwise

Purpose and scope

This product documentation describes orion search configuration for Meridian Works. It is part of a wholly fictional enterprise knowledge base created for SynapseIQ retrieval experiments. The rules and figures below are invented operational assumptions, not real company rules or professional guidance.

Key requirements

1. Orion semantic search returns 20 candidates before reranking.
2. The default final result count is five.
3. Exact product identifiers should also use a keyword path.

Authority: effective from 2026-04-01. If a local quick guide disagrees, use the current approved controlling policy and record the discrepancy.

Orion search configuration - 2/5

Behavior and constraints

Orion semantic search returns 20 candidates before reranking.

The default final result count is five.

Worked product example

Workspace Cedar Demo uses a synthetic project named Orion Trial 2. An employee requests a report for a selected date range, checks the workspace scope and confirms the resulting job status. Product behavior must be evaluated against the documented version; an archived client example may use a different pagination model.

Example attribute	Synthetic value
Workspace	MDEMO-01
Reference	DOC-ENG-007-02
Report status	queued -> processing -> completed
Failure handling	Display a safe explanation and retain the request reference
Visibility	Only the authorized workspace audience receives the output

Troubleshooting

An empty result may reflect filters, workspace scope or missing input data. Confirm those factors before interpreting the result as a system failure. Do not broaden access solely to obtain a result.

Related search terms

Orion search configuration; Engineering; Orion, API, developer, release, ADR

Orion search configuration - 3/5

Behavior and constraints

The default final result count is five.

Exact product identifiers should also use a keyword path.

Worked product example

Workspace Cedar Demo uses a synthetic project named Orion Trial 3. An employee requests a report for a selected date range, checks the workspace scope and confirms the resulting job status. Product behavior must be evaluated against the documented version; an archived client example may use a different pagination model.

Example attribute	Synthetic value
Workspace	MDEMO-01
Reference	DOC-ENG-007-03
Report status	queued -> processing -> completed
Failure handling	Display a safe explanation and retain the request reference
Visibility	Only the authorized workspace audience receives the output

Troubleshooting

An empty result may reflect filters, workspace scope or missing input data. Confirm those factors before interpreting the result as a system failure. Do not broaden access solely to obtain a result.

Related search terms

Orion search configuration; Engineering; Orion, API, developer, release, ADR

Orion search configuration - 4/5

Behavior and constraints

Exact product identifiers should also use a keyword path.

Orion semantic search returns 20 candidates before reranking.

Worked product example

Workspace Cedar Demo uses a synthetic project named Orion Trial 4. An employee requests a report for a selected date range, checks the workspace scope and confirms the resulting job status. Product behavior must be evaluated against the documented version; an archived client example may use a different pagination model.

Example attribute	Synthetic value
Workspace	MDEMO-01
Reference	DOC-ENG-007-04
Report status	queued -> processing -> completed
Failure handling	Display a safe explanation and retain the request reference
Visibility	Only the authorized workspace audience receives the output

Troubleshooting

An empty result may reflect filters, workspace scope or missing input data. Confirm those factors before interpreting the result as a system failure. Do not broaden access solely to obtain a result.

Related search terms

Orion search configuration; Engineering; Orion, API, developer, release, ADR

Orion search configuration - 5/5

Behavior and constraints

Orion semantic search returns 20 candidates before reranking.

The default final result count is five.

Worked product example

Workspace Cedar Demo uses a synthetic project named Orion Trial 5. An employee requests a report for a selected date range, checks the workspace scope and confirms the resulting job status. Product behavior must be evaluated against the documented version; an archived client example may use a different pagination model.

Example attribute	Synthetic value
Workspace	MDEMO-01
Reference	DOC-ENG-007-05
Report status	queued -> processing -> completed
Failure handling	Display a safe explanation and retain the request reference
Visibility	Only the authorized workspace audience receives the output

Troubleshooting

An empty result may reflect filters, workspace scope or missing input data. Confirm those factors before interpreting the result as a system failure. Do not broaden access solely to obtain a result.

Related search terms

Orion search configuration; Engineering; Orion, API, developer, release, ADR