

VPN outage runbook

IT-005 | IT | INCIDENT RUNBOOK | Version 2.0

Document control	Value
Access level	CONFIDENTIAL
Effective date	2026-04-01
Status	current
Owner	IT process owner
Scope	Meridian Works fictional enterprise; all locations unless stated otherwise

Purpose and scope

This incident runbook describes vpn outage runbook for Meridian Works. It is part of a wholly fictional enterprise knowledge base created for SynapseIQ retrieval experiments. The rules and figures below are invented operational assumptions, not real company rules or professional guidance.

Key requirements

1. VPN incidents are owned by the Network duty engineer.
2. Escalate after 15 minutes of confirmed multi-user impact.
3. Approved browser access may be used for supported apps.

Authority: effective from 2026-04-01. If a local quick guide disagrees, use the current approved controlling policy and record the discrepancy.

VPN outage runbook - 2/6

Response phase and decision gates

Stage	Action / exit gate
Observe	Confirm scope with the service owner. VPN incidents are owned by the Network duty engineer.
Coordinate	Assign an authorized incident lead. Escalate after 15 minutes of confirmed multi-user impact.
Stabilize	Use only approved containment or continuity actions; record the action and timestamp.
Recover	Validate the affected workflow with its owner before declaring recovery.
Close	Document impact, residual risks and follow-up ownership.

Exercise scenario

Fictional exercise EX-IT-005-02: the Cedar team reports an unexpected interruption during an ordinary work period. The responder records what is observable, identifies the affected scope and applies the decision gates above. This scenario contains no exploit instructions, credentials or production endpoints.

Stop conditions

Stop an unapproved intervention, uncertain evidence destruction or an action outside the responder role. Escalate through the incident queue. Preserve the original record and note the reason for escalation.

Related search terms

VPN outage runbook; IT; helpdesk, service desk, identity, ITSM

VPN outage runbook - 3/6

Response phase and decision gates

Stage	Action / exit gate
Observe	Confirm scope with the service owner. Escalate after 15 minutes of confirmed multi-user impact.
Coordinate	Assign an authorized incident lead. Approved browser access may be used for supported apps.
Stabilize	Use only approved containment or continuity actions; record the action and timestamp.
Recover	Validate the affected workflow with its owner before declaring recovery.
Close	Document impact, residual risks and follow-up ownership.

Exercise scenario

Fictional exercise EX-IT-005-03: the Cedar team reports an unexpected interruption during an ordinary work period. The responder records what is observable, identifies the affected scope and applies the decision gates above. This scenario contains no exploit instructions, credentials or production endpoints.

Stop conditions

Stop an unapproved intervention, uncertain evidence destruction or an action outside the responder role. Escalate through the incident queue. Preserve the original record and note the reason for escalation.

Related search terms

VPN outage runbook; IT; helpdesk, service desk, identity, ITSM

VPN outage runbook - 4/6

Response phase and decision gates

Stage	Action / exit gate
Observe	Confirm scope with the service owner. Approved browser access may be used for supported apps.
Coordinate	Assign an authorized incident lead. VPN incidents are owned by the Network duty engineer.
Stabilize	Use only approved containment or continuity actions; record the action and timestamp.
Recover	Validate the affected workflow with its owner before declaring recovery.
Close	Document impact, residual risks and follow-up ownership.

Exercise scenario

Fictional exercise EX-IT-005-04: the Cedar team reports an unexpected interruption during an ordinary work period. The responder records what is observable, identifies the affected scope and applies the decision gates above. This scenario contains no exploit instructions, credentials or production endpoints.

Stop conditions

Stop an unapproved intervention, uncertain evidence destruction or an action outside the responder role. Escalate through the incident queue. Preserve the original record and note the reason for escalation.

Related search terms

VPN outage runbook; IT; helpdesk, service desk, identity, ITSM

VPN outage runbook - 5/6

Response phase and decision gates

Stage	Action / exit gate
Observe	Confirm scope with the service owner. VPN incidents are owned by the Network duty engineer.
Coordinate	Assign an authorized incident lead. Escalate after 15 minutes of confirmed multi-user impact.
Stabilize	Use only approved containment or continuity actions; record the action and timestamp.
Recover	Validate the affected workflow with its owner before declaring recovery.
Close	Document impact, residual risks and follow-up ownership.

Exercise scenario

Fictional exercise EX-IT-005-05: the Cedar team reports an unexpected interruption during an ordinary work period. The responder records what is observable, identifies the affected scope and applies the decision gates above. This scenario contains no exploit instructions, credentials or production endpoints.

Stop conditions

Stop an unapproved intervention, uncertain evidence destruction or an action outside the responder role. Escalate through the incident queue. Preserve the original record and note the reason for escalation.

Related search terms

VPN outage runbook; IT; helpdesk, service desk, identity, ITSM

VPN outage runbook - 6/6

Response phase and decision gates

Stage	Action / exit gate
Observe	Confirm scope with the service owner. Escalate after 15 minutes of confirmed multi-user impact.
Coordinate	Assign an authorized incident lead. Approved browser access may be used for supported apps.
Stabilize	Use only approved containment or continuity actions; record the action and timestamp.
Recover	Validate the affected workflow with its owner before declaring recovery.
Close	Document impact, residual risks and follow-up ownership.

Exercise scenario

Fictional exercise EX-IT-005-06: the Cedar team reports an unexpected interruption during an ordinary work period. The responder records what is observable, identifies the affected scope and applies the decision gates above. This scenario contains no exploit instructions, credentials or production endpoints.

Stop conditions

Stop an unapproved intervention, uncertain evidence destruction or an action outside the responder role. Escalate through the incident queue. Preserve the original record and note the reason for escalation.

Related search terms

VPN outage runbook; IT; helpdesk, service desk, identity, ITSM