

Backup restoration runbook

IT-008 | IT | INCIDENT RUNBOOK | Version 2.0

Document control	Value
Access level	CONFIDENTIAL
Effective date	2026-04-01
Status	current
Owner	IT process owner
Scope	Meridian Works fictional enterprise; all locations unless stated otherwise

Purpose and scope

This incident runbook describes backup restoration runbook for Meridian Works. It is part of a wholly fictional enterprise knowledge base created for SynapseIQ retrieval experiments. The rules and figures below are invented operational assumptions, not real company rules or professional guidance.

Key requirements

1. The Helix file service has a four-hour recovery time objective.
2. Restore tests occur every quarter.
3. A legal hold prevents routine deletion of retained snapshots.

Authority: effective from 2026-04-01. If a local quick guide disagrees, use the current approved controlling policy and record the discrepancy.

Backup restoration runbook - 2/3

Response phase and decision gates

Stage	Action / exit gate
Observe	Confirm scope with the service owner. The Helix file service has a four-hour recovery time objective.
Coordinate	Assign an authorized incident lead. Restore tests occur every quarter.
Stabilize	Use only approved containment or continuity actions; record the action and timestamp.
Recover	Validate the affected workflow with its owner before declaring recovery.
Close	Document impact, residual risks and follow-up ownership.

Exercise scenario

Fictional exercise EX-IT-008-02: the Cedar team reports an unexpected interruption during an ordinary work period. The responder records what is observable, identifies the affected scope and applies the decision gates above. This scenario contains no exploit instructions, credentials or production endpoints.

Stop conditions

Stop an unapproved intervention, uncertain evidence destruction or an action outside the responder role. Escalate through the incident queue. Preserve the original record and note the reason for escalation.

Related search terms

Backup restoration runbook; IT; helpdesk, service desk, identity, ITSM

Backup restoration runbook - 3/3

Response phase and decision gates

Stage	Action / exit gate
Observe	Confirm scope with the service owner. Restore tests occur every quarter.
Coordinate	Assign an authorized incident lead. A legal hold prevents routine deletion of retained snapshots.
Stabilize	Use only approved containment or continuity actions; record the action and timestamp.
Recover	Validate the affected workflow with its owner before declaring recovery.
Close	Document impact, residual risks and follow-up ownership.

Exercise scenario

Fictional exercise EX-IT-008-03: the Cedar team reports an unexpected interruption during an ordinary work period. The responder records what is observable, identifies the affected scope and applies the decision gates above. This scenario contains no exploit instructions, credentials or production endpoints.

Stop conditions

Stop an unapproved intervention, uncertain evidence destruction or an action outside the responder role. Escalate through the incident queue. Preserve the original record and note the reason for escalation.

Related search terms

Backup restoration runbook; IT; helpdesk, service desk, identity, ITSM