FUNDRAISER

15SE328E – Web Programming PROJECT

Submitted by:

Aviral Chauhan (RA1711003011204)
Yashwanth Velpuri
(RA1711003010949)
Vivek Gaurav Singh
(RA1711003010946)

In partial fulfillment for the award of the degree

of

B.TECH

IN

COMPUTER SCIENCE AND ENGINEERING



SRM INSTITUTE OF SCIENCE AND TECHNOLOGY KATTANKULATHUR

March 2020

BONAFIDE CERTIFICATE

Certified that this project report "Fundraiser" is the bona fide work of "Aviral Chauhan",		
"Yashwanth Velpuri" and "Vivek Gaurav Singh" who carried out the project work under my		
supervision.		
SIGNATURE	SIGNATURE	
Ms G.K.Sandhia		
	Dr. B.Amutha	
Faculty in-charge	Head of Department	
INTERNAL EXAMINER		

DECLARATION

We studying in IVth year B.Tech Computer Science program at, SRM Institute Of Science And Technology, Kattankulathur, Chennai, hereby declare that this project is an original work of ours and we have not verbatim copied / duplicated any material from sources like internet or from print media, excepting some vital company information / statistics and data that is provided by the company itself.

Signature of the Students:

Student 1: Aviral Chauhan (RA1711003011204) Student 2: Yashwanth Velpuri (RA1711003010949) Student 3: Vivek Gaurav Singh (RA1711003010946)

Date: 12/11/2020

Place:

ACKNOWLEDGEMENT

The success and the final outcome of this project required guidance and assistance from different sources and we feel extremely fortunate to have got this all along the completion of our project. Whatever we have done is largely due to such guidance and assistance and we would not forget to thank them.

We express our sincere thanks to the Head of the Department, Department of Computer Science, and B.Amutha for all the help and infrastructure provided to us to complete this project successfully and his valuable guidance.

We owe our profound gratitude to our project guide **Ms. G. K. Sandhia**, who took keen interest in our project work and guided us all along, till the completion of our project work by providing all the necessary information for developing a good system.

We are thankful to and fortunate enough to get constant encouragement, support and guidance from all the Teaching staff of the Department of Computer Science which helped us in successfully completing our minor project work. Also, we would like to extend our sincere regards to all the non-teaching staff of the department of Computer Science for their timely support.

ABSTRACT

The Fund Raiser is a web application which will help in collecting funds from different people for different events posted by the event managers and organizers. When someone creates a campaign, one can donate funds through the wire transfer via banks as per their convenience. In the present context of our country, there is no transparent online platform where one can create campaigns for raising funds for different activities. So, Fund Raiser can be an initiative to create different categorized campaigns, raise funds and list the donors who donated some amount in transparent chronological order.

Table of Contents

Chapter

Page No.

1.Aim	7
2.Problem Identification	7
3.Database	8
4.SQL Queries	9
5.Php Code	12
6.Conclusion	39
7.References	40
8.Screenshots	41
9.Appendix	46

1.1 **AIM**

From successfully organizing an event to providing financial aids to the victim of different natural calamities, finance plays an important role. Raising funds play an important role to support these kinds of activities. So, creation of events and the campaigns can help to support organizing some program at the national and international level, development of some infrastructures and provision of financial aid to victims of natural calamities and so on. Therefore, to promote and encourage more and more people for donations and financial support via websites accessed through the internet, Fund Raiser can act as a mediator for raising funds for different campaigns and support activities in an efficient manner.

1.2 PROBLEM IDENTIFICATION

In the present context of our country, there is no officially authorized websites or web applications operating at governmental level to collect funds and financial aids in a transparent manner. There are not enough Crowdfunding websites in India which are operated by a trusted governmental organization or trusted institutions. Several sites lack transparency and one cannot see who donated how much amount of money.

1.3 PROJECT OBJECTIVE


The major objectives of our project are:

- To facilitate people to create campaigns or events at an ease for raising funds.
- To create a web platform where people can make donations for different events or campaigns.

DATABASE

The database Fundraiser has following tables -:

- adminlogin
- campaigns
- donationproof
- donors
- organizers
- pwdreset



SQL Queries

```
SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
SET AUTOCOMMIT = 0;
START TRANSACTION;
SET time zone = "+00:00";
CREATE TABLE `adminlogin` (
  `admin_id` int(11) NOT NULL,
  `admin username` varchar(255) NOT NULL,
 `admin_password` varchar(255) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
INSERT INTO `adminlogin` (`admin_id`, `admin_username`, `admin_password`) VALUES
(1, 'admin', 'admin');
CREATE TABLE `campaigns` (
  `campaign id` int(11) NOT NULL,
  `campaign_name` varchar(255) NOT NULL,
  `campaign_type` varchar(255) NOT NULL,
  `campaign days` bigint(20) NOT NULL,
  `campaign_amount` bigint(20) NOT NULL,
  `campaign_description` varchar(255) NOT NULL,
  `campaignPhone` bigint(20) NOT NULL,
  `campaignImage` varchar(255) DEFAULT NULL,
  `campaignApproval` tinyint(1) DEFAULT '0',
  `campaignExpiry` tinyint(1) DEFAULT '1',
  `campaignCreator` varchar(255) NOT NULL,
  `campaign_reg_date` timestamp NOT NULL DEFAULT CURRENT_TIMESTAMP
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
CREATE TABLE `donationproof` (
  `donation_proof_id` int(11) NOT NULL,
  `donor id` int(11) NOT NULL,
  `campaign_id` int(11) NOT NULL,
 `donate_amount` bigint(20) NOT NULL,
  `donor_address` varchar(200) NOT NULL,
 `proof image` varchar(255) DEFAULT NULL,
  `admin_approval` tinyint(1) DEFAULT '0',
  `proof_submit_date` timestamp NOT NULL DEFAULT CURRENT_TIMESTAMP
 ENGINE=InnoDB DEFAULT CHARSET=latin1;
```

```
CREATE TABLE `donors` (
  `donor id` int(11) NOT NULL,
  `donor name` varchar(50) NOT NULL,
 `donor email` varchar(50) NOT NULL,
  `campaign id` int(11) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
CREATE TABLE `organizers` (
  `organizer_id` int(11) NOT NULL,
  `organizer_fullname` varchar(256) NOT NULL,
  `organizer username` varchar(256) NOT NULL,
  `organizer_email` varchar(256) NOT NULL,
  `organizer password` varchar(256) NOT NULL,
  `organizer phone` varchar(22) NOT NULL,
  `vkey` varchar(45) DEFAULT NULL,
  `verified` tinyint(1) DEFAULT '0',
  `organizer_reg_date` timestamp NOT NULL DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT
 TIMESTAMP
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
CREATE TABLE `pwdreset` (
  `pwdResetId` int(11) NOT NULL,
  `pwdResetEmail` text NOT NULL,
  `pwdResetSelector` text NOT NULL,
  `pwdResetToken` longtext NOT NULL,
  `pwdResetExpires` text NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
ALTER TABLE `adminlogin`
  ADD PRIMARY KEY (`admin_id`);
ALTER TABLE `campaigns`
  ADD PRIMARY KEY (`campaign_id`);
ALTER TABLE `donationproof`
  ADD PRIMARY KEY (`donation proof id`);
ALTER TABLE `donors`
  ADD PRIMARY KEY (`donor id`);
```

```
ALTER TABLE `organizers`
 ADD PRIMARY KEY (`organizer_id`);
ALTER TABLE `pwdreset`
 ADD PRIMARY KEY (`pwdResetId`);
ALTER TABLE `adminlogin`
 MODIFY `admin_id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=2;
ALTER TABLE `campaigns`
 MODIFY `campaign_id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=25;
ALTER TABLE `donationproof`
 MODIFY `donation_proof_id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=17;
ALTER TABLE `donors`
 MODIFY `donor_id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=47;
ALTER TABLE `organizers`
 MODIFY `organizer_id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=5;
ALTER TABLE `pwdreset`
 MODIFY `pwdResetId` int(11) NOT NULL AUTO_INCREMENT;
COMMIT;
```

PHP Code

Index.php

```
<?php
    include_once 'header.php';
    <link rel="stylesheet" href="assets/css/style.css">
</head>
<body>
    <!-- navigation section -->
    <div class="nav-bar">
        <a href="index.php">
            <img src="assets/images/logo.png" alt="Fund Raiser logo">
        </a>
        <div class="nav-links">
            <a href="campaigns.php">CAMPAIGNS</a>
            <a href="donors.php">DONORS</a>
        </div>
        <div class="btn-login-signup">
            <button type="submit" id="btn-</pre>
login" onclick="window.location.href='login.php'">LOGIN</button>
            <button type="submit" id="btn-</pre>
signup" onclick="window.location.href='signup.php'">SIGN UP</button>
        </div>
    </div>
    <!-- body part -->
    <img src="assets/images/canvas.png" alt="" id="canvas-image">
        <img src="assets/images/banner.png" alt=""><br><br>
        <span id="banner-quote">
            "No one has ever become <br>> poor by giving."
        </span>
    </div>
    <div class="get-started">
        <span id="create-campaign">
            CREATE YOUR OWN CAMPAIGN
        </span>
```

signup.php

```
<?php
    include_once 'header.php';
    <link rel="stylesheet" href="assets/css/signup.css">
</head>
<body>
    <!-- navigation section -->
    <div class="nav-bar">
        <a href="index.php">
            <img src="assets/images/logo.png" alt="Fund Raiser logo">
        </a>
        <div class="nav-links">
            <a href="campaigns.php">CAMPAIGNS</a>
            <a href="donors.php">DONORS</a>
        </div>
        <div class="btn-login-signup">
            <button type="submit" id="btn-</pre>
login" onclick="window.location.href='login.php'">LOGIN</button>
        </div>
    </div>
    <div class="successMessage">
        <?php
                    if(isset($_GET['signup'])) {
                        if($ GET['signup'] == "invalidname") {
```

```
echo "<span style='color: red; font-
size:30px;'>!</span> The Full name you entered is not valid. Please enter a valid nam
e.";
        <?php
                     if(isset($_GET['signup'])) {
                         if($ GET['signup'] == "usernametaken") {
                             echo "<span style='color: red; font-
size:30px;'>!</span> The Username is already taken.";
    </div>
    <div class="banner">
        <img src="assets/images/banner.png" alt=""><br><br>
        <span id="banner-quote">
            "No one has ever become <br/> poor by giving."
        </span>
    </div>
    <div class="signupbox">
        <div class="boxone">
            <span id="signuptext">Sign Up As Organizer</span>
        </div>
        <div class="boxtwo">
            <br><br><br>></pr>
            <form onsubmit='return signupFormValidate();' action="includes/signup.inc</pre>
.php" method="POST">
                 <input type="text" name="fullname" placeholder="Enter full Name" requ</pre>
ired><br><br>
                 <input type="text" name="username" placeholder="username" pattern="[A</pre>
9]+" title="Username should only contain letters and numbers only. e.g. john12345" re
quired><br><br><</pre>
                 <input type="email" name="email" placeholder="E-</pre>
mail" required><br><br>
                 <input type="password" id = "password" name="password" placeholder="p</pre>
assword" required><br><br>>
                 <input type="password" id="repeat-password" name="repeat-</pre>
password" placeholder="Confirm password" required><br><br><br>
```

login.php

```
<?php
    include_once 'header.php';
    <link rel="stylesheet" href="assets/css/login.css">
<body>
    <!-- navigation section -->
    <div class="nav-bar">
        <a href="index.php">
            <img src="assets/images/logo.png" alt="Fund Raiser logo">
        </a>
        <div class="nav-links">
            <a href="campaigns.php">CAMPAIGNS</a>
            <a href="donors.php">DONORS</a>
        </div>
        <div class="btn-login-signup">
            <button type="submit" id="btn-</pre>
signup" onclick="window.location.href='signup.php'">SIGN UP</button>
        </div>
    </div>
    <!-- body part -->
    <div class="banner">
```

```
<img src="assets/images/banner.png" alt=""><br><br><</pre>
        <span id="banner-quote">
            "No one has ever become <br>> poor by giving."
    </div>
    <div class="successMessage">
         <!-- show message after user do complete signup and verify email-->
        <?php
                    if(isset($ GET['emailverified'])) {
                        if($ GET['emailverified'] == "success") {
                            echo "You have successfully signed up and verified your e
mail. Now you can login as organizer in Fund Raiser";
        <!-- show message after password has been reset -->
        <?php
                    if(isset($_GET['newpassword'])) {
                        if($_GET['newpassword'] == "passwordupdated") {
                            echo 'Your password has been reset. Now you can login to
the system using new password';
         <!-- show message in case of non authentic user -->
        <?php
                    if(isset($_GET['login'])) {
                        if($_GET['login'] == "notauthenticuser") {
                            echo "You are not an authentic registered user.";
        <!-- show message if password is not correct -->
        <?php
                    if(isset($_GET['login'])) {
                        if($_GET['login'] == "invalidPassword") {
                            echo "You entered wrong password, Please enter a valid pa
ssword. Or Reset your password if you forgot it";
        <!-- show message if account is not verified -->
        <?php
                    if(isset($_GET['account'])) {
                        if($ GET['account'] == "notverified") {
```

```
echo "This account has not been yet verified. An email wa
s sent to ".$_SESSION['o_email']." on ".$_SESSION['o_date'] ;
        <!-- show message if user tries to access login.inc.php directly -->
                    if(isset($_GET['login'])) {
                        if($_GET['login'] == "error") {
                            echo "OOPs! you tried to access the wrong page";
    </div>
<!-- login box -->
    <div class="loginbox">
        <div class="boxone">
            <span id="logintext">Login For Organizers</span>
        </div>
        <div class="boxtwo">
            <form action="includes/login.inc.php" method="POST">
                <input type="text" name="username" placeholder="Username/E-</pre>
mail" required><br><br>
                <input type="password" name="password" placeholder="password" require</pre>
d><br><br>
                <a href="resetPassword.php">forget password?</a><br>
                <input type="submit" name="submit" value="Login">
            </form>
        </div>
    </div>
<?php
    include_once 'footer.php';
```

createCampaign.php

```
<?php
    session_start();
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <title>Fund Raiser | Raise Fund At An Ease</title>
    <link rel="stylesheet" href="assets/css/createCampaign.css">
</head>
<body>
    <!-- navigation section -->
    <div class="nav-bar">
        <a href="index.php">
            <img src="assets/images/logo.png" alt="Fund Raiser logo">
        </a>
        <div class="nav-links">
            <a href="campaigns.php">CAMPAIGNS</a>
            <a href="donors.php">DONORS</a>
        </div>
        <?php
            if(!isset($_SESSION['o_id'])) {
                header("Location: index.php");
            } else { //if organizers are logged in
                echo '<form action="includes/Logout.inc.php" method="POST">
                        <div class="btn-login-signup">
                            <button type="submit" id="btn-</pre>
login" name="submit">LOGOUT</button>
                        </div>
                      </form>';
    </div>
    <!-- body part -->
```

```
<div class="signupbox">
        <div class="boxone">
            <span id="create">Create Campaigns to Raise Funds</span>
        </div>
        <div class="boxtwo">
            <form action="includes/createCampaign.inc.php" method="POST" enctype="mul</pre>
tipart/form-data">
                <input type="text" name="campaignName" placeholder="Campaign name" re</pre>
quired><br><br>
                <select name="campaignType" required>
                    <option disabled selected>Type of Campaign</option>
                    <option value="natural disaster">Natural Disasters
                    <option value="social">Social</option>
                    <option value="others">Others
                </select><br><br></
                <input type="number" min="1" name="campaignDays" placeholder="Estimat</pre>
ed Days" required><br><br>
                <input type="text" name="campaignAmount" placeholder="Estimated Amoun</pre>
t" required><br><br>>
                <textarea rows="5" cols="50" name="campaignDescription" placeholder="</pre>
Description of your campaign" required></textarea><br><br></
                <input type="tel" name="phone" placeholder="Phone: 98****** patter</pre>
n="[0-9]{10}" required><br><br>
                <!-- to-do upload file -upload image only-->
                <span id="campaignImage">Upload image of campaign</span> <br>
                <input type="file" name="campaignPhoto" accept="image/*"><br><br>
                <input type="checkbox" required><span id="agreeterms"> Agree all term
s and conditions
                <input type="submit" name="submit" value="Create Campaign">
        </div>
    </div>
    <!-- extra information section is right side-->
    <div class="extraInfo">
        <div class="infoTextHeading">
        <span id="create">Details to be filled:
        </div>
        <div class="infoText">
            <u1>
                Enter the name of your campaign.
                Enter the type which fits your campaign
```

organizerHome.php

```
<?php
    include 'includes/sessions.inc.php';
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <title>Fund Raiser | Raise Fund At An Ease</title>
    <link rel="stylesheet" href="assets/css/organizerHome.css">
</head>
<body>
    <!-- navigation section -->
    <div class="nav-bar">
        <a href="index.php">
            <img src="assets/images/logo.png" alt="Fund Raiser logo">
        </a>
```

```
<div class="nav-links">
            <a href="campaigns.php">CAMPAIGNS</a>
            <a href="donors.php">DONORS</a>
        </div>
        <?php
            if(!isset($_SESSION['o_id'])) {
                header("Location: ../index.php");
            } else { //if organizers are logged in
                echo '<form action="includes/logout.inc.php" method="POST">
                         <div class="btn-login-signup">
                             <button type="submit" id="btn-</pre>
login" name="submit">LOGOUT</button>
                         </div>
                       </form>';
            }
        <!-- <div class="btn-login-signup">
            <button type="submit" id="btn-</pre>
login" onclick="window.location.href='includes/logout.inc.php'">LOGOUT</button>
        </div> -->
    </div>
    <!-- body part -->
    <div class="buttonContainer">
            <button class="organizerButtons" onclick="window.location.href='createCam</pre>
paign.php'">Create Campaign</button>
            <button class="organizerButtons" onclick="window.location.href='organizer</pre>
Profile.php'">View Profile</button>
    </div>
    <!-- Footer section -->
    <?php
        include_once 'footer.php';
```

organizerProfile.php

```
<?php
    include 'includes/sessions.inc.php';
    $campaignCreator = $data['organizer_username'];
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <title>Fund Raiser | Raise Fund At An Ease</title>
    <link rel="stylesheet" href="assets/css/organizerProfile.css">
    <!-- Font Awesome -->
    <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.5.0/css/all.</pre>
css" integrity="sha384-
B4dIYHKNBt8Bc12p+WXckhzcICo0wtJAoU8YZTY5qE0Id1GSseTk6S+L3BlXeVIU" crossorigin="anonym
    <link href="https://fonts.googleapis.com/css?family=Abril+Fatface|Philosopher" re</pre>
l="stylesheet">
</head>
<body>
    <!-- navigation section -->
    <div class="nav-bar">
        <a href="index.php">
            <img src="assets/images/logo.png" alt="Fund Raiser logo">
        </a>
        <div class="nav-links">
            <a href="campaigns.php">CAMPAIGNS</a>
            <a href="donors.php">DONORS</a>
        </div>
        <?php
            if(!isset($_SESSION['o_id'])) {
                header("Location: index.php");
            } else { //if organizers are logged in
                echo '<form action="includes/logout.inc.php" method="POST">
                         <div class="btn-login-signup">
                             <button type="submit" id="btn-</pre>
login" name="submit">LOGOUT</button>
```

```
</div>
                </form>';
   </div>
   <div class="main-container">
        <div class="about">
           <h1>ABOUT</h1>
           Full Name
                 :
                 <?php echo $data['organizer_fullname'];?>
              Username
                 :
                 <?php echo $data['organizer_username'];?>
              E-Mail
                 :
                 <?php echo $data['organizer_email'];?>
              Phone
                 :
                 <?php echo $data['organizer_phone'];?>
              <button onclick="window.location.href='organizerInfoSetti</pre>
ng.php'"> <i class="fas fa-cog"></i> Setting</button>
                 </div>
        <div class="created-campaigns">
           <h1>CAMPAIGNS CREATED</h1>
<!-- show campaign of logged in organizer -->
           <?php
              include_once 'includes/dbh.inc.php';
```

```
$sql = "SELECT *, DATE(DATE_ADD(campaign_reg_date, INTERVAL campa
ign_days DAY)) AS endDate,
              DATE(campaign_reg_date) AS startDate
              FROM campaigns WHERE campaignCreator = '$campaignCreator';";
              $result = mysqli_query($conn, $sql);
              $resultCheck = mysqli_num_rows($result);
              if($resultCheck > 0) {
                 while($row = mysqli_fetch_assoc($result)) {
           Campaign Name
                 :
                 <?php echo $row['campaign_name'];?></t
d>
              Campaign Type
                 :
                 <?php echo $row['campaign_type'];?>
              Campaign Started On:
                 :
                 <?php echo $row['startDate'];?>
              Campaign will end On:
                 :
                 <?php echo $row['endDate'];?>
              Expected Amount
                 :
                 NPR: <?php echo $row['campaign_amount'];?>
              Campaign Description
                 :
                 <?php echo $row['campaign_description'];?>
              Phone
                 :
                 <?php echo $row['campaignPhone'];?>
```

```
Status
                       <?php
                           if($row['campaignApproval']==0) {
                              echo "<span id='waiting'>Waiting for Approval</span>"
                          } else {
                              echo "<span id='approved'>Approved</span>";
                   <br><br>
          <?php
               } else if($resultCheck == 0) {
                   echo "you have not created any campaign.";
                   <button id="create-now-</pre>
btn" onclick="window.location.href='createCampaign.php'">Create Now</button>
           <?php
               } else {
                   exit();
           </div>
   </div>
   <?php
       include_once 'footer.php';
```

donate.php

```
<?php

if(isset($_GET['campaignId'])) {
    $campaignId = $_GET['campaignId'];
    // echo $campaignId;
} else {</pre>
```

```
header("Location: campaigns.php");
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <title>Fund Raiser | Raise Fund At An Ease</title>
    <link rel="stylesheet" href="assets/css/donate.css">
    <script src="https://khalti.com/static/khalti-checkout.js"></script>
</head>
<body>
    <!-- navigation section -->
    <div class="nav-bar">
        <a href="index.php">
            <img src="assets/images/logo.png" alt="Fund Raiser logo">
        </a>
        <div class="nav-links">
            <a href="campaigns.php">CAMPAIGNS</a>
            <a href="donors.php">DONORS</a>
        </div>
        <div class="btn-login-signup">
            <button type="submit" id="btn-</pre>
login" onclick="window.location.href='login.php'">LOGIN</button>
            <button type="submit" id="btn-</pre>
signup" onclick="window.location.href='signup.php'">SIGN UP</button>
        </div>
    </div>
    <!-- body part -->
    <div class="main-container">
        <br>
        <h1>Donate via Bank | Wire transfer</h1>
        <div class="bank-details">
            <h2>You can donate in this campaign via Bank Transfer. The Bank details a
re below:</h2><hr>
                <div class="banks">
```

```
NIC Asia Bank
 Account Holder
   :
   Suraj Make
 Account Number
   :
   23423434234234324
 <br>
NIC Asia Bank
   Account Holder
   :
   Suraj Make
 Account Number
   23423434234234234324
 <br>
NIC Asia Bank
 Account Holder
   Suraj Make
 Account Number
   23423434234234324
```

```
</div>
            <br><br><hr>>
            <div class="donor-
notice">Subscribe to Fund Raiser, So that we can track your donation and guide you fo
r the donatation process. Once you submit your details, We will send you an email and
you can submit the proof of the donation that you made. By doing this, you will be 1
isted in our donor list as an donor.
                The proof file can simply be:
                <u1>
                    <strong>Bank deposit voucher or receipt</strong> 
                    <strong>Screenshot of the fund transfer success page(If donat
ed via onine Banking or online payment wallet)</strong>
                </div><br><hr>
            <h2>Be in touch with us</h2>
            <div class="donor-form">
                <div class="boxtwo">
                <br><br><br>></pr>
                    <form action="includes/donate.inc.php?campaignId=<?php echo $camp</pre>
aignId;?>" method="POST">
                    <!-- to-do full name html pattern -->
                        <input type="text" name="fullname" placeholder="Enter full Na</pre>
me" required><br><br>
                        <input type="email" name="email" placeholder="E-</pre>
mail" required><br><br>
                        <input type="submit" name="submit" value="Subscribe" id="subm</pre>
it">
                    </form>
                </div>
            </div>
        </div>
        <hr>>
        <br>
        <br>
        <h1>Donate via Khalti | Online Payment Gateway</h1>
        <div class="khalti-details">
            <h2>You can donate in this campaign via online payment gateway like Khalt
i.</h2>
            <button id="payment-button">Donate with Khalti
        </div>
    </div>
```

```
<br>
<br>
<script>
   var config = {
        // replace the publicKey with yours
        "publicKey": "test_public_key_dd21924111ba4f66a1abbddcf6eded68",
        "productIdentity": "1234567890",
        "productName": "Fund Raiser",
        "productUrl": "http://gameofthrones.wikia.com/wiki/Dragons",
        "eventHandler": {
            onSuccess (payload) {
                // hit merchant api for initiating verfication
                console.log(payload);
            },
            onError (error) {
                console.log(error);
            },
            onClose () {
                console.log('widget is closing');
    };
    var checkout = new KhaltiCheckout(config);
    var btn = document.getElementById("payment-button");
    btn.onclick = function () {
        checkout.show({amount: 1000});
</script>
<br>
<hr>>
<?php
    include_once 'footer.php';
```

campaigns.php

```
<!-- logic to remove expired campaign -->
<!php
    $currentDate = date('Y-m-d');
    include_once 'includes/dbh.inc.php';
```

```
$sql = "SELECT campaign_id,DATE(DATE_ADD(campaign_reg_date, INTERVAL campaign_day)
s DAY)) AS endDate,
        DATE(campaign_reg_date) AS startDate
        FROM campaigns;";
    $result = mysqli query($conn, $sql);
   $resultCheck = mysqli num rows($result);
    if($resultCheck > 0) {
        while($row = mysqli fetch assoc($result)) {
            $campaignId = $row['campaign id'];
            $campaignStartDate = $row['startDate'];
            $campaignEndDate = $row['endDate'];
            if($currentDate > $campaignEndDate) {
                $sql = "UPDATE campaigns
                        SET campaignExpiry = 0
                        WHERE campaign_id = '$campaignId';";
                mysqli_query($conn, $sql);
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <title>Fund Raiser | Raise Fund At An Ease</title>
    <link rel="stylesheet" href="assets/css/campaigns.css">
</head>
<body>
    <!-- navigation section -->
    <div class="nav-bar">
        <a href="index.php">
            <img src="assets/images/logo.png" alt="Fund Raiser logo">
        </a>
        <div class="nav-links">
            <a href="campaigns.php">CAMPAIGNS</a>
            <a href="donors.php">DONORS</a>
        </div>
        <div class="btn-login-signup">
```

```
<button type="submit" id="btn-</pre>
login" onclick="window.location.href='login.php'">LOGIN</button>
            <button type="submit" id="btn-</pre>
signup" onclick="window.location.href='signup.php'">SIGN UP</button>
        </div>
    </div>
    <!-- body part -->
    <div class="main-container">
            <h2>Here below are some campaigns where you can Donate Funds as much as y
ou like.</h2>
            <div class="all-campaigns">
                <?php
                    $sql = "SELECT * FROM campaigns WHERE campaignApproval = 1 and ca
mpaignExpiry = 1 ORDER BY campaign id DESC;";
                    $result = mysqli_query($conn,$sql);
                    $resultCheck = mysqli_num_rows($result);
                    if($resultCheck > 0) {
                        while($row = mysqli_fetch_assoc($result)) {
                             $campaignId = $row['campaign id'];
                             // echo "$campaignId";
                <div class="preview-box">
                    <form action="singleCampaignPost.php?campaignId=<?php echo $campa</pre>
ignId;?>" method="POST">
                         <span id='campaign-</pre>
name'><?php echo $row['campaign_name']; ?></span><br><br>
                         <span id='campaign-</pre>
type'><?php echo $row['campaign_type']; ?></span><br><br>
                        <button class="btn" type="submit" name="donate">View Campaign
</button>
                    </form>
                </div>
                <?php
                } else if($resultCheck == 0) {
                    echo "There are no active Campaign right now";
                } else {
                    exit();
            </div>
    </div>
```

```
<?php
  include_once 'footer.php';
?>
```

CONCLUSION

This project is designed to meet the requirements of a Fundraising System.

It has been developed as a website for the purpose using different frontend, backend and database technologies.


Overall, the project teaches us the essential skills like:


- Using frontend and backend technologies together with the use of MYSQL for database management and PHP for backend.
- Understanding the PHP concepts for a fully functional website.
- Tools used: Xampp


References


- https://www.geeksforgeeks.org/
- https://www.hackerrank.com/


Screenshots


























Appendix

- 1.Php References from W3 School.
- 2. Database references from documentation.