

Операционные системы

Редактор Vi

Агзамов Артур Дамирович

2026-04-05

Цели и задачи работы

Процесс выполнения лабораторной работы


Выводы по проделанной работе

1. Цели и задачи работы

Познакомиться с операционной системой Linux. Получить практические навыки работы с редактором vi, установленным по умолчанию практически во всех дистрибутивах.

1 Изучить возможности редактора Vi

2. Процесс выполнения лабораторной работы

A terminal window with a dark background. The title bar at the top shows a plus icon in a square on the left and the text 'adagzamov@adagzamov:~' on the right. Below the title bar, there are three lines of text in a monospaced font. The first line is 'adagzamov@adagzamov:~\$ cd', the second is 'adagzamov@adagzamov:~\$ touch hello.sh', and the third is 'adagzamov@adagzamov:~\$' followed by a white cursor block.

```
adagzamov@adagzamov:~$ cd
adagzamov@adagzamov:~$ touch hello.sh
adagzamov@adagzamov:~$
```

Рисунок 1: Создание каталога



The screenshot shows a terminal window with the title bar "adagzmov@adagzmov:~ — vi". The terminal content is as follows:

```
#!/bin/bash
HELL=Hello
function hello
{
  LOCAL HELLO=World
  echo $HELLO
}
echo $HELLO
hello
~
~
~
~
~
```

The cursor is positioned at the end of the word "hello" on the line following the function definition.

Рисунок 2: Работа в редакторе Vi


```
adagzamov@adagzamov:~$ cd
adagzamov@adagzamov:~$ touch hello.sh
adagzamov@adagzamov:~$ vi hello.sh
adagzamov@adagzamov:~$ chmod +x hello.sh
adagzamov@adagzamov:~$ ./hello.sh

./hello.sh: line 5: LOCAL: command not found

adagzamov@adagzamov:~$
```

Рисунок 3: Запуск файла



The image shows a terminal window with a dark background. The title bar at the top reads "adagzamov@adagzamov:~ — vi hello.sh". The terminal content shows a shell script being edited in the vi editor. The script is as follows:

```
#!/bin/bash
HELLO=Hello
function hello
{
    local HELLO=World
    echo $HELLO
}
echo $HELLO
hello
```

The cursor is positioned at the end of the word "hello" on the last line of the script. Below the script, there are several tilde (~) characters, indicating the end of the file or the editor's buffer. A vertical cursor is visible on the right side of the terminal window.

Рисунок 4: Работа в редакторе Vi

```
adagzmov@adagzmov:~$ cd
adagzmov@adagzmov:~$ touch hello.sh
adagzmov@adagzmov:~$ vi hello.sh
adagzmov@adagzmov:~$ chmod +x hello.sh
adagzmov@adagzmov:~$ ./hello.sh

./hello.sh: line 5: LOCAL: command not found

adagzmov@adagzmov:~$ vi hello.sh
adagzmov@adagzmov:~$ ./hello.sh
Hello
World
adagzmov@adagzmov:~$
```

Рисунок 5: Повторный запуск файла

3. Выводы по проделанной работе

В ходе работы мы получили практические навыки работы с редактором vi, установленным по умолчанию практически во всех дистрибутивах UNIX. А также освоили основные режимы и команды