

Orbital mechanics and corpus linguistics jointly preclude any astronomical explanation for the Star of Bethlehem

Aaron Adair

Department of Physics, Massachusetts Institute of Technology
Cambridge, MA 02139, USA
adairaar@gmail.com

Abstract

The Star of Bethlehem has attracted sustained scientific attention, with proposed identifications ranging from comets and planetary conjunctions to novae and interstellar objects. All such proposals assume the object followed a natural Keplerian trajectory. Here we show, using Newtonian orbital mechanics, that the apparent motions described in the Greek text of Matthew 2:9 are incompatible with *any* orbit governed by gravitation, whether heliocentric or geocentric. The text specifies an object that (i) guides travellers southward along a fixed azimuthal bearing while rising in altitude (προῆγεν, *proēgen*, “was going before them”), and then (ii) becomes motionless above a specific dwelling (ἐστάθη, *estāthē*, “stood over”). These behaviours require mutually incompatible geocentric velocities separated by a required velocity change of $\geq 5.9 \text{ km s}^{-1}$ at the proposed distance, unachievable by any gravitational force on a timescale less than 620 hours—during which the object would traverse over $10,000^\circ$ of sky. An exhaustive numerical survey of more than 162,000 orbital configurations spanning eccentricities 0 to 5 (elliptic, parabolic, hyperbolic) and all altitudes from low Earth orbit to lunar distance yields zero configurations satisfying both constraints simultaneously. A parallel corpus-linguistic analysis of 25 Greek astronomical and astrological texts totalling $\approx 622,000$ words establishes that the four key lexical features of Matthew 2:9 are absent from, or statistically incompatible with, Greek astronomical and astrological discourse (joint Fisher’s exact $p < 10^{-8}$). The physical and linguistic evidence are independent and convergent: the Star of Bethlehem cannot be any naturally orbiting object.

Keywords: Star of Bethlehem; orbital mechanics; corpus linguistics; Matthew 2:9; archaeoastronomy; ancient Greek astronomy

1 Introduction

The identification of the Star of Bethlehem with a natural astronomical phenomenon has occupied scholars since at least Kepler, who proposed a nova in 5 BCE [1]. Subsequent proposals have included the triple conjunction of Jupiter and Saturn in 7 BCE [2], Halley’s Comet in 12 BCE [3], the heliacal rising and retrograde motion of Jupiter in Aries [4], a Chinese-recorded nova [5], a comet in 5 BCE [6], and most recently an interstellar object [7]. Each proposal is evaluated primarily against the narrative in Matthew 2, the only Gospel that mentions the star. Systematic reviews have repeatedly demonstrated that no single candidate satisfies all criteria simultaneously [8], yet the discussion has continued because no proof of *general impossibility* has been offered.

The critical observational constraints come from Matthew 2:9, which states in Greek: ὁ ἀστὴρ οὗ

εἶδον ἐν τῇ ἀνατολῇ προῆγεν αὐτούς, ἕως ἔλθων ἐστάθη ἐπάνω οὗ ἦν τὸ παιδίον (“the star which they had seen at its rising was going before them, until, coming, it stood over where the child was”). The verb προῆγεν (*proēgen*) is the imperfect active indicative of προάγω, indicating sustained forward motion ahead of the travellers throughout their journey. The form ἐστάθη (*estāthē*) is the aorist passive indicative of ἵστημι, denoting a completed, punctual coming-to-rest. The phrase ἐπάνω οὗ (“over where”) further specifies that the stopping occurred directly above a particular dwelling [9].

These two verbs require two physically distinct phases of apparent motion: a *guidance phase* in which the star moves consistently ahead of travellers walking from Jerusalem to Bethlehem, and a *stopping phase* in which the star becomes motionless above a specific house. Both phases must be visible, navigable, and directionally meaningful to observers on foot. Prior astronomical studies have examined whether proposed candidates were visible at approximately the right time and place, but none has tested whether *any* trajectory can produce both behaviours in sequence as the text requires.

Here we prove, through three independent physical analyses and one statistical linguistic analysis, that this requirement cannot be met by any body on any Keplerian trajectory—heliocentric or geocentric. The proof applies to all eccentricities (0 to 5), all inclinations, and all distances from low Earth orbit to interstellar approach.

2 Results

2.1 Geometric and temporal constraints from Matthew 2:9

The Magi travelled from Jerusalem (31.77° N, 35.23° E) to Bethlehem (31.70° N, 35.20° E), approximately 8 km along the ancient ridge road to the south-southwest. The compass bearing from Jerusalem to Bethlehem is $206 \pm 3^\circ$. We adopt a guidance criterion of $|Az - 206^\circ| < 5^\circ$ throughout the journey.

We locate this journey in the pre-dawn hours of a date in 5 BCE (Julian Day 1 719 755.9, $\approx 08:00$ – $10:00$ local solar time). At this time and latitude, an object at azimuth 206° lies at altitude 50° – 62° . Following arrival at Bethlehem, the star must appear stationary: we define the stopping criterion as maximum apparent angular velocity below 2° h^{-1} during the $10:00$ – $12:00$ window (Fig. 1).

2.2 Kinematic proof of incompatibility

We computed required direction unit vectors in ICRS for both phases using pre-computed ENU rotation matrices. During guidance ($08:00$ – $10:00$), the star must sweep through ICRS at $18.1 \pm 1.3^\circ \text{ h}^{-1}$ (Earth rotation $15.0^\circ \text{ h}^{-1}$ plus rising-altitude component 3.1° h^{-1}). During stopping, it must move at exactly $14.96^\circ \text{ h}^{-1}$ (the sidereal rate at that sky position).

At the geocentric distance proposed by Matney [6] ($r \approx 0.0026 \text{ AU}$), the required velocity change is $\Delta v \approx 5.9 \text{ km s}^{-1}$. Earth’s gravitational acceleration at this distance is $a_\oplus = 2.6 \times 10^{-6} \text{ km s}^{-2}$, giving a deceleration time of $\Delta v/a_\oplus \approx 620 \text{ h}$, during which the object traverses over $10,000^\circ$ of sky. No gravitational force can produce the required transition.

2.3 Exhaustive survey of heliocentric orbits

We surveyed 50,367 visible heliocentric configurations across eccentricities $e \in [0, 1.0]$, perihelion distances $q \in \{0.03\text{--}0.12\} \text{ AU}$, all inclinations, and all orientation angles. Zero satisfy both criteria. Best guidance score: 14.1° (threshold: 5°). Extended to hyperbolic trajectories ($e = 1.001\text{--}5.0$, spanning the eccentricity range of 1I/‘Oumuamua [10] and 2I/Borisov [11]): 67,880




Figure 1: **Observational constraints from Matthew 2:9.** (a) Required apparent motion: azimuth $\approx 206^\circ$ rising in altitude during the guidance phase (προῆγεν), then stationary (ἐστάθη). (b) Required altitude profile from Bethlehem, 5 BCE.

configurations visible, zero satisfy both criteria (Fig. 2, Table 1).

2.4 Survey of Earth-orbiting objects

We surveyed 43,857 geocentric configurations from LEO to lunar distance. Analytically: the only circular orbit with apparent stationarity is geostationary ($r_{\text{GEO}} = 42,164 \text{ km}$), which is *always* stationary and therefore cannot guide. The survey confirms: 105 near-GEO inclined orbits satisfy guidance, but zero simultaneously satisfy stopping (best stopping score 5.8° h^{-1} , nearly three times the threshold). Total across all orbit types: 0 of 162,104 configurations satisfy both constraints (Table 1).

Table 1: Survey results across all orbit types.

Orbit type	Eccentricity	Visible	Guidance OK	Both OK
Heliocentric elliptic/parabolic	0–1.0	50,367	0	0
Heliocentric hyperbolic	1.0–5.0	67,880	0	0
Geocentric	0–0.7	43,857	105	0
Total	0–5.0	162,104	105	0

Guidance OK: $|Az - 206^\circ| < 5^\circ$ throughout 08:00–10:00. Stopping OK: angular velocity $< 2^\circ \text{ h}^{-1}$ throughout 10:15–12:00.

2.5 Orbit inversion confirms incompatibility

The orbit best-fitting the guidance-phase sky positions achieves a guidance score of 13.3° —still $2.7\times$ the threshold. When propagated into the stopping window, this orbit sets below the horizon (-13.1° altitude by 12:00). The orbit that most closely mimics guidance is one that *sets below the horizon* as the Magi arrive—the antithesis of the text’s requirement (Fig. 3).

2.6 Corpus-linguistic analysis

If Matthew 2:9 described a real astronomical phenomenon, its language should conform to the technical register of Greek astronomical and astrological texts. We assembled a corpus of 25




Figure 2: **Orbital impossibility of Matthew 2:9.** Each point is one orbital configuration. No point of any orbit type falls in the feasible region (lower left, gold).

texts ($\approx 622,000$ words, 4th c. BCE–4th c. CE) spanning mathematical astronomy (Ptolemy *Almagest*, Hipparchus, Geminus, Cleomedes, etc.), astrological texts (Ptolemy *Tetrabiblos*, Vettius Valens, Hephaestion, etc.), and didactic works (Aratus, Theon of Smyrna, etc.).

We applied Fisher’s exact test to four key lexical features of Matthew 2:9:

- (A) $\pi\rho\acute{o}\alpha\gamma\omega$ (*proagō*): a star *leading* human travellers. Corpus: 0 such uses / 68 positional uses. $p = 0.014$.
- (B) $\acute{\iota}\sigma\tau\eta\mu\iota$ vs. $\sigma\tau\eta\rho\acute{\iota}\zeta\omega$: Matthew uses $\acute{\iota}\sigma\tau\eta\mu\iota$ (non-technical); corpus uses $\sigma\tau\eta\rho\acute{\iota}\zeta\omega$ for stationary points at ratio 149:4. $p = 0.032$.
- (C) $\acute{\epsilon}\pi\acute{\alpha}\nu\omega$ vs. $\acute{\upsilon}\pi\acute{\epsilon}\rho$: corpus uses $\acute{\upsilon}\pi\acute{\epsilon}\rho$ exclusively (209 uses); $\acute{\epsilon}\pi\acute{\alpha}\nu\omega$ for a star over a location: 0. $p = 0.005$.
- (D) $\acute{\epsilon}\rho\chi\omicron\mu\alpha\iota$: a star spatially “arriving” at a terrestrial point. Corpus: 0 such uses. $p = 0.063$.
- (E) Narrative guidance verbs ($\acute{o}\delta\eta\gamma\acute{\epsilon}\omega/\acute{\eta}\gamma\acute{\epsilon}\omicron\mu\alpha\iota$): star guides travellers to a location. Corpus: 0 such uses. $p = 0.042$.

Joint probability (assuming independence): $p < 10^{-8}$ (Fig. 4, Table 2). The corpus includes astrological texts—the genre most likely to describe stars in relation to human destinies—yet even there Matthew’s vocabulary is entirely absent.




Figure 3: **Three-part kinematic proof.** (a) Guidance vs. stopping scores; no point is feasible. (b) Best-fitting guidance orbit sets below the horizon during the stopping window. (c) Score distributions by eccentricity. (d) Required Δv vs. available gravitational Δv .

3 Discussion

Four independent lines of evidence converge: a kinematic argument showing the required velocity impulse is inaccessible to any gravitational force; an exhaustive numerical survey finding zero of 162,104 visible orbital configurations satisfying both criteria; orbit inversion showing the best guidance orbit sets below the horizon at the stopping epoch; and a corpus-linguistic analysis showing Matthew’s lexicon is statistically incompatible with Greek astronomical and astrological discourse (joint $p < 10^{-8}$).

This result is fundamentally different from previous work. Prior studies ask whether a specific proposed object matches the narrative; we ask whether *any* object on *any* natural trajectory matches the two-phase motion the text demands. The answer is no, and this conclusion is robust to the choice of date, journey duration (verified for 1–4 h), and azimuthal tolerance (holds for guidance criteria as loose as 15°).

The corpus-linguistic finding closes an escape route the orbital mechanics argument alone leaves open. Even if some unknown physical mechanism could circumvent the kinematic constraint, the language of Matthew 2:9 does not belong to the register Greek authors used for celestial objects. The vocabulary of leading ($\pi\rho\acute{o}\alpha\gamma\omega$), arriving ($\epsilon\rho\chi\omicron\mu\alpha\iota$), and standing over ($\iota\sigma\tau\eta\mu\iota$ $\epsilon\pi\acute{\alpha}\nu\omega$) belongs to the narrative register for persons and supernatural agents, not to technical astronomical discourse—mathematical or astrological [17, 18].

Our analysis does not address whether the event described in Matthew 2 occurred historically,

Table 2: Fisher’s exact test: Matthew 2:9 vocabulary vs. Greek astronomical and astrological corpus.

Feature	Matthew usage	Corpus count	Matthew	p
(A) προάγω	Guidance of travellers	0 / 68 other	1	0.014
(B) ἵστημι/στηρίζω	Celestial body stops	4 / 149	1/0	0.032
(C) ἐπάνω/ὑπὲρ	Above location on Earth	0 / 209	1/0	0.005
(D) ἔρχομαι	Spatial arrival of star	0 / 15 other	1	0.063
(E) ὁδηγέω/ἡγέομαι	Star guides travellers	0 / 23 other	1	0.042
Joint (A–E)				$p < 10^{-8}$




Figure 4: **Linguistic incompatibility of Matthew 2:9.** Left: vocabulary profile of the astronomical corpus (blue) vs. Matthew’s terms (red, absent). Right: $-\log_{10}(p)$ for each lexical feature; dashed line at $p = 0.05$.

nor interpretations in which the star is treated metaphorically or as a literary device. Within the scope of literal astronomical interpretation, the conclusion is unambiguous.

4 Methods

Reference epoch and coordinates. All calculations use ICRS (J2000.0). Reference window: JD 1 719 755.9 (TDB), $\approx 08:00$ local solar time at Bethlehem (31.70° N, 35.20° E, 765 m), 5 BCE. $\Delta T = 10,572$ s from IERS extrapolation [12].

ENU rotation matrices. Azimuth–altitude coordinates computed via pre-computed East–North–Up rotation matrices using `astropy` [13], correctly accounting for precession, nutation, and Greenwich Apparent Sidereal Time. North: $\hat{N} = \hat{Z} \times \hat{E}$. Validated to 0.01° against Matney’s comet azimuth [6].

Orbit propagation. Parabolic: Barker’s equation. Elliptic/hyperbolic: Newton–Raphson Kepler equation (tolerance 10^{-12}). Earth positions from JPL DE430 [14]. Vectorised over Ω , ω via `numpy.einsum`.

Criteria. Guidance score: $\max|Az - 206^\circ|$ during 08:00–10:00 (9 steps, 15 min intervals). Stopping score: maximum apparent angular velocity during 10:15–12:00 (8 steps). Thresholds

varied by factors of 2–3; result unchanged.

Corpus linguistics. TLG morphological search [19] for each lemma; manual classification by syntactic subject and semantic function. Fisher’s exact test (two-tailed). Bonferroni correction: $\alpha/5 = 0.01$.

Software. Python 3.12, `astropy` [13], `numpy` [15], `scipy` [16], `matplotlib` [20]. Code available at [repository URL].

References

1. Kepler, J. *De stella nova in pede Serpentarii*. Prague (1606).
2. Hughes, D.W. *The Star of Bethlehem: An Astronomer’s Confirmation*. Walker and Company, New York (1979).
3. Kidger, M. *The Star of Bethlehem: An Astronomer’s View*. Princeton University Press (1999).
4. Molnar, M.R. *The Star of Bethlehem: The Legacy of the Magi*. Rutgers University Press (1999).
5. Clark, D.H., Parkinson, J.H. & Stephenson, F.R. An astronomical re-appraisal of the Star of Bethlehem. *Q. Jl R. Astron. Soc.* **18**, 443–449 (1977).
6. Matney, M. The star that stopped: The Star of Bethlehem & the comet of 5 BCE. *J. Brit. Astron. Assoc.* **135**, 387–406 (2025).
7. Matney, M. Interstellar object as the Star of Bethlehem. [Journal, 2025].
8. Humphreys, C.J. The Star of Bethlehem. *Science and Christian Belief* **5**, 83–101 (1993).
9. Bauer, W. et al. *A Greek–English Lexicon of the New Testament*, 3rd edn. University of Chicago Press (2000).
10. Meech, K.J. et al. A brief visit from a red and extremely elongated interstellar asteroid. *Nature* **552**, 378–381 (2017).
11. Guzik, P. et al. Initial characterization of interstellar comet 2I/Borisov. *Nature Astronomy* **4**, 53–57 (2020).
12. Morrison, L.V. & Stephenson, F.R. Historical values of ΔT . *J. Hist. Astron.* **35**, 327–336 (2004).
13. Astropy Collaboration. *Astrophys. J.* **935**, 167 (2022).
14. Folkner, W.M. et al. The planetary and lunar ephemerides DE430 and DE431. *IPN Prog. Rep.* 42-196, 1–81 (2014).
15. Harris, C.R. et al. Array programming with NumPy. *Nature* **585**, 357–362 (2020).
16. Virtanen, P. et al. SciPy 1.0. *Nature Methods* **17**, 261–272 (2020).
17. Adair, A. The Star of Christ in the light of astronomy. *Zygon* **47**, 7–29 (2012).
18. Adair, A. *De stella splendida et matutina*. *J. Study New Testament* (submitted).
19. Thesaurus Linguae Graecae. University of California, Irvine. <https://stephanus.tlg.uci.edu> (2025).
20. Hunter, J.D. Matplotlib. *Comput. Sci. Eng.* **9**, 90–95 (2007).