

IBD Plexus Study Cohorts

Patient Data Specification

Contents

1. Summary Data Collection 3
EHR Data 3
Case Report Forms 4
RISK 4
SPARC IBD 5
IBD Qorus 7
IBD Partners 8
2. Detailed Case Report Forms 9
a. RISK 9
b. SPARC IBD 26
c. IBD Qorus 56
d. Partners 65

Content as of 04.16.2019 – Subject to change

1. Summary Data Collection

Summary - Data Collected	RISK	SPARC IBD	IBD Qorus	Partners
EHR		✓	✓	
Case Report Form	✓	✓	✓	
Patient Reported Outcomes		✓	✓	✓
IBD Smartform		✓		
Biosamples	✓	✓		

EHR Data

EHR- Data Collected	IBD Qorus	SPARC IBD
Diagnosis	✓	✓
Demographics	✓	✓
Medical History	✓	✓
Encounters	✓	✓
Observations	✓	✓
Prescriptions	✓	✓
Labs	✓	✓

Case Report Forms

RISK

RISK - Data Collected	Recruitment	12 months	24 months	36 months
Diagnosis	✓	✓	✓	✓
Demographics	✓			
Medical/Family History	✓	✓	✓	✓
Clinical data and other extra-intestinal Manifestations	✓	✓	✓	✓
Disease Activity (wPCDAI, PUCAI)	✓	✓	✓	✓
Disease location & Behavior	✓	✓	✓	✓
Endoscopic Activity Score (CDEIS)	✓			
Treatments	✓	✓	✓	✓
Labs	✓	✓	✓	✓
Biosamples Collection	✓	✓*	✓*	✓*

✓ Field required
* Only blood was longitudinally collected

SPARC IBD

		Study Enrollment (baseline)	Office Visit	Colonoscopies or Sigmoidoscopies (event)	3 months after event	Quarterly
DATA	SmartForm	X	X			
	Colonoscopy eCRF			X		
	PROs (Medication eCRF, IBD Symptoms eCRF, Hospitalization eCRF)	X*		X	X	X
BIOSAMPLES	**Blood** (DNA, RNA, plasma at baseline) (RNA, PBMCs, plasma at time of event and 3 months after)	X		X	X**	
	Stool (Ethanol preservative, No preservative)	X		X	X	
	Intestinal Biopsies (Flash frozen (LN2), formalin fixed, in RNAlater)			X		

* Hospitalization eCRF is not collected at baseline
** Blood collected if patient has a change in IBD medications following the colonoscopy /sigmoidoscopy and is scheduled for the clinical visit

Case Report Forms				
SPARC IBD- Data Collected	Recruitment	At Colonoscopy	3 month post-scope	Quarterly basis
Diagnosis	✓			
Demographics	✓			
Patient Reported IBD Symptoms	✓	✓	✓	✓
Patient Reported IBD Treatments	✓	✓	✓	✓
IBD Hospitalization*		If applicable	If applicable	If applicable
Endoscopic Activity Score (SES-CD, Modified Mayo Endoscopic score)		✓		

✓ Field required
✓ Field optional
* IBD Hospitalization is reported by patients and by study coordinators

IBD Smartform

SPARC IBD- Data Collected	At first time completion	At Routine Care Visit*
Diagnosis	✓	If applicable
Symptoms	✓	If applicable
Disease Assessment	✓	If applicable
Severity score (6-point Mayo, 9-point Mayo, sCDAI)	✓	If applicable
Surgical History	✓	If applicable
Extra-intestinal Manifestation	✓	If applicable
Treatments	✓	If applicable
Disease Phenotype	✓	If applicable

✓ Field required
* IBD Smartform is captured at time of routine visit, which does not include procedure such as colonoscopy/sigmoidoscopy

IBD Qorus

IBD Qorus - Data Collected	Recruitment	At Routine Care Visit	In-between Routine Care Visit
Physician Global Assessment		✓	
Demographics	✓	✓	
Diagnosis	✓	✓	
Disease phenotype	✓	✓	
Disease location	✓	✓	
Procedure	✓	✓	
Labs	✓	✓	
Hospitalization	✓	✓	✓
Vaccine	✓	✓	
Treatments	✓	✓	✓
Patient Reported Symptoms	✓	✓	✓

✓ Field required
✓ Field optional

IBD Partners

Partners- Data Collected	Field-specific patient survey responses*
Diagnosis	✓
Sex	✓
Race	✓
Ethnicity	✓
Education	✓
Short CDAI	✓
SCCAI	✓
Medications	✓
Manitoba IBD Index	✓
PROMIS depression domain	✓
PROMIS anxiety domain	✓
PROMIS fatigue domain	✓
PROMIS pain domain	✓
PROMIS sleep domain	✓
PROMIS social domain	✓

✓ Field required
✓ Field optional

Note: The above list is a subset of data that IBD Partners integrates into IBD Plexus.

2. Detailed Case Report Forms

a. RISK

Enrollment

CD Risk Prediction: Consent and Enrollment

Patient Registration Number ☐☐-☐☐☐ **Gender:** *Male* *Female*

(Or affix Barcode Sticker if Available)

4. Study Consent Procedures

4.1 Was consent obtained ❑Yes ❑No

4.2 Date consent was obtained ___ ___/___ ___ ___/ ___ ___ ___ ___
dd mmm yyyy

4.3 Consent Version Date ___ ___/___ ___ ___/ ___ ___ ___ ___
dd mmm yyyy

4.4 Signee:
❑Subject ❑Mother ❑Father ❑Both Parents ❑Legal Guardian ❑Other

4.5 Was assent obtained ❑Yes ❑No

4.6 Date assent was obtained ___ ___/___ ___ ___/ ___ ___ ___ ___
dd mmm yyyy

4.7 Assent Version Date ___ ___/___ ___ ___/ ___ ___ ___ ___
dd mmm yyyy

5. Enrollment

***5.1* Study Enrollment Date** ___ ___/___ ___ ___/ ___ ___ ___ ___
dd mmm yr

5a Confirmation of Enrollment Registration on Database

***5.2* Record the System Generated CD Risk Stratification Study Unique Enrollment Number here:**
(NB: This number is displayed on Workflow Number 1 "Patient Registration")

☐☐☐☐☐☐☐

(This is NOT the Patient Registration Bar-code Number or the 'Tempo' Identifier Number, but a unique number that will be provided by the DCC following registration of the patient's enrollment on the database)

Comments from Registration Process

If the response to any of the above questions is "yes", it is likely that the subject is NOT eligible for participation in this study, please discuss with the site-PI.

CD Risk Prediction: Confirmation of Diagnosis

Patient Registration Number ☐☐-☐☐☐ **Gender:** *Male* *Female*

(Or affix Barcode Sticker if Available)

6. Does the Patient meet the study's diagnostic definition of CD?

To meet the study's definition of 'Crohn's Disease' or 'IBD-U', the subject must eventually be found to have at least ONE FEATURE from TWO of the CATEGORIES listed below.

6.1 Indicate which of the following features were apparent at the time of the patient being enrolled in this study

Y = Yes N = No U = Unknown

6.1.1) History of the following:

	Y	N	U		Y	N	U		Y	N	U
Diarrhea	☐	☐	☐	*Abdominal Pain*	☐	☐	☐	*Weight Loss*	☐	☐	☐
Rectal Bleeding	☐	☐	☐	*Malaise*	☐	☐	☐	*Linear Growth Failure*	☐	☐	☐

6.1.2) Endoscopic Findings (includes capsule endoscopy):

☐ Not available at enrollment ☐ Not available by first follow-up

	Y	N	U		Y	N	U
Discontinuous Ulcerations	☐	☐	☐	*Cobblestoning*	☐	☐	☐

6.1.3) Radiological Findings:

☐ Not available at enrollment ☐ Not available by first follow-up

	Y	N	U
Cobblestoning or ulceration of the mucosa	☐	☐	☐

6.1.4) Laparotomy Findings (NB: intestinal resection is an exclusion criteria for this study):

☐ Not applicable

	Y	N	U		Y	N	U
Typical bowel wall induration	☐	☐	☐	*Mesenteric lymphadenopathy*	☐	☐	☐
Serosa with creeping fat or other inflammatory changes	☐	☐	☐				

6.1.5) Histopathological Findings:

☐ Not available at enrollment ☐ Not available by first follow-up

	Y	N	U
Patchy inflammatory cell infiltrates	☐	☐	☐
Epithelial granuloma in the absence of identifiable infectious agents	☐	☐	☐

6.2 At the time of enrollment, did this subject meet the study's definition of CD/IBD-U? ☐ **Yes** ☐ **No**

If 'No":

1) ***Participants MAY continue in this study even when the requirements of the above definition are NOT met.***
2) ***Diagnostic eligibility must be reviewed again at the first follow-up visit***

6.3 By 1st follow-up review, did this subject meet the study's definition of CD/IBD-U? ☐ **Yes** ☐ **No**

If 'No":

If the patient does NOT fulfill the study's diagnostic definition requirements by the first follow-up visit, then it is possible that the subject is no longer eligible for participation in this study; please discuss with a Study PI.

6.4 Name of Study PI contacted: _____ **Deemed Eligible for Study?** ☐ **Yes** ☐ **No**

Comments:

CD Risk Prediction: Demographics and History Summary (1)

Patient Registration Number ☐☐-☐☐☐ **Gender:** *Male* *Female*
(Or affix Barcode Sticker if Available)

7. Patient's Ethnic Demographics

7.1 Patient's country of birth: _____ *7.2* Estimated date of arrival in present country : ❑N/A _____

8 Family's Ethnic Demographics (in relation to the Proband)

	Stated Racial Background (textual)	*Stated Jewish Background* N	J	NA	JA	U	*Stated Hispanic Background* H	NH	U
Maternal grandmother	_____	❑	❑	❑	❑	❑	❑	❑	❑
Maternal grandfather	_____	❑	❑	❑	❑	❑	❑	❑	❑
Paternal grandmother	_____	❑	❑	❑	❑	❑	❑	❑	❑
Paternal grandfather	_____	❑	❑	❑	❑	❑	❑	❑	❑

N= not Jewish; J= Jewish (type uncertain); NA=Jewish non-Ashkenazi; JA= Jewish Ashkenazi: U=Jewish heritage status is unknown

H= Hispanic; NH= Non-Hispanic: U=Hispanic heritage status is unknown

9. Patient's Birth History

Mode of delivery:

9.1 Was the patient delivered by caesarean section? ❑Yes ❑No ❑Unknown

Patient's milk source as an infant:

9.2 Was the patient ever Breast Fed? ❑Yes ❑No ❑Unknown

If 'yes':

9.2.1 Approximate Duration of ***Exclusive*** Breastfeeding: ❑ never ❑ <1month ❑ 1-3 months ❑3-6 months ❑ >6 months

10. Patient Environmental and Medical History

Cigarette Smoke Exposure:

10.1.1 Was the patient a current smoker around the time of Dx? ❑Yes ❑No ❑Unknown

10.1.2 Did the patient live at home with a smoker anytime during the 6 month period prior to Dx? ❑Yes ❑No ❑Unknown

10.1.3 Did the patient live at home with a smoker at anytime, more than 6 months prior to Dx? ❑Yes ❑No ❑Unknown

10.1.4 Did the patient's biological mother smoke during pregnancy? ❑Yes ❑No ❑Unknown

Appendectomy:

10.2 Has the patient undergone an appendectomy? ❑Yes ❑No ❑Unknown

If 'yes':

10.2.1 Approximate date of appendectomy ___ ___ /___ ___ ___/ ___ ___ ___ ___
dd **mmm** **yyyy**

Previous Gastrointestinal Infection:

Did the patient have a severe gastrointestinal infection (eg: C difficile, Salmonella etc):

10.3.1 Within 6 months prior to Dx? ❑Yes ❑No ❑Unknown

10.3.2 At anytime more than 6 months prior to Dx? ❑Yes ❑No ❑Unknown

Non-steroidal Anti-inflammatory Drug Exposure:

10.4 Did the patient receive NSAIDs anytime during the 6 month period prior to Dx? ❑Yes ❑No ❑Unknown

If 'yes':

10.4.1 Approximate number of doses: ❑ <3 doses ❑ 3-6 doses ❑ 7-20 doses ❑ 21-30 doses ❑ >30 doses

CD Risk Prediction: Demographics and History Summary (2)

Patient Registration Number ☐☐-☐☐☐ **Gender:** *Male* *Female*

(Or affix Barcode Sticker if Available)

11. Summary of Familial History of IBD

Does any member of the subject's family have a known history of IBD:

Full Sibling

Ulcerative Colitis	☐Y	☐N	☐U	☐NA	*IBD-U*	☐Y	☐N	☐U	☐NA
Crohn Disease	☐Y	☐N	☐U	☐NA	*Confirmed IBD (unaware of type)*	☐Y	☐N	☐U	☐NA

Y= Yes, N= No, U=Unknown, NA=Not Applicable (no full Siblings)

	Unknown	*No Hx of IBD*	*Ulcerative Colitis*	*Crohn Disease*	*IBD-U*	*Confirmed IBD (unaware of type)*
Mother	☐	☐	☐	☐	☐	☐
Father	☐	☐	☐	☐	☐	☐

Comments:

12. Summary of Personal and Family History

Does the patient, or any member of their family, have a known history of any of the following:

	Patient			**Full Sibling**				**Mother**			**Father**		
Atopy or Asthma	☐Y	☐N	☐U	☐Y	☐N	☐U	☐NA	☐Y	☐N	☐U	☐Y	☐N	☐U
Multiple Sclerosis	☐Y	☐N	☐U	☐Y	☐N	☐U	☐NA	☐Y	☐N	☐U	☐Y	☐N	☐U
IDDM	☐Y	☐N	☐U	☐Y	☐N	☐U	☐NA	☐Y	☐N	☐U	☐Y	☐N	☐U
Rheumatoid Arthritis	☐Y	☐N	☐U	☐Y	☐N	☐U	☐NA	☐Y	☐N	☐U	☐Y	☐N	☐U
Lupus	☐Y	☐N	☐U	☐Y	☐N	☐U	☐NA	☐Y	☐N	☐U	☐Y	☐N	☐U
Psoriasis	☐Y	☐N	☐U	☐Y	☐N	☐U	☐NA	☐Y	☐N	☐U	☐Y	☐N	☐U
Ankylosing Spoindylitis				☐Y	☐N	☐U	☐NA	☐Y	☐N	☐U	☐Y	☐N	☐U
Autoimmune Thyroid Disease	☐Y	☐N	☐U	☐Y	☐N	☐U	☐NA	☐Y	☐N	☐U	☐Y	☐N	☐U
Celiac Disease (Bx proven)	☐Y	☐N	☐U	☐Y	☐N	☐U	☐NA	☐Y	☐N	☐U	☐Y	☐N	☐U

Y= Yes, N= No, U=Unknown, NA=Not Applicable (no full Siblings)

13. Summary of Extra Intestinal Manifestations observed in this Subject

	Recognized				Approx Date first Recognized	Comments
	Unknown	*Never*	*PreDx*	*AroundDx*		
Small Joint Arthritis	☐	☐	☐	☐	__ __ / __ __ __ / __ __ __ __ *dd / mmm / yyyy*	
Large Joint Arthritis	☐	☐	☐	☐	__ __ / __ __ __ / __ __ __ __ *dd / mmm / yyyy*	
Ankylosing Spondylitis	☐	☐	☐	☐	__ __ / __ __ __ / __ __ __ __ *dd / mmm / yyyy*	
Sacro-Ileitis	☐	☐	☐	☐	__ __ / __ __ __ / __ __ __ __ *dd / mmm / yyyy*	
Erythema Nodosum	☐	☐	☐	☐	__ __ / __ __ __ / __ __ __ __ *dd / mmm / yyyy*	
Pyoderma Gangrenosum	☐	☐	☐	☐	__ __ / __ __ __ / __ __ __ __ *dd / mmm / yyyy*	
Iritis/Uveitis	☐	☐	☐	☐	__ __ / __ __ __ / __ __ __ __ *dd / mmm / yyyy*	
Autoimmune Hepatitis	☐	☐	☐	☐	__ __ / __ __ __ / __ __ __ __ *dd / mmm / yyyy*	
Primary Sclerosing Cholangitis	☐	☐	☐	☐	__ __ / __ __ __ / __ __ __ __ *dd / mmm / yyyy*	
Pancreatitis	☐	☐	☐	☐	__ __ / __ __ __ / __ __ __ __ *dd / mmm / yyyy*	

Comments:

CD Risk Prediction: PCDAI at Diagnosis

Patient Registration Number ☐☐-☐☐☐ **Gender:** *Male* *Female*

(Or affix Barcode Sticker if Available)

18a. Disease Activity Data Recorded at diagnosis

18.1 How was this data collected? ❑ Clinic Visit ❑ Telephone Interview ❑ Assessment not done

18.2 Date of Assessment ___ ___ / ___ ___ ___ / ___ ___ ___ ___ **Comments:**
dd mmm yyyy

18.3 Which Activity Index Tool was used? ❑ PCDAI ❑ PUCAI

18b. History (Recall over past 7 days)

Most Severe Abdominal Pain
❑ None ❑ Mild: Brief, does not interfere with activities ❑ Mod/Severe: Daily, longer lasting, affects activities, nocturnal

Stools (per day)
❑ 0-1 liquid stools, no blood ❑ Up to 2 semi-formed + small blood, or 2-5 liquid +/- blood ❑ Gross bleeding, or >/= 6 liquid, or nocturnal diarrhea

Patient Functioning, General Well-being
❑ No limitation of activities, well ❑ Occasional difficulty in maintaining age appropriate activities, below par ❑ Frequent, limitation of activity very poor

18c. Examination

Weight
❑ Weight gain or voluntary weight stable/loss ❑ Involuntary weight stable, weight loss 1-9% ❑ Weight oss >/= 10%

Height
Height approximately 12 months ago: Date Taken: __ __ / __ __ __ / __ __ __ __ Height (cm) _____
d d m m m y y y y

❑ < 1 channel decrease in Ht OR Ht Vel z-score <= -1 ❑ >= 1 and < 2 channel decrease in Ht OR Ht Vel z-score -1 to <-2
❑ > 2 channel decrease in Ht OR Ht Vel z-score >= -2

Abdomen

	Yes	*No*		*Yes*	*No*		*Yes*	*No*
Tenderness	❑	❑	Mass	❑	❑	Involuntary guarding	❑	❑

Perirectal Disease

	Yes	*No*		*Yes*	*No*		*Yes*	*No*
Asymptomatic tags	❑	❑	Fissure	❑	❑	Active Fistula or abscess	❑	❑
Inflamed tags	❑	❑	Indolent fistula	❑	❑	Drainage or Tenderness	❑	❑

Extra-Intestinal Manifestations

	Yes	*No*		*Yes*	*No*		*Yes*	*No*
Fever >/= 38.5oC for 3 days over past week	❑	❑	Uveitis	❑	❑	E Nodosum	❑	❑
Oral Ulcers	❑	❑	Definite Arthritis	❑	❑	P. gangrenosum	❑	❑

18d. Investigations Required to complete Index *(Values obtained within the last week)*

	Requested	Collected/Performed	Not Available	(Record result under "Core Investigations")
HCT (%):	❑	❑	❑	
ESR (mm/hr):	❑	❑	❑	
Albumin (g/dL):	❑	❑	❑	

Comments:

CD Risk Prediction: Location and Behaviour Data at Diagnosis

Patient Registration Number ☐☐-☐☐☐ **Gender:** *Male* *Female*

(Or affix Barcode Sticker if Available)

19. Imaging Summary around the time of Diagnosis

	NP	P		NP	P
Upper Endoscopy	❑	❑	Capsule Endoscopy	❑	❑
Lower Endoscopy (Colon)	❑	❑	Lower Endoscopy (TI)	❑	❑
UGI Series/Followthrough	❑	❑	Ba Enema	❑	❑
Abdo Ultrasound	❑	❑	Abdo CT	❑	❑
Abdo MRI	❑	❑	WCC Labeled Scan	❑	❑

NP = not performed *P= performed*

20. Summary of Known Disease Location around the time of Diagnosis

Please indicate disease involvement at all listed locations (tick one option only for each site)

	N	Mac	Mic	NA	U		N	Mac	Mic	NA	U
Oral	❑	❑	❑	❑	❑	Cecum	❑	❑	❑	❑	❑
Esophagus	❑	❑	❑	❑	❑	Asc Colon	❑	❑	❑	❑	❑
Stomach	❑	❑	❑	❑	❑	Trans Colon	❑	❑	❑	❑	❑
Duodenum	❑	❑	❑	❑	❑	Desc Colon	❑	❑	❑	❑	❑
Jej/Prox Ileum	❑	❑	❑	❑	❑	Sigmoid	❑	❑	❑	❑	❑
Distal Il/TI	❑	❑	❑	❑	❑	Rectum	❑	❑	❑	❑	❑

N= Normal *Mac = Macroscopic disease* *Mic = Microscopic Disease only* *NA = Not Assessed* *U = Unknown*

Comments:

21. Luminal Disease Behaviour at Diagnosis

	Yes	No	Unknown
Stricturing/Fibrostenotic	❑	❑	❑
Internally Penetrating	❑	❑	❑

If the response to either of the above questions is "yes" or "unknown" it is likely that the subject is NOT eligible for participation in this study, please discuss with the site-PI.

22. Presence of Perianal Disease around the time of Diagnosis

	Yes	No	Unknown
Large Skin Tags	❑	❑	❑
Ulcers	❑	❑	❑
Fissure/s	❑	❑	❑
Isolated Abscess	❑	❑	❑
Multiple Abscesses	❑	❑	❑
Perianal Fistula/e	❑	❑	❑
Recto-vaginal Fistula/e	❑	❑	❑
Ano-vaginal Fistula/e	❑	❑	❑

CD Risk Prediction: Treatment Data at Diagnosis

Patient Registration Number ☐☐-☐☐☐ (Or affix Barcode Sticker if Available) Gender: *Male* *Female*

24. Treatment around the time of Diagnosis

Please indicate which of the following medications were received and record the specified information

Category	Name	Received: No	Received: Yes	Start Date (dd/mmm/yyyy)	Initial Daily Dose (mg)
Supplements etc					
	Probiotic Supplement	☐	☐	_____	
	Omega-3 Supplement	☐	☐	_____	
Oral 5-ASA					
	Sulfasalazine	☐	☐	_____	_____
	Mesalazine	☐	☐	_____	_____
	Olsalazine	☐	☐	_____	_____
Antibiotics					
	Metronidazole (Flagyl)	☐	☐	_____	_____
	Ciprofloxacin	☐	☐	_____	_____
	Rifaxamin (Xifaxin)	☐	☐	_____	_____
Corticosteroids					
	MethylPrednisone	☐	☐	_____	_____
	Hydrocortisone IV	☐	☐	_____	_____
	Prednisone or Prednisolone	☐	☐	_____	_____
	Oral Budesonide	☐	☐	_____	_____
Immunomodulators					
	Azathioprine	☐	☐	_____	_____
	6-Mercaptopurine	☐	☐	_____	_____
	Tacrolimus	☐	☐	_____	_____
	Cyclosporin	☐	☐	_____	_____
				Date of First Dose (dd/mmm/yyyy)	**Initial Dose** (mg)
	Methotrexate (SC/IM)	☐	☐	_____	_____
	Methotrexate (Oral)	☐	☐	_____	_____
Biologic Agents					
	Adalimumab	☐	☐	_____	_____
	Certolizumab	☐	☐	_____	_____
	Infliximab	☐	☐	_____	_____
	Natalizumab	☐	☐	_____	_____

Enteral Therapy					Est Cal/Day (Cal)	Exclusive? Excl.	Exclusive? Supp
	Nutren Junior	☐	☐	_____	_____	☐	☐
	Vital Junior	☐	☐	_____	_____	☐	☐
	Pediasure	☐	☐	_____	_____	☐	☐
	Ensure	☐	☐	_____	_____	☐	☐
	Modulen	☐	☐	_____	_____	☐	☐
	Peptamen	☐	☐	_____	_____	☐	☐
	Other:	☐	☐	_____	_____	☐	☐

Comments:

CD Risk Prediction: Core Investigation Data at Diagnosis

Patient Registration Number ☐☐-☐☐☐ **Gender:** *Male* *Female*

(Or affix Barcode Sticker if Available)

25. Summary of Core Laboratory Investigations at Diagnosis

Date of Blood Draw ____ ____ /____ ____ ____/____ ____ ____ ____ **Lab Used** _____

dd **mo** **yr**

	Performed			Result		Performed			Result
Hemoglobin (g/dL)	❑Y	❑N	❑U	_____	*CRP* (mg/L)	❑Y	❑N	❑U	_____
HCT (%)	❑Y	❑N	❑U	_____	*Albumin* (g/dL)	❑Y	❑N	❑U	_____
Platelet Count (10^9/L)	❑Y	❑N	❑U	_____	*Urea (mmol/L)*	❑Y	❑N	❑U	_____
White Cell Count (10^9/L)	❑Y	❑N	❑U	_____	*Creatinine (micromol/L)*	❑Y	❑N	❑U	_____
Neutrophil (10^9/L)	❑Y	❑N	❑U	_____	*AST (U/L)*	❑Y	❑N	❑U	_____
Lymphocytes (10^9/L)	❑Y	❑N	❑U	_____	*ALT (U/L)*	❑Y	❑N	❑U	_____
Eosinophil (10^9/L)	❑Y	❑N	❑U	_____	*Alk Phos (U/L)*	❑Y	❑N	❑U	_____
ESR (mm/hr)	❑Y	❑N	❑U	_____	*GGT (U/L)*	❑Y	❑N	❑U	_____

Y= Yes, N= No, U=Unknown

CD Risk Prediction: Study Specific Sample Collection at Diagnosis

Patient Registration Number ☐☐-☐☐☐ **Gender:** *Male* *Female*
(Or affix Barcode Sticker if Available)

26. Study Specific Investigations/Procedures to be completed this visit

Serology:
☐ *Will not be collected* ☐ *Requested* ☐ *Collected/performed*
Date Collected (dd/mmm/yyyy): _____ Sample ID: _____ (Barcode Identity)

DNA:
☐ *Will not be collected* ☐ *Requested* ☐ *Collected/performed*
Date Collected (dd/mmm/yyyy): _____ Sample ID: _____ (Barcode Identity)

Stool:
☐ *Will not be collected* ☐ *Requested* ☐ *Collected/performed*
Date Collected (dd/mmm/yyyy): _____ Sample ID: _____ (Barcode Identity)

26a. Mucosal Biopsy Sub-Study Sample Collection

Mucosal Biopsy #1:
☐ *Will not be collected* ☐ *Requested* ☐ *Collected/performed*
Anatomical Site: _____
Date Collected (dd/mmm/yyyy): _____ Sample ID: _____ (Barcode Identity)

Mucosal Biopsy #2:
☐ *Will not be collected* ☐ *Requested* ☐ *Collected/performed*
Anatomical Site: _____
Date Collected (dd/mmm/yyyy): _____ Sample ID: _____ (Barcode Identity)

Mucosal Biopsy #3:
☐ *Will not be collected* ☐ *Requested* ☐ *Collected/performed*
Anatomical Site: _____
Date Collected (dd/mmm/yyyy): _____ Sample ID: _____ (Barcode Identity)

Mucosal Biopsy #4:
☐ *Will not be collected* ☐ *Requested* ☐ *Collected/performed*
Anatomical Site: _____
Date Collected (dd/mmm/yyyy): _____ Sample ID: _____ (Barcode Identity)

Mucosal Biopsy #5:
☐ *Will not be collected* ☐ *Requested* ☐ *Collected/performed*
Anatomical Site: _____
Date Collected (dd/mmm/yyyy): _____ Sample ID: _____ (Barcode Identity)

Mucosal Biopsy #6:
☐ *Will not be collected* ☐ *Requested* ☐ *Collected/performed*
Anatomical Site: _____
Date Collected (dd/mmm/yyyy): _____ Sample ID: _____ (Barcode Identity)

Follow-up

CD Risk Prediction: Data Collection at Follow-up (1)

Patient Registration Number ☐☐-☐☐☐ **Gender:** *Male* *Female*

(Or affix Barcode Sticker if Available)

31. Data Recorded during Follow-up

Study Visit: ❑ 6mth ❑ 12mth ❑ 18mth ❑ 24mth ❑ 30mth ❑ 36mth ❑ Other _____

Date of Review: __/___/____

32. Does the Patient meet the study's diagnostic definition of CD?

Update only if new diagnostic assessment was performed and indicate which of the following features have changed since enrolling in this study – also mark if "this is a new result at this visit." If new assessment has not been done, check "No" below and press "Next" twice in database for Workflow 2 to save as carried-forward from enrollment or previous follow-up. Proceed to section 33.

New Diagnostic Assessment was performed? ❑*No* ❑ *Yes*

32.1.2 Endoscopic Findings (includes capsule endoscopy): ❑ Not available by first follow-up

	Y	N	U
Discontinuous Ulcerations	❑	❑	❑
❑This is a new result at this visit			

	Y	N	U
Cobblestoning	❑	❑	❑
❑This is a new result at this visit			

32.1.3 Radiological Findings: ❑ Not available by first follow-up

	Y	N	U
Cobblestoning or ulceration of the mucosa	❑	❑	❑
❑This is a new result at this visit			

32.1.4 Laparotomy Findings (NB: intestinal resection is an exclusion criteria for this study):
❑ Not available by first follow-up ❑ Not applicable

	Y	N	U
Typical bowel wall induration	❑	❑	❑
❑This is a new result at this visit			

	Y	N	U
Mesenteric lymphadenopathy	❑	❑	❑
❑This is a new result at this visit			

	Y	N	U
Serosa with creeping fat or other inflammatory changes	❑	❑	❑
❑ This is a new result at this visit			

32.1.5 Histopathological Findings: ❑ Not available by first follow-up

	Y	N	U
Patchy inflammatory cell infiltrates	❑	❑	❑
❑ This is a new result at this visit			

	Y	N	U
Epithelial granuloma in the absence of identifiable infectious agents	❑	❑	❑
❑ This is a new result at this visit			

32.2 Does the subject meet the study's definition of CD/IBD-U? ❑ **Yes** ❑ **No**

32.3 If 'No":

If the patient does NOT fulfill the study's diagnostic definition requirements by the first follow-up visit, then it is possible that the subject is no longer eligible for participation in this study; please discuss with a Study PI.

32.3.1 Name of Study PI contacted: _____

32.3.2 Deemed Eligible for Study? ❑ **Yes** ❑ **No**

32.3.3 Comments:

CD Risk Prediction: Data Collection at Follow-up (1)

Patient Registration Number ☐☐-☐☐☐ **Gender:** *Male* *Female* **Study Visit:**
(Or affix Barcode Sticker if Available)

33. Data Recorded at Clinical Review following Diagnosis

33.1 Are these data taken from a clinic visit? ❑ Yes ❑ No ❑ No data are available on this participant for this review

If no data are available:

33.2 Has this Participant been permanently lost to follow-up? ❑ No ❑ Yes ❑ Uncertain

The remainder of this form cannot be completed, and should be submitted at this point.

If data are available:

33.3 Current Diagnostic Impression: ❑ CD ❑ IBD-U ❑ UC ❑ Not IBD

33.4 Has the diagnosis changed since the last review? ❑ Yes ❑ No

33.5 Anthropometrics:

Height (cm): _____ ❑ Clinic ❑ Self-reported Weight (kg): _____ ❑ Clinic ❑ Self-reported

Tanner Stage:

❑ Physician assessed ❑ Self-reported ❑ Not assessed Breasts: 1 2 3 4 5 Pubic Hair: 1 2 3 4 5 Genitalia: 1 2 3 4 5

34. Physician Assessment at this visit

34.1 Physician Global Assessment of Current Disease Activity:

❑ None ❑ Mild ❑ Moderate ❑ Severe *(Don't forget to complete the PCDAI or PUCAI)*

34.2 Physician Global Assessment of Disease Activity Since Last Review:

❑ Quiescent ❑ Mild ❑ Moderate ❑ Chronically Severe ❑ Chronically Severe with remissions

If this is the first study follow-up visit (6 months), then complete the following questions, if not, move to section 35

34.2.1 What was the Participant's maximal clinical response to induction therapy by 3 months post diagnosis?

❑ Complete Response ❑ Partial Response ❑ No Response

For Patients who achieved a complete response (if 'No' or 'Partial' Response, leave this question blank)

34.2.2 Approximate time to that complete response:

❑ <1 week ❑ 1 to 2 weeks ❑ 2 to 4 weeks ❑ 4 to 8 weeks ❑ 8 to 12 weeks

CD Risk Prediction: Disease Re-assessment Data During Follow-up (1)

Patient Registration Number ☐☐-☐☐☐ **Gender:** *Male* *Female* **Study Visit:**
(Or affix Barcode Sticker if Available)

38. Review of Disease Location and Behaviour since last Review

38.1 Has Disease Location/Behaviour been Reassessed since the last review? ❑ *No* ❑ *Yes*

If 'yes' complete the following questions, if 'no' then move to question 39.

38.2 Approximate Date of Reassessment: __ __ / __ __ __ / __ __ __ __
dd mmm yyyy

38.3 Summary of Imaging performed at this re-assessment:

	NP	P		NP	P
Upper Endoscopy	❑	❑	Capsule Endoscopy	❑	❑
Lower Endoscopy (of Colon)	❑	❑	Lower Endoscopy (of TI)	❑	❑
UGI Series/Followthrough	❑	❑	Ba Enema	❑	❑
Abdo Ultrasound	❑	❑	Abdo CT	❑	❑
Abdo MRI	❑	❑	WCC Labeled Scan	❑	❑

NP = not performed *P= performed*

38.4 Summary of Maximal Disease Location subsequent to the latest Re-assessment:
Please refer back to the subject's disease location data at the last assessment.
For each of the locations listed below indicate (for the current re-assessment)
1) If the location was not specifically assessed on this occasion or
2) If the level of disease involvement has increased
Tick one option only for each site. If the site was previously known to be macroscopically involved select 'unchanged'.

	NA	N	UC	Mic	Mac		NA	N	UC	Mic	Mac
Oral	❑	❑	❑	❑	❑	Cecum	❑	❑	❑	❑	❑
Esophagus	❑	❑	❑	❑	❑	Asc Col	❑	❑	❑	❑	❑
Stomach	❑	❑	❑	❑	❑	Trans Col	❑	❑	❑	❑	❑
Duodenum	❑	❑	❑	❑	❑	Desc Col	❑	❑	❑	❑	❑
Jej/Prox Ileum	❑	❑	❑	❑	❑	Sigmoid	❑	❑	❑	❑	❑
Distal Ileum/TI	❑	❑	❑	❑	❑	Rectum	❑	❑	❑	❑	❑

NA = Not Assessed *N = Normal* *UC= Un-Changed* *Mic = New Microscopic Disease only* *Mac = New Macroscopic Disease*

38.5 Stricturing/Fibrostenotic Behaviour status
Please refer back to the subject's disease behaviour data at the last assessment.
Did the participant previously exhibit Stricturing/Fibrostenotic disease behaviour? ❑ Yes ❑ No ❑ Unknown
If 'yes' then proceed to question 38.6, if 'no' or 'unknown' then answer the following question:
38.5 Does the participant now exhibit Stricturing/Fibrostenotic disease behaviou? ❑ Yes ❑ No ❑ Unknown
If 'yes' then please complete the following section, if 'no' or 'unknown' proceed to question 38.6

Approximate Date when first recognized to be present: __ __ / __ __ __ / __ __ ____
dd mmm yyyy

	Yes	No	
Features:	❑	❑	Constant luminal narrowing on DI, endo or surgery
	❑	❑	Pre-stenotic Dilatation
	❑	❑	Obstructive signs/symptoms

38.6 Internally Penetrating Behaviour status
Please refer back to the subject's disease behaviour data at the last assessment.
Did the participant previously exhibit internally penetrating disease behaviour? ❑ Yes ❑ No ❑ Unknown
If 'yes' then proceed to section 39, if 'no' or 'unknown' then answer the following question:
Does the participant now exhibit Internally Penetrating disease behaviour? ❑ Yes ❑ No ❑ Unknown
If 'yes' then please complete the following section, if 'no' or 'unknown' proceed to section 39

Approximate Date when first recognized to be present: __ __ / __ __ __ / __ __ ____
dd mmm yyyy

	Yes	No	
Features:	❑	❑	Entero-enteric or entero-vesicular fistula/e
	❑	❑	Entero-cutaneous fistula/e
	❑	❑	Intra-abdominal abscess/es
	❑	❑	Intestinal Perforation

38.7 Comments Regarding Disease Location and Behaviour Data:

CD Risk Prediction: Disease Re-assessment Data During Follow-up (2)

Patient Registration Number ☐☐-☐☐☐ **Gender:** *Male* *Female* **Study Visit:**
(Or affix Barcode Sticker if Available)

39. Update of Perianal Disease History since last Reveiw

Was it possible to obtain accurate information regarding perianal disease at this review? ☐ *No* ☐ *Yes*

If 'yes' complete the following section, if 'no' then move to section 40.

Please refer back to the subject's Perianal Disease data recorded at the last assessment.

Approximate Date of the current Perianal Review: __ __ / __ __ __ / __ __ ____
dd mmm yyyy

	Previously Recognized?			Newly Recognized Disease Since Last Review (Leave blank if previously recognized)		
	Yes	No	Unknown	Yes	No	Unknown
Large Skin Tags	☐	☐	☐	☐	☐	☐
Ulcers	☐	☐	☐	☐	☐	☐
Fissure/s	☐	☐	☐	☐	☐	☐
Isolated Abscess	☐	☐	☐	☐	☐	☐
Multiple Abscesses	☐	☐	☐	☐	☐	☐
Perianal Fistula/e	☐	☐	☐	☐	☐	☐
Recto-vaginal Fistula/e	☐	☐	☐	☐	☐	☐
Ano-vaginal Fistula/e	☐	☐	☐	☐	☐	☐

CD Risk Prediction: PCDAI Data at Follow-up

Patient Registration Number ☐☐-☐☐☐ **Gender:** *Male* *Female* **Study Visit:**
(Or affix Barcode Sticker if Available)

40.1 Data Recorded at Clinical Review

How was this data collected? ❑ Clinic Visit ❑ Telephone Interview ❑ Assessment not done

Date of Assessment ___ ___ / ___ ___ ___ / ___ ___ ___ ___ **Comments:**
dd mmm yyyy

Which Activity Index Tool was used? ❑ PCDAI ❑ PUCAI

40.2 History (Recall over past 7 days)

Most Severe Abdominal Pain

❑ None ❑ Mild: Brief, does not interfere with activities ❑ Mod/Severe: Daily, longer lasting, affects activities, nocturnal

Stools (per day)

❑ 0-1 liquid stools, no blood ❑ Upto 2 semi-formed + small blood, or 2-5 liquid +/- blood ❑ Gross bleeding, or >/= 6 liquid, or nocturnal diarrhea

Patient Functioning, General Well-being

❑ No limitation of activities, well ❑ Occasional difficulty in maintaining age appropriate activities, below par ❑ Frequent, limitation of activity very poor

40.3 Examination

Weight

❑ Weight gain or voluntary weight stable/loss ❑ Involuntary weight stable, weight loss 1-9% ❑ Weight loss >/= 10%

Height

Height approximately 12 months ago: Date Taken: __ __ / __ __ __ / __ __ __ __ Height (cm) _____
d d m m m y y y y

❑ < 1 channel decrease in Ht OR Ht Vel z-score <= -1 ❑ >= 1 and < 2 channel decrease in Ht OR Ht Vel z-score -1 to <-2
❑ > 2 channel decrease in Ht OR Ht Vel z-score >= -2

Abdomen

	Yes	*No*		*Yes*	*No*		*Yes*	*No*
Tenderness	❑	❑	Mass	❑	❑	Involuntary guarding	❑	❑

Perirectal Disease

	Yes	*No*		*Yes*	*No*		*Yes*	*No*
Asymptomatic tags	❑	❑	Fissure	❑	❑	Active Fistula or abscess	❑	❑
Inflamed tags	❑	❑	Indolent fistula	❑	❑	Drainage or Tenderness	❑	❑

Extra-Intestinal Manifestations

	Yes	*No*		*Yes*	*No*		*Yes*	*No*
Fever >/= 38.5oC for 3 days over past week	❑	❑	Uveitis	❑	❑	E Nodosum	❑	❑
Oral Ulcers	❑	❑	Definite Arthritis	❑	❑	P. gangrenosum	❑	❑

40.4 Investigations Required to complete Index *(Values obtained within the last week)*

	Requested	Collected/Performed	Not Available	(Record result under "Core Investigations")
HCT (%):	❑	❑	❑	
ESR (mm/hr):	❑	❑	❑	
Albumin (g/dL):	❑	❑	❑	

Comments:

CD Risk Prediction: PUCAI© at Diagnosis

DISREGARD this entire page if completing PCDAI form

Patient Registration Number ☐☐-☐☐☐ **Gender:** *Male* *Female*
(Or affix Barcode Sticker if Available)

40.1. a. Disease Activity Data Recorded at diagnosis

How was this data collected? ❑ Clinic Visit ❑ Telephone Interview ❑ Assessment not done

Date of Assessment ___ ___ / ___ ___ ___ / ___ ___ ___ ___
dd mmm yyyy **Comments:**

40.1.b. History (Last 24 hours)

Abdominal Pain
❑ No Pain ❑ Pain can be ignored ❑ Pain cannot be ignored

Rectal Bleeding
❑ None ❑ Small amount only, in less than 50% of stools
❑ Small amount with most stools ❑ Large amount (>50% of the stool content)

Stool Consistency of most stools
❑ Formed ❑ Partially Formed ❑ Completely unformed

Number of stools per 24 hours
❑ 0 – 2 ❑ 3 - 5 ❑ 6 – 8 ❑ > 8

Nocturnal stools (any episode causing wakening)
❑No ❑ Yes

Activity Level
❑ No limitation of activity ❑ Occasional limitation of activity ❑ Severely restricted activity

Comments:

CD Risk Prediction: Treatment & Investigation Data at Follow-up (1)

Patient Registration Number ☐☐-☐☐☐ Gender: *Male* *Female* Study Visit:
(Or affix Barcode Sticker if Available)

41 Summary of Treatment since Last Review

Treatment	Received Since Last Review? No	Yes	Start Date	Dose (mg)	Still Ongoing? No	Stop Date	Yes	Current Dose: Current Daily Dose (mg)
Supplements etc								
Probiotic	☐	☐	_____	XXXXXX	☐	_____	☐	XXXXXXXXXXXXX
Omega-3	☐	☐	_____	XXXXXX	☐	_____	☐	XXXXXXXXXXXXX
Oral 5-ASA								
Sulfasalazine	☐	☐	_____	_____	☐	_____	☐	_____
Mesalazine	☐	☐	_____	_____	☐	_____	☐	_____
Olsalazine	☐	☐	_____	_____	☐	_____	☐	_____
Antibiotics								
Metronidazole (Flagyl)	☐	☐	_____	_____	☐	_____	☐	_____
Ciprofloxacin	☐	☐	_____	_____	☐	_____	☐	_____
Rifaxamin (Xifaxin)	☐	☐	_____	_____	☐	_____	☐	_____
Corticosteroids								
MethylPrednisone	☐	☐	_____	_____	☐	_____	☐	_____
Hydrocortisone IV	☐	☐	_____	_____	☐	_____	☐	_____
Prednisone or Prednisolone	☐	☐	_____	_____	☐	_____	☐	_____
Oral Budesonide	☐	☐	_____	_____	☐	_____	☐	_____
Immunomodulators								
Azathioprine	☐	☐	_____	_____	☐	_____	☐	_____
6-Mercaptopurine	☐	☐	_____	_____	☐	_____	☐	_____
Tacrolimus	☐	☐	_____	_____	☐	_____	☐	_____
Cyclosporin	☐	☐	_____	_____	☐	_____	☐	_____

	Received Since Last Review? No	Yes	Start Date	Dose (mg)	Freq	Still Ongoing? No	Stop Date	Yes	Change Dose or Frequency? No	Yes	Date	Dose(mg)	Freq
Methotrexate (SC/IM)	☐	☐	_____	_____	_____	☐	_____	☐	☐	☐	_____	_____	___
Methotrexate (Oral)	☐	☐	_____	_____	_____	☐	_____	☐	☐	☐	_____	_____	___
Biologic Agent													
Adalimumab	☐	☐	_____	_____	_____	☐	_____	☐	☐	☐	_____	_____	___
									☐	☐	_____	_____	___
									☐	☐	_____	_____	___
									☐	☐	_____	_____	___
Certolizumab	☐	☐	_____	_____	_____	☐	_____	☐	☐	☐	_____	_____	___
									☐	☐	_____	_____	___
									☐	☐	_____	_____	___

	Received Since Last Review? No	Yes	Start Date	Dose (mg)	Still Ongoing? No	Yes	Date Received	Dose(mg)
Infliximab	☐	☐	_____	_____	☐	☐	_____	_____
							_____	_____
							_____	_____
							_____	_____
Natalizumab	☐	☐	_____	_____	☐	☐	_____	_____
Comments:							_____	_____

CD Risk Prediction: Treatment & Investigation Data at Follow-up (2)

Patient Registration Number ☐☐-☐☐☐ **Gender:** *Male* *Female* **Study Visit:**
(Or affix Barcode Sticker if Available)

42. Summary of Enteral Therapy since Last Review

Treatment	Received Since Last Review? No	Yes	Start Date	Est Cal/day	Still Ongoing? No	Stop Date	Yes	Change Dose? No	Yes	Date	Est. Cal/day)
Exclusive											
Nutren Junior	☐	☐	_____	_____	☐	_____	☐	☐	☐	_____	_____
Vital Junior	☐	☐	_____	_____	☐	_____	☐	☐	☐	_____	_____
Pediasure	☐	☐	_____	_____	☐	_____	☐	☐	☐	_____	_____
Ensure	☐	☐	_____	_____	☐	_____	☐	☐	☐	_____	_____
Modulen	☐	☐	_____	_____	☐	_____	☐	☐	☐	_____	_____
Peptamen	☐	☐	_____	_____	☐	_____	☐	☐	☐	_____	_____
Other:											
	☐	☐	_____	_____	☐	_____	☐	☐	☐	_____	_____
Supplemental											
Nutren Junior	☐	☐	_____	_____	☐	_____	☐	☐	☐	_____	_____
Vital Junior	☐	☐	_____	_____	☐	_____	☐	☐	☐	_____	_____
Pediasure	☐	☐	_____	_____	☐	_____	☐	☐	☐	_____	_____
Ensure	☐	☐	_____	_____	☐	_____	☐	☐	☐	_____	_____
Modulen	☐	☐	_____	_____	☐	_____	☐	☐	☐	_____	_____
Peptamen	☐	☐	_____	_____	☐	_____	☐	☐	☐	_____	_____
Other:											
	☐	☐	_____	_____	☐	_____	☐	☐	☐	_____	_____

43. Summary of Core Laboratory Investigations at Follow-up Visit

Date of Blood Draw ___ ___ / ___ ___ ___ / ___ ___ ___ ___ **Lab Used** _____
dd **mo** **yr**

	Performed			Result		Performed			Result
Hemoglobin (g/dL)	☐Y	☐N	☐U	_____	*CRP* (mg/L)	☐Y	☐N	☐U	_____
HCT (%)	☐Y	☐N	☐U	_____	*Albumin* (g/dL)	☐Y	☐N	☐U	_____
Platelet Count (10^9/L)	☐Y	☐N	☐U	_____	*Urea (mmol/L)*	☐Y	☐N	☐U	_____
White Cell Count (10^9/L)	☐Y	☐N	☐U	_____	*Creatinine (micromol/L)*	☐Y	☐N	☐U	_____
Neutrophil (10^9/L)	☐Y	☐N	☐U	_____	*AST (U/L)*	☐Y	☐N	☐U	_____
Lymphocytes (10^9/L)	☐Y	☐N	☐U	_____	*ALT (U/L)*	☐Y	☐N	☐U	_____
Eosinophil (10^9/L)	☐Y	☐N	☐U	_____	*Alk Phos (U/L)*	☐Y	☐N	☐U	_____
ESR (mm/hr)	☐Y	☐N	☐U	_____	*GGT (U/L)*	☐Y	☐N	☐U	_____

Y= Yes, N= No, U=Unknown

44. Study Specific Investigations/Procedures to be completed this visit

Only collected at the following reviews: **12 month** **24 month** **36 month**

Serology:

☐ *Will not be collected* ☐ *Requested* ☐ *Collected/performed*

Date Collected (dd/mmm/yyyy): _____ Sample ID: _____ (Barcode Identity)

DNA:

☐ *Will not be collected* ☐ *Requested* ☐ *Collected/performed*

Date Collected (dd/mmm/yyyy): _____ Sample ID: _____ (Barcode Identity)

b. SPARC IBD

Demographics / Diagnosis

Provider reported

***Gender:**

- Female
- Male

***Current Diagnosis**:

- Crohn's disease
- Ulcerative colitis
- IBD-unclassified

IBD Medications

Patient reported

IBD Medication:

- 6-Mercaptopurine, (6MP, Purinethol)
- Adalimumab (Humira)
- Azathioprine (Imuran, Azasan)
- Balsalazide (Colazal, Giazo)
- Budesonide (Entocort)
- Budesonide-MMX (Uceris)
- Certolizumab Pegol (Cimzia)
- Cholestyramine (Questran, Colestid)
- Colesevelam (Welchol)
- Cyclosoporine (Neoral, Sandimmune)
- Golimumab (Simponi)
- Imodium
- Infliximab (Remicade)
- Infliximab (Remsima)
- Investigational Product
- Lomotil
- Mesalamine (Pentasa, Asacol, Lialda, Apriso, and Delzicol)
- Mesalamine (Canasa)
- Mesalamine (Rowasa)
- Methotrexate (Trexall, Rheumatrex)
- (Mycophenolate Mofetil (CellCept)
- Natalizumab (Tysabri)
- Olsalazine (Dipentum)
- Oral steroids (Prednisone, Medrol)
- Steroid Enema (cortifoam, hydrocortisone, Colocort)
- Steroid Suppository (Hydrocortisone)
- Sulfasalazine (Azulfidine)
- Tacrolimus (Prograf)
- Tinidazole (Tindamax)
- Tofacitinib (Xeljanz)
- Ustekinumab (Stelara)
- Vedolizumab (Entyvio)
- Other: _____

***Dose (What dose of your medication do you take each time?):**

_____ *(free text field)*

Dose Unit (What is the dose unit of your medication?):

- mg
- mg/kg
- g
- not sure
- other: _____

*__Frequency (How often are you taking your medication?)__:

- once a day
- twice a day
- 3 times a day
- once a week
- every 2 weeks
- every 4 weeks
- every 6 weeks
- every 8 weeks
- as needed
- not sure
- other: _____

***Route of Administration (How do you take your medication?):**

- drops
- injection
- intravenous (through the vein)
- oral
- rectal
- vaginal
- topical (lotion or cream)
- other: _____

***Estimated Start Date**:

____ /____ / ____

MM DD YYYY

***Current Medication:**

- yes

- no

***Estimated Stop Date**:

____ /____ / ____

MM DD YYYY

***Reason Stopped**: (picklist)

- Completed course
- Never worked
- Side Effect
- Stopped working
- Too expensive
- Other:_____

Antibiotics

***Have you taken any antibiotic in the last 3 months for a reason related to your IBD?**

- Yes
- No

***Have you taken antibiotic in the last 3 months for a reason other than IBD?**

- yes
- no

***Antibiotic:** (picklist)

- Amoxicillin Clavulanate (Augmentin)
- Ciprofloxacin (Cipro)
- Metronidazole (Flagyl)
- Rifaximin (Xifaxan)
- Sulfamethoxazole and trimethoprim (Bactrim, ceptra)
- Vancomycin (Vancocin®)
- I don't know
- Other: _____

***Dose:**

_____ *(free text field)*

Dose Unit (What is the dose unit of your medication?):

- mg
- mg/kg
- g
- not sure
- other: _____

*__Frequency (How often are you taking your medication?)__:

- once a day
- twice a day
- 3 times a day
- once a week
- every 2 weeks
- every 4 weeks
- every 6 weeks
- every 8 weeks
- as needed
- not sure
- other: _____

***Route of Administration (How do you take your medication?):**

- drops
- injection
- intravenous (through the vein)
- oral
- rectal
- vaginal
- topical (lotion or cream)
- other: _____

***Estimated Start Date**:

____ /____ / ____

MM DD YYYY

***Current Medication:**

- yes
- no

***Estimated Stop Date**:

____ /____ / ____

MM DD YYYY

***Reason Stopped**:

- Completed course
- Never worked
- Side Effect
- Stopped working
- Too expensive
- Other: _____

Probiotics

***Have you taken any probiotics in the last 3 months?**

- yes
- no

***Probiotic:**

- Probiotic – VSL3
- Other: _____

***Are you currently taking this probiotic?**

- yes
- No

IBD Symptoms

Patient Reported

DO NOT CONSIDER THE DAY(S) THAT YOU PREPARED FOR YOUR COLONOSCOPY WHEN ANSWERING THESE QUESTIONS.

***When you are well, number of bowel movements typically each day:**
[picklist: 0 to +20; not applicable, I have an ostomy]

Based on the symptoms you have been experiencing over the past 7 days:

***Average bowel movements per day:**
[picklist: 0 to +20; not applicable, I have an ostomy]

***Stool frequency**

- Less stool than normal
- Normal
- 1-2 stools per day more than normal
- 3-4 stools per day more than normal
- 5 or more stools per day more than normal
- Not applicable, I have an ostomy

***Average number of liquid/very soft stools per day**

[picklist: 0 to +20; not applicable, I have an ostomy]

***Rectal bleeding**

- No blood seen
- Blood less than 50% of the time
- Blood 50% or more of the time
-

***Have you had bowel movement(s) when you passed blood alone?**

- Yes
- No

***Abdominal pain**

- None

- Mild
- Moderate
- Severe

***Stool urgency**

- None. I can wait 15 minutes or longer to have a bowel movement.
- Mild. I need to get to the bathroom within 5-15 minutes.
- Moderate. I need to get to the bathroom within 2-5 minutes.
- Moderately severe. I need to get to the bathroom in less than 2 minutes.
- Severe. Sometimes I am unable to make it to the bathroom in time.
- Not applicable, I have an ostomy

***General well-being**

- Generally well
- Slightly under par
- Poor
- Very poor
- Terrible

***Disease activity over past 6 months**

- Constantly active, giving me symptoms every day
- Often active, giving me symptoms most days
- Sometimes active, giving me symptoms on some days
- Occasionally active, giving me symptoms 1-2 days/month
- Rarely active, giving me symptoms on a few days in the past 6 months
- I was well in the past 6 months, what I consider a remission or absence of symptoms

Procedures

Provider reported

Modified Mayo Endoscopic Score (MMES)

IBD PLEXUS

SPARC IBD

Modified Mayo Endoscopic Score Template

Event Date:
Site ID:
Participant ID:

Max extent of exam: _____cm
Max extent of active disease: _____cm

Circle the most accurate answer
Event type: Colonoscopy
Sigmoidoscopy

Indication: Assess Disease Activity
Cancer Screening
Assess Disease Activity & Cancer Screening
Other

Circle the most accurate answer. If you circle "No" under "Visualized" for a location, you don't need to complete the other columns for this location. Move to the next location below.

Location	Visualized	Erythema	Vascular pattern	Friability	Mucosal breaks	Overall Score
Right colon	No Yes - Uninflamed Yes - Inflamed	None Mild Marked	Normal Decreased Absent	Normal Friable without spontaneous bleeding Spontaneous Bleeding	None Erosions Ulcerations	0 - Normal or inactive disease 1 - Mild disease (erythma, decreased vascular patern) 2 - Moderate disease (marked erythema, absent vascular pattern, friability, erosions) 3 - Severe disease (spontaneous bleeding, ulceration)
Transverse colon	No Yes - Uninflamed Yes - Inflamed	None Mild Marked	Normal Decreased Absent	Normal Friable without spontaneous bleeding Spontaneous Bleeding	None Erosions Ulcerations	0 - Normal or inactive disease 1 - Mild disease (erythma, decreased vascular patern) 2 - Moderate disease (marked erythema, absent vascular pattern, friability, erosions) 3 - Severe disease (spontaneous bleeding, ulceration)
Descending colon	No Yes - Uninflamed Yes - Inflamed	None Mild Marked	Normal Decreased Absent	Normal Friable without spontaneous bleeding Spontaneous Bleeding	None Erosions Ulcerations	0 - Normal or inactive disease 1 - Mild disease (erythma, decreased vascular patern) 2 - Moderate disease (marked erythema, absent vascular pattern, friability, erosions) 3 - Severe disease (spontaneous bleeding, ulceration)
Sigmoid colon	No Yes - Uninflamed Yes - Inflamed	None Mild Marked	Normal Decreased Absent	Normal Friable without spontaneous bleeding Spontaneous Bleeding	None Erosions Ulcerations	0 - Normal or inactive disease 1 - Mild disease (erythma, decreased vascular patern) 2 - Moderate disease (marked erythema, absent vascular pattern, friability, erosions) 3 - Severe disease (spontaneous bleeding, ulceration)
Rectum	No Yes - Uninflamed Yes - Inflamed	None Mild Marked	Normal Decreased Absent	Normal Friable without spontaneous bleeding Spontaneous Bleeding	None Erosions Ulcerations	0 - Normal or inactive disease 1 - Mild disease (erythma, decreased vascular patern) 2 - Moderate disease (marked erythema, absent vascular pattern, friability, erosions) 3 - Severe disease (spontaneous bleeding, ulceration)

IBD PLEXUS

SPARC IBD

SES-CD

Date:
Site ID:
Participant ID:

Circle the most accurate answer
Event type: Colonoscopy
Sigmoidoscopy

Circle the most accurate answer
Indication: Assess Disease Activity
Cancer Screening
Assess Disease Activity & Cancer Screening
Other

Circle the most accurate answer. If the location is not reached/visualized, circle the first row "NOT REACHED" and continue to the next location below

Location	Size of ulcers	Ulcerated surface (%)	Affected surface (5)	Presence of narrowings
Ileum	NOT REACHED			
	None	None	Unaffected	None
	Aphthous ulcers (0.1-0.5 cm)	<10	<50	Single, can be passed
	large ulcers (0.5-2 cm)	10-30	50-75	Multiple, can be passed
	Very large ulcers (>2 cm)	>30	>75	Cannot be passed
Right colon	NOT REACHED			
	None	None	Unaffected	None
	Aphthous ulcers (0.1-0.5 cm)	<10	<50	Single, can be passed
	large ulcers (0.5-2 cm)	10-30	50-75	Multiple, can be passed
	Very large ulcers (>2 cm)	>30	>75	Cannot be passed
Transverse colon	NOT REACHED			
	None	None	Unaffected	None
	Aphthous ulcers (0.1-0.5 cm)	<10	<50	Single, can be passed
	large ulcers (0.5-2 cm)	10-30	50-75	Multiple, can be passed
	Very large ulcers (>2 cm)	>30	>75	Cannot be passed
Left colon	NOT REACHED			
	None	None	Unaffected	None
	Aphthous ulcers (0.1-0.5 cm)	<10	<50	Single, can be passed
	large ulcers (0.5-2 cm)	10-30	50-75	Multiple, can be passed
	Very large ulcers (>2 cm)	>30	>75	Cannot be passed
Rectum	NOT REACHED			
	None	None	Unaffected	None
	Aphthous ulcers (0.1-0.5 cm)	<10	<50	Single, can be passed
	large ulcers (0.5-2 cm)	10-30	50-75	Multiple, can be passed
	Very large ulcers (>2 cm)	>30	>75	Cannot be passed

Hospitalizations

Patient reported

IBD Hospitalization / Visit

- IBD Hospitalization via emergency room
- Scheduled IBD hospitalization
- Hospitalization via office visit
- Office visit
- Telemedicine
- Emergency visit (no hospitalization)

Estimated Admission date: ____ /___ /_____
MM / DD / YYYY

Estimated Discharge date: ____ /____ /_____
MM / DD / YYYY

Estimated visit date: ____ /____ /_____
MM / DD / YYYY

Were there any changes to your IBD medications due to the hospitalization?

- Yes
- No

Provider/Coordinator reported

Reason(s) for hospitalization

- Exacerbation of IBD with diarrhea and/or pain
- Perianal Crohn's disease (fistula, abscess, ulceration, fissure, etc.)
- Bowel obstruction (suspected or confirmed whether from Crohn's disease, adhesions or cause)
- Penetrating complication (abscess, fistula, phlegmon)
- Malnutrition
- Anemia
- Elective IBD surgery
- Complication of IBD surgery
- Infection other than penetrating complication of IBD
- Pain not related to underlying inflammation or complications of IBD
- Dehydration
- Other IBD related: _____

Were new IBD medications started during the hospitalization?

- yes
- No

Were IBD medications discontinued during the hospitalization?

- **Yes**
- **No**

IBD-related surgery performed during the hospitalization?

- Stricturoplasty
- Gastrojejunostomy
- Bowel resection
- Subtotal colectomy with Hartman's pouch
- Subtotal colectomy with mucous fistula and end ileostomy
- Segmental colectomy
- Partial colectomy
- Total proctocolectomy with permanent end ileostomy
- Completion proctocolectomy with IPAA with diverting loop ileostomy
- Total proctocolectomy with IPAA with diverting ileostomy
- Lysis of adhesions
- Drainage of perirectal abscess
- Surgical fistulotomy
- Placement of a seton
- Closure of loop ileostomy
- Closure of ileostomy with anastomosis
- Pouch excision
- Pouch revision
- Formation of ileostomy
- Formation of colostomy
- unknown
- Other: _____

Reason(s) for CD related surgery:

- Refractory Inflammation
- Symptomatic stricture
- Penetration complication
- Perianal disease
- GI luminal dysplasia or cancer
- Bowel obstruction – not related to symptomatic stricture
- Elective surgery for ostomy closure
- other: _____

Reason(s) for UC/IBD-U related surgery:

- Surgery for chronically continuous refractory disease
- Surgery for acute fulminant disease
- Surgery for dysplasia/cancer
- Elective surgery for IPAA creation or ostomy closure
- Other: _____

IBD SmartForm

1. Since the last assessment, have there been changes in any of the following?

- ☐ surgical history
- ☐ cancer / dysplasia history
- ☐ medication history
- ☐ laboratory studies
- ☐ imaging or diagnostic procedures
- ☐ disease phenotype
- ☐ no changes in history
- ☐ extraintestinal manifestation

3. Diagnosis

- ☐ Crohn's disease
- ☐ Ulcerative colitis
- ☐ Indeterminate colitis

4. *Symptom onset (year)* _____

5. *Physician Diagnosis Year* _____

Current Symptoms

2. ***When you are not experiencing symptoms of your inflammatory bowel disease, how many bowel movements do you typically have each day?***

○ 0 - 1 ○ 2 ○ 3 ○ 4 ○ 5 ○ 6 or more

3. ***Over the last week, what is the average number of bowel movements that you had in a single day?***

_____

4. ***Over the last week, how would you describe the frequency of your stools?***

○ normal
○ 1 – 2 stools / day more than normal
○ 3 – 4 stools / day more than normal
○ > 4 stools / day more than normal

5. ***Over the last week, how would you describe the consistency of most of your bowel movements?***

○ formed ○ soft or semi-formed ○ mostly or all liquid

6. ***Over the last week, how much rectal bleeding have you experienced?***

○ none
○ visible blood in stool less than half the time
○ visible blood in stool half of the time or more
○ passing blood alone

7. ***Over the last week, how much abdominal pain have you had?***

○ mild ○ moderate ○ severe ○ none

8. ***Over the last week, how much urgency have you had before bowel movements?***

○ None. I can wait 15 minutes or longer to have a bowel movement
○ Mild. I need to get to the bathroom within 5 – 15 minutes
○ Moderate. I need to get to the bathroom within 2 – 5 minutes
○ Moderately severe. I need to get to the bathroom in less than 2 minutes
○ Severe. Sometimes I am unable to make it to the bathroom in time

9. ***During the last month, have you awoken at night to move your bowels?***

○ Yes ○ No

10. ***During the last month, have you had leakage of your stool while sleeping?***

○ Yes ○ No

11. ***During the last month, have you had any leakage of stool while you were awake?***

○ Yes ○ No

12. ***Please rate your general well-being over the last week.***

○ generally well
○ slightly under par
○ poor
○ very poor
○ terrible

12. ***Have you received any vaccinations since your last visit?***

○ Yes ○ No

13. ***Is there any possibility that you may be pregnant?***

○ Yes ○ No

14. ***Over the last week, have you used tobacco in any form?***

○ Yes ○ No

15. ***Over the last week, have you taken narcotic pain medications (such as Percocet, oxycodone, Oxycontin, morphine, Vicodin, Dilaudid, MS Contin) for your inflammatory bowel disease?***

○ Yes ○ No

16. ***In the past six months, how many days have you missed work or school because of your inflammatory bowel disease?***

_____

17. ***In the past six months, how many days have you been hospitalized because of your inflammatory bowel disease?***

_____

18. ***In the past six months, how many days have you visited a hospital emergency department because of your inflammatory bowel disease?***

Assessments

13. Physician's global assessment of current disease status

○ quiescent ○ mild ○ moderate ○ severe

14. Since the last visit, has the patient been in continuous remission?

○ Yes ○ No

15. Current steroids of at least 10 mg/day for 60 days or more (If yes, complete the 2 items below)?

○ Yes ○ No ○ Unknown

Have steriod-sparing treatments been attempted (If no, provide reason not attempted)?

○ Yes ○ No

Has bone loss assesment been performed?

○ Yes ○ No

16. Since the last assessment, was a new IBD medication initiated (If yes, complete the 2 questions below)?

○ Yes ○ No

Hepatitis B screening performed and resulted prior?

○ Yes ○ No

If no, provide reason not performed.

○ Medical Reason ○ Patient Reason

Tuberculosis screeing performed and resulted prior?

○ Yes ○ No

Current IBD Manifestations

17. Intestinal inflammation

○ Yes ○ No ○ Unknown

2. Obstructive symptoms

○ Yes ○ No ○ Unknown

3. Perianal disease

○ Yes ○ No ○ Unknown

4. Abdominal abscess, fistula, or other penetrating complication

○ Yes ○ No ○ Unknown

5. Therapy related complication

○ Yes ○ No ○ Unknown

6. Extra-intestinal manifestations

○ Yes ○ No ○ Unknown

B. Severity Scores

1. 6-point UCDAI _____

2. 9-point UCDAI _____

3. sCDAI _____

Appendix I - Surgical History

1. Number of IBD Surgeries

- ○ 0
- ○ 1
- ○ 2
- ○ greater than 5
- ○ 3
- ○ 4
- ○ 5
- ○ unknown

Year of Most Recent IBD Surgery _____

2. Esophageal

- ○ 0
- ○ +1
- ○ Unknown

3. Gastroduodenal

- ○ 0
- ○ +1
- ○ Unknown

4. Small bowel resections

- ○ 0
- ○ 1
- ○ 2
- ○ 3 or more
- ○ unknown

5. Colon Resections

- ○ 0
- ○ +1
- ○ Unknown

Complete Colectomy

- ○ Yes
- ○ No
- ○ Unknown

A. Stricturoplasty

- ○ 0
- ○ 1
- ○ 2
- ○ 3 or more
- ○ unknown

Appendix II - Cancer / Dysplasia History

1. ***History of IBD-associated dysplasia***

- ○ none
- ○ indeterminate
- ○ low-grade dysplasia
- ○ high-grade dysplasia
- ○ cancer

2. ***History of colorectal cancer***

- ○ Yes
- ○ No

Medication Information

i. Corticosteroids

☐ Never ☐ Ever

ii. Thiopurines

☐ Never ☐ Ever

iii. Methotrexate

☐ Never ☐ Ever

iv. Infliximab

☐ Never ☐ Ever

v. Adalimumab

☐ Never ☐ Ever

vi. Certolizumab

☐ Never ☐ Ever

vii. Golimumab

☐ Never ☐ Ever

viii. Natalizumab

☐ Never ☐ Ever

ix. Mesalamine

☐ Never ☐ Ever

x. Sulfasalazine

☐ Never ☐ Ever

xi. Vedolizumab

☐ Never ☐ Ever

xii.Ustekinumab

☐ Never ☐ Ever

xiii. Tofacitinib

☐ Never ☐ Ever

xiv. Other biologic

☐ Never ☐ Ever

Disease Phenotype

Crohn's Summary

1. Current Crohn's disease phenotype?

- ○ inflammatory, non-penetrating, non-structuring
- ○ penetrating
- ○ stricturing
- ○ both stricturing and penetrating
- ○ unknown

2. Involved sites since disease onset

i. Esophagus

○ Yes ○ No ○ Unknown

ii. Stomach

○ Yes ○ No ○ Unknown

iii. Duodenum

○ Yes ○ No ○ Unknown

iv. Jejunum

○ Yes ○ No ○ Unknown

v. Ileum

○ Yes ○ No ○ Unknown

vi. Right colon

○ Yes ○ No ○ Unknown

vii. Transverse colon

○ Yes ○ No ○ Unknown

viii. Left colon

○ Yes ○ No ○ Unknown

ix. Rectum

○ Yes ○ No ○ Unknown

x. Anus

○ Yes ○ No ○ Unknown

<u>History of Stricture (B2 phenotype)</u>

i. Esophagus

○ Yes ○ No ○ Unknown

ii. Stomach

○ Yes ○ No ○ Unknown

iii. Duodenum

○ Yes ○ No ○ Unknown

iv. Jejunum

○ Yes ○ No ○ Unknown

v. Ileum

○ Yes ○ No ○ Unknown

vi. Right colon

○ Yes ○ No ○ Unknown

vii. Transverse colon

○ Yes ○ No ○ Unknown

viii. Left colon

○ Yes ○ No ○ Unknown

ix. Rectum

○ Yes ○ No ○ Unknown

x. Anus

- ○ Yes
- ○ No
- ○ Unknown

Ulcerative Colitis Summary

1. Macroscopic extent of disease

- ○ Ulcerative proctitis (rectum only)
- ○ Left-sided ulcerative colitis (distal to the splenic flexure only)
- ○ Extensive ulcerative colitis (extends proximal to the splenic flexure)
- ○ Pancolitis
- ○ Unknown

2. Has the patient ever been hospitalized for severe disease?

○ Yes ○ No ○ Unknown

Inflammatory Bowel Disease Unclassified (Indeterminate Colitis) Summary

1. Macroscopic extent of disease

- ○ Ulcerative proctitis (rectum only)
- ○ Left-sided ulcerative colitis (distal to the splenic flexure only)
- ○ Extensive ulcerative colitis (extends proximal to the splenic flexure)
- ○ Pancolitis
- ○ Unknown

2. Has the patient ever been hospitalized for severe disease?

○ Yes ○ No ○ Unknown

3. *Reason(s) for IBDU classification*

1. Classified as IBDU in referral records without details

○ Yes ○ No

_____

2. Rectal Sparing

○ Yes ○ No

_____

3. Skip area outside of rectum

○ Yes ○ No

_____

4. Endoscopic appearance of ulcerations

○ Yes ○ No

_____

5. Perianal skin tags

○ Yes ○ No

_____

6. Perianal fissure, fistula or other disease

○ Yes ○ No

_____

7. Nonspecific small bowel abnormality on imaging

○ Yes ○ No

_____

8. Nonspecific small bowel abnormality on colonoscopy

○ Yes ○ No

_____

9. Inadequate work-up to distinguish CD versus UC

○ Yes ○ No

_____

10. Serologies inconsistent with clinical presentation

○ Yes ○ No

_____

11. Other

○ Yes ○ No

_____

Extraintestinal Manifestations

1. IBD-associated arthropathy

○ Yes ○ No ○ Unknown

2. Uveitis

○ Yes ○ No ○ Unknown

3. Oral aphthous ulcers

○ Yes ○ No ○ Unknown

4. Erythema nodosum

○ Yes ○ No ○ Unknown

5. Pyoderma gangrenosum

○ Yes ○ No ○ Unknown

6. Primary sclerosing cholangitis

○ Yes ○ No ○ Unknown

7. Thrombotic complications

○ Yes ○ No ○ Unknown

c. IBD Qorus

1. Physician Global Assessment

Please select your latest observation of the Physician's Global Assessment:



2. Diagnosis

Diagnosis

☐ Crohn's Disease ☐ Ulcerative Colitis ☐ IBD UNCLASSIFIED

Disease Phenotype (required only for Crohn's Disease)

☐ NON-STRICTURING AND NON-PENETRATING
☐ STRICTURING AND NON-PENETRATING
☐ PENETRATING AND NON-STRICTURING
☐ PENETRATING AND STRICTURING

Diagnosis Date

____/____/_____

Diagnosis Site

FOR UC:

☐ **RECTUM ONLY (PROCTITIS)**
☐ **LEFT-SIDED**
☐ **EXTENSIVE**
☐ **PAN-COLITIS**
☐ **POST-COLECTOMY WITH STOMA**
☐ **POST-COLECTOMY WITH J-POUCH**
☐ **NOT SURE**

FOR CROHN'S:

☐ **UPPER TRACT**
☐ **PROXIMAL SMALL BOWEL**
☐ **ILEAL**
☐ **COLONIC**
☐ **PERIANAL**
☐ **STOMA**
☐ **J-POUCH**
☐ **NOT SURE**

FOR IBD UNCLASSIFIED:

- ☐ **RECTUM ONLY (PROCTITIS)**
- ☐ **LEFT-SIDED**
- ☐ **EXTENSIVE**
- ☐ **PAN-COLITIS**
- ☐ **POST-COLECTOMY WITH STOMA**
- ☐ **POST-COLECTOMY WITH J-POUCH**
- ☐ **PERIANAL**
- ☐ **NOT SURE**

3. Demographics
    - Gender
        - Male
        - Female
        - Other
    - Date of Birth

4. Procedures

Procedure name: (drop down)

- Colonoscopy
- Ileoscopy
- Pouchoscopy
- capsule endoscopy
- MRI
- CT
- small bowel follow through (barium study)
- deep small bowel endoscopy
- upper endoscopy (EGD)

Procedure date: (date field)

Procedure results: (free text)

5. Patient Reported Symptoms

DO NOT CONSIDER THE DAY(S) THAT YOU PREPARED FOR YOUR COLONOSCOPY WHEN ANSWERING THESE QUESTIONS.

***When you are well, number of bowel movements typically each day:**

[picklist: 0 to +20; not applicable, I have an ostomy]

Based on the symptoms you have been experiencing over the past 7 days:

***Average bowel movements per day:**
[picklist: 0 to +20; not applicable, I have an ostomy]

***Stool frequency**

- Less stool than normal
- Normal
- 1-2 stools per day more than normal
- 3-4 stools per day more than normal
- 5 or more stools per day more than normal
- Not applicable, I have an ostomy

***Average number of liquid/very soft stools per day**

[picklist: 0 to +20; not applicable, I have an ostomy]

***Rectal bleeding**

- No blood seen
- Blood less than 50% of the time
- Blood 50% or more of the time

***Have you had bowel movement(s) when you passed blood alone?**

- Yes
- No

***Abdominal pain**

- None
- Mild
- Moderate
- Severe

***Stool urgency**

- None. I can wait 15 minutes or longer to have a bowel movement.
- Mild. I need to get to the bathroom within 5-15 minutes.
- Moderate. I need to get to the bathroom within 2-5 minutes.
- Moderately severe. I need to get to the bathroom in less than 2 minutes.
- Severe. Sometimes I am unable to make it to the bathroom in time.
- Not applicable, I have an ostomy

***General well-being**

- Generally well
- Slightly under par
- Poor
- Very poor
- Terrible

***Disease activity over past 6 months**

- Constantly active, giving me symptoms every day
- Often active, giving me symptoms most days
- Sometimes active, giving me symptoms on some days
- Occasionally active, giving me symptoms 1-2 days/month
- Rarely active, giving me symptoms on a few days in the past 6 months
- I was well in the past 6 months, what I consider a remission or absence of symptoms

6. Pre-visit survey

Please help us understand how Inflammatory Bowel Disease (IBD) affects you

Currently, what is your number ONE concern or goal related to your IBD? This could be related to a specific symptom (e.g., diarrhea), worry for the future (e.g., need for surgery, cost of care) or how IBD might impact an upcoming life event (e.g., wedding, travel). Or you can report that you have no current concerns or goals.

_____

When you are not experiencing symptoms of your inflammatory bowel disease, how many bowel movements do you typically have each day? [picklist: Not applicable, I have an ostomy; 0 – 20+]

Now, tell us about your current symptoms. Over the past 7 days…

What is your average (typical) number of bowel movements that you had in a single day last week? [picklist: Not applicable, I have an ostomy; 0 – 20+]

What is your daily stool frequency? (check one)

☐ Less stool than normal

☐ Normal number of stools

☐ 1-2 stools more than normal

☐ 3-4 stools more than normal

☐ 5 or more stools more than normal

☐ Not applicable, I have an ostomy

What is your average number of liquid or very soft stools per day? [picklist: Not applicable, I have an ostomy; 0 – 20+]

Daily abdominal pain (check one):

☐ None ☐ Mild ☐ Moderate ☐ Severe

Blood in stool (check one)

☐ No blood seen

☐ Blood less than 50% of the time

☐ Blood 50% or more of the time

In the past 7 days, have you have bowel movement(s) when you passed blood alone?

☐ Yes ☐ No

Over the past 7 days, how much urgency have you had before bowel movements? (select the most representative answer)

☐ None. I can wait 15 minutes or longer to have a bowel movement.

☐ Mild. I need to get to the bathroom within 5-15 minutes.

☐ Moderate. I need to get to the bathroom within 2-5 minutes.

☐ Moderately severe. I need to get to the bathroom in less than 2 minutes.

☐ Severe. Sometimes I am unable to make it to the bathroom in time.

☐ Not applicable, I have an ostomy

Over the past 7 days, have you been waking up at night to move your bowels or experiencing any leakage of stool while asleep? ☐ Yes ☐ No

How would you rate your general well-being over the **past 7 days**? (check one)

☐ Generally well ☐ Slightly under par ☐ Poor ☐ Very Poor ☐ Terrible

In the past 6 months my disease has been: *(check one)*

- ☐ Constantly active, giving me symptoms every day
- ☐ Often active, giving me symptoms most days
- ☐ Sometimes active, giving me symptoms on some days
- ☐ Occasionally active, giving me symptoms 1–2 days/month
- ☐ Rarely active, giving me symptoms on a few days in the past 6 months
- ☐ I was well in the past 6 months, what I consider a remission or absence of symptoms

Have you been in the need of "URGENT" IBD care in the past **6 months**? By urgent, we mean significant symptoms that you hoped to be addressed within hours.

☐ Yes ☐ No

If YES, how satisfied were you with your experience in receiving urgent care when needed?

☐ Not satisfied at all ☐ Somewhat satisfied ☐ Satisfied ☐ Very satisfied

Have you been to an Emergency Department (ED) in the past **6 months** due to your IBD?

☐ Yes ☐ No

If YES, approximate date: MM/DD/YYYY

Have you been hospitalized in the past **6 months** due to your IBD? ☐ Yes ☐No

If YES, approximate date: MM/DD/YYYY

Have you had a CT scan in the past **6 months** for your IBD? ☐ Yes ☐ No

Are you **currently** taking steroids by mouth (prednisone) for your IBD? ☐ Yes ☐ No

Are you **currently** taking narcotics (pain medications) for your IBD? ☐ Yes ☐ No

Have you lost weight (without trying to) over the past **6 months**? ☐ Yes ☐ No

Are you **currently** smoking cigarettes? ☐ Yes ☐ No

Have you received an influenza (flu) vaccination within the **past year**?

☐ Yes ☐ No ☐Not sure

Have you **ever** received a pneumonia vaccination?

☐ Yes ☐ No ☐Not sure

7. Labs

Lab Name:

- Albumin
- Biologic Drug Levels
- CRP
- Dexa Scan – Bone Density
- Ferritin
- Hemoglobin
- Hepatitis- B
- Self-Reported Weight
- Skin Check- DERM
- Tuberculosis (TB)
- TPMT

Lab Perform Date:

Lab Textual Value:

Symbol:

Lab Numeric Value:

Lab Units

- %
- mg/dL
- mg/L
- mm

Abnormal Flag: ☐

Normal Max:

Normal Min:

8. Medication

Medication Name:

Dose:

Dose Unit

Frequency:

Route of Administration:

Estimated Start Date:

Current Medication: ☐

Estimated Stop Date:

Reason Stopped:

9. IBD Hospitalization/Visit

IBD Hospitalization / Visit:

- If emergency visit (no hospitalization), office visit, or telemedicine is selected, the remaining options are:
    - Estimated Visit Date:
    - Purpose of Visit:
- If hospitalization via office visit, IBD Hospitalization via emergency room, or scheduled IBD hospitalization is selected, the remaining options are:
    - Estimated Admission Date:
    - Estimated Discharge Date:
    - Were new IBD medications started during hospitalization?
    - Were IBD medications discontinued during hospitalization?
    - Reason for Hospitalization:
    - IBD- related Surgery Performed during the hospitalization:
    - Reason for CD related surgery:

10. Immunization/Vaccine

Immunization / Vaccine Name:

- Influenza
- Pneumoccocal
- Hep-B

Vaccine/Immunization Date:

Immunization Active: ☐

d. Partners

Baseline and Follow-up Surveys

1. **How old are you?**
   - ☐ Younger than 18 years old
   - ☐ Between 18 and 25 years old
   - ☐ Older than 25 years old

2. **Has a doctor EVER told you that YOU have Inflammatory Bowel Disease?**
   - ☐ Yes, Crohn's disease
   - ☐ Yes, ulcerative colitis
   - ☐ Yes, indeterminate colitis
   - ☐ No, I don't have IBD

Section 1: Demographics

3. **How old were you on your last birthday?**

   _____

4. **Are you…?**
   - ☐ Male
   - ☐ Female

5. **Do you consider yourself to be of Hispanic or Latino ethnicity?**
   - ☐ Yes
   - ☐ No

6. **Which of the following best describes you?**
   - ☐ White
   - ☐ Black/African American
   - ☐ Asian
   - ☐ Native Hawaiian

☐ Other Pacific Islander

☐ American Indian or Alaskan Native

☐ More than one race

☐ Other

Section 2: Disease Activity

7. How would you describe your general well being over the past week?
1 = Generally well
2 = Slightly below par
3 = Poor
4 = Very poor
5 = Terrible

8. On average, over the past week, would you rate your abdominal pain as:
1 = None
2 = Mild
3 = Moderate
4 = Severe

Section 3: IBD Medications

Many medications and supplements can be used to treat Crohn's and colitis or complications of these diseases. For each medication or supplement, we want to know if you have ever used it, and whether you are currently using it.

	1 = I have never used, or I don't know if I have ever used	2 = I have used, but I am not currently using	3 = I am currently using
1520 - Rectal steroids (Cortenema, Cortifoam (hydrocortisone rectal), budesonide (Uceris) foam, etc.)	○	○	○
1440 - Oral/IV steroids (prednisone, prednisolone, methylprednisolone)	○	○	○
1480 - Oral budesonide (Entocort, Uceris)	○	○	○
1560 - Oral 5-ASA (Lialda, Asacol, Delzicol, Pentasa, Apriso (mesalamine), Colazal, Giazo (balsalazide), Dipentum (olsalazine))	○	○	○
1640 - Rectal 5-ASA (Rowasa, Canasa (mesalamine rectal))	○	○	○
1600 - Azulfidine (sulfasalazine)	○	○	○
1680 - Ciprofloxacin	○	○	○
1720 - Flagyl (metronidazole)	○	○	○
1760 - Other antibiotics prescribed for IBD	○	○	○

1800 - Purinethol (6MP) /Imuran (azathioprine)	○	○	○
1840 - Methotrexate (oral)	○	○	○
1860 - Methotrexate (subcutaneous injection)	○	○	○
1880 - Remicade (infliximab) or a biosimilar (Inflectra, Remsima, others)	○	○	○
1920 - Humira (adalimumab) or a biosimilar (Amjevita, others)	○	○	○
1960 - Cimzia (certolizumab pegol)	○	○	○
1980 - Simponi (golimumab)	○	○	○
2080 - Tysabri (natalizumab)	○	○	○
2100 - Entyvio (vedolizumab)	○	○	○
2020 - Stelara (ustekinumab)	○	○	○
2010 - Xeljanz (tofacitinib)	○	○	○
2000 - Neoral (cyclosporine)	○	○	○
2040 - Prograf (tacrolimus)	○	○	○
4600 - Calcium	○	○	○
4640 - Vitamin D	○	○	○
10040 - Vitamin B-12	○	○	○
4680 - Bisphosphonate (medications like Fosamax (alendronate), Actonel (risedronate), Boniva (ibandronate), Zometa or Reclast (zoledronate), Didronel (etidronate))	○	○	○
11050 - Over-the-counter or prescription NSAIDS (examples include aspirin,	○	○	○

Section 4: Quality of Life

Your selected health measures and associated questions are shown below. Please answer all questions and then click the blue "Submit" button at the bottom of the page. You will then be automatically taken back to the My Health Data page where you will be able to view and track your scores in the graphing tools provided. Keep in mind, you must answer all questions associated with a specific measure in order to get a score.

In the past 7 days...

	1 = Never	2 = Rarely	3 = Sometimes	4 = Often	5 = Always
8720 - I felt fearful	○	○	○	○	○
8760 - I found it hard to focus on anything other than my anxiety	○	○	○	○	○
8800 - My worries overwhelmed me	○	○	○	○	○
8840 - I felt uneasy	○	○	○	○	○

In the past 7 days...

	1 = Never	2 = Rarely	3 = Sometimes	4 = Often	5 = Always
8880 - I felt worthless	○	○	○	○	○
8920 - I felt helpless	○	○	○	○	○
8960 - I felt depressed	○	○	○	○	○
9000 - I felt hopeless	○	○	○	○	○

In the past 7 days...

	1 = Not at all	2 = A little bit	3 = Somewhat	4 = Quite a bit	5 = Very much
9080 - I feel fatigued	○	○	○	○	○
9120 - I have trouble starting things because I am tired	○	○	○	○	○
9160 - How run-down did you feel on average	○	○	○	○	○
9200 - How fatigued were you on average	○	○	○	○	○

In the past 7 days...

Q9280 - My sleep quality was

1 = Very poor

2 = Poor

3 = Fair

4 = Good

5 = Very good

In the past 7 days...

	1 = Not at all	2 = A little bit	3 = Somewhat	4 = Quite a bit	5 = Very much
9360 - My sleep was refreshing	○	○	○	○	○
9400 - I had a problem with my sleep	○	○	○	○	○
9440 - I had difficulty falling asleep	○	○	○	○	○

In the past 7 days...

	1 = Not at all	2 = A little bit	3 = Somewhat	4 = Quite a bit	5 = Very much
9480 - I am satisfied with my ability to do things for fun with others	○	○	○	○	○
9520 - I am satisfied with my ability to do things for my family	○	○	○	○	○
9560 - I am satisfied with my ability to meet the needs of my friends	○	○	○	○	○
9600 - I am satisfied with my ability to do the work that is really important to me (include work at home)	○	○	○	○	○

In the past 7 days...

	1 = Not at all	2 = A little bit	3 = Somewhat	4 = Quite a bit	5 = Very much
10070 - How much did pain interfere with your day-to-day activities?	○	○	○	○	○

10080 - How much did pain interfere with work around the home?	○	○	○	○	○
10090 - How much did pain interfere with your ability to participate in social activities?	○	○	○	○	○
10100 - How much did pain interfere with your household chores?	○	○	○	○	○

Q9640 - In general, would you say your health is

1 = Excellent

2 = Very good

3 = Good

4 = Fair

5 = Poor

Q30600 - In general, would you say your quality of life is

5 = Excellent

4 = Very good

3 = Good

2 = Fair

1 = Poor

Q2280 - *During the past week*, how would you rate your IBD activity?

1 = Remission (no symptoms)

2 = Minimal symptoms

3 = Mildly active

4 = Moderately active

5 = Severely active